VU Research Portal

Beyond land cover change

Verburg, Peter H.; Alexander, Peter; Evans, Tom; Magliocca, Nicholas R.; Malek, Ziga; Rounsevell, Mark DA; van Vliet, Jasper

published in

Current Opinion in Environmental Sustainability
2019

DOI (link to publisher)

[10.1016/j.cosust.2019.05.002](https://doi.org/10.1016/j.cosust.2019.05.002)

document version

Publisher's PDF, also known as Version of record

document license

Article 25fa Dutch Copyright Act

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Verburg, P. H., Alexander, P., Evans, T., Magliocca, N. R., Malek, Z., Rounsevell, M. DA., & van Vliet, J. (2019). Beyond land cover change: towards a new generation of land use models. *Current Opinion in Environmental Sustainability*, 38, 77-85. <https://doi.org/10.1016/j.cosust.2019.05.002>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Beyond land cover change: towards a new generation of land use models

Peter H Verburg^{1,2}, Peter Alexander^{3,4}, Tom Evans⁵,
 Nicholas R Magliocca⁶, Ziga Malek², Mark DA Rounsevell^{3,7} and
 Jasper van Vliet²

Land use models play an important role in exploring future land change dynamics and are instrumental to support the integration of knowledge in land system science. However, only modest progress has been made in achieving these aims due to insufficient model evaluation and limited representation of the underlying socio-ecological processes. We discuss how land use models can better represent multi-scalar dynamics, human agency and demand-supply relations, and how we can achieve learning from model evaluation. By addressing these issues we outline pathways towards a new generation of land use models that allow not only the assessment of future land cover pattern changes, but also stimulate envisioning future land use by society to support debate on sustainability solutions and help design alternative solutions.

Addresses

¹ Federal Institute for Forest, Snow and Landscape Research (WSL), Zürcherstrasse 111, CH-8903 Birmensdorf, Switzerland

² Institute for Environmental Studies, Vrije Universiteit Amsterdam, de Boelelaan 1087, 1081HV Amsterdam, The Netherlands

³ School of GeoSciences, University of Edinburgh, Drummond Street, Edinburgh, UK

⁴ Global Academy of Agriculture and Food Security, The Royal (Dick) School of Veterinary Studies, University of Edinburgh, Midlothian, UK

⁵ School of Geography and Development, University of Arizona, United States

⁶ Department of Geography, University of Alabama, Tuscaloosa, AL, United States

⁷ Karlsruhe Institute of Technology, Institute of Meteorology and Climate Research, Atmospheric Environmental Research (IMK-IFU), Garmisch-Partenkirchen, Germany

Corresponding author: Verburg, Peter H (peter.verburg@vu.nl)

Introduction

As with other emerging scientific fields, rapid advances in land use modelling were made during the first decades of the development of land system science. Several alternative paradigms for modelling land use change processes were developed [1]. Over the past decade, the number of publications related to land use change modelling has continued to increase. Publications in this period indicate three trends: 1) The frequent application of easily available land use models in case-studies aimed at informing spatial planning. Many of these studies apply relatively simple spatial models, for example, using a combination of Markov chains for the quantity of change and cellular automata to emulate patterns of land cover change [2]; 2) The incremental improvement of existing models and modelling concepts [3–5]; 3) The development of agent-based models for specific case-studies that are difficult to generalize beyond the specific context, characterized by O'Sullivan *et al.* [6] as the YAAWN syndrome (“Yet Another Agent-Based Model . . . Whatever . . . Nevermind . . .”).

These trends illustrate the relevance of land change modelling as a tool in land system science. However, the limited amount of novel modelling concepts raises the question of whether the full potential of land use modelling in land system science is reached with the current tools and modelling concepts?

This question cannot be answered in a generic manner. In many projects existing land use models have successfully played a role in synthesizing project results [7,8] or in structuring discussions with stakeholders [9,10]. In spite of this, there is a recurring notion in the literature of the model being presented as the endpoint, rather than as a tool to answer a research question or a product of a learning process. This is unfortunate since modelling systems are rarely adopted by stakeholders after the lifetime of a project [11].

The application of currently available models for policy and planning is hampered by uncertainty throughout the modelling process, and limited progress has been made in addressing this uncertainty. While predictive accuracy is just one metric of a model's value, earlier validation efforts showed that few land use models outperformed

Current Opinion in Environmental Sustainability 2019, **38**:77–85

This review comes from a themed issue on **Sustainability governance and transformation**

Edited by **Rinku Roy Chowdhury**, **Darla K Munroe** and **Ariane de Bremond**

For a complete overview see the [Issue](#) and the [Editorial](#)

Available online 4th June 2019

<https://doi.org/10.1016/j.cosust.2019.05.002>

1877-3435/© 2019 Elsevier B.V. All rights reserved.

a simple ‘no change’ model [12]. More recently, Mas *et al.* [13] showed that for a similar (virtual) landscape four different, frequently used, land change models resulted in strongly different outcomes. A comparison of global land use models and integrated assessment models (IAMs) showed that the differences between the models analyzed were greater than the differences between the different scenarios modelled [14^{••},15^{••}]. A review of calibration and validation practices in land use models [16[•]] found that 31% of the applications did not report any model evaluation, while the rest were predominantly assessed in terms of their location accuracy, ignoring the uncertainty in the quantity and spatial patterns of land use. Only 17% of the model applications reported an uncertainty analysis, and 12% reported a sensitivity analysis.

Given these conditions, the objective of this paper is to identify opportunities to improve land use modelling towards a new generation of land system models that is better able to synthesize and formalize insights, make sources of uncertainty in projections transparent, and support the design of sustainability solutions.

Key dimensions for land system modelling

Addressing the multi-scalar challenge

The dilemma of choosing an appropriate scale for modelling is well-known for land system science and multi-scalar dynamics have been a challenge since the origin of the research field [17–19]. Global drivers affect places in different ways and aggregate impacts of local responses feedback to the global system. Coupling of models operating at different scales has been proposed to address the multiple levels of analysis needed to describe all important processes [20–22,23^{••}]. However, most of the studies only implement a one-way, top-down flow of data in the coupled modelling system as incorporating feedbacks would lead to computationally complex iterations between the coupled models. Moreover, different modelling concepts and behavioral assumptions at different levels may lead to inconsistencies between models at different scales (“ugly constructs” according to Voinov and Shugart [24]).

Addressing the multi-scalar challenge requires new multi-scale model structures. Experiences in other fields of science may be instrumental to inform such a design, that is, the multi-level structure employed in remote sensing [25] or multi-scale modelling in physics [26]. In physics a sequential modelling is used in which micro-models pre-compute details of some of the constitutive relations in the macro-model. Such an approach may also be used in land system science to represent processes like adaptive behavior in land use decision making. In addition, rather than simulating all underlying processes, a larger role may be given to meta-studies, synthesizing empirically measured responses in local studies to inform model design [27]. Such

micro-level models or meta-studies should aim to synthesize the role of contextual conditions on responses, which can be translated into simple model rules implemented within a higher-level model to account for the local level responses. An example is the use of meta-analysis results to quantify the impact of land use change on biodiversity [28].

When feedbacks between micro and macro levels are important, concurrent multi-scale modelling (or nested modelling) may be applied in which quantities needed in the macro-scale model are computed on-the-fly from micro-scale models. Concurrent coupling allows one to evaluate these forces at the locations where they are needed to resolve local behavior and then use macro-models elsewhere. Concurrent coupling is not yet used for land use modelling.

New land system models need model structures that reflect key scalar dynamics more explicitly. For example, models of global food trade use a different approach than models of decision making about land use at local levels. However, combining models of trade flows with sub-national models of human agency would create new modelling approaches of considerable utility. An example of such an approach is provided by Lamperti *et al.* [29^{••}] through an alternative, agent-based, model structure to the classic coupling of general equilibrium models and climate models in IAMs.

A confounding factor in the multi-scalar challenge is the wide variety of telecoupled processes and the impact of location conditions on land change outcomes [30,31]. The extent and spatial patterns of land change will differ between locations as a result of the local socio-economic, cultural and demographic context. Similarly, the impacts of the same land change differ by location. Downscaling of global model outcomes to pixels is well established and an integral part of IAMs and also frequently used to account for global drivers in regional land use models. However, feedbacks from the local to the global-level are poorly captured with this approach. Global land use models are, therefore, often unable to appropriately capture processes such as displacement effects, multi-level governance of land use, adaptive learning, and non-rational human behavior that underpins decision making [31]. Part of these bottom-up processes could be captured by nesting micro-models within the macro-models to capture bottom-up responses as has been described above. However, when these responses are moderated through processes at different scales capturing the bottom-up response may not be sufficient. Displacement and other spillover effects can occur through multiple mechanisms [67,32] and the spatial scale across which these effects occur depends on the actors and processes involved, such as the structure of the value chain and markets, which can cause spillovers to occur from

within the same landscape to across world regions. Economic models (e.g. equilibrium models) that can address such displacement processes have fixed representations of modelling units and can only address displacement effects between these units. While qualitative methods and conceptual models are able to describe such cross-scale mechanisms, a consistent representation in models is still challenging. A potential way ahead may be to move away from using simple spatial (i.e. world regions or pixels) or organizational entities (individual or institutional agents) as units of simulation to more blended approaches where the processes of interaction are central to the simulation. Such an approach will better enable us to address the systems behavior upon shocks, such as extreme weather events or trade conflicts that increasingly affect land use. Land system models could be used to simulate such shocks to better understand the systems behaviors helping to mitigate negative outcomes [33]. However, to date such modelling remains lacking, in part due to the challenges in consider multi-scale interaction in dynamic (i.e. non-equilibrium) conditions.

Embrace complexity and diversity of human agency

The attractiveness of agent-based modelling for land use change originates from the explicit representation of the diversity in decision making and the desire to incorporate agent-interactions [34]. Progress in urban land use-transportation modelling, especially through micro-simulation of residential choice of agents in relation to transport options, has been substantial [35]. Agent-based models across a wide range of contexts are build such that they are able to capture a diversity of different agents. However, most agent-based modelling is focused on the local scale, because finding sufficient empirical data about decision making processes and outcomes at larger scales is extremely difficult. Attempts to use agent-based models at larger scales often resort to simplifications of the variation in decision making by linking agent-types directly to land cover types [34]. While there is general agreement that decision making dynamics in land use can vary strongly across the globe, there is little empirical basis or theoretical insight to help selecting from different approaches to represent decision-making in simulation models [36*].

To fill this gap, Malek *et al.* [37] conducted a meta-analysis of case-studies to identify where, and under what conditions, certain modes of land-use decision making are found. The occurrence of archetypes of decision making, ranging from satisficing behavior to utility maximization, was related to contextual conditions, leading to a predictive model that indicates what mode of land use decision making can be expected in a particular context (Figure 1). In spite of the large generalization, this synthesis is a first step towards global land use models that represent the variation in decision making. Land-use decision making often shows an evolution over time [38], as is represented

in models that incorporate adaptive behavior [39]. Moving away from the assumption of uniform and static decision making is a big step for land use models and does not necessarily mean that all should become agent-based modelling and represent individual agents. Differences in decision making mechanisms can also be reflected in spatial models that use pixels as units of simulation, either through the choice of determinants of location suitability or through the spatial extent accounted for in choosing the most optimal location for a particular land use. In literature concerning global economic and integrated assessment models there have been several calls to represent heterogeneity and some early approaches have been proposed, however not yet related to land use [40,41].

A limitation of most agent-based modelling is the focus on primary actors of land use change (often farmers). Recent developments show an increasing influence of distant land owners, investors and companies through large-scale land acquisitions, contract farming and investments [42,43]. To better account for such developments, insight into the decision making of these actors needs to be obtained. Yet, there are few studies [44,45] that explicitly account for these types of actors.

Linking demand and supply

Most models assume an external pressure or demand to steer land cover change quantities or use Markov chains to extrapolate from historic trends. The processes underlying this demand are not modelled explicitly and feedbacks between demand and supply are ignored. As an exception, general economic equilibrium models determine demand and supply across the full economy, where the costs of production can affect consumption patterns through price signals [46]. Such an analysis is useful, but lacks a representation of spatial heterogeneity, as the spatial resolution of these models is often restricted to world regions and spatial aspects are only represented through spatial downscaling of aggregate results. Other feedbacks in the system, including lifestyles, land tenure, advertising, markets and governance, can only be incorporated in stylized forms, for example, through demand elasticities and production costs. Not only the consumption of agricultural commodities, but also the use of other land-based commodities such as biofuels, is strongly determined by large corporations that impact consumption choices through markets. In addition, governments impact relationships between demand and supply, for example, through trade barriers and subsidies for production or export of products [47]. As a result, consumer prices do not reflect the real production costs and consumer choices are often not economically rational, let alone fully account for health or environmental costs and benefits. Consumption choices are a strong determinant of land system change and offer a large potential to reduce pressures on land resources and environmental impact

Figure 1

Results of a meta-analysis of case studies reporting decision-making modes worldwide. Left: Radar charts showing average scores on abilities (financial, land size, land tenure, connectedness, power), objectives (survival, economic, environmental, lifestyle, social prestige) and attitudes (change, legislation, environmental values) for the different decision-modes; Right: Maps depicting likelihood of finding a specific decision mode based on extrapolation with socio-economic and biophysical context variables [37].

[48,49,50*]. Representing these aspects of agency (both individual consumers and producers as well as those of commercial actors in global value chains) have been given limited attention in land use modelling but offer large potential for increasing our understanding of linkages between the demand and supply sites of land systems.

The multiple production-site responses to increased demand for land-based commodities are, in land use models, often reduced to a single response in terms of land cover change. While land system science is based on

the notion of socio-ecological systems, we often still model only a symptom of the socio-ecological system dynamics: the conversion of one land cover to another. This is a direct result of the dependence on remote sensing data that reflects land cover. Few models account for the most important pathway of fulfilling increasing demands for land-based commodities: land use intensification [51,52]. Concepts such as ‘sustainable intensification’ are popular as alternative pathway for fulfilling demand and land system models could help to analyze the potential and feasibility of such concepts.

On the demand site, transformative change towards sustainability requires addressing behavioral choices that are the underlying causes of land system changes. While there is a rich literature on consumption behavior and an emerging knowledge on the role of supply chains [53] these are hardly captured in land use models. Accounting for changes on both the demand and supply site will allow a more quantitative exploration of the different pathways to either fulfilling the demand for land-based products more sustainably or reducing the pressure on land systems by more sustainable consumption patterns, and the interactions between these pathways.

Learning from modelling

Across the literature the land use modelling is too often presented as a goal in itself, or for the purpose of ‘prediction’. However, the model building and testing process are especially useful in advancing our understanding of land use systems [54,55]. Models force us to formalize our understanding of land systems: select those processes that are important, quantify relations and bring different components together into a consistent whole. In that sense, models can be a boundary object (i.e. platform that spans disciplinary boundaries to enable contributions and interpretations from diverse perspectives) in socio-ecological systems analysis [56]. One approach to innovate beyond the existing models is exemplified by the rapidly growing field of participatory modelling, which aims at engaging the knowledge of stakeholders to create formalized and shared representations of reality and using models as boundary objects to collectively reason about environmental problems and foster two-way learning [57,58]. A review of 180 environmental sciences papers using participatory modelling identified a gap between the qualitative and quantitative development phases that hampers the use of participatory approaches to develop the more quantitative models for scenario analysis [58].

Final results of a model are typically not the most valuable or convincing aspects of a modelling effort for policy makers and other stakeholders, but rather the rationale of the (cascading) processes of impact of a certain intervention [9[•],59]. Rather than seeing the model as a black box, it is the internal logic leading to a specific outcome that needs to be uncovered to convince stakeholders of appropriate actions. Especially in complex systems modelling uncovering the logic leading to specific model outputs may be difficult. Nevertheless, both for the modeler and stakeholders it is important to understand the mechanisms why certain results are emerging through feedbacks or displacement effects. Strong narratives derived from modelling results may be a powerful tool at the science-policy interface [60].

Comparing model outcomes against reality (i.e. model validation) is also an opportunity for improving our system understanding [61[•],62]. While model validation is

rather common for local to regional scale models [16[•]], most global land use models have still never been compared against data [63]. Until recently, global land cover products were of insufficient quality to enable full validation. Recent global, multi-temporal datasets offer new opportunities to validate global land change models [64]. Of course, validation based on land cover outcomes is not necessarily conclusive, because different land change processes may lead to the same patterns (equifinality) and calibration based on past conditions does not imply predictability of future conditions [16[•]]. However, model evaluation, which includes validation, as well as uncertainty analysis, model verification, sensitivity analysis, and benchmarking (comparison with other models), is an essential step in learning about the system and the range of applications the model is suited for.

Recent model comparisons [14^{••},15^{••}] show that large differences in outputs exist between land use models, even though most of the compared models use a common modelling paradigm (viz. IAMs). As these models are used to inform large-scale governmental assessments, such as those of the IPCC and IPBES, this uncertainty is concerning. In addition, land use results in these assessments are harmonized from only one of many possible land-use models [65], and then used by climate or ecosystem models to explore uncertainty [66] — an approach which may neglect key elements of uncertainty in the land use projections. Furthermore, separate scenarios have been assigned to different individual models or a small group of IAMs, carrying the risk that urgent policy decisions are based on information that hardly reflects the uncertainty embedded in the choice of model.

While large differences between different model types are a challenge from a predictive point of view, they provide an opportunity for learning from model comparisons. Models that can simultaneously implement multiple, alternative process representations provide a computational laboratory to explore the applicability of hypothesized land system processes across a range of conditions, and iteratively improve our understanding of the broader socio-ecological system. Model representations that balance specificity and generality are a tool for theory development and testing, particularly for middle-range theories [67]. This approach is exemplified by Magliocca *et al.* [68] who tested the validity of generic theory to explain land use changes across different contexts in a virtual laboratory setting.

To derive the greatest insights from models, results need to be repeatable by researchers outside of the groups where a model was developed. This requires comprehensive model descriptions and full scenario outputs to be published, as well as making model code available with complete sets of input data to allow re-running or adaptation of existing simulations. Although in recent years

strong progress has been made in code availability and documentation, still many of the land change models used in major assessments are not openly available and insufficiently documented.

Moving beyond exploration: land use modelling for the envisioning and design of sustainable futures

The majority of land change models are used to project exploratory scenarios under assumed future conditions. While such scenario studies have proven useful in anticipating future land use outcomes under uncertain drivers, it is often difficult to link these to the policy, behavioral and management decisions needed to arrive at more beneficial outcomes. As most of the model structures are based on current processes and parameterized or calibrated on past or current conditions, these models are not suited to assess socio-ecological system developments that strongly deviate from past conditions, such as the impacts of de-growth [69] or large scale migration [70] on land use. At the same time, awareness is growing that meeting the sustainable development goals requires large societal transformations, including behavioral changes, technological shifts and institutional arrangements. Most models are only able to address the ‘shallow leverage points’ of sustainability transformations and lack the capacity to address ‘deep leverage points’ [71]. Moreover, such sustainability transformations will come with significant tradeoffs that require far-reaching decisions and societal envisioning processes.

Land use models have the capability to support societal envisioning processes by sketching out the land use realities of alternative objectives and quantifying the tradeoffs associated with those [72]. Modelling can help to explore land use futures that navigate such tradeoffs by optimizing sets of objectives while minimizing tradeoffs [50^{*},73,74]. Examples that move beyond exploratory scenario modelling include the work of Wolff *et al.* [75^{**}] that visualized how the world would look like if all agreed land restoration targets in international treaties were met, and Mehrabi *et al.* [76] who assess the consequences of a potential target aimed at conserving half of the land area for biodiversity conservation. While the individual targets that are evaluated in these studies may be laudable, the modelling results of these studies indicate that the global land use patterns may not be considered the most desirable due to competing claims for space. Such studies help the translation of single targets to more consistent and synergetic land use futures and open the debate on what future land use we want. Verkerk *et al.* [77] sketch an alternative approach where stakeholder visions are matched with a large set of exploratory scenarios to identify the conditions and policies that would bring land use closer to stakeholder defined visions. Similarly, Henry *et al.* [78] analyze large numbers of exploratory scenarios to identify which remain within assumed planetary boundaries. A more advanced implementation of this

approach is presented by Cooper and Dearing [79^{*}] who model fishery systems to show under which conditions different pathways to safe and just socio-ecological systems are feasible. Such an approach also holds potential for land systems.

Conclusion

Land use modelling can play multiple roles within land system science and has a critical role in major environmental assessments, both as a mechanism to evaluate drivers of global environmental change and as a means to help design measures to mitigate or adapt to global change. Progress has been made in refining existing models and the field of participatory modelling has seen many new applications leading to joint learning amongst scientist and stakeholders. However, key characteristics of land system dynamics that are well-known from qualitative studies are insufficiently represented in land change models, especially those operating beyond the local scale. Moreover, many model applications are not evaluated comprehensively to secure an understanding of uncertainty and enable a continuous learning process. While these challenges are not new and were mentioned before [e.g. Refs. 1^{*},27,61^{*},80], progress towards resolving these is slow. Possible explanations for this slow progress include: 1) the dominance of global scale integrated assessment models in all major science-policy interfaces where land use is only a small component of the overall modelling system; 2) the continuing disconnect between those studying processes of land system change using social science methods and modelers that focus on reproducing regional-scale patterns of land cover change rather than simulating the changes in socio-ecological systems underlying these land cover changes.

Land system modelling needs to move beyond incremental improvements towards testing new model structures and new workflows focused on multi-scale interactions, diversity in human agency and the links between demand and supply. This may lead to increased complexity of models. This conflicts with calls for simpler models that have proven powerful in supporting stakeholder engagement and informing decision making. Lower complexity does not mean better science, and simplifications can lead to potentially incorrect conclusions, for example when spill-overs and feedbacks are ignored. Making the ‘right simplifications’ cannot be done without understanding the complexity of the land system. Therefore, we argue that while higher complexity models may require more interpretation and improved narratives for use in policy circles, such difficulty is clearly offset by their greater realism and rigor [41]. Land systems are complex systems that cannot always be represented adequately in a simple model. Currently, many important aspects of land system science are only addressed by qualitative methods and ignored by large scale models used at the science-policy interface (i.e. IPCC and IPBES).

Therefore, we call upon the scientific community for innovative modelling approaches that better embed our understanding of land systems, and on the lead scientists of major assessments such as IPCC and IPBES to move beyond the established set of IAMs and open up to insights obtained from new land system model types. This way, land system science could move beyond using models as assessment tools and towards the use of models as virtual laboratories to stimulate societal learning and the co-design of sustainability solutions.

Conflict of interest statement

Nothing declared.

Acknowledgements

PV would like to acknowledge funding from European Research Council grant GLOLAND (Grant No. 311819). PA would like to acknowledge support by the UK's Global Food Security Programme project Resilience of the UK food system to Global Shocks (BB/N020707/1). NM would like to acknowledge the support of an award from the U.S. National Science Foundation EAGER ISN # 1837698. MR would like to acknowledge the support of the European Commission funded IMPRESSIONS project (FP7).

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
- of outstanding interest

1. Brown DG, Verburg PH, Pontius RG Jr, Lange MD: **Opportunities to improve impact, integration, and evaluation of land change models.** *Curr Opin Environ Sustainability* 2013, **5**:452-457.
Paper describing the different roles of land change models in different phases of a policy cycle.
2. Eastman JR: In *IDRISI Kilimanjaro Guide to GIS and Image Processing*. Edited by Worcester MA. Clark Labs; 2003.
3. Gounaridis D, Chorianopoulos I, Symeonakis E, Koukoulas S, Random A: **Forest-cellular automata modelling approach to explore future land use/cover change in Attica (Greece), under different socio-economic realities and scales.** *Sci Total Environ* 2019, **646**:320-335.
4. Liang X, Liu X, Li D, Zhao H, Chen G: **Urban growth simulation by incorporating planning policies into a CA-based future land-use simulation model.** *Int J Geog Inf Sci* 2018, **32**:2294-2316.
5. Yang X, Zheng XQ, Chen R: **A land use change model: integrating landscape pattern indexes and Markov-CA.** *Ecol Modell* 2014, **283**:1-7.
6. O'Sullivan D, Evans T, Manson S, Metcalf S, Ligmann-Zielinska A, Bone C: **Strategic directions for agent-based modeling: avoiding the YAAWN syndrome.** *J Land Use Sci* 2016, **11**:177-187.
Critical reflection on progress in agent-based modelling pointing towards weaknesses in current practice.
7. Harrison PA, Dunford R, Savin C, Rounsevell MDA, Holman IP, Kebede AS, Stuch B: **Cross-sectoral impacts of climate change and socio-economic change for multiple, European land- and water-based sectors.** *Clim Change* 2015, **128**:279-292.
8. Lotze-Campen H, Verburg PH, Popp A, Lindner M, Verkerk PJ, Moiseyev A, Schrammeijer E, Helming J, Tabeau A, Schulp CJE et al.: **A cross-scale impact assessment of European nature protection policies under contrasting future socio-economic pathways.** *Reg Environ Change* 2018, **18**:751-762.
9. Voinov A, Kolagani N, McCall MK, Glynn PD, Kragt ME, Ostermann FO, Pierce SA, Ramu P: **Modelling with stakeholders – next generation.** *Environ Modell Software* 2016, **77**:196-220.
- Strong overview of the ways in which models can support stakeholder engagement.
10. Zagaria C, Schulp CJE, Kizos T, Gounaridis D, Verburg PH: **Cultural landscapes and behavioral transformations: an agent-based model for the simulation and discussion of alternative landscape futures in east Lesvos, Greece.** *Land Use Policy* 2017, **65**:26-44.
11. Zasada I, Pierr A, Novo P, Villanueva AJ, Valánszki I: **What do we know about decision support systems for landscape and environmental management? A review and expert survey within EU research projects.** *Environ Modell Software* 2017, **98**:63-74.
12. Pontius R, Boersma W, Castella J-C, Clarke K, de Nijs T, Dietzel C, Duan Z, Fotsing E, Goldstein N, Kok K et al.: **Comparing the input, output, and validation maps for several models of land change.** *Ann Reg Sci* 2008, **42**:11-37.
13. Mas J-F, Kolb M, Paegelow M, Camacho Olmedo MT, Houet T: **Inductive pattern-based land use/cover change models: a comparison of four software packages.** *Environ Modell Software* 2014, **51**:94-111.
14. Alexander P, Prestele R, Verburg PH, Arneth A, Baranzelli C, Batista e Silva F, Brown C, Butler A, Calvin K, Dendoncker N et al.: **Assessing uncertainties in land cover projections.** *Global Change Biol* 2017, **23**:767-781.
Reports a comparison of land use outcomes of Global and European scale land use land use and integrated assessment models. Shows clearly the large uncertainties and differences between models.
15. Prestele R, Alexander P, Rounsevell MDA, Arneth A, Calvin K, Doelman J, Eitelberg DA, Engström K, Fujimori S, Hasegawa T et al.: **Hotspots of uncertainty in land-use and land-cover change projections: a global-scale model comparison.** *Global Change Biol* 2016, **22**:3967-3983.
Analyzes uncertainties between Global scale land use models in a spatial manner and identifies critical regions of uncertainty.
16. van Vliet J, Bregt AK, Brown DG, van Delden H, Heckbert S, Verburg PH: **A review of current calibration and validation practices in land-change modeling.** *Environ Modell Software* 2016, **82**:174-182.
Review of current practice in land change model evaluation.
17. Evans T, Ostrom E, Gibson C: **Scaling issues with social data in integrated assessment modeling.** *Integr Assess* 2003, **3**:135-150.
18. Gibson CC, Ostrom E, Anh TK: **The concept of scale and the human dimensions of global change: a survey.** *Ecol Econ* 2000, **32**:239.
19. Veldkamp A, Verburg PH, Kok K, de Koning GHJ, Priess J, Bergsma AR: **The need for scale sensitive approaches in spatially explicit land use change modeling.** *Environ Modell Assess* 2001, **6**:111-121.
20. Millington J, Xiong H, Peterson S, Woods J: **Integrating modelling approaches for understanding telecoupling: global food trade and local land use.** *Land* 2017, **6**:56.
21. Verburg PH, Tabeau A, Hatna E: **Assessing spatial uncertainties of land allocation using a scenario approach and sensitivity analysis: a study for land use in Europe.** *J Environ Manage* 2013, **127**:S132-S144.
22. Verstegen JA, Hilst F, Woltjer G, Karssenbergh D, Jong SM, Faaij APC: **What can and can't we say about indirect land-use change in Brazil using an integrated economic – land-use change model?** *GCB Bioenergy* 2016, **8**:561-578.
23. Robinson DT, Di Vittorio A, Alexander P, Arneth A, Barton CM, Brown DG, Kettner A, Lemmen C, O'Neill BC, Janssen M et al.: **Modelling feedbacks between human and natural processes in the land system.** *Earth Syst Dyn* 2018, **9**:895-914.
Provides an overview of methods for coupling models with a focus on coupling human and natural processes illustrated with examples.
24. Voinov A, Shugart HH: **'Integronsters', integral and integrated modeling.** *Environ Modell Software* 2013, **39**:149-158.
25. Watmough GR, Marcinko CLJ, Sullivan C, Tschirhart K, Mutuo PK, Palm CA, Svenning J-C: **Socioecologically informed use of**

- remote sensing data to predict rural household poverty. *Proc Natl Acad Sci U S A* 2019, **116**:1213-1218.
26. Weinan E: *Principles of Multiscale Modeling*. Cambridge University Press; 2011.
 27. Magliocca NR, van Vliet J, Brown C, Evans TP, Houet T, Messerli P, Messina JP, Nicholas KA, Ornetsmüller C, Sagebiel J *et al.*: **From meta-studies to modeling: using synthesis knowledge to build broadly applicable process-based land change models**. *Environ Modell Software* 2015, **72**:10-20.
 28. Newbold T: **Future effects of climate and land-use change on terrestrial vertebrate community diversity under different scenarios**. *Proc R Soc B: Biol Sci* 2018, **285** 20180792.
 29. Lamperti F, Dosi G, Napoletano M, Roventini A, Sapio A: **Faraway, so close: coupled climate and economic dynamics in an agent-based integrated assessment model**. *Ecol Econ* 2018, **150**:315-339.
- Interesting example of a study presenting an alternative model structure and concept, leading to strongly deviating outcomes.
30. Friis C, Nielsen J: **On the system. Boundary choices, implications, and solutions in telecoupling land use change research**. *Sustainability* 2017, **9**:974.
 31. Rounsevell MDA, Arneth A, Alexander P, Brown DG, de Noblet-Ducoudré N, Ellis E, Finnigan J, Galvin K, Grigg N, Harman I *et al.*: **Towards decision-based global land use models for improved understanding of the Earth system**. *Earth Syst Dyn* 2014, **5**:117-137.
 32. Liu J, Dou Y, Batistella M, Challies E, Connor T, Friis C, Millington JDA, Parish E, Romulo CL, Silva RFB *et al.*: **Spillover systems in a telecoupled anthropocene: typology, methods, and governance for global sustainability**. *Curr Opin Environ Sustainability* 2018, **33**:58-69.
 33. Cottrell RS, Nash KL, Halpern BS, Remenyi TA, Corney SP, Fleming A, Fulton EA, Hornborg S, John A, Watson RA *et al.*: **Food production shocks across land and sea**. *Nat Sustainability* 2019, **2**:130-137.
 34. Murray-Rust D, Brown C, van Vliet J, Alam SJ, Robinson DT, Verburg PH, Rounsevell M: **Combining agent functional types, capitals and services to model land use dynamics**. *Environ Modell Software* 2014, **59**:187-201.
 35. Huang Q, Parker DC, Filatova T, Sun S: **A review of urban residential choice models using agent-based modeling**. *Environ Plann B: Plann Design* 2014, **41**:661-689.
 36. Müller-Hansen F, Schlüter M, Mäs M, Donges JF, Kolb JJ, Thonicke K, Heitzig J: **Towards representing human behavior and decision making in Earth system models – an overview of techniques and approaches**. *Earth Syst Dyn* 2017, **8**:977-1007.
- Good overview paper of decision-making mechanisms and their implementation in Earth system models.
37. Malek Z, Douw B, van Vliet J, van der Zanden E, Verburg PH: **Local land-use decision making in a global context**. Submitted for publication.
 38. Brown C, Holzhauser S, Metzger MJ, Paterson JS, Rounsevell M: **Land managers' behaviours modulate pathways to visions of future land systems**. *Reg Environ Change* 2018, **18**:831-845.
 39. Holman IP, Brown C, Carter TR, Harrison PA, Rounsevell M: **Improving the representation of adaptation in climate change impact models**. *Reg Environ Change* 2019, **19**:711-721.
 40. McCollum DL, Wilson C, Pettifor H, Ramea K, Krey V, Riahi K, Bertram C, Lin Z, Edelenbosch OY, Fujisawa S: **Improving the behavioral realism of global integrated assessment models: an application to consumers' vehicle choices**. *Transp Res Part D: Transp Environ* 2017, **55**:322-342.
 41. Mercure J-F, Pollitt H, Bassi AM, Viñuales JE, Edwards NR: **Modelling complex systems of heterogeneous agents to better design sustainability transitions policy**. *Global Environ Change* 2016, **37**:102-115.
 42. Jayne TS, Chamberlin J, Headey DD: **Land pressures, the evolution of farming systems, and development strategies in Africa: a synthesis**. *Food Policy* 2014, **48**:1-17.
 43. Otsuka K, Nakano Y, Takahashi K: **Contract farming in developed and developing countries**. *Annu Rev Resour Econ* 2016, **8**:353-376.
 44. Hailegiorgis AB, Cioffi-Revilla C: **Agent-based modeling of large-scale land acquisition and rural household dynamics**. In *GeoComputational Analysis and Modeling of Regional Systems*. Edited by Thill J-C, Dragicevic S. Springer International Publishing; 2018:101-119.
 45. Debonne N, van Vliet J, Verburg PH: **Future governance options for large-scale land acquisition in Cambodia: impacts on tree cover and tiger landscapes**. *Environ Sci Policy* 2019, **94**:9-19.
 46. Lampe M, Willenbockel D, Ahammad H, Blanc E, Cai Y, Calvin K, Fujimori S, Hasegawa T, Havlik P, Heyhoe E *et al.*: **Why do global long-term scenarios for agriculture differ? An overview of the AgMIP global economic model intercomparison**. *Agric Econ* 2014, **45**:3-20.
 47. Anderson KV, Ernesto, Will Martin: *The Relative Importance of Global Agricultural Subsidies and Market Access 2006, vol 5569*. Available at SSRN: <https://ssrn.com/abstract=912473>.
 48. Alexander P, Rounsevell MDA, Dislich C, Dodson JR, Engström K, Moran D: **Drivers for global agricultural land use change: the nexus of diet, population, yield and bioenergy**. *Global Environ Change* 2015, **35**:138-147.
 49. Springmann M, Wiebe K, Mason-D'Croz D, Sulser TB, Rayner M, Scarborough P: **Health and nutritional aspects of sustainable diet strategies and their association with environmental impacts: a global modelling analysis with country-level detail**. *Lancet Planet Health* 2018, **2**:e451-e461.
 50. Van Kernebeek HRJ, Oosting SJ, Van Ittersum MK, Bikker P, De Boer IJM: **Saving land to feed a growing population: consequences for consumption of crop and livestock products**. *Int J Life Cycle Assess* 2016, **21**:677-687.
- An interesting approach using modelling to determine optimal diets for limiting land use competition.
51. Asselen S, Verburg PH: **Land cover change or land use intensification: simulating land system change with a global-scale land change model**. *Global Change Biol* 2013, **19**:3648-3667.
 52. Alexander P, Rabin S, Anthoni P, Henry R, Pugh TAM, Rounsevell MDA, Arneth A: **Adaptation of global land use and management intensity to changes in climate and atmospheric carbon dioxide**. *Global Change Biol* 2018, **24**:2791-2809.
 53. Lambin EF, Gibbs HK, Heilmayr R, Carlson KM, Fleck LC, Garrett RD, le Polain de Waroux Y, McDermott CL, McLaughlin D, Newton P *et al.*: **The role of supply-chain initiatives in reducing deforestation**. *Nat Clim Change* 2018, **8**:109-116.
 54. van der Leeuw SE: **Why model?** *Cybern Syst* 2004, **35**:117-128.
 55. Epstein JM: **Why model?** *J Artif Soc Social Simul* 2008, **11**:12.
 56. Reilly AC, Dillon RL, Guikema SD: **Agent-based models as an integrating boundary object for interdisciplinary research**. *Risk Anal* 2018, **0**.
 57. Gray S, Jordan R, Crall A, Newman G, Hmelo-Silver C, Huang J, Novak W, Mellor D, Frensley T, Prysby M: **Combining participatory modelling and citizen science to support volunteer conservation action**. *Biol Conserv* 2017, **208**:76-86.
 58. Voinov A, Jenni K, Gray S, Kolagani N, Glynn PD, Bommel P, Prell C, Zellner M, Paolisso M, Jordan R: **Tools and methods in participatory modeling: selecting the right tool for the job**. *Environ Modell Software* 2018, **109**:232-255.
 59. Ferré TPA: **Revisiting the relationship between data, models, and decision-making**. *Groundwater* 2017, **55**:604-614.
 60. Millington JDA, O'Sullivan D, Perry GLW: **Model histories: narrative explanation in generative simulation modelling**. *Geoforum* 2012, **43**:1025-1034.
 61. Verburg PH, Dearing JA, Dyke JG, van der Leeuw S, Seitzinger S, Steffen W, Syvitski J: **Methods and approaches to modelling the anthropocene**. *Global Environ Change* 2016, **39**:328-340.
- Paper providing a broad overview of challenges in human-environmental systems modelling.

62. Brown DG, Page S, Riolo R, Zellner M, Rand W: **Path dependence and the validation of agent-based spatial models of land use.** *Int J Geographical Inf Sci* 2005, **19**:153-174.
63. Prestele R, Arneth A, Bondeau A, de Noblet-Ducoudré N, Pugh TAM, Sitch S, Stehfest E, Verburg PH: **Current challenges of implementing anthropogenic land-use and land-cover change in models contributing to climate change assessments.** *Earth Syst Dyn* 2017, **8**:369-386.
64. Song X-P, Hansen MC, Stehman SV, Potapov PV, Tyukavina A, Vermote EF, Townshend JR: **Global land change from 1982 to 2016.** *Nature* 2018, **560**:639-643.
65. Hurtt G, Chini L, Frolking S, Betts R, Feddema J, Fischer G, Fisk J, Hibbard K, Houghton R, Janetos A et al.: **Harmonization of land-use scenarios for the period 1500-2100: 600-years of global gridded annual land-use transitions, wood harvest, and resulting secondary lands.** *Clim Change* 2011, **109**:117-161.
66. Lawrence PJ, Lawrence DM, Hurtt GC: **Attributing the carbon cycle impacts of CMIP5 historical and future land use and land cover change in the community earth System model (CESM1).** *J Geophys Res: Biogeosci* 2018, **123**:1732-1755.
67. Meyfroidt P, Roy Chowdhury R, de Bremond A, Ellis EC, Erb KH, Filatova T, Garrett RD, Grove JM, Heinemann A, Kuemmerle T et al.: **Middle-range theories of land system change.** *Global Environ Change* 2018, **53**:52-67.
68. Magliocca NR, Brown DG, Ellis EC: **Cross-site comparison of land-use decision-making and its consequences across land systems with a generalized agent-based model.** *PLoS One* 2014, **9**:e86179.
69. Gomiero T: **Agriculture and degrowth: state of the art and assessment of organic and biotech-based agriculture from a degrowth perspective.** *J Cleaner Prod* 2018, **197**:1823-1839.
70. Müller MF, Yoon J, Gorelick SM, Avisse N, Tilmant A: **Impact of the Syrian refugee crisis on land use and transboundary freshwater resources.** *Proc Natl Acad Sci U S A* 2016, **113**:14932.
71. Fischer J, Riechers M: **A leverage points perspective on sustainability.** *Nat Clim Change* 2018, **8**:109-116.
72. Verburg PH, Crossman N, Ellis EC, Heinemann A, Hostert P, Mertz O, Nagendra H, Sikor T, Erb KH, Golubiewski N et al.: **Land system science and sustainable development of the earth system: a global land project perspective.** *Anthropocene* 2015, **12**:29-41.
73. Seppelt R, Lautenbach S, Volk M: **Identifying trade-offs between ecosystem services, land use, and biodiversity: a plea for combining scenario analysis and optimization on different spatial scales.** *Curr Opin Environ Sustainability* 2013, **5**:458-463.
74. Verhagen W, van der Zanden EH, Strauch M, van Teeffelen AJA, Verburg PH: **Optimizing the allocation of agri-environment measures to navigate the trade-offs between ecosystem services, biodiversity and agricultural production.** *Environ Sci Policy* 2018, **84**:186-196.
75. Wolff S, Schrammeijer EA, Schulp CJE, Verburg PH: **Meeting global land restoration and protection targets: what would the world look like in 2050?** *Global Environ Change* 2018, **52**:259-272.
- Exemplary approach of using land systems modelling to support envisioning of global sustainability targets.
76. Mehrabi Z, Ellis EC, Ramankutty N: **The challenge of feeding the world while conserving half the planet.** *Nat Sustainability* 2018, **1**:409-412.
77. Verkerk PJ, Lindner M, Pérez-Soba M, Paterson JS, Helming J, Verburg PH, Kuemmerle T, Lotze-Campen H, Moiseyev A, Müller D et al.: **Identifying pathways to visions of future land use in Europe.** *Reg Environ Change* 2018, **18**:817-830.
78. Henry RC, Engström K, Olin S, Alexander P, Arneth A, Rounsevell MDA: **Food supply and bioenergy production within the global cropland planetary boundary.** *PLoS One* 2018, **13**:e0194695.
79. Cooper GS, Dearing JA: **Modelling future safe and just operating spaces in regional social-ecological systems.** *Sci Total Environ* 2019, **651**:2105-2117.
- Interesting approach of integrated modelling of sustainability pathways combining exploratory and back-casting approaches.
80. Parker DC, Berger TM, Manson SJ: **Agent-Based Models of Land-Use and Land-Cover Change.** *LUCC Report Series No. 6.* LUCC focus 1 office: Indiana University; 2002.