VU Research Portal

An exact algorithm for a rich vehicle routing problem with private fleet and common carrier

Dabia, Said; Lai, David; Vigo, Daniele

published in

Transportation Science
2019

DOI (link to publisher)

[10.1287/trsc.2018.0852](https://doi.org/10.1287/trsc.2018.0852)

document version

Publisher's PDF, also known as Version of record

document license

Article 25fa Dutch Copyright Act

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Dabia, S., Lai, D., & Vigo, D. (2019). An exact algorithm for a rich vehicle routing problem with private fleet and common carrier. *Transportation Science*, 53(4), 986-1000. <https://doi.org/10.1287/trsc.2018.0852>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Transportation Science

Publication details, including instructions for authors and subscription information:
<http://pubsonline.informs.org>

An Exact Algorithm for a Rich Vehicle Routing Problem with Private Fleet and Common Carrier

Said Dabia, David Lai, Daniele Vigo

To cite this article:

Said Dabia, David Lai, Daniele Vigo (2019) An Exact Algorithm for a Rich Vehicle Routing Problem with Private Fleet and Common Carrier. *Transportation Science* 53(4):986-1000. <https://doi.org/10.1287/trsc.2018.0852>

Full terms and conditions of use: <https://pubsonline.informs.org/Publications/Librarians-Portal/PubsOnLine-Terms-and-Conditions>

This article may be used only for the purposes of research, teaching, and/or private study. Commercial use or systematic downloading (by robots or other automatic processes) is prohibited without explicit Publisher approval, unless otherwise noted. For more information, contact permissions@informs.org.

The Publisher does not warrant or guarantee the article's accuracy, completeness, merchantability, fitness for a particular purpose, or non-infringement. Descriptions of, or references to, products or publications, or inclusion of an advertisement in this article, neither constitutes nor implies a guarantee, endorsement, or support of claims made of that product, publication, or service.

Copyright © 2019, INFORMS

Please scroll down for article—it is on subsequent pages

With 12,500 members from nearly 90 countries, INFORMS is the largest international association of operations research (O.R.) and analytics professionals and students. INFORMS provides unique networking and learning opportunities for individual professionals, and organizations of all types and sizes, to better understand and use O.R. and analytics tools and methods to transform strategic visions and achieve better outcomes.

For more information on INFORMS, its publications, membership, or meetings visit <http://www.informs.org>

An Exact Algorithm for a Rich Vehicle Routing Problem with Private Fleet and Common Carrier

Said Dabia,^{a,b} David Lai,^a Daniele Vigo^{a,c}

^a School of Business and Economics, VU University Amsterdam, 1081 HV Amsterdam, Netherlands; ^b Eyefreight B.V., 3981 AJ Bunnik, Netherlands; ^c Department of Electrical, Electronic and Information Engineering, University of Bologna, 40126 Bologna BO, Italy

Contact: s.dabia@vu.nl, <http://orcid.org/0000-0003-0259-0684> (SD); david.lai@vu.nl (DL); daniele.vigo@unibo.it, <http://orcid.org/0000-0002-1499-8452> (DV)

Received: August 7, 2017

Revised: December 4, 2017

Accepted: April 12, 2018

Published Online in Articles in Advance:
May 21, 2019

<https://doi.org/10.1287/trsc.2018.0852>

Copyright: © 2019 INFORMS

Abstract. The vehicle routing problem with private fleet and common carrier (VRPPC) is a generalization of the classical vehicle routing problem in which the owner of a private fleet can either visit a customer with one of the owner's vehicles or assign the customer to a common carrier. The latter case occurs if the demand exceeds the total capacity of the private fleet or if it is more economically convenient to do so. The owner's objective is to minimize the variable and fixed costs for operating the owner's fleet plus the total cost charged by the common carrier. This family of problems has many practical applications, particularly in the design of last-mile distribution services and has received some attention in the literature, in which some heuristics were proposed. We extend here the VRPPC by considering more realistic cost structures that account for quantity discounts on outsourcing costs and by considering time windows resulting in a rich VRPPC (RVRPPC). We present an exact approach based on a branch-and-cut-and-price algorithm for the RVRPPC and test the algorithm on instances from the literature.

Funding: The work of D. Vigo has been partially supported by Ministero dell'Istruzione, dell'Università e della Ricerca, Italy.

Supplemental Material: The online appendix is available at <https://doi.org/10.1287/trsc.2018.0852>.

Keywords: vehicle routing • exact algorithms • private fleet and common carriers

1. Introduction

We consider the vehicle routing problem (VRP) with private fleet and common carrier (VRPPC), which is a generalization of the classical vehicle routing problem (see, e.g., Toth and Vigo 2014) in which the dispatcher may either serve the customers by using the vehicles of the owned fleet (called the *private fleet*) or assign them to a *common carrier*, for example, a third-party logistics provider. The latter case occurs when either the total customer demand exceeds the capacity of the private fleet or if it is more economically convenient to do so, for example, because the customer is isolated and far from the private fleet depot.

This type of problem has many practical applications, particularly in the design of last-mile distribution services with which outsourcing of unprofitable services are frequently considered options. Despite its practical relevance, the VRPPC has received relatively scarce attention in the literature. During the last decade only, some heuristic approaches, examined in more detail later, were proposed to solve the VRPPC and some of its variants considering, for example, a heterogeneous fleet or multiple depots. Moreover, in all the proposed approaches except the recent paper by Gahm, Brabänder, and Tuma (2017), the modeling of the outsourcing costs

paid to the common carrier is rather simplistic, assuming that they are separable and only dependent on the demand of each individual customer. To the best of our knowledge, no exact algorithm has been proposed so far for the VRPPC or its variants.

In this paper, we consider a general and practical variant of the VRPPC in which both time windows and a heterogeneous fleet are present. In addition, although in the current literature the cost charged by the external common carrier is generally modeled as a fixed fee—sometimes proportional to the customer demand—in this paper, we consider cost structures inspired from practice and with which the cost for outsourcing a unit of demand depends on the total quantity assigned to the common carrier. Such cost structures account for potential quantity discounts that the shipper may achieve by outsourcing larger quantities and are clearly relevant for both the strategic or midterm design of mixed delivery systems and operational settings in which such quantity discounts may be present. We call, for short, our problem the rich VRPPC (RVRPPC) because it contains as special cases the known variants of the VRPPC with a single depot.

We present here an exact approach for the RVRPPC, which, to the best of our knowledge, is the first exact method proposed for a problem of the VRPPC family so far.

The algorithm is based on a branch-and-cut-and-price (BCP) algorithm, which incorporates several new features. More precisely, we considered two alternative set partitioning formulations for which we developed specialized pricing procedures and which are strengthened by using problem-adjusted subset-row inequalities, which turned out particularly effective. Finally, a new dominance procedure is introduced exploiting the problem structure. Such procedure turned out to be very effective and can be generalized to other problems that suffer from the inclusion of nonrobust cuts.

The paper is organized as follows. In Section 2, we review the literature related to the VRPPC and the proposed branch-and-cut-and-price algorithms. In Section 3, the problem description and formulations are presented. Sections 4, 5, and 6 describe the proposed branch-and-cut-and-price algorithms and implementation details. The computational results can be found in Section 7.

2. Literature Review

An abundant number of publications is devoted to the vehicle routing problem (see, e.g., Laporte 1992, 2007; and Toth and Vigo 2014 for some reviews). For specific reviews on the vehicle routing problem with time windows (VRPTW), the reader is referred to Bräysy and Gendreau (2005a, b), Kallehauge (2008), Gendreau and Tarantilis (2010), and Desaulniers, Madsen, and Ropke (2014). For the heterogeneous VRP, a recent survey is included in Irnich, Schneider, and Vigo (2014).

In this section, we review the main literature on the VRPPC and its variants. Later, we examine the current state of the art for branch-and-cut-and-price algorithms applied to the VRP.

2.1. Literature on the VRPPC

As previously mentioned, the existing literature on the VRPPC is entirely devoted to heuristic approaches. Chu (2005) considered a single-depot routing problem with outsourcing options, which can be considered the first paper on the VRPPC. The problem considers a limited private fleet of vehicles with given capacity and fixed costs associated with their use. A set of customers with known demand can be served by the private fleet, which incurs travel costs as in the standard VRP. In addition, customers may be outsourced to a common carrier (therein called the less-than-truckload carrier) for which only a fixed cost per customer has to be paid. The objective is to minimize the total costs of the private fleet service involving both fixed costs for vehicles and variable travel costs and the fixed costs for orders performed by the common carrier. Chu (2005) introduced an integer linear programming (ILP) model for the VRPPC and proposed a heuristic solution method, consisting of a modified savings algorithm (see Clarke and Wright 1964) and a simple improvement phase. The computational testing was performed on five instances with up

to 30 customers and showed that the heuristics produced solutions within less than 8% from the optimal solution value determined by using the ILP model. Bolduc et al. (2008) showed that the VRPPC can be modeled as a heterogeneous fleet VRP and presented a simple meta-heuristic that constructs an initial solution through a repeated execution of a randomized savings algorithm and then iterates between a local-search improvement and a random perturbation step. The whole construction–improvement–perturbation cycle is repeated a prefixed number of times, and the best solution found is returned. The algorithm by Bolduc et al. (2008) substantially improved the results of Chu (2005). In addition, they provided results of their algorithm on two new benchmark sets: one with a homogeneous and one with a heterogeneous vehicle fleet with up to 480 customers. A tabu search heuristic for the VRPPC, which outperformed the approach of Bolduc et al. (2008) for the case of homogeneous vehicles, was presented in Côté and Potvin (2009). Furthermore, Potvin and Naud (2011) proposed a tabu search heuristic with ejection chains that further improved results in both homogeneous and heterogeneous instances at the cost of significantly larger total computing time. The current best results on the VRPPC are reported by Vidal et al. (2016), who extended to several VRP variants with profits, including the VRPPC, the unified hybrid genetic search framework of Vidal et al. (2012) and simple large neighborhood search algorithms.

Gahm et al. (2017) introduced a generalization of the VRPPC in which a heterogeneous private fleet and different cost options for the common carrier are considered. For the private fleet, contrary to what is commonly done in the literature, only variable costs are considered, and the common carrier's services may be acquired under several options: the first one considers distance-dependent (or time-dependent) variable costs associated with a minimum distance (or time) guaranteed fee. In the second case, no variable costs are paid, and only a flat fee per vehicle is due. In the last option, the cost of serving a customer with the common carrier depends on its distance from the depot and the number of items to be delivered. In addition, all-unit volume discounts are also considered for the common-carrier options. The resulting problem is called the vehicle routing problem with private fleet, multiple common carriers offering volume discounts, and rental options, for which the authors propose a heuristic algorithm based on variable neighborhood search (VNS). The algorithm is compared with simple VNS approaches on several classes of test instances adapted from the VRPPC and VRP instances.

A multiple-depot version of the VRPPC, denoted as MDVRPPC, was introduced in Stenger et al. (2013) in which they defined a VNS algorithm, enhanced by an adaptive mechanism, to select the shaking operator. The resulting algorithm was tested on a benchmark set of

instances derived from multidepot VRP (MDVRP) instances, showing the potential benefits associated with outsourcing. The algorithm is able to obtain state-of-the-art results on both the single-depot VRPPC and the MDVRP. The adaptive VNS was later extended in Stenger, Schneider, and Goeke (2013), who adopted different neighborhood structures and a randomization mechanism to increase diversification. The algorithm has been applied to several variants of the prize-collecting VRP with nonlinear objective function and also to simple variants, such as the VRPPC and MDVRPPC, for which they improved the best-known results. The problem under study is also related to the wide family of VRP with profits: we refer the interested reader to the survey of Archetti, Speranza, and Vigo (2014) for an overview of the literature in this field.

2.2. Branch-and-Cut-and-Price Approaches for the VRP

Column generation is successfully applied in the solution of various combinatorial optimization problems. Lübbecke and Desrosiers (2005) provide a good overview of column-generation algorithms. Desrochers, Desrosiers, and Solomon (1992) are the first to apply column generation in the context of the VRPTW, resulting in a branch-and-price (BP) algorithm. The BP algorithm is later improved by Kohl et al. (1999), who introduced subtour elimination constraints and two-path inequalities into the column-generation approach, and Cook and Rich (1999) applied the more general k -path inequalities. Adding valid inequalities to the BP algorithm results in a BCP algorithm. In the 1990s, the pricing subproblem of column generation was the shortest-path problem with resource constraints and two-cycle elimination. Irnich and Villeneuve (2006) introduced an algorithm for k -cycle elimination, which led to tighter bounds. Later, Feillet, Dejax, and Gendreau (2004) and Chabrier (2006) proposed algorithms for the elementary shortest-path problem with resource constraints (ESPPRC), which further improved lower bounds. Righini and Salani (2006, 2008) proposed various techniques to speed up the ESPPRC algorithm, such as bidirectional search and decremental state space relaxation. In opposition to all previous work in which valid inequalities in a BCP algorithm had been expressed in the variables of the compact formulation, Jepsen et al. (2008) proposed a BCP algorithm with valid inequalities based on the master problem variables, named subset-row (SR) inequalities. Including SR inequalities in a BCP algorithm complicates the solution of the pricing subproblem. However, if they are efficiently treated, SR inequalities may significantly improve the lower bounds. To accelerate the pricing subproblem solution, Desaulniers, Lessard, and Hadjar (2008) proposed a tabu search heuristic for the ESPPRC. Furthermore, decremental state space relaxation and both two-path and subset-row inequalities were used.

Baldacci, Mingozzi, and Roberti (2011) introduced a new route relaxation, called ng -route, used to solve the pricing subproblem; ng -routes proved to be very effective in solving difficult instances of the VRPTW with wide time windows. Baldacci, Mingozzi, and Roberti (2011) solved all but one of the 56 famous Solomon instances.

3. Problem Description

3.1. The Outsourcing Cost Structure

The cost charged by the common carrier is inspired from cost structures used in practice. We consider a cost structure with quantity bands. Rather than charging a cost based on individual customer orders, the cost depends on the total outsourced quantity. We assume the outsourcing cost to be a piecewise linear function of the total outsourced demand quantity q . Let $\mathcal{S} = \{1, 2, \dots, |\mathcal{S}|\}$ be the set of all nonoverlapping linear segments of the piecewise linear function. For all $s \in \mathcal{S}$, let $[L_s, U_s]$ denote the quantity interval of segment s and M_s and C_s denote the corresponding cost rate and intercept, respectively. The outsourcing cost for total demand quantity q is given by the following piecewise linear function:

$$\mathcal{S}(q) = \begin{cases} M_1 q + C_1, & L_1 \leq q \leq U_1, \\ M_2 q + C_2, & L_2 \leq q \leq U_2, \\ \dots & \\ M_{|\mathcal{S}|} q + C_{|\mathcal{S}|}, & L_{|\mathcal{S}|} \leq q \leq U_{|\mathcal{S}|}, \end{cases}$$

where the intervals $[L_s, U_s]$ are defined such that $U_s \leq L_{s+1}$. The function $\mathcal{S}(q)$ is also called the tariff sheet.

Figure 1 depicts an example of a tariff sheet with four segments. The third segment, for instance, is defined in the interval $[L_3, U_3]$ and has equation $M_3 q + C_3$. This structure implies that the more that is outsourced to the common carrier, the more is paid. Furthermore, the cost per outsourced unit decreases with the total quantity outsourced. We should note that the framework developed in this paper allows other cost structures (e.g., with discontinuous segments in which $U_s < L_{s+1}$).

3.2. Mixed-Integer Linear Formulation

The RVRPPC is defined on a directed complete graph $G(\mathcal{N}, \mathcal{A})$, where $\mathcal{N} = \{0, 1, \dots, n\}$ is the set of nodes and $\mathcal{A} = \{(i, j) \in \mathcal{N} \times \mathcal{N} : i \neq j\}$ is the set of arcs. Node 0 represents the depot at which all the vehicle routes start and end. The nodes in $\mathcal{N} \setminus \{0\}$ represent the customers and are denoted as $\mathcal{N}_0$. Each node $i \in \mathcal{N}$ is associated with a positive demand d_i , a time window $[e_i, l_i]$, and a service time s_i . Each arc $(i, j) \in \mathcal{A}$ is associated with a nonnegative travel time t_{ij} . A heterogeneous fleet of vehicles is available. Let K be the set of vehicle types. Each vehicle of type $k \in K$ has a finite capacity Q_k , a fixed cost for using the vehicle f_k , and the fleet size m_k (number of vehicles of type k available). Furthermore, for all arcs $(i, j) \in \mathcal{A}$ and vehicle types $k \in K$, let c_{ij}^k be the

Figure 1. Outsourcing Cost Function

travel cost from node i to node j . A common carrier is available for which demand can be subcontracted. For a total demand quantity q subcontracted to the common carrier, the outsourcing cost is given by the piecewise linear function $\mathcal{P}(q)$. If $\mathcal{S}$ is the set of segments consisting of the function $\mathcal{P}(q)$, we define z_s for all $s \in \mathcal{S}$ to be a binary variable that takes value one if and only if segment s is selected and q_s as a continuous variable indicating the quantity within the range $[L_s, U_s]$ of segment s to be subcontracted. Let x_{ij}^k be a binary variable that takes value one if and only if a type- k vehicle traverses arc (i, j) , y_{ij} be a continuous variable representing a vehicle's load on arc (i, j) , a_i be a continuous variable representing a vehicle's arrival time at customer i , and δ_i be a binary variable that takes value one if and only if customer i is assigned to the common carrier. The objective is to determine the vehicle routes, minimizing the total fixed costs, travel costs, and outsourcing costs, subject to the following requirements:

- All routes start and end at the same depot 0.
- Each route is performed by exactly one private vehicle.
- The total demand in a route does not exceed the vehicle's capacity.
- A customer is either visited by a private vehicle or outsourced to the common carrier.
- The customers that are not outsourced must be visited exactly once by one vehicle.
- A vehicle visits a customer node within its corresponding time window.

The RVRPPC can be formulated as the following mixed-integer programming model:

$$\min \sum_{k \in K} f_k \sum_{(i,j) \in \mathcal{A}: i=0} x_{ij}^k + \sum_{k \in K} \sum_{(i,j) \in \mathcal{A}} c_{ij}^k x_{ij}^k + \sum_{s \in \mathcal{S}} (M_s q_s + C_s z_s) \quad (1)$$

$$\text{s.t.} \sum_{k \in K} \sum_{(i,j) \in \mathcal{A}} x_{ij}^k + \delta_j = 1, \quad \forall j \in \mathcal{N}_0, \quad (2)$$

$$\sum_{(i,j) \in \mathcal{A}} x_{ij}^k - \sum_{(j,i) \in \mathcal{A}} x_{ji}^k = 0, \quad \forall k \in K, i \in \mathcal{N}, \quad (3)$$

$$\sum_{(i,j) \in \mathcal{A}: i=0} x_{ij}^k \leq m_k, \quad \forall k \in K, \quad (4)$$

$$\sum_{(i,j) \in \mathcal{A}} y_{ij} - \sum_{(j,i) \in \mathcal{A}} y_{ji} = d_i(1 - \delta_i), \quad \forall i \in \mathcal{N}_0, \quad (5)$$

$$y_{ij} \leq \sum_{k \in K} (Q_k - d_i) x_{ij}^k, \quad \forall k \in K, (i, j) \in \mathcal{A}, \quad (6)$$

$$a_j - a_i \geq s_i + t_{ij} - M \left(1 - \sum_{k \in K} x_{ij}^k \right), \quad \forall (i, j) \in \mathcal{A}: i \neq 0, \quad (7)$$

$$a_j \geq t_{0j} \sum_{k \in K} x_{0j}^k, \quad \forall j \in \mathcal{N}: j \neq 0, \quad (8)$$

$$\sum_{i \in \mathcal{N}_0} d_i \delta_i \leq \sum_{s \in \mathcal{S}} q_s, \quad (9)$$

$$L_s z_s \leq q_s \leq U_s z_s, \quad \forall s \in \mathcal{S}, \quad (10)$$

$$\sum_{s \in \mathcal{S}} z_s = 1, \quad (11)$$

$$e_i \leq a_i \leq l_i, \quad \forall i \in \mathcal{N}, \quad (12)$$

$$y_{ij}, q_s \geq 0, \quad \forall s \in \mathcal{S}, (i, j) \in \mathcal{A}, \quad (13)$$

$$x_{ij}^k, z_s \in \mathbb{B}, \quad \forall k \in K, (i, j) \in \mathcal{A}, s \in \mathcal{S}, \quad (14)$$

$$\delta_i \in \mathbb{B}, \quad \forall i \in \mathcal{N}_0. \quad (15)$$

The objective function (1) minimizes the total fixed costs, travel costs, and outsourcing costs. Constraint (2) ensures that a customer node that is not outsourced is visited exactly once by a vehicle. Constraint (3) is the flow conservation constraint of the vehicles. Constraint (4) ensures that the number of vehicles in use is less than the fleet sizes. Constraint (5) is the flow conservation constraint of the customer demands. Constraint (6) ensures that vehicle capacity is respected. Constraints (7), (8), and (12) ensure that the customer time windows are respected. Constraints (9)–(11) formulate the piecewise linear outsourcing costs.

4. The Set-Partitioning Formulation: SP1

To derive the set-partitioning formulation (SP1) for the RVRPPC, we define Ω^k as the set of feasible private paths corresponding to vehicle type $k \in K$ and Θ as the set of customer order subsets subcontracted to the common carrier. A private path is feasible for vehicle type k if it satisfies its customers delivery time windows and capacity constraints. Furthermore, we define $\Omega = \bigcup_{k \in K} \Omega^k$ as the set of all feasible private paths. For each private path $p \in \Omega$, c_p denotes its cost (i.e., including a fixed cost for using the vehicle and the traveling cost), and for each subcontracted subset $o \in \Theta$, c_o denotes its cost that can be calculated based on the common carrier's tariff sheet. Let σ_{ip} be a constant that counts the number of times node i is visited by path p and ρ_{io} be a constant that counts the number of times node i is in subset o . Furthermore, let y_p be a binary variable that takes value one if and only if path p is included in the solution and w_o be a binary variable that takes value one

if and only if subset o is subcontracted to the common carrier. The RVRPPC is formulated as the following set-partitioning problem:

$$(SP1) : \min \sum_{p \in \Omega} c_p y_p + \sum_{o \in \Theta} c_o w_o \quad (16)$$

$$\text{s.t. } \sum_{p \in \Omega} \sigma_{ip} y_p + \sum_{o \in \Theta} \rho_{io} w_o = 1, \quad \forall i \in \mathcal{N}_0, \quad (17)$$

$$\sum_{p \in \Omega^k} y_p \leq m_k, \quad \forall k \in K, \quad (18)$$

$$y_p, w_o \in \mathbb{B}, \quad \forall p \in \Omega, o \in \Theta. \quad (19)$$

The objective function (16) minimizes the cost of the chosen private routes and the cost charged for subcontracting orders to the common carrier. Constraint (17) guarantees that each node is either visited once by a private vehicle or is in a subset of orders subcontracted to the common carrier. Constraint (18) ensures that the number of used private vehicles doesn't exceed the available number m_k of each vehicle type. Constraint (19) imposes binary conditions on the decision variables. We use column generation to solve the linear programming (LP) relaxation of (16)–(19). Starting with a variable representing the case in which all orders are outsourced, we generate additional variables (i.e., private paths and subcontracted orders) for the master problem by solving two separate pricing subproblems: First is, for each vehicle type, a pricing subproblem that searches for private paths with negative reduced cost named the *private pricing problem* (PPP). Second is a pricing subproblem that searches for subsets of orders with negative reduced cost to be subcontracted to the common carrier; we call it the *common pricing problem* (CPP).

4.1. The Private Pricing Problem

The PPP is an ESPPRC that we solve by means of a labeling algorithm (e.g., Feillet et al. 2004). To speed up the labeling algorithm, a bidirectional search is performed in which labels are extended both forward from the start depot to its successors and backward from the end depot to its predecessors. At the end of the algorithm, forward and backward labels are merged to construct complete private routes. It has been observed (e.g., Righini and Salani 2006) that the bidirectional search, in practice, can lead to substantially improved running times in algorithms for related resource-constrained shortest-path problems. In the labeling algorithm, each label L corresponds to a partial path $p(L)$ in G starting at the depot. For a type- k vehicle, a label L is defined by the following attributes:

$i(L)$ Last node visited on partial path $p(L)$.

$c(L)$ Reduced cost of partial path $p(L)$.

$d(L)$ Total quantity delivered along partial path $p(L)$.

$t(L)$ Ready time at node $i(L)$ when reached through partial path $p(L)$.

$V(L)$ Set of visited nodes along partial path $p(L)$.

Furthermore, we denote $\bar{V}(L)$ as the set $V(L)$ extended by the nodes that cannot be visited by label L because of time windows and vehicle capacity. That is,

$$\bar{V}(L) = V(L) \cup \{j \in \mathcal{N} \setminus V(L) : t(L) + t_{i(L),j} > l_j \vee d(L) + d_j > Q_k\}.$$

Let $\pi_i \in \mathbb{R}$ ($\pi_i \geq 0$), $i \in \mathcal{N}_0$, be the dual variables associated with constraint (17) and $\lambda_k \in \mathbb{R}$ ($\lambda_k \leq 0$), $k \in K$ be the dual variables associated with constraint (18). The main operation in the labeling algorithm is the extension of a label L' along an arc $(i(L'), j)$ to a node $j \in \mathcal{N} \setminus \bar{V}(L')$ to generate a new label L . We update the resources for the new label as follows:

$$\begin{aligned} i(L) &= j, & V(L) &= V(L') \cup \{j\}, & t(L) &= t(L') + t_{i(L'),j}, \\ d(L) &= d(L') + d_j, & c(L) &= c(L') + c_{i(L'),j}^k - \pi_{i(L')}. \end{aligned}$$

The reduced cost of a complete path p (i.e., starting and ending at the depot) that is performed by a type- k vehicle is calculated as

$$\bar{c}_p = f_k + \lambda_k + \sum_{(i,j) \in \mathcal{A}} (c_{ij}^k - \pi_i) x_{ijp}, \quad (20)$$

where x_{ijp} is an integer variable that counts the number of times arc (i, j) is used in path p . In the labeling algorithm, for every label, all possible extensions are derived and stored. It ends when all labels are calculated. However, the number of labels can be very large. To reduce the number of labels, a *dominance test* is usually introduced. Let $E(L)$ denote the set of feasible extensions of label L to the end depot with respect to time windows, vehicle capacity, and elementarity. However, when comparing two labels L_1 and L_2 , it is not straightforward to evaluate all feasible extensions of both labels L_1 and L_2 . Consequently, usually sufficient dominance criteria that are computationally less expensive are desirable. Therefore, we dominate L_2 by L_1 if $i(L_1) = i(L_2)$, $d(L_1) \leq d(L_2)$, $t(L_1) \leq t(L_2)$, $c(L_1) \leq c(L_2)$, and $\bar{V}(L_1) \subseteq \bar{V}(L_2)$.

To speed up the solution of the private pricing problem, we first use heuristics to generate paths with negative reduced cost. The exact procedure is called only when the heuristics fail to find any paths with negative reduced cost. In our branch-and-cut-and-price framework, we use two different heuristics. First is a heuristic that runs on a trimmed graph that is generated by keeping, for each node in the original graph, at most k outgoing arcs. We choose to keep k arcs with the smallest reduced cost. When the heuristic fails, the number of arcs kept is increased to two k and then to four k . Second, we implemented a truncated labeling heuristic in which only a limited number of labels (with the best cost) is kept and considered for a possible extension. The number of stored labels can be increased each time when the heuristic fails to find paths with negative reduced cost (e.g., we start with 250 and then increase the number of labels to 500, 1,000, and finally to 2,000 labels).

4.2. The Common Pricing Problem

The CPP generates subsets of customer orders with negative reduced cost to be subcontracted to the common carrier. If the quantity to be subcontracted is q , the reduced cost of the corresponding subcontracted subset o is

$$\bar{\mathcal{F}}(q) = \mathcal{F}(q) - \sum_{i \in \mathcal{N}_0} \pi_i \delta_i, \quad (21)$$

where $\mathcal{F}(q)$ is the cost of subcontracting the quantity q calculated based on the tariff sheet imposed by the common carrier. The CPP can then be formulated as follows:

$$\max \sum_{i \in \mathcal{N}_0} \pi_i \delta_i - \mathcal{F}(q) \quad (22)$$

$$\text{s.t. } \sum_{i \in \mathcal{N}_0} d_i \delta_i \leq q, \quad (23)$$

$$\delta_i \in \mathbb{B}, \quad \forall i \in \mathcal{N}_0, \quad (24)$$

$$q \geq 0. \quad (25)$$

It is worth noting that when the common carrier doesn't charge any cost (i.e., $\mathcal{F}(q) = 0$ for all q) and q is fixed, the CPP is exactly a knapsack problem with q as the knapsack capacity, and customer orders are the items to pack in the knapsack. Hence, the CPP is a generalization of the knapsack problem in which the knapsack capacity itself is a decision variable and in which costs are incurred for "buying" more capacity. The function $\mathcal{F}(q)$ is a piecewise linear function as defined in Section 3. If $\mathcal{S}$ is the set of segments belonging to the function $\mathcal{F}(q)$, z_s for all $s \in \mathcal{S}$ is the binary variable that takes value one if and only if segment s is selected, and q_s is the continuous variable indicating the quantity within the range $[L_s, U_s]$ of segment s to be subcontracted. The CPP can be reformulated as

$$\max \sum_{i \in \mathcal{N}_0} \pi_i \delta_i - \sum_{s \in \mathcal{S}} (M_s q_s + C_s z_s) \quad (26)$$

$$\text{s.t. } \sum_{i \in \mathcal{N}_0} d_i \delta_i \leq \sum_{s \in \mathcal{S}} q_s, \quad (27)$$

$$L_s z_s \leq q_s \leq U_s z_s, \quad \forall s \in \mathcal{S}, \quad (28)$$

$$\sum_{s \in \mathcal{S}} z_s = 1, \quad (29)$$

$$\delta_i, z_s \in \mathbb{B}, \quad \forall i \in \mathcal{N}_0, s \in \mathcal{S}, \quad (30)$$

$$q_s \geq 0, \quad \forall s \in \mathcal{S}. \quad (31)$$

The objective function (26) minimizes the reduced cost of the subcontracted subset of orders. Constraint (27) guarantees that the total demand of the subcontracted orders is less than or equals to the quantity to be subcontracted. Constraint (28) ensures that the subcontracted quantity is within the range of the selected segment. Constraint (29) ensures that exactly one segment is selected. Constraints (30) and (31) set the domain for the decision variables.

4.3. Valid Inequalities

Jepsen et al. (2008) introduced SR inequalities for the VRPTW. The SR inequalities as introduced by Jepsen et al. (2008) are still valid for the RVRPPC. However, they will not be as strong as they are for the VRPTW because they don't capture the fact that some customer orders may be subcontracted to the common carrier. Similarly to Jepsen et al. (2008), we can derive SR inequalities for the RVRPPC defined on a subset of nodes $S \subseteq \mathcal{N}_0$ and an integer $0 < \kappa \leq |S|$ as

$$\sum_{p \in \Omega} \left[\frac{1}{\kappa} \sum_{i \in S} \sigma_{ip} \right] y_p + \sum_{o \in \Theta} \left[\frac{1}{\kappa} \sum_{i \in S} \rho_{io} \right] w_o \leq \left\lfloor \frac{|S|}{\kappa} \right\rfloor. \quad (32)$$

As emphasized by Jepsen et al. (2008), SR inequalities are nonrobust inequalities, meaning that adding them to the relaxation of the master problem destroys the structure of the pricing subproblems and, hence, complicates their solution by the label-setting algorithm.

Consider an active valid SR inequality I of the form (32), defined by the subset of nodes S_I and integer κ_I , and let $\xi_I \in \mathbb{R}$ ($\xi_I < 0$) be its corresponding dual variable. The dual variable ξ_I is negative and, hence, will be acting as a penalty when subtracted from a column's reduced cost. When generating new variables for the master problem, we must take ξ_I into account. If a master variable $r \in \Omega \cup \Theta$ that contributes to the violation of I is regenerated, its reduced cost must be penalized by ξ_I . Hence,

$$\bar{c}_r = \begin{cases} \sum_{(i,j) \in \mathcal{A}} (c_{ij}^k - \pi_i) x_{ijr} - \left[\frac{1}{\kappa_I} \sum_{i \in S_I} \sigma_{ir} \right] \xi_I & \text{if } r \in \Omega_k, \\ \mathcal{F}(q) - \sum_{i \in \mathcal{N}_0} \pi_i \delta_i - \left[\frac{1}{\kappa_I} \sum_{i \in S_I} \rho_{ir} \right] \xi_I & \text{if } r \in \Theta. \end{cases} \quad (33)$$

However, we only know such a column is regenerated when it is complete (e.g., when a private path reaches the end node). Therefore, the standard dominance test cannot be directly applied in the labeling algorithm used to solve the PPP because partial paths that will be hit by ξ_I when they reach the end node might erroneously dominate other partial paths that will not contribute to the violation of I . In our labeling algorithm, we handle the additional complexity stemming from adding the SR inequalities (32) as described in Jepsen et al. (2008).

SR inequalities change the structure of the CPP as well as we must account for the resulting dual variables when calculating the reduced cost of a subcontracted subset of customer orders. In the next section, the modified CPP accounting for adding SR inequalities is presented.

4.4. The Modified CPP

In this section, we present how we capture dual variables resulting from adding the SR inequalities (32) in the CPP.

Let $\mathcal{SR}$ be the set of active SR inequalities. For each SR inequality $I \in \mathcal{SR}$ defined by the subset of nodes S_I and integer κ_I , let $\xi_I < 0$ be its dual variable. Furthermore, we

define $u_I \in \mathbb{N}$ as an integer variable that increments by one each time κ_I new customers from S_I are subcontracted to the common carrier. The modified CPP can be formulated as follows:

$$\max \sum_{i \in \mathcal{N}_0} \pi_i \delta_i - \sum_{s \in \mathcal{S}} (M_s q_s + C_s z_s) + \sum_{I \in \mathcal{P}\mathcal{R}} \xi_I u_I \quad (34)$$

$$\text{s.t. } \sum_{i \in \mathcal{N}_0} d_i \delta_i \leq \sum_{s \in \mathcal{S}} q_s, \quad (35)$$

$$L_s z_s \leq q_s \leq U_s z_s, \quad \forall s \in \mathcal{S}, \quad (36)$$

$$\sum_{s \in \mathcal{S}} z_s = 1, \quad (37)$$

$$\frac{1}{\kappa_I} \sum_{i \in S_I} \delta_i - 1 < u_I \leq \frac{1}{\kappa_I} \sum_{i \in S_I} \delta_i, \quad \forall I \in \mathcal{P}\mathcal{R}, \quad (38)$$

$$\delta_i, z_s \in \mathbb{B}, \quad \forall i \in \mathcal{N}_0, s \in \mathcal{S}, \quad (39)$$

$$q_s \geq 0, \quad \forall s \in \mathcal{S}, \quad (40)$$

$$u_I \in \mathbb{N}, \quad \forall I \in \mathcal{P}\mathcal{R}. \quad (41)$$

The objective function (34) now includes the dual variables resulting from including SR inequalities. The modified CPP has the additional set of constraint (38) (one for each included SR inequality) that set the coefficient of each of the included SR inequalities in the subcontracted subset of orders. Constraint (41) sets the domain for the additional decision variables u_I .

Before calling the mixed-integer problem (34)–(41), we first use a simple label-setting algorithm heuristic that, in each column-generation iteration, generates multiple subsets of orders with negative reduced cost that are added to the master problem. In the label-setting algorithm, a label represents a subset of orders, $o \in \Theta$, that may be outsourced to the common carrier. The label consists of only three resources, that is, the set of customers in o ; the sum of the dual variables π_i , $i \in \mathcal{N}_0$ corresponding to customers in o ; and the total demand of customers in o . Labels are extended by adding new orders to them, and a dominance test is performed such that, from two labels with the same total quantity, only the label with the highest sum of dual variables is kept. The label-setting algorithm considers the dual variables originating for the SR inequalities when checking whether the reduced cost of a label is negative.

4.5. Branching Rules

The branch-and-bound tree is explored using a best-bound strategy. First, the algorithm branches on the number of vehicles $\sum_{k \in K} \sum_{j \in \mathcal{N}_0} x_{0j}^k$ over all vehicle types. It creates two branches: $\sum_{k \in K} \sum_{j \in \mathcal{N}_0} x_{0j}^k \leq \lfloor \sum_{s \in K} \sum_{j \in \mathcal{N}_0} x_{0j}^{*k} \rfloor$ and $\sum_{k \in K} \sum_{j \in \mathcal{N}_0} x_{0j}^k \geq \lceil \sum_{k \in K} \sum_{j \in \mathcal{N}_0} x_{0j}^{*k} \rceil$ (x^* is the current fractional solution expressed in the arc variables). If the number of vehicles for all types is integer, the algorithm branches on the number of vehicles per type. It looks for the vehicle type k with the most fractional number of vehicles and creates two branches: $\sum_{j \in \mathcal{N}_0} x_{0j}^k \leq \lfloor \sum_{j \in \mathcal{N}_0} x_{0j}^{*k} \rfloor$ and $\sum_{j \in \mathcal{N}_0} x_{0j}^k \geq \lceil \sum_{j \in \mathcal{N}_0} x_{0j}^{*k} \rceil$. If for all vehicle

types the number of vehicles is integer, the algorithm branches on the arc variables x_{ij}^k . It looks for pairs (i, j) , $i, j \in \mathcal{N}_0$ and vehicle $k \in K$ such that $x_{ij}^{*k} + x_{ji}^{*k}$ is close to 0.5 and imposes two branches $x_{ij}^k + x_{ji}^k \leq 0$ and $x_{ij}^k + x_{ji}^k \geq 1$. If $x_{ij}^{*k} + x_{ji}^{*k}$ is integer for all pairs (i, j) , $i, j \in \mathcal{N}_0$ and a vehicle of type $k \in K$, then the algorithm looks for an arc $(i, j) \in \mathcal{A}$ and a vehicle of type $k \in K$ for which x_{ij}^{*k} is fractional and branches on that instead. Strong branching is used; that is, the impact of branching on several candidates is investigated every time a branching decision has to be made. For each branch candidate, we estimate the lower bound in the two child nodes by solving the associated LP relaxation using the quick-pricing heuristic described in Section 4.1. The branch that maximizes the lower bound in the weakest of the two child nodes is chosen. We consider 30 branch candidates in the first 20 nodes of the branch-and-bound tree and 20 candidates in the rest.

5. The Set-Partitioning Formulation: SP2

The set-partitioning formulation (SP1) of the RVRPPC necessitates the solution of two separate pricing subproblems (i.e., the PPP and the CPP). In both subproblems, customers carrying large dual variables will probably be included, in the same column-generation iteration, in both private paths as well as in subcontracted order subsets leading to a highly symmetric formulation. Intuitively, customer orders that are not included in any private route must be subcontracted to the common carrier. Hence, we don't need to generate order subsets to be subcontracted as long as we can impose that a customer order must either be included in a private route or subcontracted to the common carrier. In the following, we propose another set-partitioning formulation including only variables corresponding to private paths. Although this formulation is expected to have a weaker lower bound than formulation SP1, it only requires solving one pricing subproblem that generates new private paths with negative reduced cost. We call this new formulation SP2, and it is presented in the following:

$$(SP_2) : \min \sum_{p \in \Omega} c_p y_p + \sum_{s \in \mathcal{S}} (M_s q_s + C_s z_s) \quad (42)$$

$$\text{s.t. } \sum_{p \in \Omega} \sigma_{ip} y_p + \delta_i = 1, \quad \forall i \in \mathcal{N}_0, \quad (43)$$

$$\sum_{p \in \Omega_k} y_p \leq m_k, \quad \forall k \in K, \quad (44)$$

$$\sum_{i \in \mathcal{N}_0} d_i \delta_i \leq \sum_{s \in \mathcal{S}} q_s, \quad (45)$$

$$L_s z_s \leq q_s \leq U_s z_s, \quad \forall s \in \mathcal{S}, \quad (46)$$

$$\sum_{s \in \mathcal{S}} z_s = 1, \quad (47)$$

$$y_p, z_s \in \mathbb{B}, \quad \forall p \in \Omega, s \in \mathcal{S}, \quad (48)$$

$$\delta_i, q_s \geq 0, \quad \forall i \in \mathcal{N}_0, s \in \mathcal{S}. \quad (49)$$

The objective function (42) minimizes the cost of the chosen private routes and the cost charged for subcontracting orders to the common carrier. Constraint (43) guarantees that each node is either visited once by a private truck or is subcontracted to the common carrier. Constraint (44) ensures that the number of used private vehicles doesn't exceed the available number m_k of each vehicle type. Constraints (45)–(47) are the constraints (27)–(29) of the CPP moved now to the master problem. Constraints (48) and (49) set the domain of the decision variables. We use column generation to solve the LP relaxation of (42)–(49). Starting with a small subset of variables, we generate additional variables for the master problem. This new formulation requires solving only one subproblem that searches for new private paths with negative reduced cost, which is similar to the PPP presented in Section 4.1. Note that the integrality constraint for the δ variables is relaxed. In fact, when the y variables are integer, the δ variables must be integer as well. Therefore, we only impose integrality on the y variables.

5.1. Valid Inequalities

The SR inequalities introduced by Jepsen et al. (2008) can easily be shown to be valid for the RVRPPC when formulated as the set partitioning SP2. However, these inequalities do not capture the features of the RVRPPC, namely the fact that demand can be outsourced to the common carrier. So we expect these inequalities to be tightened by reducing the right-hand side (RHS) by a quantity that reflects the outsourced customer demand.

For a subset of nodes $S \subseteq \mathcal{N}_0$, we denote $d(S) = \sum_{i \in S} d_i$ as the total demand delivered to customers included in S . If we split this demand into packages with κ units, then you expect in an integer solution that the packages delivered using private routes should be less than the total packages reduced by the packages of each of the customers in S outsourced to the common carrier. Based on this intuition and on formulation SP2, we introduce the generalized subset-row (GSR) inequalities for the RVRPPC, defined by the subset of nodes $S \subseteq \mathcal{N}_0$ and integer $0 < \kappa \leq d(S)$ as

$$\sum_{p \in \Omega} \left\lfloor \frac{1}{\kappa} \sum_{i \in S} d_i \sigma_{ip} \right\rfloor y_p + \sum_{i \in S} \left\lfloor \frac{d_i}{\kappa} \right\rfloor \delta_i \leq \left\lfloor \frac{d(S)}{\kappa} \right\rfloor. \quad (50)$$

Clearly, the SR inequalities as introduced by Jepsen et al. (2008) are a special case of the GSR inequalities in (50), when all customers have a demand of one unit, and $\kappa > 1$. Moreover, GSR inequalities in (50) capture the fact that demand can be subcontracted to the common carrier in the term $\sum_{i \in S} \left\lfloor \frac{d_i}{\kappa} \right\rfloor \delta_i$ and are, therefore, expected to be stronger for the RVRPPC. In fact,

both private delivery routes and subcontracted customer demand contribute to the left-hand side (LHS) of an inequality. Note that these contributions depend rather on the demand (delivered/subcontracted) than on the number of visits (in opposition to the classical SR inequalities) as a route visiting only one customer involved in the cut and delivering more than κ units to that customer already contributes to the cut's violation. In the following, an example of a fractional solution shows a violated GSR inequality.

Example 1. Let's consider the fractional solution in Tables 1 and 2 obtained after solving the master problem, for instance, RC103a with 25 customers (see description instances in Section 7). Table 1 reports the fraction of demand outsourced to the common carrier. The first column shows the customers' index, the second column shows the customers' demand, and the third column shows the fraction of demand outsourced. Table 2 reports the private routes. The first column shows the path's index, the second column corresponds to the path's weight in the solution, the third column shows the truck type performing the route, the fourth column represents the path's load, and the fifth column shows the sequence of the path. Let's consider a GSR inequality I of the form (50) that is defined by the set of nodes $S_I = \{19, 22, 25\}$ with $\{40, 40, 20\}$ as their respective demands and integer $\kappa_I = 6$. The implied GSR inequality can be expressed as

$$10y_4 + 13y_{10} + 13y_{13} + 10y_{14} + 6\delta_{19} + 6\delta_{22} + 3\delta_{25} \leq 16. \quad (51)$$

The LHS of inequality (51) sums up to 16.3, and the RHS is equal to 16. This implies that the inequality is violated. We also note that the outsourced demand of customer 25 contributed with $3 \times 0.4 = 1.2$ to the LHS of inequality (51).

5.2. The Modified Dominance Criteria

Consider the PPP for a type- k vehicle; the GSR inequalities (50) destroy the structure of the PPP. In fact, the dominance criteria used in the PPP in the case of no inequalities added becomes invalid and must be modified to account for the dual variables originating from the added GSR inequalities. Consider some GSR inequality $I \in \mathcal{SR}$ of the form (50) defined by subset $S_I \subseteq \mathcal{N}_0$ and

Table 1. Fractional Demand Outsourced

i	d_i	δ_i
13	10	0.2
14	10	0.2
24	10	0.1
25	20	0.4

Table 2. Fractional Private Routes

p	y_p	k	Load	Route
1	0.2	1	80	11, 10, 13
2	0.1	1	80	11, 15, 17
3	0.1	1	80	12, 16, 15, 9
4	0.3	1	80	24, 22, 25, 20
5	0.1	1	80	15, 9, 16, 17
6	0.1	1	80	10, 13, 17, 12
7	0.1	1	80	12, 15, 11
8	0.2	2	150	2, 6, 7, 4, 5, 1
9	0.1	2	150	12, 16, 15, 11, 9, 10
10	0.4	2	150	20, 19, 18, 21, 23, 22
11	0.2	2	150	7, 8, 5, 3, 1, 4, 2
12	0.2	2	150	12, 15, 9, 10, 13, 16, 17, 14
13	0.3	2	150	24, 23, 21, 18, 19, 22
14	0.3	2	140	24, 19, 18, 21, 23, 25, 20
15	0.1	2	150	11, 9, 10, 13, 16, 14, 12
16	0.1	2	150	14, 16, 15, 11, 9, 10, 13
17	0.1	2	150	11, 15, 9, 16, 17, 14, 12
18	0.1	2	150	11, 9, 10, 13, 16, 17, 14
19	0.1	2	150	11, 15, 16, 9, 10, 17
20	0.2	2	150	1, 3, 5, 8, 2, 6, 4
21	0.2	2	150	2, 8, 7, 6, 4, 3, 1
22	0.2	2	150	1, 3, 5, 8, 7, 6, 17, 14, 12
23	0.2	2	150	3, 5, 8, 7, 6, 4, 2

integer $0 < \kappa_I \leq d(S)$, and let $\xi_I < 0$ be its dual variable. The cost of a label L is expressed as

$$\hat{c}(L) = c(L) - \left\lfloor \frac{d(S_I \cap V(L))}{\kappa_I} \right\rfloor \xi_I,$$

where $d(S_I \cap V(L))$ is the demand delivered to customers visited along path $p(L)$ and that are involved in the cut as well. Further, we define

$$m_I(L) = d(S_I \cap V(L)) \bmod \kappa_I,$$

as the demand delivered to S_I since the last penalty paid for delivering κ_I units to S_I . Let's consider two labels L_1 and L_2 that we want to compare and define the set

$$\phi(L_1, L_2) = \{I \in \mathcal{FR} : m_I(L_1) > m_I(L_2)\},$$

as the set of GSR inequalities (50) in $\mathcal{FR}$ for which $m_I(L_1) > m_I(L_2)$. The cuts in $\phi(L_1, L_2)$ may be active in an extension of L_1 but not in that of L_2 because the threshold κ_I for incurring another penalty may be reached earlier by extending L_1 than by extending L_2 . We, therefore, modify the dominance criteria as in the following proposition:

Proposition 1. *Label L_2 is dominated by label L_1 if all the following conditions are satisfied:*

1. $i(L_1) = i(L_2)$
2. $c(L_1) - \sum_{I \in \phi(L_1, L_2)} \xi_I \leq c(L_2)$
3. $t(L_1) \leq t(L_2)$
4. $d(L_1) \leq d(L_2)$
5. $\bar{V}(L_1) \subseteq \bar{V}(L_2)$

The dominance of Proposition 1 can be strengthened by making the following observations. First, we can exclude from $\phi(L_1, L_2)$ the GSR inequalities in $\mathcal{FR}$ for which we know for sure that, for any feasible extension of L_2 , they will never be active in the extension of L_1 . The set of nodes defining the cut and that can still be visited in an extension of L_1 are defined by the set $S_I \setminus \bar{V}(L_2)$; therefore, if $m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) < \kappa_I$, then we know that I will never be active in any extension of L_1 . Moreover, in case $m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) \geq \kappa_I$, we can still exclude I from $\phi(L_1, L_2)$ if the smallest quantity needed to exceed the threshold κ_I when extending L_1 results in exceeding κ_I or a violation of the vehicle capacity when extending L_2 . This quantity can be determined by solving the following subset sum problem:

$$z^* = \min \sum_{i \in S_I \setminus \bar{V}(L_2)} d_i x_i \quad (52)$$

$$\text{s.t.} \quad \sum_{i \in S_I \setminus \bar{V}(L_2)} d_i x_i \geq \kappa_I - m_I(L_1), \quad (53)$$

$$x_i \in \mathbb{B}, \quad \forall i \in S_I \setminus \bar{V}(L_2). \quad (54)$$

Now we can formally define

$$\begin{aligned} \varphi(L_1, L_2) = \{I \in \mathcal{FR} : m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) < \kappa_I \\ \vee (m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) \geq \kappa_I \\ \wedge (m_I(L_2) + z^* \geq \kappa_I \vee d(L_2) + z^* > Q_k))\} \end{aligned}$$

as the set of GSR inequalities (50) that will never be active in any extension of L_1 . Second, we can further exclude GSR inequalities from $\phi(L_1, L_2)$ for which we know that, if they are active in an extension of L_1 , they will for sure be active in the extension of L_2 as well. This is true if the smallest quantity required for the extension of L_1 to reach the threshold κ_I , z^* , implies the extension of L_2 also exceeds κ_I , and therefore, inequality I must be excluded from $\phi(L_1, L_2)$. Now, we can define the set of these inequalities as

$$\beta(L_1, L_2) = \{I \in \mathcal{FR} : m_I(L_2) + z^* \geq \kappa_I\}.$$

Denoting $\alpha(L_1, L_2) = \phi(L_1, L_2) \setminus (\varphi(L_1, L_2) \cup \beta(L_1, L_2))$, we can formulate a stronger dominance test in the following proposition:

Proposition 2. *Label L_2 is dominated by label L_1 if all the following conditions are satisfied:*

1. $i(L_1) = i(L_2)$
2. $c(L_1) - \sum_{I \in \alpha(L_1, L_2)} \xi_I \leq c(L_2)$
3. $t(L_1) \leq t(L_2)$
4. $d(L_1) \leq d(L_2)$
5. $\bar{V}(L_1) \subseteq \bar{V}(L_2)$

Example 2. The following example is taken when running the algorithm with instance R109a with 25 customers (see Section 7 for the description of instances). Consider two (to be compared) labels L_1 and L_2 . The resources of L_1 are such that $i(L_1) = 26$, $d(L_1) = 7$,

$c(L_1) = 515.8$, $t(L_1) = 50$, $V(L_1) = \{2, 26\}$, and $\bar{V}(L_1) = \{2, 26\}$. The resources of label L_2 are such that $i(L_2) = 26$, $d(L_2) = 17$, $c(L_2) = 518.7$, $t(L_2) = 94$, $V(L_2) = \{19, 26\}$, and $\bar{V}(L_2) = \{2, 12, 15, 19, 21, 23, 26\}$. Let's further consider the GSR cut I defined by the subset of nodes $S_I = \{2, 4, 15, 17\}$ with their corresponding demands $\{7, 19, 8, 2\}$ and integer $\kappa_I = 13$. Label L_1 visits customer 2 from the cut; therefore, $m(L_1) = 7$. Label L_2 does not visit any customer from the cut; therefore, $m(L_2) = 0$. Using Proposition 1, we should penalize L_1 with the dual of I ($\xi_I = -10.3$) but not L_2 . Hence, L_2 cannot be dominated by L_1 because $c(L_1) - \xi_I = 515.8 + 10.3 = 526.1 > c(L_2) = 518.7$.

Let's now consider Proposition 2. The set of nodes in the cut that can still be visited by an extension of L_2 is $S_I \setminus \bar{V}(L_2) = \{4, 17\}$. We have $m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) = 7 + 19 + 2 = 28 > 13$. Hence, the cut I may be active in an extension of L_1 . Solving the subset sum problems (52)–(54) gives $z^* = 19$ as at least node 4 needs to be in the extension of L_1 to exceed the threshold κ_I . However, including four in the extension of L_2 will also result in exceeding the threshold κ_I (i.e., $m_I(L_2) + z^* = 0 + 19 > 13$). Consequently, L_2 must also be penalized by the dual variable ξ_I and, hence, can be dominated by L_1 because we now have that $c(L_1) - \xi_I = 526.1 < c(L_2) - \xi_I = 529.0$.

Example 3. The following example is taken when running the algorithm with instance R109a with 25 customers (see Section 7 for the description of instances). Consider two (to be compared) labels L_1 and L_2 . The resources of L_1 are such that $i(L_1) = 16$, $d(L_1) = 45$, $c(L_1) = 404.5$, $t(L_1) = 52$, $V(L_1) = \{5, 16\}$, and $\bar{V}(L_1) = \{5, 11, 12, 16, 21, 23\}$. The resources of label L_2 are such that $i(L_2) = 16$, $d(L_2) = 47$, $c(L_2) = 412.8$, $t(L_2) = 92$, $V(L_2) = \{14, 15, 16\}$, and $\bar{V}(L_2) = \{2, 3, 5, 7, 8, 9, 11, 12, 14, 15, 16, 18, 19, 20, 21, 23\}$. Let's further consider the GSR cut I defined by the subset of nodes $S_I = \{5, 8, 14, 17\}$ with their corresponding demands $\{26, 9, 20, 2\}$ and integer $\kappa_I = 29$. Label L_1 visits customer 5 from the cut; therefore, $m(L_1) = 26$. Label L_2 visits customer 14 from the cut; therefore, $m(L_2) = 20$. Using Proposition 1, we should penalize L_1 with the dual of I ($\xi_I = -12.7$) but not L_2 . Hence, L_2 cannot be dominated by L_1 .

Let's now consider Proposition 2. The set of nodes in the cut that can still be visited by an extension of L_2 is $S_I \setminus \bar{V}(L_2) = \{17\}$. We have $m_I(L_1) + d(S_I \setminus \bar{V}(L_2)) = 26 + 2 = 28 < 29$. Hence, the cut I will never be active in an extension of L_1 . Consequently, L_1 must not be penalized by the dual variable ξ_I and, hence, can dominate L_2 .

5.3. Branching Rules

The branch-and-bound tree is explored using a best-bound strategy. The branching decisions are similar to those described in Section 4.5. However, given the new master problem formulation, we first start by branching on the selected segment from the outsourcing cost

function. The algorithm looks for the segment $s \in \mathcal{S}$ from the cost function with the most fractional z_s variable and creates the two branches $z_s \leq 0$ and $z_s \geq 1$. When the variables z_s are integer for all $s \in \mathcal{S}$, the algorithm proceeds as in Section 4.5.

6. Implementation Features

In this section, we present some of the features that we implemented in our framework but that did not result in a clear improvement of the algorithm's performance. We implemented the ng -path relaxation and cover inequalities based on the δ variables. As the results were disappointing, we did not include them in the computational results section.

In the ng -path relaxation introduced by Baldacci, Mingozzi, and Roberti (2011), a private path p is allowed to have cycles but can only be extended to nodes that are not in a set of prohibited extensions. The size of this prohibited set of extensions (a parameter that can be tuned) determines the complexity of the resulting pricing problem and the quality of the lower bound.

Cover inequalities are well-known valid inequalities for the knapsack problem that were first discovered separately by Balas (1975) and Wolsey (1975). These inequalities can be strengthened to obtain the lifted cover inequalities (see, e.g., Zonghao et al. (1998) and Kaparis and Letchford 2008). For the set-partitioning formulation SP2 and after branching on the z variables, the RHS of constraint (46) is fixed for the branch $z_s \geq 1, s \in \mathcal{S}$, hence defining an inequality for a knapsack problem in which the knapsack capacity is set to U_s and the items to put in the knapsack are the orders to be subcontracted to the common carrier. We implemented both regular and lifted cover inequalities. The separation of the cover inequalities can be formulated as a knapsack problem and solved by dynamic programming as the one in Pisinger (1997).

7. Computational Results

The branch-and-cut-and-price algorithm is implemented in Java on an Intel Core i7 CPU, 2.8 GHz. For all experiments, we use a time limit of one hour. The LP relaxation of the master problems are solved using commercial solver Gurobi 6.5.1. For our numerical study, we use the modified Solomon's data sets (Solomon 1987) introduced by Liu and Shen (1999) for the heterogeneous vehicle routing problem with time windows. Instances with 25, 50, and 100 customers are tested. For each instance size, six categories of instances are tested, R1, R2, C1, C2, RC1, and RC2, according to the geographical distribution and the tightness of time windows. The geographical distribution of the customers are randomly generated for sets R1 and R2, are clustered for sets C1 and C2, and are a mix of random and clustered for sets RC1 and RC2. The time windows are tight in sets R1, C1, and RC1 and wide in sets R2, C2,

Table 3. Tariff Sheet for R Instances

Quantity interval	Rate
0–200	5.00
200–400	4.50
400–600	4.00
≥600	3.50

and RC2, which allow more customers per route. Furthermore, as in Liu and Shen (1999), three different sets of vehicle fixed costs are considered for each Solomon problem, and type *a* denotes instances with high vehicle fixed cost, type *b* denotes instances with medium vehicle fixed cost, and type *c* denotes instances with low vehicle fixed cost. The different vehicle compositions and costs are shown in Liu and Shen (1999). For the cost of outsourcing, we use three tariff sheets depending on the geographical location of customers. We note that the cost structures are chosen such that the more random the customer locations are, the more the common carrier charging is. Tables 3–5 show the different rates used for the different instance types (*R*, *C*, and *RC*, respectively). We have 168 instances for each number of customers, leading to a total of 504 instances. For all instances, we set the number of available vehicles to be three for each vehicle type. At any point during the search, we limit the number of active (generalized) subset-row inequalities in the master problem to 50. An initial upper bound is determined by outsourcing all customer orders.

7.1. Comparing Formulations SP1 and SP2

Table 6 compares performance of SP1 and SP2 (with cuts and strong dominance as described in Sections 4 and 5) on the instances with 25 customers. The table shows, respectively, the average CPU time for solving the instances to optimality (*Time*), the number of instances solved to optimality (*#Optimal*), the lower bound obtained at the root nodes (*Root LB*), and the number of nodes in the branch-and-bound search tree (*Tree*).

SP1 moves both decisions on private paths and subcontracted customers to the pricing subproblems, and SP2 handles the customer outsourcing decision in the master problem. This explains why SP2 has a weaker root lower bound and a larger branch-and-bound tree.

Table 4. Tariff Sheet for C Instances

Quantity interval	Rate
0–200	2.00
200–400	1.50
400–600	1.00
≥600	0.50

Table 5. Tariff Sheet for RC Instances

Quantity interval	Rate
0–200	3.50
200–400	3.00
400–600	2.50
≥600	2.00

However, solving two separate pricing subproblems is clearly computationally more demanding. From the results reported in Table 6, we can see that the SP2 formulation outperforms SP1 because seven additional optimal solutions can be obtained (i.e., about 6% more) within much smaller CPU times.

7.2. Impact of Valid Inequalities

Table 7 shows the average CPU time in seconds for solving the instances to optimality (*Time*), the number of instances solved to optimality (*#Optimal*), the average value of the LP relaxation computed at the root node (*Root LB*), and the average number of nodes in the branch-and-bound search tree (*Tree*) for SP2 without cuts and with cuts, respectively. In both cases, the strong dominance as described in Section 5.2 is used. Instances for which the root node could not be solved within the time limit by both algorithms (i.e., SP2 with and without cuts) are excluded from the root lower bounds calculation, and the instances that cannot be solved to optimality by both algorithms (i.e., SP2 with and without cuts) within the time limit are excluded from the CPU times calculation. The detailed results per instance can be found in Tables 1–9, reported in the online appendix. Additionally, in the online appendix, statistics on the number of added columns and cuts and time to solve the master and subproblems are reported for each instance in Tables 10–18.

The results shown in Table 7 reveal the effectiveness of the cuts described in Section 5. The SP2 formulation is strengthened by the cuts for all the instance sizes, resulting in improved lower bounds and a smaller branch-and-bound tree. In particular, almost 80% of the 25 customer instances as well as about 50% and 30% of those with 50 and 100 customers are solved to optimality when cuts are used, and the computing times are reduced by more than one third with respect to the algorithm without cuts.

Table 6. Comparison of Formulations SP1 and SP2 on Instances with 25 Customers

	SP1	SP2
Time(s)	158	50
#Optimal	124	131
Root LB	676	673
Tree	4.2	6.5

Table 7. Impact of the Cuts on Formulation SP2

No. customers	SP2 without cuts			SP2 with cuts				
	Time	#Optimal	Root LB	Tree	Time	#Optimal	Root LB	Tree
25	111	127	663.4	55	76	131	666.2	31
50	387	85	1,201.6	174	193	92	1,205.8	104
100	361	47	2,142.5	11	238	49	2,144.7	8

7.3. Impact of the Dominance

Table 8 shows the CPU times (in seconds) on solving a selection of the 25-customer instances using SP2 with and without the strong dominance conditions described in Section 5. Table 9 summarizes the total number of instances that are solved to optimality within the time limit and the average CPU times spent for obtaining the optimal solutions.

As shown in Tables 8 and 9, with the proposed strong dominance conditions, the pricing subproblems can be solved more efficiently. As a result, more instances can be solved to optimality, and the optimal solutions can be obtained using about one third of the CPU times. Strong dominance improves the overall performance as shown in Table 9. However, there are some instances in which weak dominance outperforms strong dominance, for example, C202b, C207b, and RC202b. This is due to the extra computation effort required by the strong dominance conditions, which sometimes does not lead to the desired effect.

7.4. Managerial Insights

By closely looking into the structure of the optimal solutions visualized in Figures 2–8, some interesting insights can be derived. In this section, we describe, through some illustrative examples, these insights and provide an intuitive explanation for them.

Table 8. Impact of Strong Dominance on CPU Times for Selected Instances with 25 Customers

Instance	SP2 (weak dominance)	SP2 (strong dominance)
R205a	—	131
R209a	—	956
C207a	—	68
RC201a	261	59
RC205a	—	3,096
R110b	3,209	5
C103b	740	166
C107b	2,809	9
R205b	3,246	617
R207b	—	656
R205c	232	80
R209c	—	2,911
C202b	5	88
C207b	10	167
RC202b	2	51

Impact of vehicle fixed cost: Figure 2 shows the optimal solutions of instances R109a and R109c. These two instances are similar in all characteristics except for vehicle fixed costs. In fact, instance R109a has higher fixed cost than instance R109c. Note that customers in these two instances are randomly spread in the geographical area. Clearly, customers located in more remote areas tend to be outsourced (in Figure 2(b), these are customers 17 and 24). Moreover, these customers have relatively smaller demands, that is, two and three, respectively. When the vehicle fixed costs increase, it is expected that more customers are outsourced. However, in Figure 2(a) in which vehicle fixed costs are higher than in Figure 2(b), only one additional customer is outsourced, that is, customer 25 with demand equal to six. This shows that *R*-type instances are not sensitive to vehicle fixed cost. For *R* instances, the variable traveling costs are also significant and even seem to be dominant. This is opposite to *C* (clustered) instances in which the variable traveling cost for serving customers in the same cluster is low, and therefore, it is expected that when a customer in a cluster is outsourced the whole cluster tends to be outsourced. This is reflected in Figure 3 in which we see that, for instance, C105, when the vehicle fixed cost increases, entire clusters are outsourced.

Table 9. Impact of the Strong Dominance on the Solution of the Instances with 25 Customers

	SP2 (weak dominance)	SP2 (strong dominance)
#Optimal	127	131
Time(s)	149	49

Figure 2. Impact of the Vehicle Fixed Costs on Outsourcing for a Randomly Distributed Instance

Figure 3. Impact of the Vehicle Fixed Costs on Outsourcing for a Clustered Instance

Similar behavior is observed in many other randomly distributed and clustered instances.

Impact of outsourcing: In this section, we discuss the impact of outsourcing on the structure of the optimal routes. Figures 4 and 5 show a visualization of the optimal routes for instances R109a and R111a, respectively. In particular, Figures 4(b) and 5(b) show the optimal routes when no outsourcing is allowed and all orders must be delivered by the private fleet. Furthermore, Figures 4(a) and 5(a) show the optimal routes when outsourcing is allowed. For these two instances, we can see that, by outsourcing some of the customers, better routes (i.e., with fewer crossings) can be constructed. This might be due to the exclusion of inconvenient customers (e.g., because of their time windows) from the private fleet routing plan. As in Euclidean instances, crossings in a route are only caused by the existence of time windows; the outsourcing option allows for the construction of routes with fewer crossings even in instances with tight time windows as is the case for instances R109 and R111.

7.4.1. Impact of Quantity Discounts. In this section, we discuss the impact of quantity discounts on the optimal routes. We solved several instances without considering quantity discounts. We used the highest cost in the common carrier's tariff sheet; that is, regardless of the quantity outsourced, the unit outsourcing cost is 5.00 for *R* instances, 3.50 for *RC* instances, and 2.00 for

Figure 4. Solution of R109 with 25 Customers with and Without Outsourcing **Figure 5.** Solution of R111 with 25 Customers with and Without Outsourcing

C instances. For all instance types, discarding quantity discounts increases, as expected, the optimal values. For the random instances, discarding discounts did not have a clear impact on the structure of the optimal routes as shown in Figure 6, for instance, RC105 with 100 customers. In this case, only one additional customer (namely, customer 53 with demand five) is sub-contracted when quantity discounts are offered. Therefore, from the common carrier's point of view, it may not be beneficial to offer discounts when delivery locations are randomly dispersed over the shipper's operating area as the shipper outsources the same quantity regardless of whether quantity discounts are present or not. For clustered instances, we instead observe a significant change in the structure of optimal routes as depicted in Figures 7 and 8 for instances RC107a and C105b, both with 50 customers. The more clustered the instance is, the more significant the impact of discounts on the optimal routes is. For clustered instances, the common carrier has more incentive to offer discounts as the shipper outsources more when quantity discounts are offered.

8. Conclusion and Future Work

In this paper, we presented the first exact approach for the RVRPPC, which is a new variant of the VRPPC with heterogeneous fleet and time windows and includes cost quantity discounts for the outsourced customers. To the best of our knowledge, this is the first exact approach for a problem of the VRPPC family.

The exact algorithm is based on the branch-and-cut-and-price paradigm and considers two different set-partitioning formulations. The first one separately considers the outsourced customers and those belonging to private fleet routes, for which two specialized pricing procedures are derived, called private and common pricing procedures. Although the linear relaxation of this first formulation is very good, overall it leads to high symmetry, thus proving not very efficient in the exact solution of the problem. Therefore, we defined a second formulation in which only variables for private paths are considered and that has a better overall efficacy. The performance of the algorithm is

Figure 6. (Color online) Solution of RC105 with 100 Customers with and Without Discount

Figure 7. Solution of RC107 with 50 Customers with and Without Discount

further enhanced by using new valid inequalities of the subset-row type and a novel and strong dominance procedure that mitigates the negative effect of nonrobust inequalities. In particular, the procedure can be extended to many other shortest path-based algorithms and has, therefore, a wide practical use.

Figure 8. Solution of C105 with 50 Customers with and Without Discount

An extensive testing of the exact method on different instance classes obtained by extending known benchmarks from the literature allowed for a thorough comparison of the two formulations and of the effect of the various original components of the approach. In particular, the new subset-row inequalities allowed for the solution of some additional instances, and the new dominance reduced considerably the overall computing times. As a consequence, the exact algorithm was able to solve a large number of instances with up to 100 customers (i.e., 272 out of 504 instances and more than 80% of those with 25 customers). The results are integrated by an analysis of the managerial insights that can be derived from the optimal solutions obtained with the algorithm, showing, for example, that the outsourcing option is sensitive to vehicle fixed costs only in some cases related to a customer's spatial distribution. Moreover, the outsourcing option allows for a more compact shaping of the private fleet routes.

As this is the first exact algorithm for this family of problems, there is clearly some room for improvement and future research. In particular, it would be strongly

beneficial to reduce the impact of solution symmetry incurred when using the first set-partitioning formulation, which has a stronger linear relaxation. Moreover, the developed exact method can be the base of effective matheuristics for the approximate solution of the problem.

References

- Archetti C, Speranza MG, Vigo D (2014) Vehicle routing problem with profits. Toth P, Vigo D, eds. *Vehicle Routing: Problems, Methods, and Applications*, 2nd ed., MOS-SIAM Series on Optimization, vol. 18 (SIAM, Philadelphia), 273–297.
- Balas E (1975) Facets of the knapsack polytope. *Math. Programming* 8(1):146–164.
- Baldacci R, Mingozzi A, Roberti R (2011) New route relaxation and pricing strategies for the vehicle routing problem. *Oper. Res.* 59(5):1269–1283.
- Bolduc M-C, Renaud J, Boctor F, Laporte G (2008) A perturbation metaheuristic for the vehicle routing problem with private fleet and common carriers. *J. Oper. Res. Soc.* 59(6):776–787.
- Bräysy O, Gendreau M (2005a) Vehicle routing problem with time windows, part I: Route construction and local search algorithms. *Transportation Sci.* 39(1):104–118.
- Bräysy O, Gendreau M (2005b) Vehicle routing problem with time windows, part II: Metaheuristics. *Transportation Sci.* 39(1):119–139.
- Chabrier A (2006) Vehicle routing problem with elementary shortest path based column generation. *Comput. Oper. Res.* 33(10):2972–2990.
- Chu C-W (2005) A heuristic algorithm for the truckload and less-than-truckload problem. *Eur. J. Oper. Res.* 165(3):657–667.
- Clarke G, Wright JW (1964) Scheduling of vehicles from a central depot to a number of delivery points. *Oper. Res.* 12(4):568–581.
- Cook W, Rich JL (1999) A parallel cutting plane algorithm for the vehicle routing problem with time windows. Technical Report TR99-04, Computational and Applied Mathematics, Rice University, Houston.
- Côté J-F, Potvin J-Y (2009) A tabu search heuristic for the vehicle routing problem with private fleet and common carrier. *Eur. J. Oper. Res.* 198(2):464–469.
- Desaulniers G, Lessard F, Hadjar A (2008) Tabu search, partial elementarity, and generalized k -path inequalities for the vehicle routing problem with time windows. *Transportation Sci.* 42(3):387–404.
- Desaulniers G, Madsen OBG, Ropke S (2014) The vehicle routing problem with time windows. Toth P, Vigo D, eds. *Vehicle Routing: Problems, Methods, and Applications*, 2nd ed., MOS-SIAM Series on Optimization, vol. 18 (SIAM, Philadelphia), 119–159.
- Desrochers M, Desrosiers J, Solomon M (1992) A new optimization algorithm for the vehicle routing problem with time windows. *Oper. Res.* 40(2):342–354.
- Feillet D, Dejax P, Gendreau M, Gueguen C (2004) An exact algorithm for the elementary shortest path problem with resource constraints: Application to some vehicle routing problems. *Networks* 44(3):216–229.
- Gahm C, Brabänder C, Tuma A (2017) Vehicle routing with private fleet, multiple common carriers offering volume discounts, and rental options. *Transportation Res. Part E. Logist. Transportation Rev.* 97(C):192–216.
- Gendreau M, Tarantilis CD (2010) Solving large-scale vehicle routing problems with time windows: The state of the art. Technical Report 2010-04, CIRRELT, Montreal.
- Irnich S, Villeneuve D (2006) The shortest path problem with resource constraints and k -cycle elimination for $k \geq 3$. *INFORMS J. Comput.* 18(3):391–406.
- Irnich S, Schneider M, Vigo D (2014) Four variants of the vehicle routing problem. Toth P, Vigo D, eds. *Vehicle Routing: Problems, Methods, and Applications*, 2nd ed., MOS-SIAM Series on Optimization, vol. 18 (SIAM, Philadelphia), 241–271.
- Jepsen M, Petersen B, Spoorendonk S, Pisinger D (2008) Subset-row inequalities applied to the vehicle-routing problem with time windows. *Oper. Res.* 56(2):497–511.
- Kallehauge B (2008) Formulations and exact algorithms for the vehicle routing problem with time windows. *Comput. Oper. Res.* 35(7):2307–2330.
- Kaparis K, Letchford AN (2008) Local and global lifted cover inequalities for the 0-1 multidimensional knapsack problem. *Eur. J. Oper. Res.* 186(1):91–103.
- Kohl N, Desrosiers J, Madsen OBG, Solomon MM, Soumis F (1999) 2-path cuts for the vehicle routing problem with time windows. *Transportation Sci.* 33(1):101–116.
- Laporte G (1992) The vehicle routing problem: An overview of exact and approximate algorithms. *Eur. J. Oper. Res.* 59(3):345–358.
- Laporte G (2007) What you should know about the vehicle routing problem. *Naval Res. Logist.* 54(8):811–819.
- Liu FH, Shen SY (1999) The fleet size and mix vehicle routing problem with time windows. *J. Oper. Res. Soc.* 50(7):721–732.
- Lübbecke ME, Desrosiers J (2005) Selected topics in column generation. *Oper. Res.* 53(6):1007–1023.
- Pisinger D (1997) A minimal algorithm for the 0-1 knapsack problem. *Oper. Res.* 45(5):758–767.
- Potvin J-Y, Naud M-A (2011) Tabu search with ejection chains for the vehicle routing problem with private fleet and common carrier. *J. Oper. Res. Soc.* 62(2):326–336.
- Righini G, Salani M (2006) Symmetry helps: Bounded bi-directional dynamic programming for the elementary shortest path problem with resource constraints. *Discrete Optim.* 3(3):255–273.
- Righini G, Salani M (2008) New dynamic programming algorithms for the resource constrained elementary shortest path problem. *Networks* 51(3):155–170.
- Solomon MM (1987) Algorithms for the vehicle routing and scheduling problems with time window constraints. *Oper. Res.* 35(2):254–265.
- Stenger A, Schneider M, Goeke D (2013) The prize-collecting vehicle routing problem with single and multiple depots and non-linear cost. *Eur. J. Transportation Logist.* 2(1):57–87.
- Stenger A, Vigo D, Enz S, Schwind M (2013) A variable neighborhood search algorithm for a vehicle routing problem arising in small package shipping. *Transportation Sci.* 47(1):64–80.
- Toth P, Vigo D (2014) *Vehicle Routing: Problems, Methods, and Applications*, 2nd ed., MOS-SIAM Series on Optimization, vol. 18 (SIAM, Philadelphia).
- Vidal T, Maculan N, Satoru Ochi L, Vaz Penna PH (2016) Large neighborhoods with implicit customer selection for vehicle routing problems with profits. *Transportation Sci.* 50(2):720–734.
- Vidal T, Crainic TG, Gendreau M, Lahrichi N, Rei W (2012) A hybrid genetic algorithm for multidepot and periodic vehicle routing problems. *Oper. Res.* 60(3):611–624.
- Wolsey LA (1975) Faces for linear inequalities in 0-1 variables. *Math. Programming* 8(1):165–178.
- Zonghao G, Nemhauser GL, Savelbergh MWP (1998) Lifted cover inequalities for 0-1 integer programs: Computation. *INFORMS J. Comput.* 10(4):427–437.