VU Research Portal

Assess flame retardants with care—Response

de Boer, Jacob; Stapleton, Heather M.

published in

Science

2019

DOI (link to publisher)

[10.1126/science.aay7649](https://doi.org/10.1126/science.aay7649)

document license

Article 25fa Dutch Copyright Act

[Link to publication in VU Research Portal](#)

citation for published version (APA)

de Boer, J., & Stapleton, H. M. (2019). Assess flame retardants with care—Response. *Science*, 365(6457), 993-993. <https://doi.org/10.1126/science.aay7649>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Edited by **Jennifer Sills**

Editorial expression of concern

On 14 October 2016, *Science* published the Research Article “Sustained virologic control in SIV⁺ macaques after antiretroviral and $\alpha_4\beta_7$ antibody therapy” by S. N. Byraredddy *et al.* (1). The virus used in this study had a stop codon in the SIV *nef* gene. The presence of the stop codon was known by Dr. Villinger, who provided the virus, and he selected this strain intentionally as he believes it provides a better model for chronic HIV infection. However, this information was not communicated to other authors of the Byraredddy paper nor explicitly stated in the manuscript. In macaques, viral variants that can replicate more effectively because they have this stop codon corrected are selected over a period of weeks. Variability in correcting the stop codon introduces variation in the level of viral pathogenicity between different animal subjects, which may have affected the conclusions and should have been discussed in the Research Article. Byraredddy *et al.* (1) has been corrected to indicate that the virus used was not wild-type SIVmac239, but SIVmac239-*nef-stop*.

On 21 March 2019, *Science* published an Editorial Expression of Concern alerting readers to this error. Three studies published in this issue of *Science* have attempted to replicate this work, two using the same SIVmac239-*nef-stop* virus used in Byraredddy and one using a different SIV strain (2–4). In no case did treating with antibody against integrin $\alpha_4\beta_7$ result in robust, long-term decreases in SIV load after stopping antiretroviral therapy. In addition, a phase-1 clinical trial in humans published in *Science Translational Medicine* failed to show any significant benefit of including a similar FDA-approved antibody in an HIV treatment protocol (5).

We are maintaining an Editorial Expression of Concern on Byraredddy *et al.* (1) to alert readers that current evidence suggests that the reported result is not robust and therefore does not provide a good basis for guiding work on therapies for HIV. *Science* is not moving beyond an Editorial Expression of Concern because neither the Byraredddy authors, the authors of the attempted replication studies, nor the editors can account for the differences in results. Moreover, there is a substantial

Human activities and climate change have put Florida's Indian River Lagoon in peril.

scientific basis supporting the idea that targeting the integrin $\alpha_4\beta_7$ may have a positive impact on the course of infection.

Jeremy Berg
Editor-in-Chief

REFERENCES AND NOTES

1. S. N. Byraredddy *et al.*, *Science* **354**, 197 (2016).
2. M. Di Mascio *et al.*, *Science* **365**, 1025 (2019).
3. P. Abbink *et al.*, *Science* **365**, 1029 (2019).
4. N. Iwamoto *et al.*, *Science* **365**, 1033 (2019).
5. M. C. Sneller *et al.*, *Sci. Transl. Med.* **11**, eaax3447 (2019).
10.1126/science.aaz2722

Florida lagoon at risk of ecosystem collapse

One of North America's most biodiverse estuaries is at risk of irreversible shifts in population dynamics, community structure, and ecosystem function. The Indian River Lagoon in Florida lies at the intersection of warm-temperate and subtropical climates and has sustained human existence for at least 11,000 years (1). Human-induced impacts on the ecosystem have led some species, such as the

smalltooth sawfish, to become endangered (2) and led other species, such as the dusky seaside sparrow, to go extinct (3).

Anthropogenic perturbations have increased within the Indian River Lagoon in recent years as a result of accelerated population growth, urbanization, habitat alteration, pollution, and toxic spills (4), with disastrous ecological outcomes for lagoon fish and wildlife. The synergistic effects of these anthropogenic stressors have been exacerbated by global climate change (5). One example of these synergistic effects is harmful algal blooms, which have caused major seagrass die-offs (6). Other effects include large-scale marine mammal, bird, and fish kills (7). Up to 70% of the U.S. Atlantic coast population of Florida manatees aggregate in the Indian River Lagoon, directly exposing them to a combination of ongoing and emerging threats (8, 9). Fish in the lagoon are experiencing external health abnormalities (lesions, tumors, parasites, and diseases) at a frequency that is an order of magnitude higher than those in other Florida estuaries (10). Despite 40 years of

regulation and restoration aimed at mitigating impacts in the Indian River Lagoon, ecosystem degradation has continued and is expected to worsen.

Anthropogenic activities are diminishing biodiversity and thwarting ecological dynamics in estuarine ecosystems worldwide (11, 12). Advances in biodiversity-based management strategies are needed to inspire environmentally sustainable human behaviors. The Indian River Lagoon is a barometer for how human influences can affect ecological balance and human health, and it serves as a warning for increasingly burdened estuaries in a developing world. Without innovative management solutions designed to restore water quality and critical habitats, the future ecological health and sustainability of the Indian River Lagoon estuary are in jeopardy.

Douglas H. Adams^{1*}, Derek M. Tremain¹, Richard Paperno¹, Christian Sonne²

¹Fish and Wildlife Research Institute, Florida Fish and Wildlife Conservation Commission, Melbourne, FL 32901, USA. ²Aarhus University, Roskilde, Denmark.

*Corresponding author.

Email: doug.adams@myfwc.com

REFERENCES AND NOTES

1. J. M. Adovasio, C. A. Hemmings, F. J. Vento, J. S. Duggan, J. H. Higley, "Preliminary assessment of recent research at the Old Vero Site (8IR009), Vero Beach, Florida," presented at The 82nd Annual Meeting of the Society for American Archaeology, Washington, DC [The Digital Archaeological Record (tDAR) id: 443049] (2018).
2. National Oceanic and Atmospheric Administration, "Smalltooth sawfish (*Pristis pectinata*) 5-year review: Summary and Evaluation of United States distinct population segment of smalltooth sawfish" (2018); <https://repository.library.noaa.gov/view/noaa/19253>.
3. J. C. Avise, W. S. Nelson, *Science* **243**, 646 (1989).
4. B. E. Lapointe *et al.*, *Harmful Algae* **43**, 82 (2015).
5. A. M. Panetta, M. L. Stanton, J. Harte, *Sci. Adv.* **4**, eaaq1819 (2018).
6. E. J. Philips *et al.*, *Estuar. Coasts* **38**, 3 (2015).
7. Fish & Wildlife Research Institute, "Health monitoring of Florida's sport fish F4112" (2014); <https://f50006a.eos-intl.net/F50006A/OPAC/Details/Record.aspx?BibCode=5152756>.
8. M. C. Runge *et al.*, "Status and threats analysis for the Florida manatee (*Trichechus manatus latirostris*), 2016" (USGS Scientific Investigations Report 2017–5030, 2017); <https://f50006a.eos-intl.net/F50006A/OPAC/Details/Record.aspx?BibCode=1582253>.
9. J. Martin *et al.*, *Biol. Conserv.* **186**, 50 (2015).
10. Fish & Wildlife Research Institute, "Fisheries-Independent Monitoring Program: 2017 annual data summary report" (2018); <https://f50006a.eos-intl.net/F50006A/OPAC/Details/Record.aspx?BibCode=1867100>.
11. H. K. Lotze *et al.*, *Science* **312**, 1806 (2006).
12. D. J. McCauley *et al.*, *Science* **347**, 1255641 (2015).

10.1126/science.aaz0175

Assess flame retardants with care

In their Perspective "Toward fire safety without chemical risk" (19 April, p. 231), J. de Boer and H. M. Stapleton discuss the safety of flame retardants as if they all belong to one class of chemicals.

The authors assert that "all substitutes [used to replace older halogenated flame retardants] showed harmful effects." This generalization does not do justice to improvements in flame retardants or to the variety of chemicals available.

Recent flame retardants have been made with properties that render them safer than older alternatives. Polymeric compounds with high molecular weight can now be made with flame-retarding properties (1, 2). Contrary to previously used molecules with lower molecular weight, the new versions do not migrate from the polymers to which they are added, such as clothing or upholstery, minimizing the chance of exposure (2). Most important, from a toxicology standpoint, these chemicals are essentially not bioavailable, meaning they are unlikely to cross epithelial membranes, enter the body, and cause harm even if exposure occurs (2–4). For example, the U.S.

As the search for the safest flame retardants continues, accurate assessment is critical.

Environmental Protection Agency (EPA) lists a butadiene styrene brominated copolymer as an alternative to the flame retardant hexabromocyclododecane (2).

It is inaccurate to generalize flame retardants as if they all have similar effects. At the request of the U.S. Consumer Product Safety Commission, the National Academies of Sciences, Engineering, and Medicine (NASEM) recently investigated whether the safety assessment for organohalogen flame retardants (OFR) can treat all OFRs as a single class (5). The committee considered 161 OFRs and attempted grouping based on functional and structural properties as well as known or predicted biological activity. The committee concluded that it is not possible to treat OFRs as a single class for hazard assessment. However, the

committee identified 14 subclasses for which this might be feasible. In contrast with the broad statements of de Boer and Stapleton condemning all OFRs as hazardous and posing unacceptable risk, the NASEM report sets the stage for a careful, scientifically robust assessment of the safety of these important substances known to save human lives.

**Thomas G. Osimitz^{1*}, Sam Kacew²,
A. Wallace Hayes³**

¹Science Strategies, LLC, Charlottesville, VA 22901, USA. ²McLaughlin Centre for Population Health Risk Assessment, Faculty of Medicine, University of Ottawa, Ottawa, ON K1G 5Z3, Canada. ³School of Public Health, University of South Florida, Tampa, FL 33612, USA.

*Corresponding author.

Email: tom@sciencestrategies.com

REFERENCES AND NOTES

1. E. Pearce, Ed., *Flame-Retardant Polymeric Materials* (Springer Science & Business Media, 2012).
2. U.S. EPA, "Flame retardant alternatives for hexabromocyclododecane (HBCD)" (2014).
3. U.S. EPA, "Interpretive assistance document for assessment of polymers sustainable futures summary assessment: Updated June 2013" (2013).
4. U.S. EPA, "An alternatives assessment for the flame retardant decabromodiphenyl ether" (2014).
5. NASEM, "A class approach to hazard assessment of organohalogen flame retardants" (The National Academies Press, Washington, DC, 2019).

COMPETING INTERESTS

This work was supported by the North American Flame Retardant Alliance (NAFRA) of the American Chemistry Council, which provided honoraria to the authors as members of NAFRA's Science Advisory Council. The letter reflects the authors' scientific conclusions, and professional judgments were not subject to the funder's control.

10.1126/science.aay6309

Response

Osimitz *et al.* suggest that we mischaracterized all halogenated flame retardants (FRs) by classifying them as one class of hazardous compounds. We agree that there are differences among FR classes and subclasses. However, over the past two decades, we have repeatedly observed a pattern of regrettable substitutions, in which one harmful FR was replaced by another that was later found to be potentially harmful (1, 2). In each case, it took years for toxicologists to prove the harmful effects of the substitute. Meanwhile, the production of the harmful FRs continued and high volumes of these chemicals were released into our environment, resulting in human exposure to millions of people (3–5). Once ample evidence was available, a new substitute appeared on the market and the process repeated itself. Therefore, we urgently ask regulatory authorities to breach this cycle and be much more active in restricting the production of hazardous FRs.

Osimitz *et al.* propose FRs that use polymeric compounds with high molecular

weight as a way forward. We mentioned the only one that has been identified, the butadiene styrene brominated copolymer, in our Perspective. Other polymeric FRs are still considered confidential business information, preventing most scientists from characterizing their toxicity and exposure potential. Indeed, such polymers are not bioavailable. However, they pose a clear disadvantage in the circular economy, as they are difficult to recycle due to the high concentration of bromine in the polymer (6). In addition, we do not know what will happen with those compounds later in their life; will they fall apart and degrade to more harmful halogenated substances? When these materials end up in a landfill or if they are burned, they present a risk for the formation of hazardous polybrominated dioxins and furans (6).

We agree that there may be one or two organohalogen FRs that are not considered toxic, but there are many more non-halogenated FRs that are considered safer, as we emphasized in our Perspective. The European research project ENFIRO generated a report documenting a series of safer alternatives, such as zinc stannate, melamine polyphosphate, and aluminium diethylphosphinate for many applications (7). In addition, most halogen-free FRs perform better in smoke suppression and decrease the amount of hazardous gases such as benzene and toluene released from polyvinyl chloride during combustion, which may save more lives (8).

There is a rational argument for using available non-halogenated alternatives such as metal-based or melamine-based FRs. Ultimately, testing for harmful effects of these chemicals before use should be carried out by industry. Chemical FRs should be "benign by design" (9).

Jacob de Boer^{1*} and Heather M. Stapleton²

¹Department of Environment and Health, Vrije Universiteit, Amsterdam, Netherlands. ²Nicholas School of the Environment, Duke University, Durham, NC 27710, USA.

*Corresponding author. Email: jacob.de.boer@vu.nl

REFERENCES AND NOTES

1. A. Kierkegaard, J. Björklund, U. Fridén, *Environ. Sci. Technol.* **38**, 3247 (2004).
2. H. M. Stapleton *et al.*, *Environ. Sci. Technol.* **46**, 13432 (2012).
3. A. Covaci *et al.*, *Environ. Intern.* **37**, 532 (2011).
4. H. Fromme *et al.*, *Intern. J. Hyg. Environ. Health* **219**, 1 (2016).
5. K. Hoffman *et al.*, *Environ. Sci. Technol. Lett.* **4**, 112 (2017).
6. M. Zhang, A. Buekens, X. Li, *J. Hazard. Mat.* **304**, 26 (2016).
7. European Commission, "ENFIRO Report: Life cycle assessment of environment-compatible flame retardants: Prototypical case study" (EU FP7 research project 226563, Brussels, Belgium, 2012).
8. Y. Ning, S. Guo, *J. Appl. Polymer Sci.* **77**, 3119 (2000).
9. P. T. Anastas, "Benign by design chemistry," *American Chemical Society Symposium Series* (1994), pp. 2–22.

10.1126/science.aay7649

Assess flame retardants with care—Response

Jacob de Boer and Heather M. Stapleton

Science **365** (6457), 993.

DOI: 10.1126/science.aay7649

ARTICLE TOOLS

<http://science.sciencemag.org/content/365/6457/993>

RELATED CONTENT

<http://science.sciencemag.org/content/sci/365/6457/992.full>

REFERENCES

This article cites 7 articles, 0 of which you can access for free
<http://science.sciencemag.org/content/365/6457/993#BIBL>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2019 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works