VU Research Portal

Integrating human behaviour dynamics into flood disaster risk assessment

Aerts, J. C.J.H.; Botzen, W. J.; Clarke, K. C.; Cutter, S. L.; Hall, J. W.; Merz, B.; Michel-Kerjan, E.; Mysiak, J.; Surminski, S.; Kunreuther, H.

published in

Nature Climate Change
2018

DOI (link to publisher)

[10.1038/s41558-018-0085-1](https://doi.org/10.1038/s41558-018-0085-1)

document version

Publisher's PDF, also known as Version of record

document license

Article 25fa Dutch Copyright Act

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Aerts, J. C. J. H., Botzen, W. J., Clarke, K. C., Cutter, S. L., Hall, J. W., Merz, B., Michel-Kerjan, E., Mysiak, J., Surminski, S., & Kunreuther, H. (2018). Integrating human behaviour dynamics into flood disaster risk assessment. *Nature Climate Change*, 8(3), 193-199. <https://doi.org/10.1038/s41558-018-0085-1>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Integrating human behaviour dynamics into flood disaster risk assessment

J. C. J. H. Aerts^{1*}, W. J. Botzen^{1,2,3}, K. C. Clarke⁴, S. L. Cutter⁵, J. W. Hall⁶, B. Merz^{7,8}, E. Michel-Kerjan³, J. Mysiak^{9,10}, S. Surminski¹¹ and H. Kunreuther³

The behaviour of individuals, businesses, and government entities before, during, and immediately after a disaster can dramatically affect the impact and recovery time. However, existing risk-assessment methods rarely include this critical factor. In this Perspective, we show why this is a concern, and demonstrate that although initial efforts have inevitably represented human behaviour in limited terms, innovations in flood-risk assessment that integrate societal behaviour and behavioural adaptation dynamics into such quantifications may lead to more accurate characterization of risks and improved assessment of the effectiveness of risk-management strategies and investments. Such multidisciplinary approaches can inform flood-risk management policy development.

Floods have caused the largest portion of insured losses among all natural catastrophes during recent decades, resulting in global losses worth ~US\$60 bn in 2016 alone¹. Climate change, extreme rainfall events, and sea-level rise may further increase the frequency and severity of flood hazards. Moreover, global exposure to floods is expected to grow by a factor of three by 2050 due to the continuous increases in population and economic assets in flood-prone areas, which are often viewed as economically attractive regions for development². Despite the trillions of dollars of assets allocated to riverine and coastal flood-prone areas³, governmental investments in flood protection are often inadequate. Moreover, spatial-planning policies that purport to reduce the exposure and vulnerability of people and assets (for example, zoning and building codes) are unable to reverse the trends of rising risk and the increasing number of people who choose to live in low-lying, flood-prone areas⁴.

To cope with these trends, measures in climate-change adaptation and disaster risk reduction (DRR) must be implemented and prioritized based on reliable risk information. The utilization of evidence-based risk-assessment information lies at the forefront of discussions on contemporary global climate and disaster risk reduction. At the United Nations Framework Convention on Climate Change (UNFCCC) Conference of Parties (COP) 22, members conducted the first review of the Warsaw International Mechanism for Loss and Damage (L&D)⁵, which highlights the importance of limiting the impacts of current and future climate-related hazards⁶. Additionally, the recent Global Platform for DRR held in Cancun, Mexico, reaffirmed the need for monitoring the implementation of the Sendai Framework for Disaster Risk Reduction (SFDRR), coordinated by the United Nations Office for Disaster Risk Reduction (UNISDR)⁷.

Qualitative approaches to DRR can inform the prioritization of actions; however, they do not provide sufficient evidence regarding the appropriate amount to invest in risk reduction or the scale

of actions that may be required⁸. They need to be supplemented by quantitative risk assessments that systematically estimate the magnitude and frequency of natural hazards, the exposed assets and people, and how vulnerable those assets and people are given certain hazard conditions (Fig. 1)⁹. Such assessments can prioritize adaptation policies and assess whether investments in such policies are sufficiently robust to be appropriate given uncertain future conditions^{10–12}.

One of the key challenges in quantitative risk assessment is how to address the role of individual perceptions of risk and how these perceptions influence risk-reducing behaviour¹³. For example, which factors (such as previous flooding experience, income, and education) drive risk perception, and how do these factors influence individuals' choices to take precautionary measures against flood risk? The importance of behavioural and social determinants of vulnerability in natural-hazard risk management has been addressed throughout decades of work by disaster sociologists, political ecologists, hazards geographers, psychologists, and decision scientists^{14–17}. However, the disaster-risk and climate-change adaptation communities only recently addressed the role of physical exposure and social vulnerability as key determinants of disaster risk and its impacts¹⁸. One reason for this is that human behaviour and risk perception are inherently difficult to quantify; they form a complex subject for quantitative-risk scientists to understand and integrate into their methodologies. An example of such a complex subject is the behaviour of households towards flood adaptation. Survey research demonstrates that many households insufficiently invest in protecting their property from flood disasters, even when such measures are economically efficient¹⁹. The reasons for this include a variety of determinants that influence risk perception, including lack of risk awareness, underestimation of the risk in the absence of recent experience of the hazard, and the use of short-term planning horizons by stakeholders in risk management^{20,21}. Individuals often

¹Institute for Environmental Studies (IVM), VU University Amsterdam, Amsterdam, The Netherlands. ²Utrecht University School of Economics (USE), Utrecht University, Utrecht, The Netherlands. ³Center for Risk Management and Decision Processes, The Wharton School, University of Pennsylvania, Philadelphia, USA. ⁴Department of Geography, University of California, Santa Barbara (UCSB), Santa Barbara, USA. ⁵Department of Geography, University of South Carolina, Columbia, SC, USA. ⁶Environmental Change Institute, University of Oxford, Oxford, UK. ⁷German Research Centre for Geosciences (GFZ), Potsdam, Germany. ⁸Institute of Earth and Environmental Science, University of Potsdam, Potsdam, Germany. ⁹Euro-Mediterranean Center on Climate Change, Lecce, Italy. ¹⁰Università Ca' Foscari, Venezia, Italy. ¹¹London School of Economics (LSE), Houghton Street, London, UK.

*e-mail: jeroen.aerts@vu.nl

Fig. 1 | Extended risk assessment framework including behavioural factors and disaster risk reduction. Part (i) shows the main components used in current risk assessments (hazard, exposure and vulnerability). Vulnerability and risk can be reduced through the implementation of DRR measures (part (iii)). Risk information and flood events, however, also influence factors that influence behaviour and risk perception (for example, flood experience, risk communication; part (ii)). Those factors influence stakeholders' decisions on whether to implement DRR measures. The factors listed in part (ii) are based on selected research, but many different factors and methods exist to classify social vulnerability; some DRR measures in part (iii) are developed by different stakeholders.

use simplified decision rules and heuristics, thereby neglecting or underestimating the hazard risk or ignoring it and failing to take preventive actions^{22,23}. In this regard, Nobel Laureate Daniel Kahneman²⁴ summarized decades of cognitive-science research showing that individuals base complex decisions on intuitive (system 1) and deliberative (system 2) thinking processes. Intuitive thinking may outweigh deliberative thinking and result in behavioural biases with respect to adopting protective measures against flooding, such that these steps are taken only after a disaster occurs.

In this Perspective, we demonstrate why it is important to include human behaviour and risk perception in quantitative risk-assessment models. In the first section, we explain the main components of risk-assessment models and how they relate to DRR, and address how risk perception and other factors influence human behaviour and DRR. Next, we address recent research areas that capture behavioural aspects of risk management, provide examples of how risk perception influences vulnerability, and demonstrate how these factors interact over time. Finally, we address key challenges for future research and risk policy.

Main components in flood-risk assessment research

The main components of current quantitative risk-assessment models that aim to quantify risk to specific hazards are shown in Fig. 1, part (i). In these models, risk, expressed as the expected annual damage (EAD), is a function of three key elements: hazard, exposure, and vulnerability. Risk-assessment models were originally developed by catastrophe-modelling firms to aid the insurance industry and financial institutions in assessing the risk of their portfolios²⁵. They are currently widely used to evaluate investment decisions in flood-risk management. In such approaches, the cost of investing in DRR to lower flood risk is compared to the benefits, expressed as the

degree of risk reduction over time for these investments¹¹. The main outputs of risk-assessment studies are risk estimations based on 'exceedance probability curves', which characterize the relationship between hazard and the amount of damage that the hazard inflicts on assets or peoples' lives²⁶. Vulnerability in these models is represented using damage functions (also called 'vulnerability curves'), which show the relationship between potential losses (people and assets) and flood hazard (for example, flood depth)²⁷. Such curves are often based on empirical loss estimates from historical data or expert judgement²⁸. In reviewing the different components of risk assessment, it becomes clear that much progress has been made in simulating (trends in) flood hazards (for example, flood probability, flood extent, and duration and depth). The methods applied are statistical methods that use historical data to provide estimates of the flood hazard (for example, peak discharges and flood duration), or hydrological and hydrodynamic models that simulate the hydrological processes during a flood²⁹. Data on the exposure of people and assets to those hazards are also rapidly improving through the availability of global census data, earth-observation techniques, and land-use modelling³⁰.

Although people and assets are exposed, stakeholders in flood-risk management (individuals, business, and government) lower their vulnerability, exposure, and probability of flooding via DRR measures (Fig. 1, part (iii)). Such risk-reducing measures include early warning systems to evacuate people to safer areas (reduce exposure), constructing levees to protect critical infrastructure or large urban centres (reduce hazard probability), and reducing vulnerability by flood-proofing buildings as enforced by building codes (for example, by elevating the ground floor above the level of expected flood waters)¹¹. Other measures, such as establishing flood-insurance schemes to finance losses in the aftermath of an

event, increase the financial resilience to residual risk³¹. However, certain actions or non-actions may exacerbate the risk, such as choosing to remain in an area that is about to suffer a flood despite warnings, or failing to move a car to higher ground.

However, the use of a single average-vulnerability curve representing only the relation between flood depth and damage does not address the entire range of human behavioural responses. Vulnerability and risk are determined by many factors that influence the behaviour of stakeholders to lower their vulnerability or exposure through DRR. For example, it is well known that some of the factors listed in (Fig. 1, part (ii)) (for example, flood experience and communication by media) lead to a high perception of flood risks, and that people with high risk perceptions implement DRR activities at a relatively higher rate than those with lower risk perceptions^{19,20}. More DRR activities (buying flood insurance, strengthening levees, and so on) lead to a reduction in risk (Fig. 1, part (i)). Finally, risk information and extreme events (Fig. 1, part (i)) influence certain behavioural factors in (Fig. 1, part (ii)) (flood experience and risk communication), thereby completing the circle.

Current vulnerability-curve approaches, however, largely neglect the efforts made in social vulnerability research^{2,32–37}, which widely describes the factors that influence DRR behaviour and risk and vulnerability (Fig. 1, part (ii)). This research has a firm foundation in fields such as sociology, geography, and ethnographic studies, and has provided greater insight into the social determinants of vulnerability (socioeconomic status, age, gender, housing tenure, and access to communication systems)³⁸, as well as how implementing DRR measures reduces vulnerability³⁹. Social vulnerability research also reveals that determinants of vulnerability at a larger national scale rarely explain the variance in the vulnerability of local communities³⁹. Research has shown, for example, that while there is no direct relation between GDP and flood vulnerability at a national scale, flood events at local scales have impacted low-income households more than wealthier households. This shows that certain population groups have more resources than others with which to prevent, mitigate, or recover from extreme flood events, and this is not reflected in aggregated national-scale indicators such as GDP^{40,41}. Furthermore, social vulnerability to flooding at local levels may stem from limited access to resources during a flood⁴², gender-related issues⁴³, political ideology⁴⁴, and beliefs in and experience with extreme events⁴⁵, for instance. Other factors explain trends in exposure and show that socio-economic motives largely drive trends in global urbanization, including the expansion of low-lying vulnerable urban centers⁴⁶.

Some research into social vulnerability uses more quantitative approaches. For example, index-based vulnerability research assesses and classifies the main factors underlying vulnerability, and subsequently aggregates these factors into a composite index³⁵. However, the majority of these indices are static assessments, providing an estimate of vulnerability for a discrete moment in time and space. The same holds for vulnerability curves applied in risk models, which can be integrated with scenario methods to address the temporal aspects of adaptation, vulnerability, and uncertainty in long-term trends^{47,48}.

The challenge is to integrate the dynamic interplay between processes captured in the three parts in Fig. 1 (risk assessment, factors influencing DRR behaviour, and DRR) into one comprehensive risk-assessment approach. However, research into the interactions between the physical water system and societal processes, as well as how DRR and vulnerability change over time, is in its infancy^{49–51}. Most risk assessments assume that vulnerability remains constant across time and space, as though individuals and other stakeholders do not adapt, learn from experience, or prepare for an event based on risk information or early warning⁵². In reality, adaptation dynamics are largely determined by the behaviour and perception of the aforementioned stakeholders, influencing both the risk and each

other's decisions, sometimes in unpredictable ways⁵³. For example, cognitive biases have played a pivotal role in past flood disasters and have catalysed adaptation⁵⁴. In most situations in which significant steps were taken to reduce flood risk, these steps were triggered by experiences from previous disasters⁵⁵. Examples include the impacts of Hurricanes Katrina and Sandy, which led to investments of over US\$10 bn in risk-reduction measures, as well as the 1953 floods in the Netherlands and southern England, which initiated the Dutch Delta Plan and a reformulation of London's flood protection⁸.

Advances in risk assessment and behavioural research

Including the dynamics of risk perception, behavioural dynamics, and DRR in risk assessment requires a multi-disciplinary approach that integrates methods from the natural sciences with the social sciences. As risk assessment aims to quantify risk trends over time, there is a need not only to understand the behavioural patterns and factors underlying flood-risk management decisions, but also to translate these factors into quantitative approximations regarding how a person, property owner, or community makes an investment choice in DRR and adaptation, as well as how this affects flood risk⁵⁶. In what follows, we discuss recent advances in the main research domains related to flood risk (behavioural sciences, economics, social vulnerability, hydrology, and complex systems) that make such efforts.

Recent surveys and longitudinal studies provide empirical data on human decision processes that enable the integration of theory from the behavioural sciences with quantitative approaches to flood-risk assessment. For example, recent progress in behaviour modelling is based on theories from psychology, such as the protection motivation theory (PMT). This theory has been implemented in various flood-risk studies, and shows how individuals process threats and select responses to cope with those threats⁵⁷. Research into flood-risk management using PMT shows that individuals implement adaptation measures to protect themselves from floods if they believe that the threat of the hazard they face ('threat appraisal') is high, and if they perceive that the available protective measures are effective (high 'response efficacy'), easy (high 'self-efficacy'), and affordable to implement (low 'response costs')⁵⁸.

Furthermore, empirical research in the area of behavioural economics and flood-risk management shows that behaviour towards risk and adaptation does not comply with the standard economic theory of expected utility⁵⁹. Rather, it reflects bounded rational behaviour when facing extreme risk as defined by behavioural economics. Prospect theory characterizes this behaviour⁶⁰ and has been used to estimate an individual's willingness to implement adaptation measures⁶¹, as well as the interactions of household flood-preparedness decisions with incentives from other stakeholders, such as insurers⁶². Individual risk perceptions in terms of the subjective likelihood and consequences of flooding are important determinants of flood-preparedness behaviour⁶³. These risk perceptions are based on individuals' prior expectations, but can also be influenced by information provided about risk (for example, by governments or insurance companies), as well as their personal vulnerability. In addition, hazard experience could lead individuals to learn about and update their prior expectations of risk and subsequent behaviour^{55,56,64}.

The perspective of integrating behavioural dynamics with quantitative risk-assessment methods has recently sparked novel social vulnerability research⁶⁵. In the DRR context, for example, Burton and Cutter⁶⁶ developed vulnerability-assessment models of hypothetical levee breaks and simulated the socio-spatial impacts for empirically defined and multi-dimensional social-vulnerability metrics. The use of statistical and spatial models of social vulnerability⁶⁷ offers policymakers improved quantification of social impacts and benefits in flood-mitigation planning, which was wildly underestimated prior to the availability of these tools. Improved spatial

modelling of specific socially vulnerable groups^{68,69} quantifies the role of language and culture in flood-risk assessment and protection-action behaviour. Similarly, the use of mental models to understand the perception of flood risk and protective-action behaviour advances the ability to include such data in formal flood-risk assessments through the risk-communication process⁷⁰. Finally, a spatially explicit forensic analysis of the evolution of urban flood risk illustrates the differential power of antecedent decisions in altering the natural and social landscapes of places, which in turn heightens the risk and its social impact⁷¹.

Another recent line of inquiry stems from hydrology research, in which simplified dynamic system models are used to study the interactions between hydrological systems and human responses. Di Baldassarre et al.⁷² and subsequent studies⁷³ model flood risk as a dynamic function of flood events, collective memory, and societal decisions on resettlement or investment in flood protection. These efforts were extended to a theoretical model of flood occurrence and economic growth⁷⁴. Dadson et al.⁷⁵ demonstrate the potential for communities that are exposed to chronic environmental shocks, such as flooding, to become trapped in poverty and be unable to invest in beneficial protection. Each of these methods emphasizes the role of feedback (for example, between flood losses and the capacity to take further adaptation actions). However, these simplified models lack the theoretical underpinning from the social sciences, and represent the different behavioural components in a lumped manner. Their simplicity, on the other hand, clarifies the role and effects of feedback, and allows for the exploration of many possible future scenarios⁷⁶.

Novel complex systems studies in flood-risk assessment that use agent-based models (ABM) are gaining traction and show that it is possible to better integrate scientific theories on human behaviour and perception into risk assessment by relating behaviour to adaptation actions^{51,77–80}. An ABM simulates individual behaviour⁷⁹, whereby agents represent different models of choice while acting in their own interests, such as maximizing their welfare or minimizing adaptation costs, often using simple decision rules. Agents can learn, move, and influence (and are influenced by) the risk they face, resulting in differing adaptation actions. Patterns of risk over time are achieved by aggregating the results of many individual actions. More broadly, the results of recent ABM studies show that societal water-climate systems all have the characteristics of complex systems, marked by time periods of both stability and large dynamics^{81,82}; historical data regarding investments in flood protection show little change in the behaviour of governments and households after floods that had a small impact, and large investment dynamics in adaptation following large disasters⁸³. For instance, recent research into flood-risk trends in the Netherlands shows that, without considering behavioural aspects, future risk is overestimated by a factor of two (ref. 77). This is confirmed by Wind et al.⁸⁴ who observed a 35% decrease in losses for a large flood on the River Meuse in 1995 compared to a similar flood in 1993, which was primarily caused by the adaptive behaviour of households.

Figure 2 highlights in a simplified yet illustrative manner how a risk-assessment model that includes human behaviour can simulate the interaction between flood risk and societal behaviour in a select number of theoretical examples. The panels in Fig. 2 show future flood risk with climate change and socioeconomic growth, while allowing for interactions between DRR behaviour, flood events, and risk, for theoretical situations with (Fig. 2b,c,d) and without (Fig. 2a) extreme flooding events. In Fig. 1a, risk increases as a result of climate change and socioeconomic trends (for example, urbanization in flood zones), with no new DRR measures being taken ('No DRR measures'); rational behaviour (purple curve) leads to proactive, cost-efficient DRR investments that are informed by cost-benefit analysis. The purple curve is lower as risk is continuously reduced through DRR. Figure 1b shows a situation with one flood disaster

inflicting large losses, assuming that agents (for example, governments) behave as boundedly rational. Agents are expected to underestimate risk before the flood event and invest in DRR reactively after the flood, thereby lowering future risk. After some time, risk increases again due to the aforementioned trends. Figure 1c depicts a situation with two flood disasters that lie 20 years apart and assumes boundedly rational agents who also respond reactively to flood events. Despite investments after the first flood event, risk increases and the learning experience from the first flood (that is, the collective memory of the agents) has disappeared. The second flood causes higher losses due to increased exposure, even though the flood volumes are similar to the first flood. The final graph, Fig. 1d, shows a sequence of large floods that cause multiple investments that reduce risk due to availability bias, whereby the likelihood of a future disaster is estimated by the salience of the event. The time between the first two floods is subsequently shortened to two years, and agents continue to have a high-risk perception. Therefore, they undertake precautionary measures that minimize the damage from the second event. If the time between the two most recent events is excessively long, perception between the events decreases, resulting in low preparedness and high risk levels; this is identical to the process described in Fig. 1c.

Moving forward with disaster risk-assessment science

Recent scientific advances in flood-risk assessment and behavioural dynamics reveal several issues that need to be addressed in future research. One of those challenges relates to the issue of scale, and to better representing local-scale (individual) behavioural dynamics of stakeholders at the larger (regional to national) scales. In view of this, it is important to continue social vulnerability research into which factors drive vulnerability at the local scales, as well as to improve our understanding of how these factors vary between developed and developing countries^{43,44,85}.

Another key challenge in integrating behavioural factors into quantitative risk-assessment methods is that of deriving solid and replicable empirical data on human behaviour. In recent decades, multiple surveys in developed and developing countries have provided new information regarding the behaviour of households facing risk^{43,86,87}. However, policymakers need to facilitate the public accessibility of empirical data from surveys, social media, and empirical loss data^{80,88}. This point is particularly relevant for risk-assessment efforts in developing countries, where information regarding vulnerability and exposure is often limited, and significant resources and efforts are required to generate and apply this information⁸⁹. Such empirical data on behavioural responses to past flood events can be used to calibrate modelling applications to flood risk. These surveys detail, for example, how households evaluate the costs and benefits of risk mitigation (for example, flood-proofing homes) before and after extreme events^{43,58}, how individuals make decisions about purchasing insurance, and how they respond to financial incentives for risk reduction, such as premium reduction^{90,91}. Key findings also show that individual perceptions of the likelihood and consequences of flooding are indeed largely shaped by intuitive thinking processes, such as past flood experience, worry, trust, and threshold models, and are not solely based on the probability of a future flood⁹¹.

Improved risk assessments, including behavioural dynamics, can benefit flood-risk managers in governments by supporting their investment decisions, such as in flood protection, building codes, or flood zoning^{92,93}. Risk-assessment methods including behavioural dynamics can also be applied to adequately determine risk-based premiums for disaster-insurance programmes. The role of insurance in flood-risk assessment is particularly relevant for households seeking to effectively implement DRR measures to reduce risk to their property⁹⁴. For example, research shows that households in high-risk areas are often unaware of flood hazards and have low

Fig. 2 | Trends in flood risk influenced by events and human behaviour. Each panel shows development of flood risk over time under climate change plus socioeconomic growth (grey), assuming only socioeconomic trends (purple). The blue bars represent extreme flood events, and the brown lines represent trends in risk, assuming interactions between adaptive behaviour, risk, and flood events. **a**, The development of risk without flood events. **b**, A situation with one flood disaster, assuming that agents (for example, governments) showing bounded rational behaviour underestimating risk before the flood event and invest in disaster risk reduction measures reactively after the event. **c,d**, Multiple flood events and the same behaviour. When the time between two floods is shortened (**d**), agents continue to have a high-risk perception, and undertake more precautionary measures that minimize the damage from the second event.

flood-risk perceptions, and therefore, by treating their risks below their threshold level of concern, do not take protective measures^{20,95}. Given these trends and policies, insurers increasingly face challenges in providing viable insurance products that can finance extreme losses at an affordable price⁹⁴.

The spatially explicit modelling of flood-risk perceptions and DRR actions can facilitate risk communication and disaster-reduction policies by targeting the areas or groups that are most exposed, most vulnerable, and with the least knowledge and inclination to undertake any type of mitigation. Learning about the behaviour of individuals towards adaptation and risk, and how people perceive risk, can also contribute to improved risk communication between the government and those living and working in hazard-prone areas. Behavioural risk modelling can compare the effects of such communication strategies⁸⁰ and leverage the enormous collective potential of individuals, which can significantly contribute to risk reduction.

Standard risk assessments are likely to overestimate future risk by assuming constant vulnerability in a changing climate (Fig. 2, grey curve). The assumption, however, that investments in DRR are linked to fully rational behaviour results in an underestimation of risk (Fig. 1, purple curve). The reality is likely situated between these two extremes and is context-specific: future research efforts should be concentrated here⁹⁶. Given the challenges, an appropriate way forward is to adopt a multi-disciplinary approach that integrates all components of risks, including vulnerability and behavioural assessments^{56,97}. This promises to enhance flood-risk assessment as addressed in the Sendai Framework for DRR, and

to drive more effective adaptation and DRR policies to cope with future challenges, such as climate change.

Received: 1 February 2017; Accepted: 19 January 2018;

Published online: 27 February 2018

References

1. *Natural Catastrophe Losses at their Highest for Four Years* (Munich RE, 2017).
2. Jongman, B., Ward, P. J. & Aerts, J. C. J. H. Global exposure to river and coastal flooding: Long term trends and changes. *Global Environ. Change* **22**, 823–835 (2012).
3. Winsemius, H. C. et al. Global drivers of future river flood risk. *Nat. Clim. Change* **6**, 381–385 (2015).
4. Aerts, J. C. J. H. & Botzen, W. J. Managing exposure to flooding in New York City. *Nat. Clim. Change* **2**, 377 (2012).
5. Mechler, R. & Schinko, T. Identifying the policy space for loss and damage. *Science* **354**, 290–292 (2016).
6. Michel-Kerjan, E. We must build resilience in our communities. *Nature* **524**, 389 (2015).
7. Mysiak, J., Surminski, S., Thieken, A., Mechler, R. & Aerts, J. C. J. H. Sendai framework for disaster risk reduction — success or warning sign for Paris? *Nat. Hazards Earth Syst. Sci.* **16**, 2189–2193 (2016).
8. Hall, J. W., Brown, S., Nicholls, R. J., Pidgeon, N. & Watson, R. Proportionate adaptation. *Nat. Clim. Change* **2**, 833–834 (2012).
9. Kron, W. Flood Risk = Hazard · Values · Vulnerability. *Water Int.* **30**, 58–68 (2005).
10. Merz, B., Hall, J. W., Disse, M. & Schumann, A. Fluvial flood risk management in a changing world. *Hydrol. Earth Syst. Sci.* **10**, 509–527 (2010).
11. Aerts, J. C. J. H. et al. Evaluating flood resilience strategies for coastal megacities. *Science* **344**, 473–475 (2014).
12. Thieken, A. H., Cammerer, H., Dobler, C., Lammel, J. & Schorberl, F. Estimating changes in flood risks and benefits of non-structural adaptation strategies: a case study from Tyrol, Austria. *Mitigation Adaptation Strat. Global Change* **21**, 343–376 (2014).

13. Kleindorfer, P., Kunreuther, H. & Schoemaker, P. *Decision Sciences: An Integrative Perspective* (Cambridge Univ. Press, 1993).
14. Slovic, P. *The Perception of Risk* (Earthscan, London, 2000).
15. Tierney, K. *Social Roots of Risk: Producing Disaster, Promoting Resilience* (Stanford Univ. Press, Palo Alto, 2014).
16. Wisner, B., Blaikie, P., Cannon, T. & Davis, I. *At Risk: Natural Hazards, People's Vulnerability and Disasters* 2nd edn (Routledge, London, 2004).
17. Birkmann, J. *Measuring Vulnerability to Natural Hazards: Towards Disaster Resilient Societies* (United Nations Univ., Tokyo, New York, Paris, 2013).
18. IPCC. Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation (eds Field, C. B. et al.) (Cambridge Univ. Press, Cambridge, 2012).
19. Bubeck, P., Botzen, W. J. W., Kreibich, H. & Aerts, J. C. J. H. Long-term development and effectiveness of private flood mitigation measures: An analysis for the German part of the river Rhine. *Nat. Haz. Earth Syst. Sci.* **12**, 3507–3518 (2012).
This article shows the effectiveness of household agents contributing to flood risk reduction.
20. Botzen, W. J. W., Aerts, J. C. J. H. & van den Bergh, J. C. J. M. Dependence of flood-risk perceptions on socio-economic and objective risk factors. *Water Res. Research* **45**, 1–15 (2009).
21. Kellens, W., Terpstra, T. & De Maeyer, P. Perception and communication of flood risks: A systematic review of empirical research. *Risk Anal.* **33**, 24–49 (2013).
22. Tversky, A. & Kahneman, D. Availability: A heuristic for judging frequency and probability. *Cognitive Psychol.* **5**, 207–232 (1973).
23. Kunreuther, H. The role of insurance in reducing losses from extreme events: The need for public-private partnerships. *Geneva Papers* **40**, 741–762 (2015).
24. Kahneman, D. *Thinking, Fast and Slow* (Farrar, Straus and Giroux, 2011).
25. Grossi, P. & Kunreuther, H. *Catastrophe Modeling: A New Approach to Managing Risk* (Springer, 2005).
26. Jonkman, S. N., Vrijling, J. K. & Vrouwenvelder, A. C. W. M. Methods for the estimation of loss of life due to floods: A literature review and a proposal for a new method. *Nat. Hazards* **46**, 353–389 (2008).
27. Merz, B., Kreibich, H., Schwarze, R. & Thieken, A. Assessment of economic flood damage. *Nat. Hazards Earth Syst. Sci.* **10**, 1697–1724 (2010).
28. Kreibich, H., Botto, A., Merz, B. & Schroter, K. Probabilistic, multivariable flood loss modeling on the mesoscale with BT-FLEMO. *Risk Anal.* **37**, 774–787 (2016).
29. Merz, B. et al. Floods and climate: emerging perspectives for flood risk assessment and management. *Nat. Hazards Earth Syst.* **14**, 1921–1942 (2014).
30. Ward, P. J. et al. Usefulness and limitations of global flood risk models. *Nat. Clim. Change* **5**, 712–715 (2015).
31. Michel-Kerjan, E. & Kunreuther, H. Redesigning flood insurance. *Science* **333**, 408–409 (2011).
32. Turner, B. L. et al. A framework for vulnerability analysis in sustainability science. *Proc. Natl Acad. Sci. USA* **100**, 8057–8059 (2003).
33. Cutter, S. L., Boruff, B. J. & Shirley, W. L. Social vulnerability to environmental hazards. *Social Sci. Q.* **84**, 242–261 (2003).
34. Adger, W. N. Vulnerability. *Glob. Environ. Change* **16**, 268–281 (2006).
35. Cutter, S. L., Boruff, B. J. & Shirley, W. L. Social vulnerability to environmental hazards. *Soc. Sci. Q.* **84**, 242–261 (2003).
This paper demonstrates the importance of social vulnerability in natural hazard management.
36. Rufat, S., Tate, E., Burton, C. G. & Maroof, A. S. Social vulnerability to floods: review of case studies and implications for measurement. *Int. J. Disaster Risk* **14**, 470–486 (2015).
37. Emrich, C. T. & Cutter, S. L. Social vulnerability to climate-sensitive hazards in the southern United States. *Weather Clim. Soc.* **3**, 193–208 (2011).
38. Tate, E. Uncertainty analysis for a social vulnerability index. *Ann. Assoc. Am. Geogr.* **103**, 526–543 (2013).
39. Carr, E. R., Daniel, A. A., De la Poterie, T., Suarez, P. & Koelle, B. Vulnerability assessments, identity and spatial scale challenges in disaster-risk reduction. *J. Disaster Risk Studies* **7**, 1–17 (2015).
40. Masozera, M., Bailey, M. & Kerchner, C. Distribution of impacts of natural disasters across income groups: A case study of New Orleans. *Ecol. Econ.* **63**, 299–306 (2007).
41. Downey, L. Environmental injustice: is race or income a better predictor? *Soc. Sci. Q.* **79**, 766–778 (1998).
42. Brouwer, R., Akter, S., Brander, L. & Haque, E. Socioeconomic vulnerability and adaptation to environmental risk: a case study of climate change and flooding in Bangladesh. *Risk Anal.* **27**, 313–326 (2007).
43. Sultana, F. Living in hazardous waterscapes: gendered vulnerabilities and experiences of floods and disasters. *Environ. Hazards* **9**, 43–53 (2010).
44. Botzen, W. J. W., Michel-Kerjan, E., Kunreuther, H., De Moel, H. & Aerts, J. C. J. H. Political affiliation affects adaptation to climate risks: Evidence from New York City. *Clim. Change Lett.* **138**, 353–360 (2016).
45. Schmidtlein, M. C., Deutsch, R. C., Piegorsch, W. W. & Cutter, S. L. A sensitivity analysis of the social vulnerability index. *Risk Anal.* **28**, 1099–1114 (2008).
46. Grimm, N. B. et al. Global change and the ecology of cities. *Science* **319**, 756–760 (2008).
47. Berkhout, F., Hertin, J. & Jordan, A. Socio-economic futures in climate change impact assessment: using scenarios as ‘learning machines’. *Global Environ. Change* **12**, 83–95 (2002).
48. Hall, J. W. et al. Quantified scenarios analysis of drivers and impacts of changing flood risk in England and Wales: 2030–2100. *Environ. Hazards* **5**, 51–65 (2003).
49. Folke, C. Resilience: the emergence of a perspective for social-ecological system analyses. *Global Environ. Change* **16**, 253–267 (2006).
50. Di Baldassarre, G. et al. Debates — Perspectives on socio-hydrology: Capturing feedbacks between physical and social processes. *Water Resour. Res.* **51**, 4770–4781 (2015).
This article shows the importance of integrating societal activities with hydrological processes in quantitative flood simulations.
51. Dawson, R. J., Peppe, R. & Wang, M. An agent-based model for risk-based flood incident management. *Nat. Hazards* **59**, 167–189 (2011).
52. Surminski, S. et al. in *UK Climate Change Risk Assessment Evidence Report*. Ch. 6 (Committee on Climate Change, 2016).
53. Merz, B., Vorogushyn, S., Lall, U., Viglione, A. & Blöschl, G. Charting unknown waters — On the role of surprise in flood risk assessment and management. *Water Resources Res.* **51**, 6399–6416 (2015).
54. Hall, J. W., Berkhout, F. & Douglas, R. Responding to adaptation emergencies. *Nat. Clim. Change* **5**, 6–7 (2015).
55. Adger, W. N., Quinn, T., Lorenzoni, I., Murphy, C. & Sweeney, J. Changing social contracts in climate change adaptation. *Nat. Clim. Change* **3**, 330–333 (2013).
56. Palmer, P. I. & Smith, M. J. Model human adaptation to climate change. *Nature* **512**, 365 (2014).
57. Rogers, R. W. in *Social Psychophysiology* (eds Cacioppo, J. & Petty, R.) Ch. 6 (Guilford Press, 1983).
58. Poussin, J. K., Botzen, W. J. W. & Aerts, J. C. J. H. Effectiveness of flood damage mitigation measures: Empirical evidence from French flood disasters. *Global Environ. Change* **31**, 74–84 (2015).
59. Von Neumann, J. & Morgenstern, O. *Theory of Games and Economic Behavior* (Princeton Univ. Press, 1947).
60. Kahneman, D. & Tversky, A. Prospect theory: An analysis of decision under risk. *Econometrica* **47**, 263–291 (1979).
This article demonstrates that boundedly rational behaviour under risk deviates from standard rational behaviour.
61. Botzen, W. J. W. & van den Bergh, J. C. J. M. Bounded rationality, climate risks and insurance: Is there a market for natural disasters? *Land Econ.* **85**, 266–279 (2009).
62. Hudson, P., Botzen, W. J. W., Feyen, L. & Aerts, J. C. J. H. Incentivising flood risk adaptation through risk based insurance premiums: trade-offs between affordability and risk reduction. *Ecol. Econ.* **125**, 1–13 (2016).
63. Tversky, A. & Kahneman, D. Advances in prospect theory: Cumulative representation of uncertainty. *J. Risk Uncertainty* **5**, 297–323 (1992).
64. Viscusi, W. K. Prospective reference theory: Toward an explanation of the paradoxes. *J. Risk Uncertainty* **2**, 235–264 (1989).
65. Rai, V. & Henry, D. A. Agent-based modelling of consumer energy choices. *Nat. Clim. Change* **6**, 556–562 (2016).
66. Burton, C. & Cutter, S. L. Levee failures and social vulnerability in the Sacramento-San Joaquin delta area, California. *Nat. Hazards Rev.* **9**, 136–149 (2008).
67. Cutter, S. L., Emrich, C., Morath, D. & Dunning, C. M. Integrating social vulnerability into federal flood risk management planning. *J. Flood Risk Management* **6**, 332–344 (2013).
68. Maldonado, A., Collins, T. W., Grineski, S. E. & Chakraborty, J. Exposure to flood hazards in Miami and Houston: Are Hispanic immigrants at greater risk than other social groups? *Int. J. Environ. Res. Public Health* **13**, 775 (2016).
69. Fielding, J. L. Flood risk and inequalities between ethnic groups in the floodplains of England and Wales. *Disasters* **42**, 101–123 (2017).
70. Lazarus, H., Morss, R. E., Demuth, J. L., Lazo, J. K. & Bostrom, A. “Know what to do if you encounter a flash flood”: Mental models analysis for improving flash flood risk communication and public decision making. *Risk Anal.* **36**, 411–427 (2016).
71. Cutter, S. L., Emrich, C. T., Gall, M. & Reeves, R. Flash flood risk and the paradox of urban development. *Nat. Hazard Rev.* [https://doi.org/10.1061/\(ASCE\)NH.1527-6996.0000268](https://doi.org/10.1061/(ASCE)NH.1527-6996.0000268) (2018).
72. Di Baldassarre, G. et al. Socio-hydrology: conceptualising human-flood interactions. *Hydrol. Earth Syst. Sci.* **17**, 3295–3303 (2013).
73. Viglione, A. et al. Insights from socio-hydrology modelling on dealing with flood risk — roles of collective memory, risk-taking attitude and trust. *J. Hydrol.* **518**, 71–82 (2014).
74. Grames, J., Prskawetz, A., Grass, D. & Blöschl, G. Modelling the interaction between flooding events and economic growth. *Proc. Int. Assoc. Hydrol. Sci.* **369**, 3–6 (2015).

75. Dadson, S. et al. Water security, risk and economic growth: lessons from a dynamical systems model. *Water Resour. Res.* **53**, 6425–6438 (2017).
76. Sivapalan, M., Savenije, H. H. G. & Blöschl, G. Socio-hydrology: A new science of people and water. *Hydrol. Proc.* **26**, 1270–1276 (2012).
77. Haer, T., Botzen, W. J. & Aerts, J. C. J. H. Integrating household mitigation behaviour in flood risk analysis: an agent based model approach. *Risk Anal.* **12740**, 1–15 (2016).
This research uses an agent-based model to demonstrate that without considering behavioural aspects, future risk is overestimated by a factor of two.
78. Jenkins, K., Surminski, S., Hall, J. & Crick, F. Assessing surface water flood risk and management strategies under future climate change: Insights from an Agent-Based Model. *Sci. Total Environ.* **595**, 159–168 (2017).
79. Jenkins, K., Dubbelboer, J., Nikolic, I. & Hall, J. W. An Agent-Based Model of flood risk and insurance. *J. Artificial Societies Soc. Simulation* <https://doi.org/10.18564/jasss.3135> (in the press).
80. Haer, T., Botzen, W. & Aerts, J. C. J. H. The effectiveness of flood risk communication strategies and the influence of social networks — Insights from an agent-based model. *Environ. Science Pol.* **60**, 44–42 (2016).
81. Waldrop, M. M. *Complexity: the Emerging Science at the Edge of Order and Chaos* (Simon & Schuster, 1993).
82. Clarke, K. C. in *Handbook of Regional Science* (eds Fischer, M. M. & Nijkamp, P.) Ch. 62 (Springer, 2014).
83. Kreibich, H. et al. Adaptation to flood risk — results of international paired flood event studies. *Earth's Future* **5**, 953–965 (2017).
84. Wind, H. G., Nierop, T. M., de Blois, C. J. & Kok, J. L. Analysis of flood damages from the 1993 and 1995 Meuse floods. *Water Resources Res.* **35**, 3459–3465 (1999).
85. Pelling, M. The political ecology of flood hazard in urban Guyana. *Geoforum* **30**, 249–261 (1999).
86. Bubeck, P., Botzen, W. J. W. & Aerts, J. C. J. H. A review of risk perceptions and other factors that influence flood mitigation behavior. *Risk Anal.* **32**, 1481–1495 (2012).
87. Koerth, J., Vafeidis, A. T. & Hinkel, J. Household-level coastal adaptation and its drivers: A systematic case study review. *Risk Anal.* **37**, 629–646 (2017).
88. Mechler, R. et al. Managing unnatural disaster risk from climate extremes. *Nat. Clim. Change* **4**, 235–237 (2014).
89. Cutter, S. L. & Gall, M. Sendai targets at risk. *Nat. Clim. Change* **5**, 707–709 (2015).
90. Kunreuther, H., Pauly, M. & McMorro, S. *Insurance and Behavioral Economics: Improving Decisions in the Most Misunderstood Industry* (Cambridge Univ. Press, 2013).
91. Botzen, W. J. W. & van den Bergh, J. C. J. M. Risk attitudes to low-probability climate change risks: WTP for flood insurance. *J. Econ. Behavior Org.* **82**, 151–166 (2012).
92. Surminski, S. & Lopez, A. Concept of loss and damage of climate change — a new challenge for climate decision-making? A climate science perspective. *Clim. Dev.* **7**, 267–277 (2014).
93. Jongman, B. et al. Declining vulnerability to river floods and the global benefits of adaptation. *Proc. Natl Acad. Sci. USA* **1073**, 2271–2280 (2015).
94. Kunreuther, H. C. & Michel-Kerjan, E. O. *At War with the Weather* (MIT Press, 2011).
95. Kunreuther, H. C. Mitigating disaster losses through insurance. *J. Risk Uncertainty* **12**, 171–187 (1996).
96. *ASC UK Climate Change Risk Assessment 2017 Synthesis Report: Priorities for the Next Five Years* (eds Humphrey, K. et al.) (CCC, London, 2016).
97. Aerts, J. C. J. H. et al. in *Novel Multi-Sector Partnerships in Disaster Risk Management* (eds Aerts, J. & Mysiak, J.) Ch 2, 31–48 (VU Univ. Press, 2016).

Acknowledgements

Many thanks to K. Clarke, S. Sweeney, D. Lopez-Carr, C. Funk and the Climate Hazard Group for their support (Department of Geography and Broome Center for Demography, University of California, Santa Barbara. The research was financially supported by NWO Vici grant no. 453-13-006, NWO Vidi grant no. 452.14.005; EU H2020 grant agreement no. 730482; and the UK Economic and Social Research Council (ESRC) through the Centre for Climate Change Economics and Policy.

Author contributions

All authors contributed ideas and edited the manuscript. In addition, J.A. and W.B. conceptually developed the figures. J.A., W.B., K.C., J.H., B.M., S.S., E.M.-K., S.C., H.K., wrote the manuscript.

Competing interests

The authors declare no competing financial interests.

Additional information

Reprints and permissions information is available at www.nature.com/reprints.

Correspondence and requests for materials should be addressed to J.C.J.H.A.

Publisher's note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.