VU Research Portal

Editorial introduction: Three longitudinal studies of children's development in Pittsburgh: the Developmental Trends Study, the Pittsburgh Youth Study, and the Pittsburgh Girls Study

Loeber, R.; Stouthamer-Loeber, M.; Farrington, D.P.; Lahey, B.B.; Keenan, K.; White, H.R.

published in

Criminal Behaviour and Mental Health
2002

DOI (link to publisher)

[10.1002/cbm.483](https://doi.org/10.1002/cbm.483)

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Loeber, R., Stouthamer-Loeber, M., Farrington, D. P., Lahey, B. B., Keenan, K., & White, H. R. (2002). Editorial introduction: Three longitudinal studies of children's development in Pittsburgh: the Developmental Trends Study, the Pittsburgh Youth Study, and the Pittsburgh Girls Study. *Criminal Behaviour and Mental Health*, 12, 1-23. <https://doi.org/10.1002/cbm.483>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Editorial Introduction

Three longitudinal studies of children's development in Pittsburgh: the Developmental Trends Study, the Pittsburgh Youth Study, and the Pittsburgh Girls Study

ROLF LOEBER¹, MAGDA STOUTHAMER-LOEBER¹, DAVID P. FARRINGTON², BENJAMIN B. LAHEY³, KATE KEENAN³ AND HELENE R. WHITE⁴, ¹Department of Psychiatry, University of Pittsburgh, Pittsburgh, PA, USA; ²Institute of Criminology, University of Cambridge, Cambridge; ³Department of Psychiatry, University of Chicago, Chicago, IL, USA; ⁴Center of Alcohol Studies, Rutgers, The State University of New Jersey, Piscataway, NJ, USA

Introduction

It is not common in longitudinal studies on child development to be able to trace the intellectual pedigree for one longitudinal study. The three Pittsburgh-based longitudinal studies that are the focus of this special issue have their intellectual ancestry both in the United States and in England. The US origin of the Developmental Trends Study, the Pittsburgh Youth Study and the Pittsburgh Girls Study can be found in the planning phase for the Oregon Youth Study, which Magda Stouthamer-Loeber and Rolf Loeber helped to set up under the guidance of Gerald R. Patterson and John B. Reid from 1979 to 1983. The European origin of the three Pittsburgh studies is the Cambridge Study in Delinquent Development, which David P. Farrington has spearheaded since 1982, and which was started by Donald West in 1961. The fact that David P. Farrington joined the investigative team in Pittsburgh has been of great benefit, encouragement and stimulation over the past 15 years.

One may wonder whether three longitudinal studies are not a bit much to undertake in one lifetime. Most longitudinal investigators are already glad to be able to undertake a single longitudinal study over decades. So, why three? Once Rolf and Magda Loeber had left Eugene in 1983, they and David Farrington decided to pool their strengths and create a longitudinal study, called the *Pittsburgh Youth Study*, based on a community sample of 1517 young

boys. Two features distinguished the study from its inception: a large sample and first measurements before adolescence (most longitudinal studies up to that date had not started until adolescence).

However, we realized then that such a community-based study would not necessarily inform much about the tail-end of the distribution of problem behaviour. For that reason, Rolf Loeber, prompted by Benjamin B. Lahey of Athens, Georgia, thought it prudent to start a smaller longitudinal study of clinic-referred boys ($n = 177$), called the *Developmental Trends Study*. Both studies were eventually funded and started their first assessments in 1987.

Invariably, we were asked why we only studied boys in the subsequent years. Our consistent answer was that if we had studied girls as well and split the sample between boys and girls, we would have had less statistical power for either boys or girls to investigate relatively rare conditions, such as violence, and various combinations of co-occurring problem behaviours.

The idea of starting a study on girls, however, kept nagging us. After many discussions, in which we were joined by Kate Keenan from Chicago, we decided to put in a relatively small proposal to start a study of clinic-referred girls. However, the reviewers of the National Institute of Mental Health did not like our plan, and subtly suggested that the field would be better served by a large-scale community study. Thus, the *Pittsburgh Girls Study* was born, and its first assessment was started in 2000. By that year, we had become seasoned longitudinal researchers who had many opportunities to learn from past mistakes and successes. This meant that our approach to longitudinal data collection, data processing and analyses, alongside our thinking about developmental processes, had much evolved. We will highlight some of these aspects when we briefly describe the three studies.

The Developmental Trends Study (DTS)

The Developmental Trends study is now in its fifteenth year, and has been supported by grants from the National Institute of Mental Health. The key features of the study are: 177 clinic-referred boys between ages seven and 12 were assessed yearly, multiple informants have been used, and a very high cooperation rate by its participants over many years has been accomplished. Initially, the boys included in the study had all been referred to mental health clinics, mostly for disruptive behaviour disorders, i.e. attention deficit-hyperactivity disorder (ADHD), oppositional defiant disorder (ODD), and conduct disorder (CD).

The study has three aims: document the course of disruptive behaviour disorders over time, from ADHD to ODD and CD, and currently to antisocial personality disorder and psychopathy; examine the interaction over time between disruptive behaviour disorders and other, co-morbid disorders, such as anxiety disorders; and examine variables associated with the aetiology of disruptive behaviour in general and disruptive behaviour disorders in particular.

Of special interest are those variables that could account for certain boys becoming worse over time and others not.

DTS participants, their parents and teacher were interviewed on a near yearly basis (see design shown in Table 1). Unfortunately, because of funding restrictions in Year 5, only telephone contacts with the participants could be established. The annual assessments included psychiatric diagnoses, which allowed the study of the relationships of diagnoses over time as well as concurrently. Most importantly, the study's high cooperation rate despite the burdens of many repeated assessments (average 91.7%) has set new standards for longitudinal studies on maladjustment in childhood and adolescence.

To date the Developmental Trends Study has led to 31 peer-reviewed papers (not counting the two papers in the current issue). In addition, we have written numerous chapters and invited papers (see Appendix 1). A large share of the publications resulted from the enormous efforts and creativity by staff on the projects. In addition, we have been very fortunate to attract many scholars and students to analyse our data and publish the results. The DTS has also greatly benefited from the creativity of co-authors, of which we mention here the first authors of papers only: Jeffrey D. Burke, Mary Ann G. Christ, Paul J. Frick, Stephanie M. Green, Elizabeth L. Hart, Keith McBurnett, Judith L. Navratil, Linda Pfiffner, Amy Pruis, Mary F. Russo, Lauren S. Wakschlag, and Jason L. Walker.

Examples of key findings

The study has produced many original findings, most of which have been summarized in Loeber et al. (2000). Some examples are:

- Support for the distinction between DSM-III-R ODD and CD in boys (Loeber et al., 1991; Lahey and Loeber, 1994), and that ODD is a developmental precursor to CD (Loeber et al., 1991; Lahey and Loeber, 1994). However, once symptoms are considered, there appears a developmental continuum between symptoms that only partly represents the respective symptoms of ODD and CD (Lahey and Loeber, 1994; Loeber et al., 1993; Russo et al., 1994).
- DSM-III-R ODD predicted CD over time, but ADHD did not predict CD once ODD was taken into account (Loeber et al., 1995; Lahey et al., 2000).
- Boys with an early age of onset of symptoms had a faster progression to more serious problems than boys whose problems emerged at a later age (Loeber et al., 1992).
- The prevalence of hyperactive-impulsive symptoms declined with increasing age, but symptoms of inattention did not (Hart et al., 1995).
- Physical fighting predicted the onset of CD more than any other specific CD symptom (Loeber et al., 1995).

Table 1: Design and sequence of assessments of the Developmental Trends Study, 1987–2003 (clinic-referred sample)																								
Sample (n = 177)																								
Age	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25					
13 Regular Assessments (Informant)	YPT	YPT	YPT	YPT	**	YP	YP	YP	YP	YP	YP	Y	Y					Y						
12 Regular Assessments (Informant)		YPT	YPT	YPT	YPT	**	YPT	YP	YP	YP	YP	Y	Y					Y						
11 Regular Assessments (Informant)			YPT	YPT	YPT	YPT	**	YP	YP	YP	YP	Y	Y					Y						
10 Regular Assessments (Informant)				YPT	YPT	YPT	YPT	**	YP	YP	YP	Y	Y					Y						
9 Regular Assessments (Informant)					YPT	YPT	YPT	YPT	**	YP	YP	Y	Y					Y						
8 Regular Assessments (Informant)						YPT	YPT	YPT	YPT	**	YP	Y	Y					Y						
8 Regular Assessments (Informant)							YPT	YPT	YPT	YPT	**	Y	Y					Y						

Key: Y = Youth, P = Parent; T = Teacher. Assessment ages 19 and 24 in progress. **Brief telephone interview because of lapse in funding.

- Cortisol was uniquely associated with aggressive rather than covert forms of CD (McBurnett et al., 1997).
- Maternal frequent smoking during pregnancy was significantly more likely to produce a child with CD (Wakschlag et al., 1997).
- The development of ODD to CD fits a life-span developmental model (Lahey and Loeber, 1994; Lahey et al., 1999).

Appendix 1 contains many other papers with original findings, which can be requested from Rolf Loeber.

The Pittsburgh Youth Study (PYS)

This longitudinal study of a community sample of inner-city boys began in 1987 and is now in its fifteenth year (for the design, see Table 2). Funding for the PYS has come from the Office of Juvenile Justice and Delinquency Prevention (OJJDP), the National Institute of Mental Health, the National Institute of Drug Abuse, and the Pew Charitable Trusts. The aims of the study are to document the development of antisocial and delinquent behaviour from childhood to early adulthood, the risk factors that impinge on that development, and help seeking and service provision for boys' behaviour problems. In addition, the study focuses on boys' development of alcohol and drug use, and internalizing problems. The 1517 boys in the study had been selected from the first, fourth and seventh grades of Pittsburgh public schools (called the youngest, middle and oldest sample, respectively). After an initial screening (85% of the randomly selected families participated), the 30% most antisocial boys (based on parent, teacher and participant information) were included in the sample for follow-up, together with 30% randomly selected from the remainder. Just over half of the sample is African-American, and the remainder Caucasian. Over 90% lived with their natural mother (see Loeber et al., 1998 for details).

The youngest sample ($n = 503$) has now been followed up a total of 18 times (from age seven to 20). The middle sample ($n = 508$) was age 10 at the first assessment, and has been followed up seven times until age 13, but was then discontinued because of the overlap with the oldest sample. The boys in this sample are currently being assessed at age 22. The oldest sample ($n = 506$) has been followed up 16 times (from age 13 to 25). In the last wave of data collection that is available for data analysis for the oldest sample (the 16th assessment), the cooperation rate of the participants (young men aged 24) was 83.0%. The average cooperation rate for that sample over 15 follow-ups was 89.5%. The last assessment of the youngest sample available for data analysis (the 18th assessment, age 20) yielded a participation rate of 83.3%. The average cooperation rate for that sample over 16 follow-ups was 82.3%.

Assessments were done initially half-yearly, and later yearly (see Table 2) and had the boys, their parents and teachers as informants. A large variety of measures were used, with several measures resulting from collaboration among investigators of the OJJDP Program of Research on the Causes and Correlates of Delinquency, consisting of the Denver Youth Survey (Principal Investigator: David Huizinga), the Rochester Youth Development Study (Principal Investigator: Terence P. Thornberry), and the Pittsburgh Youth Study.

The yield of the PYS has been much enhanced by the linkage of the main study to 21 independently funded substudies. We are much indebted to the following investigators of the substudies for their inspiration, efforts and skills in executing the substudies and producing papers on the results: Avshalom Caspi, Jacqueline Cohen, Hans Heiner, Timothy O. Ireland, Benjamin B. Lahey, Don Lynam, Terrie Moffitt, Herbert L. Needleman, Adrian Raine, N. Wim Slot, Terrence P. Thornberry, and Brendon Welsh (the remaining substudies have been initiated by ourselves, including David P. Farrington, Rolf Loeber, Magda Stouthamer-Loeber, Helene R. White).

To date, the Pittsburgh Youth Study has produced two books and 87 papers and 32 unpublished reports (not counting the three papers in the current issue). We are very grateful to the following colleagues, who contributed papers as first authors (in addition a multitude of co-authors made important contributions to the papers): Adrian Angold, Jennifer M. Beyers, Kathy Browning, Avshalom Caspi, Horatio Fabrega, Cecilia A. Hartman, David Huizinga, Oliver John, Kate Keenan, Barbara T. Kelley, Dacher Keltner, Robert F. Krueger, Benjamin B. Lahey, Alan J. Lizotte, Don Lynam, Eugene Maguin, Stephen C. Messer, Terrie Moffitt, Herbert L. Needleman, Faith Peeples, Richard W. Robins, Mary F. Russo, Caroline A. Smith, Terence P. Thornberry, Welmoet B. Van Kammen, Evelyn Wei, Jennifer L. White, Per-Olof Wikström, Eric Youngstrom, and Quan Zhang.

Examples of key findings

The following are examples of key findings that have resulted so far from the PYS and its substudies:

- The higher the number of risk domains (i.e. in the child, family, school, etc.), the higher the probability of later serious delinquency; the lower the number of promotive domains, the lower that probability. Risk and promotive factors appear to cancel each other out in determining long-term risk of serious delinquency (Stouthamer-Loeber et al., 2002).
- The higher the neighbourhood disadvantage (as evident from census data), the more likely boys are exposed to risk factors and the less likely that they will be exposed to promotive factors (Stouthamer-Loeber et al., 2002).

- Delinquency was concentrated in some families: 5% of the families contained 30% of the offenders, and, more broadly, 12% of the families contained almost half (44%) of the offenders. These figures did not vary markedly by ethnicity (Farrington et al., 2001).
- The development from antisocial behaviours to serious delinquency best fitted a model of three incremental pathways: the Authority Conflict Pathway, the Overt Pathway, and the Covert Pathway (Loeber et al., 1993, 1999).
- In the oldest sample the prevalence of repeated violence between ages 13 and 20 was 14%, and it was almost twice as high in disadvantaged compared with advantaged neighbourhoods (17% vs. 10%; Beyers et al., 2001).
- Almost 2% of the boys in the middle and oldest samples were convicted of homicide (Loeber et al., in preparation).
- An early onset of offending prior to age 13 is more common in disadvantaged compared with other neighbourhoods. Also, disadvantaged neighbourhoods contain more late-onset offenders, which are particularly more common in public housing areas than in advantaged neighbourhoods (13% vs. 34%; Wikström and Loeber, 2000).
- In most cases delinquent attitudes predicted delinquency as well as the reverse. However, attitudes predicted delinquency better with advancing age (Zhang et al., 1997).
- Child–parent interactions tend to be stable, such as physical punishment, communication, supervision, positive parenting, and bad parent–child relationship qualities. However, physical punishment decreased, while poor supervision and low-level positive parenting increased. In contrast, poor communication and a disadvantaged relationship between the parent and child did not materially change between ages 6 and 18 (Loeber, Drinkwater et al., 2000).
- Over time, changes in alcohol consumption, compared with changes in marijuana use, was a much stronger predictor of changes in violence (White et al., 1999).

This small sample of findings does not do justice to the great variety of research papers that have resulted from the PYS. The reader is referred to Appendix 1 for these studies.

The Pittsburgh Girls Study

The Pittsburgh Girls Study (PGS) is a community-wide longitudinal study of young girls in the city of Pittsburgh. Current funding for the study is provided by National Institute of Mental Health, National Institute on Drug Abuse, and the Office of Juvenile Justice and Delinquency Prevention. The PGS

focuses on the development of conduct disorders and delinquency in a large inner-city, community sample of preadolescent girls. The study also investigates co-occurring problematic disorders, such as depression, somatization problems, and substance use. In addition, the study collects information about service delivery and help seeking by parents and teachers for girls' problem behaviours. Further, the study investigates a wide range of risk and protective factors that may influence the course of girls' problem behaviours over time.

To identify eligible girls, we undertook in 1999–2000 a community-wide survey of households in 90 neighbourhoods of the city of Pittsburgh. From this survey of 103 238 households, we identified 3241 girls aged between five and eight years (disadvantaged neighbourhoods have been oversampled). When we recontacted the initial sample, 85.3% of the eligible girls and their families agreed to participate in the longitudinal study, resulting in a final sample size of 2451. The study utilizes multiple informants: the children, their primary caregiver and their teacher are all being interviewed independently on an annual basis. Data collection for the first study phase began in the autumn of 2000 and was successfully completed in August 2001 (Table 3). Currently, the girls, their parents and teachers are participating in the second assessment when the girls are aged 6–9 years. At this stage, a 99.9% cooperation rate has been achieved. We anticipate continuing the study at least until the girls have gone through adolescence, but this goal depends on future funding. The paper presented in this issue is the first of many papers we hope to publish on this study.

Barriers to executing the longitudinal studies and ways we overcame them

There are four major barriers we faced over the years. First, we had to obtain a large amount of funds for each of the studies. We have been fortunate to successfully compete in national competitions for funds over so many years. We have been especially fortunate with the grant monitors from each of the funding agencies, who have given us much advice and assistance over the years.

The second challenge to longitudinal studies is to engage participants and convince them to continue to participate. This task has become much more challenging over the years in the DTS and the PYS as participants fanned out over the globe. The high retention rate in the two studies is a tribute to the participants and the staff members who were able to find them and convince them to continue with the assessments.

A third barrier to overcome was our ability to deal with the very large amounts of data that we collected over years. For example, since the spring of 1987 when data collection started in the PYS, over 50 000 assessments have been completed. There are currently 21 885 documented constructs. With the constructs and raw data loaded, the system currently maintains 72 million data items of variables and constructs, which, miraculously, are accessible for analyses with great ease.

And, last but not least, it has been a great challenge to conduct the research while maintaining continuity in staffing. Overall, this has been achieved, and we are grateful to the dedication and long-term efforts of many staff members who have contributed to the studies and continue to do so.

Prospects

The current issue celebrates the insights possible from the data of the three studies and illustrates innovative approaches. Looking back over the past 15 years, we can marvel at the variety of issues that have been addressed. As a result of these collective efforts, the Pittsburgh longitudinal studies represent a substantial accumulation of knowledge on children's development to early adulthood that goes way beyond what we had envisaged when we started the studies, and way beyond what we could have achieved on our own. At the same time, the data sets hold promise for future analyses and studies. It is up to us and to our colleagues to address them.

References

- Beyers JM, Loeber R, Wikström P-O, Stouthamer-Loeber M (2001) What predicts adolescent violence in better-off neighborhoods? *Journal of Abnormal Child Psychology* 29: 369–381.
- Farrington DP, Jolliffe D, Loeber R, Stouthamer-Loeber M, Kalb L (2001) The concentration of offenders in families, and family criminality in the prediction of boys' delinquency. *Journal of Adolescence* 24: 579–596.
- Hart EL, Lahey BB, Loeber R, Applegate B, Frick PJ (1995) Developmental change in attention-deficit hyperactivity disorder in boys: a four-year longitudinal study. *Journal of Abnormal Child Psychology* 23: 729–749.
- Lahey BB, Miller TL, Gordon RA, Riley AW (1999) Developmental epidemiology of the disruptive behavior disorders. In Quay HC, Hogan A, eds. *Handbook of the Disruptive Behavior Disorders*. New York: Plenum, pp. 23–48.
- Lahey BB, Loeber R (1994) Framework for a developmental model of Oppositional Defiant Disorder and Conduct Disorder. In Routh KD, ed. *Disruptive Behavior Disorders in Childhood: Essays Honoring Herbert C. Quay*. New York: Plenum, pp. 139–180.
- Lahey BB, McBurnett K, Loeber R (2000) Are Attention-deficit/Hyperactivity Disorder and Oppositional Defiant Disorder developmental precursors to Conduct Disorder? In Sameroff A, Lewis M, Miller SM, eds. *Handbook of Developmental Psychopathology*, 2nd edn.. New York: Plenum, pp. 431–446.
- Loeber R, Crawford A, Farrington DP, Homish D-L, Stouthamer-Loeber M, Creemers J, Wei E, Rosenfeld R Can homicide be predicted in young males? Manuscript in preparation.
- Loeber R, Drinkwater M, Yin Y, Anderson SJ, Schmidt LC, Crawford A (2000) Stability of family interactions from ages 6 to 18. *Journal of Abnormal Child Psychology* 28: 353–369.
- Loeber R, Farrington DP, Stouthamer-Loeber M, Van Kammen, WB (1998) *Antisocial Behavior and Mental Health Problems: Explanatory Factors in Childhood and Adolescence*. Mahwah, NJ: Lawrence Erlbaum.
- Loeber R, Green SM, Keenan K, Lahey BB (1995) Which boys will fare worse? Early predictors of the onset of conduct disorder in a six-year longitudinal study. *Journal of the American Academy of Child and Adolescent Psychiatry* 34: 499–509.
- Loeber R, Green SM, Lahey BB, Christ MAG, Frick PJ (1992) Developmental sequences in the age of onset of disruptive child behaviors. *Journal of Child and Family Studies* 1: 21–41.

- Loeber R, Green SM, Lahey BB, Frick PJ, McBurnett K (2000) Findings on disruptive behavior disorders from the first decade of the Developmental Trends Study. *Clinical Child and Family Psychology Review* 3: 37–60.
- Loeber R, Keenan K, Lahey BB, Green SM, Thomas C (1993) Evidence for developmentally based diagnoses of oppositional defiant disorder and conduct disorder. *Journal of Abnormal Child Psychology* 21: 377–410.
- Loeber R, Lahey BB, Thomas C (1991) The diagnostic conundrum of oppositional defiant disorder and conduct disorder. *Journal of Abnormal Psychology* 100: 379–390.
- Loeber R, Wei E, Stouthamer-Loeber M, Huizinga D, Thornberry TP (1999) Behavioral antecedents to serious and violent juvenile offending: joint analyses from the Denver Youth Survey, Pittsburgh Youth Study, and the Rochester Youth Development Study. *Studies in Crime and Crime Prevention* 8: 245–263.
- Loeber R, Wung P, Keenan K, Giroux B, Stouthamer-Loeber M, Van Kammen WB, Maughan B (1993) Developmental pathways in disruptive child behavior. *Development and Psychopathology* 5: 101–132.
- McBurnett K, Pfiffner L J, Capasso L, Lahey BB, Loeber R (1997) Children's aggression and DSM-II-R symptoms predicted by parent psychopathy, parenting practices, cortisol, and SES. In Raine A, Brennan PA, Farrington DP, Mednick SA, eds. *Biosocial Bases of Violence*. New York: Plenum, pp. 345–348.
- Russo M, Loeber R, Lahey BB, Keenan K (1994) Oppositional defiant and conduct disorders: validation of the DSM-III-R and an alternative option. *Journal of Clinical Child Psychology* 23: 56–68.
- Stouthamer-Loeber M, Loeber R, Wei E, Farrington DP, Wikström P-O H (2002) Risk and promotive effects in the explanation of persistent serious delinquency in boys. *Journal of Clinical and Consulting Psychology* 70: 111–123.
- Wakschlag LS, Lahey BB, Loeber R, Green SM, Gordon RA, Leventhal BL (1997) Maternal smoking during pregnancy and the risk of conduct disorder in boys. *Archives of General Psychiatry* 54: 670–676.
- White HR, Loeber R, Stouthamer-Loeber M, Farrington DP (1999) Developmental associations between substance use and violence. *Development and Psychopathology* 11: 785–803.
- Wikström P-O, Loeber R (2000) Do disadvantaged neighborhoods cause well-adjusted children to become adolescent delinquents? A study of male juvenile serious offending, risk and protective factors, and neighborhood context. *Criminology* 38: 1109–1142.
- Zhang Q, Loeber R, Stouthamer-Loeber M (1997) Developmental trends of delinquency attitudes and delinquency: replication and synthesis across time and samples. *Journal of Quantitative Criminology* 13: 181–216.

Address for correspondence: Rolf Loeber, PhD, WPIC, 3811 O'Hara St, Pittsburgh, PA 15213, USA. Email: loeberr@msx.upmc.edu

Appendix 1: Publications resulting from the Developmental Trends Study, the Pittsburgh Youth Study and the Pittsburgh Girls Study, arranged by topics

Books

- Stouthamer-Loeber M, Van Kammen WB (1995) *Data Collection and Management: A Practical Guide*. Newbury Park, CA: Sage.
- Loeber R, Farrington DP, Stouthamer-Loeber M, Van Kammen WB (1998) *Antisocial Behavior and Mental Health Problems: Explanatory Factors in Childhood and Adolescence*. Mahwah, NJ: Lawrence Erlbaum.

General overviews

- Loeber R, Farrington DP, Stouthamer-Loeber M, Moffitt TE, Caspi A (1998) The development of male offending: key findings from the first decade of the Pittsburgh Youth Study. *Studies on Crime and Crime Prevention* 7: 141–172.
- Browning K, Loeber R (Feb., 1999) Highlights of Findings from the Pittsburgh Youth Study. OJJDP Fact Sheet No. 95.
- Loeber R, Green SM, Lahey BB, Frick PJ, McBurnett K (2000) Findings on disruptive behavior disorders from the first decade of the Developmental Trends Study. *Clinical Child and Family Psychology Review* 3: 37–60.
- Loeber R, Farrington DP, Stouthamer-Loeber M, Moffitt TE, Caspi A, Lynam D (2001) Male mental health problems, psychopathy and personality traits: key findings from the first fourteen years of the Pittsburgh Youth Study. *Clinical Child and Family Psychology Review* 4: 273–297.
- Loeber R, Farrington DP, Stouthamer-Loeber M, Moffitt TE, Caspi A, White HR, Wei EH, Beyers JM (in press) The development of male offending: key findings from 14 years of the Pittsburgh Youth Study. In Thornberry TP, Krohn M, eds. *Taking Stock of Delinquency*. New York: Kluwer/Plenum.

Please note that the following papers are listed in only one category, even though they may fit under several topics

Academic achievement

- Frick PJ, Kamphaus RW, Lahey BB, Loeber R, Christ MA, Hart EL, Tannenbaum LE (1991) Academic underachievement and the disruptive behavior disorders. *Journal of Consulting and Clinical Psychology* 59: 289–294.
- Maguin E, Loeber R, LeMahieu P (1993) Does the relationship between poor reading and delinquency hold for different age and ethnic groups? *Journal of Emotional and Behavioral Disorders* 1: 88–100.
- Lynam D, Moffitt T, Stouthamer-Loeber M (1993) Explaining the relation between IQ and delinquency: class, race, test motivation, school failure or self-control? *Journal of Abnormal Psychology* 102: 187–196.
- Maguin E, Loeber R (1996) Academic performance and delinquency. In M Tonry, ed. *Crime and Justice*, Vol. 20. Chicago: University of Chicago Press, pp. 145–264.
- Maguin E, Loeber R (1996) Academic performance and its relationship to delinquency. In Cramer SC, Ellis W, eds. *Learning Disabilities: Lifelong Issues*. Baltimore MD: Paul H Brooks, pp. 235–240.
- Maguin E, Loeber R (1996) How well do ratings of academic performance by mothers and their sons correspond to grades, achievement test scores, and teachers' ratings? *Journal of Behavioral Education* 6: 405–425.

Anxiety, depression and internalizing problems

- Pruis A, Lahey BB, Thyer BA, Christ MAG, Loeber R, Stouthamer-Loeber M (1990) Separation anxiety disorder and overanxious disorder: how do they differ? *Phobia Practice and Research Journal* 3: 51–59.
- Walker JL, Lahey BB, Russo MF, Frick PJ, Christ MA, McBurnett K, Loeber R, Stouthamer-Loeber M, Green S (1991) Anxiety, inhibition, and conduct disorder in children, I: Relations to social impairment and sensation seeking. *Journal of the American Academy of Child and Adolescent Psychiatry* 30: 187–191.

- Loeber R, Russo MF, Stouthamer-Loeber M, Lahey BB (1994) Internalizing problems and their relation to the development of disruptive behaviors in adolescence. *Journal of Research on Adolescence* 4: 615–637.
- Angold A, Erklani A, Loeber R, Costello EJ, van Kammen W, Stouthamer-Loeber M (1996) Disappearing depression in a population sample of boys. *Journal of Emotional and Behavioral Disorders* 4: 95–104.

Biological factors

- McBurnett K, Lahey BB, Frick PJ, Risch C, Loeber R, Hart EL, Christ MAG, Hanson KS (1991) Anxiety, inhibition, and conduct disorder in children, II: Relation to salivary cortisol. *Journal of the American Academy of Child and Adolescent Psychiatry* 30: 197–201.
- Lahey BB, McBurnett K, Loeber R, Hart EL (1995) Psychobiology of conduct disorder. In Sholevar GP, ed. *Conduct Disorders in Children and Adolescents: Assessments and Interventions*. Washington, DC: American Psychiatric Press, pp. 27–44)
- Hart EL, Lahey BB, Hynd GW, Loeber R, McBurnett K (1995) Association of chronic over-anxious disorder with atopic rhinitis in boys: a four year longitudinal study. *Journal of Clinical Child Psychology* 24: 332–337.
- McBurnett K, Lahey BB, Capasso L, Loeber R (1996) Aggressive symptoms and salivary cortisol in clinic-referred boys with conduct disorder. *Annals of the New York Academy of Sciences* 794: 169–179.
- Needleman HL, Reiss JA, Tobin M, Biesecker GE, Greenhouse JB (1996) Bone lead levels and delinquent behavior. *Journal of the American Medical Association* 275: 363–369.
- Wakschlag LS, Lahey BB, Loeber R, Green SM, Gordon RA, Leventhal BL (1997) Maternal smoking during pregnancy and the risk of conduct disorder in boys. *Archives of General Psychiatry* 54: 670–676.
- McBurnett K, Pfiffner LJ, Capasso L, Lahey BB, Loeber R (1997) Children's aggression and DSM-II-R symptoms predicted by parent psychopathy, parenting practices, cortisol, and SES. In Raine A, Brennan PA, Farrington DP, Mednick SA, eds. *Biosocial Bases of Violence*. New York: Plenum, pp. 345–348.
- McBurnett K, Lahey BB, Rathouz PJ, Loeber R (2000) Low salivary cortisol and persistent aggression in boys referred for disruptive behavior. *Archives of General Psychiatry* 57: 38–43

Child abuse

- Stouthamer-Loeber M, Loeber R, Homish D-L, Wei E (2001) Maltreatment of boys and the development of disruptive and delinquent behavior. *Development and Psychopathology* 13: 941–955.

Comorbidities

- Loeber R, Keenan K (1994) The interaction between conduct disorder and its comorbid conditions: effects of age and gender. *Clinical Psychology Review* 14: 497–523.
- Loeber R, Farrington DP, Stouthamer-Loeber M, Van Kammen WB (1998) Multiple risk factors for multi-problem boys: Co-occurrence of delinquency, substance use, attention deficit, conduct problems, physical aggression, covert behavior, depressed mood, and shy/withdrawn behavior. In Jessor R, ed. *New Perspectives on Adolescent Risk Behavior*. Cambridge: Cambridge University Press, pp. 90–149.
- Huizinga D, Loeber R, Thornberry TP, Cothorn L (Nov. 2000) Co-occurrence of serious and violent juvenile offending and other problem behaviors. *OJJDP Juvenile Justice Bulletin*.

Lahey BB, Loeber R, Burke J, Rathouz PJ, Burnet K (in press) Waxing and waning in concert: Co-occurrence of conduct disorder with other types of psychopathology over seven years among clinic-referred boys. *Journal of Abnormal Psychology*.

Correlates of disruptive child behavior

White JL, Moffitt TE, Caspi A, Bartusch DJ, Needles DJ, Stouthamer-Loeber M (1994) Measuring impulsivity and examining its relationship to delinquency. *Journal of Abnormal Psychology* 103: 192–205.

Keltner D, Moffitt TE, Stouthamer-Loeber M (1995) Facial expression of emotion and psychopathology in adolescent boys. *Journal of Abnormal Psychology* 104: 644–652.

Development of disruptive child behavior/attention problems/hyperactivity and delinquency

Loeber R (1991) Antisocial behavior: more enduring than changeable? *Journal of the American Academy of Child and Adolescent Psychiatry* 31: 393–397.

Loeber R, Stouthamer-Loeber M, Green SM (1991) Age at onset of problem behavior in boys, and later disruptive and delinquent behavior. *Criminal Behavior and Mental Health* 1: 229–246.

Loeber R, Stouthamer-Loeber M, Van Kammen WB, Farrington DP (1991) Initiation, escalation and desistance in juvenile offending and their correlates. *Journal of Criminal Law and Criminology* 82: 36–82.

Loeber R (1992) Viewing emotional problems of children and adolescents from a developmental perspective. In *5th Annual Research Conference Proceedings on A System of Care for Children's Mental Health: Expanding the Research Base*. Florida: Research and Training Center for Children's Mental Health, Florida Mental Health Institute, University of South Florida, pp. 53–60.

Loeber R, Green SM, Lahey BB, Christ MAG, Frick PJ (1992) Developmental sequences in the age of onset of disruptive child behaviors. *Journal of Child and Family Studies* 1: 21–41.

Le Blanc M, Loeber R (1993) Precursors, causes and the development of criminal offending. In Hay DF, Angold A, eds. *Precursors and Causes in Development and Psychopathology*. Chichester: Wiley, pp. 233–263.

Huizinga D, Loeber R, Thornberry TP (1993) Longitudinal study of delinquency, drug use, sexual activity, and pregnancy among children and youth in three cities. *Public Health Reports: Journal of the US Public Health Service*, 108(Suppl. 1): 90–96.

Tolan PH, Loeber R (1993) Antisocial behavior. In P Tolan, V Cohler, eds. *Handbook of Clinical Research and Practice with Adolescents*. New York: Wiley, pp. 307–331.

Loeber R, Farrington DP (1994) Problems and solutions in longitudinal and experimental treatment studies of child psychopathology and delinquency. *Journal of Consulting and Clinical Psychology* 62: 887–900.

Lahey BB, Loeber R (1994) Framework for a developmental model of Oppositional Defiant Disorder and Conduct Disorder. In Routh KD, ed. *Disruptive Behavior Disorders in Childhood: Essays Honoring Herbert C. Quay*. New York: Plenum, pp. 139–180.

Loeber R, Stouthamer-Loeber M (1996) The development of offending. *Criminal Justice and Behavior* 23: 12–24.

Loeber R (1996) Developmental continuity, specialization, and generalization in male juvenile problem behaviors and delinquency. In Hawkins JD, ed. *Delinquency and Crime: Current Theories*. Cambridge: Cambridge University Press, pp. 1–27.

Zhang Q, Loeber R, Stouthamer-Loeber M (1997) Developmental trends of delinquency attitudes

- and delinquency: replication and synthesis across time and samples. *Journal of Quantitative Criminology* 13: 181–216.
- Lynam D (1997) Pursuing the psychopath: capturing the fledgling psychopath in a nomological net. *Journal of Abnormal Psychology* 106: 425–438.
- Le Blanc M, Loeber R (1998) Developmental criminology updated. In Tonry M, ed. *Crime and Justice*, Vol. 23. Chicago: Chicago University Press, pp. 115–197.
- Lahey BB, Loeber R, Quay HC, Applegate B, Shaffer D, Waldman I, Hart EL, McBurnett K, Frick PJ, Jensen P, Dulcan M, Canino G, Bird H (1998) Validity of DSM-IV subtypes of conduct disorder based on age of onset. *Journal of the American Academy of Child and Adolescent Psychiatry* 37: 435–442.
- Farrington DP, Loeber R (1999) Transatlantic replicability of risk factors in the development of delinquency. In Cohen P, Slomkowski C, Robins LN, eds. *Historical and Geographical Influences on Psychopathology*. Mahwah, N.J.: Lawrence Erlbaum, pp. 299–329.
- Farrington DP, Loeber R (1999) Risk factors for delinquency over time and place. *Youth Update* 17(2): 4–5.
- Lahey BB, McBurnett K, Loeber R (2000) Are Attention-deficit/Hyperactivity Disorder and Oppositional Defiant Disorder developmental precursors to Conduct Disorder? In Sameroff A, Lewis M, Miller SM, eds. *Handbook of Developmental Psychopathology*, 2nd edn. New York: Plenum, pp. 431–446.
- Smith CA, Krohn MD, Lizotte AJ, McCluskey CP, Stouthamer-Loeber M, Weiher A (2000) The effect of early delinquency and substance use on precocious transitions to adulthood among adolescent males. In Fox GL, Benson ML, eds. *Families, Crime and Criminal Justice*. Amsterdam: JAI Press, pp. 233–253.
- Loeber R, Coie J (2001) Continuities and discontinuities of development, with particular emphasis on emotional and cognitive aspects of disruptive behavior. In Hill J, Maughan B, eds. *Conduct Disorders in Childhood and Adolescence*. Cambridge: Cambridge University Press, pp. 379–407.
- Loeber R (2001) Interventies bij delinquente jongeren. In van Leeuwen H, Slot W, Uijterwijk M. *Antisociaal gedrag bij jeugdigen: Determinanten en interventies*. Lisse, Netherlands: Swets & Zeitlinger, pp. 13–21.
- Loeber R, Green SM, Lahey BB (in press) Risk factors of antisocial personality in adulthood. In Coid J, Farrington DP, eds. *Early Prevention of Adult Antisocial Behaviour*. Cambridge: Cambridge University Press.
- Burke JD, Loeber R, Lahey BB (in press) Course and outcome of Oppositional Defiant Disorder and Conduct Disorder. In Essau C, ed. *Conduct and Oppositional Defiant Disorders: Epidemiology, Risk Factors, and Treatment*. Mahwah, NJ: Lawrence Erlbaum.
- Lahey BB, Loeber R, Burke J, Rathouz PJ (in press) Adolescent outcomes of childhood conduct disorder among boys: predictors of improvement. *Journal of Abnormal Child Psychology*.
- Broidy LM, Nagin DS, Tremblay RE, Brame B, Dodge K, Fergusson D, Horwood J, Loeber R, Laird R, Lynam D, Moffitt T, Bates JE, Pettitt GS, Vitaro F (in press) Developmental trajectories of childhood disruptive behavior behaviors and adolescent delinquency: a six site, cross national replication. *Development and Psychopathology*.

Developmental pathways

- Loeber R (1988) Natural histories of conduct problems, delinquency, and associated substance use: evidence for developmental progressions. In Lahey BB, Kazdin AE, eds. *Advances in Clinical Child Psychology*, Vol. 11. New York: Plenum, pp. 73–124.
- Loeber R (1991) Questions and advances in the study of developmental pathways. In Cicchetti D, Toth S, eds. *Rochester Symposium on Developmental Psychopathology: III*. Rochester, NY: Rochester University Press, pp. 97–115.

- Loeber R, Wung P, Keenan K, Giroux B, Stouthamer-Loeber M, Van Kammen WB, Maughan B (1993) Developmental pathways in disruptive child behavior. *Development and Psychopathology* 5: 101–132.
- Keenan K, Loeber R, Zhang Q, Stouthamer-Loeber M, van Kammen WB (1995) The influence of deviant peers on the development of boys' disruptive and delinquency behavior: a temporal analysis. *Development and Psychopathology* 7: 715–726.
- Loeber R, Keenan K (1995) Developmental pathways in boys' disruptive and delinquent behavior. *Youth Update* 13: 4–5.
- Loeber R, DeLamatre M, Keenan K, Zhang Q (1998) A prospective replication of developmental pathways in disruptive and delinquent behavior. In Cairns R, Bergman L, Kagan J, eds. *Methods and Models for Studying the Individual*. Thousand Oaks, CA: Sage, pp. 185–215.
- Loeber R, Keenan K, Zhang Q (1997) Boys' experimentation and persistence in developmental pathways toward serious delinquency. *Journal of Child and Family Studies* 6: 321–357.
- Kelley BT, Huizinga D, Thornberry TP, Loeber R (1997) Developmental pathways in disruptive and delinquent behavior. *OJJDP Juvenile Justice Bulletin*.
- Loeber R, Wei E, Stouthamer-Loeber M, Huizinga D, Thornberry TP (1999) Behavioral antecedents to serious and violent juvenile offending: joint analyses from the Denver Youth Survey, Pittsburgh Youth Study, and the Rochester Youth Development Study. *Studies on Crime and Crime Prevention* 8: 245–263.
- Tolan PH, Gorman-Smith D, Loeber R (2000) Developmental timing of onsets of disruptive behaviors and later delinquency of inner-city youth. *Journal of Child and Family Studies* 9: 203–230.

Diagnosis

- Lahey BB, Loeber R, Stouthamer-Loeber M, Christ MAG, Green S, Russo MF, Frick PJ, Dulcan M (1990) Comparison of DSM-III and DSM-III-R diagnoses for prepubertal children: changes in prevalence and validity. *Journal of the American Academy of Child and Adolescent Psychiatry* 29: 620–626.
- Loeber R, Lahey BB, Thomas C (1991) The diagnostic conundrum of oppositional defiant disorder and conduct disorder. *Journal of Abnormal Psychology* 100: 379–390.
- Lahey BB, Loeber R, Quay HC, Frick PJ, Grimm J (1992) Oppositional defiant and conduct disorders: issues to be resolved for DSM-IV. *Journal of the American of Child and Adolescent Psychiatry* 31: 539–546.
- Loeber R, Keenan K, Lahey BB, Green SM, Thomas C (1993) Evidence for developmentally based diagnoses of oppositional defiant disorder and conduct disorder. *Journal of Abnormal Child Psychology* 21: 377–410.
- Russo M, Loeber R, Lahey BB, Keenan K (1994) Oppositional defiant and conduct disorders: Validation of the DSM-III-R and an alternative option. *Journal of Clinical Child Psychology* 23: 56–68.
- Lahey BB, Loeber R, Hart EL, Frick PJ, Applegate B, Zhang Q, Green SM, Russo MF (1995) Four year longitudinal study of conduct disorder in boys: patterns and predictors of persistence. *Journal of Abnormal Psychology* 104: 83–93.
- Hart EL, Lahey BB, Loeber R, Applegate B, Frick PJ (1995) Developmental change in attention-deficit hyperactivity disorder in boys: a four-year longitudinal study. *Journal of Abnormal Child Psychology* 23: 729–749.
- Loeber R, Green SM, Keenan K, Lahey BB (1995) Which boys will fare worse? Early predictors of the onset of conduct disorder in a six-year longitudinal study. *Journal of the American Academy of Child and Adolescent Psychiatry* 34: 499–509.

- Lahey BB, Loeber R (1997) Attention-Deficit/Hyperactivity Disorder, Oppositional Disorder, Conduct Disorder, and Adult Antisocial Behavior: a life span perspective. In Stoff D, Breiling J, Maser JD, eds. *Handbook of Antisocial Behavior*. New York: Wiley, pp. 51–59.
- Loeber R, Keenan K, Russo MF, Green SM, Lahey BB, Thomas C (1998) Secondary data analyses for DSM-IV on the symptoms of oppositional defiant disorder and conduct disorder. In Widiger T, Frances A, Pincus HA, Ross R, First MB, Davis W, Kline M, eds. *DSM-IV Sourcebook*, Vol. 4. Washington, DC: American Psychiatric Press, pp. 465–490.
- Loeber R, Burke JD, Lahey BB, Winters A, Zera M (2000) Oppositional defiant and conduct disorder: a review of the past 10 years, Part I. *Journal of the American Academy of Child and Adolescent Psychiatry* 39: 1468–1484.

Family factors

- Christ MAG, Lahey BB, Frick PJ, Russo MF, McBurnett K, Loeber R, Stouthamer-Loeber M, Green SM (1990) Serious conduct problems in the children of adolescent mothers: disentangling confounded correlations. *Journal of Consulting and Clinical Psychology* 58: 840–844.
- Frick PJ, Lahey BB, Christ MA, Loeber R, Green SM (1991) History of childhood behavior problems in biological relatives of boys with attention-deficit hyperactivity disorder and conduct disorder. *Journal of Clinical Child Psychology* 20: 445–451.
- Frick PJ, Lahey BB, Loeber R, Stouthamer-Loeber M, Christ MAG, Hanson K (1992) Familial risk factors to Oppositional Defiant Disorder and Conduct Disorder: parental psychopathology and maternal parenting. *Journal of Consulting and Clinical Psychology* 60: 49–55.
- Green SM, Loeber R, Lahey BB (1992) Child psychopathology and deviant family hierarchies. *Journal of Child and Family Studies* 1: 341–349.
- Pfiffner LJ, McBurnett K, Lahey BB, Loeber R, Green S, Frick PJ, Rathouz PJ (1999) Association of parental psychopathology to the comorbid disorders of boys with Attention Deficit-Hyperactivity Disorder. *Journal of Consulting and Clinical Psychology* 67: 881–893.
- Thornberry TP, Smith CA, Rivera C, Huizinga D, Stouthamer-Loeber M (1999, September) Family disruption and delinquency. *OJJDP Juvenile Justice Bulletin*.
- Stouthamer-Loeber M, Drinkwater M, Loeber R (1999–2000) Family functioning profiles, early onset offending, and disadvantaged neighborhoods. *International Journal of Child and Family Welfare* 4: 247–256.
- Wakschlag S, Gordon RA, Lahey BB, Loeber R, Green SM, Leventhal BN (2000) Maternal age at first birth and boys' risk for Conduct Disorder. *Journal of Research on Adolescence* 10: 417–441.
- Loeber R, Drinkwater M, Yin Y, Anderson SJ, Schmidt LC, Crawford A (2000) Stability of family interactions from ages 6 to 18. *Journal of Abnormal Child Psychology* 28: 353–369.
- Farrington DP, Jolliffe D, Loeber R, Stouthamer-Loeber M, Kalb L (2001) The concentration of offenders in families, and family criminality in the prediction of boys' delinquency. *Journal of Adolescence* 24: 579–596.

Fatherhood and sexual behavior

- Stouthamer-Loeber M, Wei E (1998) The precursors of young fatherhood and its effect on the delinquency career of teenage males. *Journal of Adolescent Health* 22: 56–65.
- Thornberry TP, Wei EH, Stouthamer-Loeber M, Van Dyke J (Jan. 2000) Teenage fatherhood and delinquent behavior. *OJJDP Juvenile Justice Bulletin*.

Gangs

Lahey BB, Gordon RA, Loeber R, Stouthamer-Loeber M, Farrington, DP (1999) Boys who join gangs: a prospective study of predictors of gang entry. *Journal of Abnormal Child Psychology* 27: 261–276.

Girls

Green SM, Russo MF, Navratil JL, Loeber R (1999) Sexual and physical abuse among adolescent girls with disruptive behavior problems. *Journal of Child and Family Studies* 8: 151–168.

Keenan K, Loeber R, Green SM (1999) Conduct disorder in girls: a review of the literature. *Clinical Child and Family Psychology Review* 2: 3–19.

Keenan K, Stouthamer-Loeber M, Loeber R (in press) Developmental approaches to studying conduct problems in girls. In Pepler D, Webster C, Levene K, eds. *Development and Treatment of Girlhood Aggression*. Hillsdale, NJ: Lawrence Erlbaum.

Measurement

Loeber R, Green SM, Lahey BB, Stouthamer-Loeber M (1989) Optimal informants on childhood disruptive behaviors. *Development and Psychopathology* 1: 317–337.

Loeber R, Lahey BB (1989) Recommendations for research on disruptive behavior disorders of childhood and adolescence. In Lahey BB, Kazdin AE, eds. *Advances in Clinical Child Psychology*, Vol. 12. New York: Plenum, pp. 221–251.

Loeber R, Stouthamer-Loeber M, Van Kammen WB, Farrington, DP (1989) Development of a new measure of self-reported antisocial behavior for young children: prevalence and reliability. In Klein M, ed. *Cross-national Research in Self-reported Crime and Delinquency*. Boston: Kluwer-Nijhoff, pp. 203–225.

Loeber R, Green SM, Lahey BB (1990) Mental health professionals' perception of the utility of children, mothers, and teachers as informants on childhood psychopathology. *Journal of Clinical Child Psychology* 19: 136–143.

Green SM, Loeber R, Lahey BB (1991) Stability of mothers' recall of the age at onset of their child's attention and hyperactivity problems. *Journal of the American Academy of Child and Adolescent Psychiatry* 30: 135–137.

Loeber R, Green S, Lahey B, Stouthamer-Loeber M (1991) Differences and similarities between children, mothers, and teachers as informants on disruptive child behavior. *Journal of Abnormal Child Psychology* 19: 75–95.

Russo MF, Lahey BB, Christ MAG, Frick PJ, McBurnett K, Walker PJ, Loeber R, Stouthamer-Loeber M, Green S (1991) Preliminary development of a sensation seeking scale for children. *Personality and Individual Differences* 12: 399–405.

Lizotte AJ, Chard-Wierschem DJ, Loeber R, Stern SB (1992) A shortened Child Behavior Checklist for delinquency studies. *Journal of Quantitative Criminology* 8: 233–245.

Russo MF, Stokes GS, Lahey BB, Christ MAG, McBurnett K, Loeber R, Stouthamer-Loeber M, Green SM (1993) A Sensation Seeking Scale for Children: further refinement and psychometric development. *Journal of Psychopathology and Behavioral Assessment* 15: 69–86.

Hart EL, Lahey BB, Loeber R, Hanson KS (1994) Criterion validity of informants in the diagnosis of Disruptive Behavior Disorders in children: a preliminary study. *Journal of Consulting and Clinical Psychology* 62: 410–414.

- Messer SC, Angold A, Loeber R, Costello EJ, van Kammen WB, Stouthamer-Loeber M (1995) The development of a short questionnaire for use in epidemiological studies of depression in children and adolescents: factor composition and structure across development. *International Journal of Methods in Psychiatric Research* 5: 251–262.
- Farrington DP, Loeber R, Stouthamer-Loeber M, van Kammen WB, Schmidt L (1996) Self-reported delinquency and a combined delinquency seriousness scale based on boys, mothers, and teachers: concurrent and predictive validity for African-Americans and Caucasians. *Criminology* 34: 493–517.
- Youngstrom E, Loeber R, Stouthamer-Loeber M (2000) Patterns and correlates of agreement between parent, teacher, and male adolescent ratings of externalizing and internalizing problems. *Journal of Consulting and Clinical Psychology* 68: 1038–1050.

Neighborhood factors

- Loeber R, Wikström P-O (1993) Individual pathways to crime in different types of neighborhood. In Farrington DP, Sampson RJ, Wikström PO, eds. *Integrating Individual and Ecological Aspects of Crime*. Stockholm, Sweden: National Council for Crime Prevention, pp. 169–204.
- Peebles F, Loeber R (1994) Do individual factors and neighborhood context explain ethnic differences in juvenile delinquency? *Journal of Quantitative Criminology* 10: 141–157.
- Wikström P-O (1998) Communities and crime. In Tonry M, ed. *The Oxford Handbook of Crime and Punishment*. Oxford: Oxford University Press, pp. 269–301.
- Wikström P-O, Loeber R (2000) Do disadvantaged neighborhoods cause well-adjusted children to become adolescent delinquents? A study of male juvenile serious offending, risk and protective factors, and neighborhood context. *Criminology* 38: 1109–1142.
- Beyers JM, Loeber R, Wikström P-O, Stouthamer-Loeber M (2001) What predicts adolescent violence in better-off neighborhoods? *Journal of Abnormal Child Psychology* 29: 369–381.
- Lynam D R, Caspi A, Moffitt T, Wikström P-O, Loeber R, Novak S (in press) The interaction between impulsivity and neighborhood context on offending: the effects of impulsivity are stronger in poorer neighborhoods. *Journal of Abnormal Psychology*.

Personality

- Caspi A, Block J, Block JH, Klopp B, Lynam D, Moffitt TE, Stouthamer-Loeber M (1992) A 'Common-Language' version of the California Q-Set for personality assessment. *Psychological Assessment* 4: 512–523.
- Caspi A, Moffitt TE, Silva PA, Stouthamer-Loeber M, Krueger RF, Schmutte P (1994) Are some people crime-prone? Replications of the personality-crime relationship across countries, genders, races, and methods. *Criminology* 32: 163–195.
- John OP, Caspi A, Robins RW, Moffitt TE, Stouthamer-Loeber M (1994) The 'Little Five': Exploring the five-factor model of personality in adolescent boys. *Child Development* 65: 160–178.
- Robins RW, John OP, Caspi A (1994) The Big Five and beyond. In Halverson CF, Kohnstamm GA, Martin RP, eds. *The Developing Structure of Temperament and Personality from Infancy to Adulthood*. Hillsdale, NJ: Erlbaum, pp. 267–291.
- Moffitt TE, Caspi A, Silva PA, Stouthamer-Loeber M (1995) Individual differences in personality and intelligence are linked to crime: cross-context evidence from nations, neighborhoods, genders, races, and age-cohorts. In Hagan J, ed. *Current Perspectives on Aging and the Life Cycle*, Vol. 4: *Delinquency and Disrepute in the Life Course*. Greenwich, CT: JAI Press, pp. 1–34.

- Krueger R, Caspi A, Moffitt TE, White J, Stouthamer-Loeber M (1996) Delay of gratification, psychopathology, and personality: is low self-control specific to externalizing problems? *Journal of Personality* 64:107–129.
- Robins RW, John OP, Caspi A, Moffitt TE, Stouthamer-Loeber M (1996) Resilient, overcontrolled, and undercontrolled boys: three replicable personality types. *Journal of Personality and Social Psychology* 70: 157–171.

Prosocial skills

- Walker JL, Lahey BB, Russo MF, Frick PJ, Christ MAG., McBurnett K, Loeber R, Stouthamer-Loeber M, Green SM (1991) Anxiety, inhibition, and conduct disorder in children, I: Relations to social impairment. *Journal of the American Academy of Child and Adolescent Psychiatry* 30: 187–191.

Protective factors

- Stouthamer-Loeber M, Loeber R, Farrington DP, Zhang Q, Van Kammen WB, Maguin E (1993) The double edge of protective and risk factors for delinquency: interrelations and developmental patterns. *Development and Psychopathology* 5: 683–701.
- Stouthamer-Loeber M, Loeber R, Wei E, Farrington DP, Wikström P-OH (2002) Risk and promotive effects in the explanation of persistent serious delinquency in boys. *Journal of Clinical and Consulting Psychology* 70: 111–123.

Psychopathology

- Fabrega H, Ulrick R, Loeber R (1996) Adolescent psychopathology as a function of informant and risk status. *Journal of Nervous and Mental Disease* 184: 27–34.

Research implementation

- Stouthamer-Loeber M, Van Kammen WB, Loeber R (1992) The nuts and bolts of implementing large-scale longitudinal studies. *Violence and Victims* 7: 63–78.
- Stouthamer-Loeber M (1993) Optimizing data quality of individual and community sources in longitudinal research. In Farrington DP, Sampson RJ, Wikström PO, eds. *Integrating Individual and Ecological Aspects of Crime*. Stockholm, Sweden: National Council for Crime Prevention, pp. 259–277.
- Navratil JL, Green SM, Loeber R, Lahey BB (1994) Minimizing subject loss in a longitudinal study of deviant behavior. *Journal of Child and Family Studies* 3: 89–106.
- Green SM, Navratil JL, Loeber R, Lahey BB (1994) Potential dropouts in a longitudinal study: prevalence, stability and associated characteristics. *Journal of Child and Family Studies* 3: 69–88.
- Van Kammen WB, Stouthamer-Loeber M (1997) Practical aspects of interview data collection and data management. In Bickman L, Rog D, eds. *Handbook of Applied Social Research Methods*. Thousand Oaks, CA: Sage, pp. 375–398.

Service delivery

- Stouthamer-Loeber M, Loeber R, Thomas C (1992) Caretakers seeking help for boys with disruptive delinquent behavior. *Comprehensive Mental Health Care* 2: 159–178.

Stouthamer-Loeber M, Loeber R, Van Kammen WB, Zhang Q (1995) Uninterrupted delinquent careers: the timing of parental help seeking and juvenile court contact. *Studies on Crime and Crime Prevention* 4: 236–251.

Statistics

Farrington DP, Loeber R (2000) Some benefits of dichotomization in psychiatric and criminological research. *Criminal Behaviour and Mental Health* 10: 102–122.

Structure of disruptive child behaviour

Frick PJ, Lahey BB, Loeber R, Stouthamer-Loeber M, Green S, Hart EL, Christ MAG (1991) Oppositional defiant disorder and conduct disorder in boys: patterns of behavioral covariation. *Journal of Clinical Child Psychology* 20: 202–208.

Frick PJ, Lahey BB, Loeber R, Tannenbaum L, Van Horn Y, Christ MAG, Hart EA, Hanson K (1993) Oppositional defiant disorder and conduct disorder: a meta-analytic review of factor analyses and cross-validation in a clinic sample. *Clinical Psychology Review* 13: 319–340.

Substance use

Van Kammen WB, Loeber R, Stouthamer-Loeber M (1991) Substance use and its relationship to conduct problems and delinquency in young boys. *Journal of Youth and Adolescence* 20: 399–414.

Van Kammen WB, Loeber R (1992) Drugs, delinquency and discipline. *School Safety* 3: 7–10.

Van Kammen WB, Maguin E, Loeber R (1994) Initiation of drug selling and its relationship with illicit drug use and serious delinquency in adolescent boys. In Weitekamp EGM, Kerner HJ, eds. *Cross-National Longitudinal Research on Human Development and Criminal Behavior*. Dordrecht, Netherlands: Kluwer, pp. 229–241.

Van Kammen WB, Loeber R (1994) Are fluctuations in delinquent activities related to the onset and offset of juvenile illegal drug use and drug dealing? *Journal of Drug Issues* 24: 9–24.

Loeber R, Stouthamer-Loeber M, White HR (1999) Developmental aspects of delinquency and internalizing problems and their association with persistent juvenile substance use between ages 7 and 18. *Journal of Clinical Child Psychology* 28: 322–332.

White HR, Loeber R, Stouthamer-Loeber M, Farrington DP (1999) Developmental associations between substance use and violence. *Development and Psychopathology* 11: 785–803.

White HR, Xie M, Thompson W, Loeber R, Stouthamer-Loeber M (2001) Psychopathology as a predictor of adolescent drug use trajectories. *Psychology of Addictive Behavior* 15: 227–236.

Burke JD, Loeber R, Lahey BB (in press) Which aspects of ADHD are associated with tobacco use in early adolescence? *Journal of Child Psychology and Psychiatry*.

White HR, Tice P, Loeber R, Stouthamer-Loeber M (in press) Crimes committed under the influence of alcohol and drugs. *Journal of Research in Crime and Delinquency*.

Violence

Loeber R, Hay DF (1994) Developmental approaches to aggression and conduct problems. In Rutter M, Hay DF, eds. *Development Through Life: A Handbook for Clinicians*. Oxford: Blackwell, pp. 488–516.

- Thornberry TP, Huizinga D, Loeber R (1995) The prevention of serious delinquency and violence: implications from the Program of Research on the Causes and Correlates of Delinquency. In Howell JC, Krisberg B, Hawkins JD, Wilson JJ, eds. *Sourcebook on Serious, Violent and Chronic Juvenile Offenders*. Thousand Oaks, CA: Sage Publications, pp. 213–237.
- Loeber R, Hay DF (1997) Key issues in the development of aggression and violence from childhood to early adulthood. *Annual Review of Psychology* 48: 371–410.
- Kelley BT, Huizinga D, Thornberry TP, Loeber R (June 1997) Epidemiology of serious violence. *OJJDP Juvenile Justice Bulletin*.
- Loeber R, Stouthamer-Loeber M (1998) The development of juvenile aggression and violence: some common misconceptions and controversies. *American Psychologist* 53: 242–259.
- Loeber R, Stouthamer-Loeber M (1998) Juvenile aggression at home and at school. In Elliott DS, Williams KR, Hamburg B, eds. *Violence in American Schools*. Cambridge: Cambridge University Press, pp. 94–126.
- Loeber R, Farrington DP (1998) Never too early, never too late: risk factors and successful interventions for serious and violent juvenile offenders. *Studies on Crime and Crime Prevention* 7: 7–30.
- Loeber R, DeLamatre M, Tita G, Cohen J, Stouthamer-Loeber M, Farrington DP (1999) Gun injury and mortality: the delinquent backgrounds of juvenile victims. *Violence and Victims* 14: 339–352.
- Loeber R, Green SM, Lahey BB, Kalb L (2000) Physical fighting in childhood as a mental health risk. *Journal of the American Academy of Child and Adolescent Psychiatry* 39: 1–8.
- Farrington DP, Loeber R (2000) Epidemiology of juvenile violence. *Child and Adolescent Psychiatric Clinics of North America* 9: 733–748.
- Loeber R, Kalb L, Huizinga D (2001, August) Serious injury victimization. *OJJDP Juvenile Justice Bulletin*.
- Farrington DP, Loeber R (in press) How can the relationship between race and violence be explained? In Hawkins DF, ed. *Violent Crimes: The Nexus of Ethnicity, Race and Class*. Cambridge: Cambridge University Press.