

# VU Research Portal

“Healthy”

Valente, M.

2020

**document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

***citation for published version (APA)***

Valente, M. (2020). “Healthy”: When the pursuit of health turns into a mental disorder: the case of orthorexia nervosa. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

**Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

**E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# “Healthy”

When the pursuit of health turns into a mental disorder: the case of ortorexia nervosa

Martina Valente





VRIJE UNIVERSITEIT

“Healthy”

When the pursuit of health turns into a mental disorder: the case of orthorexia nervosa

ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad Doctor of Philosophy  
aan de Vrije Universiteit Amsterdam,  
op gezag van de rector magnificus  
prof.dr. V. Subramaniam,  
in het openbaar te verdedigen  
ten overstaan van de promotiecommissie  
van de Faculteit der Bètawetenschappen  
op woensdag 21 oktober 2020 om 9.45 uur  
in de aula van de universiteit,  
De Boelelaan 1105

door

Martina Valente

geboren te Asti, Italië

promotor: prof.dr. J.G.F. Bunders-Aelen

copromotoren: dr. E.V. Syurina

dr. T. Cesuroglu

## Members of the Thesis Committee

Prof.dr. E. van Furth	Leiden University Medical Center
Prof.dr. Ir. J.C. Seidell	Vrije Universiteit Amsterdam, BETA, sectie Jeugd en Leefstijl
Prof.dr. E.W. Broerse	Vrije Universiteit Amsterdam, BETA, Athena Instituut
Prof.dr. M.B.M. Zweekhorst	Vrije Universiteit Amsterdam, BETA, Athena Instituut
Prof.dr. P. Wright	University of Hanoi (Public Health)

### Colofon

ISBN	?
Cover & Design	Rebecca Valente (@rebeccavalente_illustratrice)
Print	IPSKAMP printing

©2020 Martina Valente, Amsterdam, The Netherlands

All rights reserved. No part of this work may be reproduced, stored in a retrieval database or published in any form or by any means, electronic, mechanical, recording or otherwise, without prior written permission of the author.





# Table of Contents

LIST OF ABBREVIATIONS

ACCOUNT

PREFACE

**CHAPTER 1. INTRODUCTION**

1.1 The Emergence of a New Disordered Eating Behavior: Orthorexia Nervosa

1.2 Previous Research and Knowledge Gap

1.3 Research Objective and Research Questions

**CHAPTER 2. THEORETICAL BACKGROUND**

2.1 Adaptation of Snyderman's Curve

2.2 Dynamic Biopsychosocial Model of Health

2.3 Network Theory of Mental Disorders

**CHAPTER 3. RESEARCH DESIGN**

3.1 Transdisciplinary Approach

3.1.1 Health Practitioner Perspective

3.1.2 Insider Perspective

3.1.3 Lay People Perspective: The Role of Social Media

3.2 Data Collection

3.2.1 Qualitative Data Collection and Analysis

3.2.2 Quantitative Data Collection and Analysis

3.2.3 Literature Review

3.3 Validity

3.4 Ethical Considerations

3.5 Outline of the Thesis

**CHAPTER 4.** Developmental pathway of Orthorexia Nervosa: factors contributing to progression from healthy eating to preoccupation. Experiences of Dutch health professionals

**CHAPTER 5.** Diversifying and Integrating Views and Understandings of Health Professionals and Experts on Orthorexia Nervosa

**CHAPTER 6.** Shedding light upon various tools to assess orthorexia nervosa: a critical literature review with a systematic search

**CHAPTER 7.** "Keep Yourself Alive": From healthy eating to progression to orthorexia nervosa. A mixed methods study among young women in the Netherlands

**CHAPTER 8.** "And it snowballed from there": The Development of Orthorexia Nervosa from the Perspective of People who Self-Diagnose

**CHAPTER 9.** The #Orthorexia Community on Instagram

**CHAPTER 10.** "When are we going to hold orthorexia to the same standard as anorexia and bulimia?" Exploring the Conversation about Orthorexia Nervosa on Twitter

## **CHAPTER 11. DISCUSSION**

### 11.1 How does Orthorexia Nervosa Develop?

11.1.1 The Illusion of Safety: Counteracting Anxiety with Over-Control

11.1.2 The Tipping Point Between Healthy Eating and Orthorexia Nervosa

### 11.2 What are Socio-Cultural Factors Influencing Orthorexia Nervosa?

11.2.1 Increased Health Accountability: Healthism and ‘Nutritionism’

11.2.2 Increased Health Accountability: Medicalization and the Creation of a Diagnosis

11.2.3 Social Media

### 11.3 Orthorexia Nervosa as a Cultural Manifestation of Distress?

### 11.4 Methodological Approach & Validity

### 11.5 Future Research

11.5.1 Orthorexia Nervosa & Conflicting Nutritional Information

11.5.2 Orthorexia Nervosa & Weight Loss

11.5.3 Orthorexia Nervosa & Identity

11.5.4 Orthorexia Nervosa as a Future Diagnostic Category

### 11.6 Social Relevance

11.5.1 Acceptance and Commitment Therapy for Orthorexia Nervosa

11.5.2 Identity Intervention Program for Orthorexia Nervosa

11.5.3 Peer-To-Peer Support on Social Media

### 11.7 General Conclusion

## **APPENDIX**

Data Management Plan

REFERENCES

SUMMARY

ACKNOWLEDGMENTS

ABOUT THE AUTHOR

## List of Abbreviations

AIC	Akaike Information Criterion
AN	Anorexia Nervosa
APA	American Psychiatric Association
API	Application Programming Interface
ARFID	Avoidant Restrictive Food Intake Disorder
BN	Bulimia Nervosa
BOS	Barcelona Orthorexia Scale
BOT	Bratman Self-Test
CBT	Cognitive Behavioral Therapy
CFS	Chronic Fatigue Syndrome
CI	Confidence Interval
DOS	Dusseldorf Orthorexia Scale
DSM	Diagnostic and Statistical Manual of Mental Disorders
ED(s)	Eating Disorder(s)
EDNOS	Eating Disorders Not Otherwise Specified
EHQ	Eating Habits Questionnaire
HA	Health Anxiety
ICD	International Classification of Diseases
ON	Orthorexia Nervosa
NCD(s)	Non-Communicable Disease(s)
SD	Standard Deviation
SD-ON	Self-Diagnose Orthorexia Nervosa
TDR	Transdisciplinary Research
TOS	Teruel Orthorexia Scale
WHO	World Health Organization



## Account

Chapters 4 to 9 refer to articles that have been published in, accepted by, or submitted to international peer-reviewed journals.

**Chapter 4.** Douma, E.R., Valente, M., Syurina, E.V. (submitted). Developmental pathway of Orthorexia Nervosa: factors contributing to progression from healthy eating to preoccupation. Experiences of Dutch Health Professionals. *Appetite*.

**Chapter 5.** Valente, M., Cesuroglu, T., Donini, L.M., Galfano, V., Bunders-Aelen J.G.F. & Syurina, E.V. (submitted). Diversifying and Integrating Views and Understandings of Health Professionals and Experts on Orthorexia Nervosa. *Qualitative Research in Sport, Exercise and Health*.

**Chapter 6.** Valente, M., Syurina, E. V., & Donini, L. M. (2019). Shedding light upon various tools to assess orthorexia nervosa: a critical literature review with a systematic search. *Eating and Weight Disorders-Studies on Anorexia, Bulimia and Obesity*, 1–12.

**Chapter 7.** Valente, M., Syurina, E. V., Muftugil-Yalcin, S., & Cesuroglu, T. (2020). “Keep Yourself Alive”: From Healthy Eating to Progression to Orthorexia Nervosa. A Mixed Methods Study among Young Women in the Netherlands. *Ecology of Food and Nutrition*, 1-20.

**Chapter 8.** Valente, M., Brenner, R., Cesuroglu, T., Bunders-Aelen, J., & Syurina, E. V. (2020). “And it snowballed from there”: The development of orthorexia nervosa from the perspective of people who self-diagnose. *Appetite*, 104840.

**Chapter 9.** Valente, M., Renckens, S., Bunders-Aelen, J.F.G., Syurina, E.V. (submitted). The #Orthorexia Community on Instagram. *International Journal of Eating Disorders*.

**Chapter 10.** Valente, M., Cesuroglu, T., Labrie, N., Syurina, E.V. (submitted – third revision completed). “When are we going to hold orthorexia to the same standard as anorexia and bulimia?” Exploring the Conversation about Orthorexia Nervosa on Twitter. *Health Communication*.



## Preface

I started being interested in orthorexia nervosa during the research master's program in Global Health. A recurrent topic being mentioned during the courses was the influence of culture on health and mental health. When we hear things like '*culturally-bound*,' '*idiom of distress*' or '*culturally sensitive*,' we tend to think at 'other' cultures. Instead, I've always been interested in our modern Western culture and its impact on health and wellbeing. This is probably because I am interested in phenomena that I can see every day, which I can identify with or that I can test on my own skin. I am a keen observer of the people and the world around me. My first-year internship during the master was about orthorexia nervosa, as this seemed the perfect opportunity to explore an emergent mental disorder, typical of Western society and embedded in the meaning we attribute to food and health. I suddenly became very interested in the topic and I felt a genuine desire to know more about it and to possibly contribute to increase the knowledge around this distressing phenomenon. Because I felt this closeness to the topic, I decided to conduct also the second-year internship on orthorexia nervosa. The second-year internship brought me to Rome and allowed for the establishment of an international collaboration on orthorexia. This PhD is the culmination of my 'journey' investigating this new, complex phenomenon. This journey advanced my knowledge on orthorexia nervosa and allowed me to hear the voices of those people experiencing mental suffering. It was also a path of personal growth and self-consciousness, which led me to dive into my lived experiences and feelings. My hope is that bits and pieces of this 'journey' can be glimpsed by reading this thesis.



# CHAPTER 1. Introduction

## 1.1 The Emergence of a New Disordered Eating Behavior: Orthorexia Nervosa

Eating disorders (EDs), such as anorexia nervosa, bulimia nervosa and binge eating, are severe and disabling psychiatric disorders characterized by a disturbed eating behavior that leads to an altered consumption or absorption of food, which impairs physical, psychological and social functioning [1]–[3]. They typically arise between the ages of 15 and 25 years, with evidence suggesting that they are affecting individuals at an increasingly younger age [1], [4]. Not only EDs do affect primarily young people, but they are also relatively young disorders. Although historical descriptions of EDs date back to the Hellenistic and medieval eras, it is only 50 years since they have become widely recognized as, potentially fatal, mental disorders [5]. Recovery rates for EDs are still very low, since less than half of people suffering from anorexia nervosa and bulimia nervosa fully recover, and mortality rates for anorexia nervosa are nearly six times higher than among the general population [1]. EDs have also economic repercussions, since people suffering from these disorders experience high costs of health care and overall loss in earnings due to lower employment rates [6]. Lastly, these disorders are complex to investigate, because they are multifactorial, often accompanied by comorbid conditions, and influenced by genetic and environmental interactions [7], [8].

There is a blurred line between clinical ED and abnormal behavioral patterns, meaning that people may engage in disordered eating practices with impairment of everyday functioning, without meeting the behavioral frequency or other criteria of the primary ED diagnoses that are currently included in the Diagnostic and Statistical Manual of Mental Disorders (DSM) [3], [9]. For example, people may exhibit only some of the full range of symptoms of an ED, show mixed features of more than one ED category, or manifest a symptomatology for which there is insufficient information to provide a specific diagnosis [10]. While in previous DSM editions these behavioral patterns fell into the “catch-all” category Eating Disorders Not Otherwise Specified (EDNOS), with the fifth edition of the DSM (DSM-5), the category Other Specified Eating or Feeding Disorders (OSFED) has been introduced. This category encompasses people with distressing eating disturbances, whose characteristics, however, do not meet the full criteria for any of the existing ED diagnoses (i.e. atypical anorexia nervosa, low frequency bulimia nervosa or binge eating disorder, purging disorder, night eating syndrome). Alongside the OSFED category, the DSM-5 includes the Unspecified Feeding or Eating Disorders (UFED) category, which includes all those presentations for which there is insufficient information to assign a diagnosis [3], [9]. These changes to the DSM, together with the ‘relaxation’ of the criteria for anorexia nervosa and bulimia nervosa, have been very helpful in reducing the number of patients assigned the futile diagnosis of EDNOS. However, many disturbed eating practices, which impact everyday functioning, still fall outside the current classification system, thus excluding certain people from treatment. This has led scholars to question the utility of the DSM and, more broadly, of the current classification paradigm [11].

It can be said, therefore, that diagnosed EDs would be only the ‘tip of the iceberg’, encompassing various sub-threshold conditions that tend to be underestimated by the categorical approach of current diagnostic manuals [12]. This is particularly relevant because disordered eating patterns are not fixed, but rather change over time. Being strongly influenced by socio-cultural factors, history and societal trends play an important role in the development of new phenotypes [5], [12]. Only a few of these new phenotypes, however, succeed in entering the DSM. This is because, with the ultimate goal of ensuring the manual’s usability and its alignment with the International Classification of Diseases (ICD) [13], new conditions need to undergo a rigorous validation process before entering the DSM. The strict criteria needed for a new condition to enter the DSM [14] discourage the establishment of new diagnostic categories and therefore diagnostic institutions favor the expansion of current ones [15].

A disordered eating behavior that has arisen in recent years is orthorexia nervosa (ON). ON can be described as an unhealthy obsession with a diet that is perceived to be healthy. Individuals with ON prioritize the purity of food above all aspects of life, spend a considerable amount of time thinking about, buying, planning and preparing healthy meals and feel superior to those who do not follow a healthy diet [16], [17]. This behavior becomes a clinically relevant problem only when the obsession with healthy eating intensifies and begins to impair physiological, psychological and social wellbeing [18]. Due to its recent emergency, research and work on ON is fragmented and at times inconsistent [19], which, among others, lead to the lack of unified diagnostic criteria. Nevertheless, three main criteria are shared by all sets of diagnostic criteria proposed in literature [16], [20]–[23], which can therefore be considered indicative of ON features: (a) pathological preoccupation/obsession with healthy nutrition; (b) distress or anxiety as a consequence of non-adherence to the self-imposed diet; and (c) bio-psycho-social impairments [24]. Prevalence rates of ON in the general population are between 1% and 7% [25]. However, these estimates should be interpreted with caution, since they were calculated using various diagnostic tools that are highly debatable in their ability to detect and discriminate ON patients [26], [27].

An increasing amount of research is looking at the possible reasons for this behavior to arise. A recent review suggests the complex nature of ON and its links to, among others, psychosocial risk factors like perfectionism, dieting behavior, drive for thinness, anxious attitude, obsessive-compulsive tendencies, and having an history of an ED [28]. This review encourages considering these risk factors as being embedded in a broader sociocultural context – characterized, for example, by a bias to low weight and the stigma attached to obesity, availability of organic/ ‘clean’ food, high income and wealth [28].

As advanced by this review, ON is ingrained in our time and culture. In particular, one aspect of Western culture that has been linked to ON is *healthism*. In recent years - and because of the prominence of the neoliberal thinking – government institutions have paid greater attention to empowering citizens in managing their own health by avoiding ‘hazardous’ lifestyle behaviors, like smoking and overeating [29]. The shift

towards individual responsibility for health has been given the name of healthism [30]. Through the lens of healthism, health is considered a *supervalue* [31], and food consumption is medicalized, meaning it is framed in medical terms [32]. Consequently, the individual becomes a ‘health entrepreneur’, responsible for making the right health-related and lifestyle choices [32], [33]. ON is considered a product of healthism [34]–[36], because the promotion of the idea that health is controllable in all its forms causes anxiety and fear of loss of control, which are usually suppressed by exerting more control over lifestyle choices, and which can therefore snowball into an obsessive approach to healthy eating [33], [37], [38].

Healthism is not the only societal trend influencing ON, as the current Western food system also contributes to ON. In fact, the current food system incentivizes excessive production of industrialized foods, which are increasingly detached from their natural ingredients, and whose (un-)healthiness is therefore ever more difficult to decipher [38], [39]. This raises suspicion in consumers, who have consequently become more concerned about what enters their bodies and more proactive decision-makers [38], [40], [41]. To make informed decisions, individuals embark on an arduous information-seeking process aimed at unraveling health risks and benefits of the foods they buy and consume. However, the information they seek is not always accessible, reliable, and/or understandable, and the confusion that ensues may fuel orthorexic thoughts and behaviors [38].

The impact of modern food systems on ON cannot be detached from the influence exerted by traditional and social media. While traditional media still play an important role in disseminating discourses on health and lifestyle, social media are the most prominent source of lifestyle information individuals consult every day. Information circulating on social media is not filtered and allows for the spread of multiple, diverse, sometimes contradictory information about health and nutrition. Thus, in their attempt to navigate health-related information, individuals feel confused by the amount, type, and accuracy of information online [38]. Some features of social media can be considered particularly dangerous for ON. For example, through the *picture-superiority effect*, image-based platforms enhance the internalization of messages to a greater extent [42]. Or, social media encourage *selective exposure*, meaning they continuously expose individuals to a certain type of content, leading them to believe that some behaviors are more prevalent than others, and prompting them to conform to such behaviors [42].

Therefore, apart from an individual disorder, ON can also be considered a societal phenomenon, sometimes referred to as ‘*orthorexic society*’ [38]. As such, ON acquires a broader meaning and relevance, but also more complexity. Untangling ON from the intricate intertwining of societal forces and trends characterizing today’s society is not easy. Understanding to what extent healthy eating is still ‘healthy’ and beyond which it passes the tipping point to become pathological is also complex. Nevertheless, this stimulated our interest in contributing to unravel the complexity of ON, with the conviction that greater knowledge contributes developing preventive strategies and supporting those who are suffering.

## 1.2 Previous Research and Knowledge Gap

Despite a sharp increase in the scientific literature about ON in recent years (Figure 1.1), the scope of the studies published is limited [19]. For example, most of the literature has focused on assessing prevalence rates of ON in at-risk groups or student populations, or developing diagnostic questionnaires and adapting them to different languages. Broader investigations into the development of ON and its complex interaction with society have been rather neglected, and this has contributed to some knowledge gaps.




Figure 1.1. Chart depicting the increase in PubMed articles published per year with the word ‘orthorexia’ in the title (obtained in date 02/09/2020).

It is still unclear, for example, how ON develops over time, what its developmental pathway is and what its contributing factors are. This knowledge gap blurs the line between healthy eating and ON, and may lead to applying the label ‘disordered eating behavior’ also to non-pathological eating practices. To prevent this, a two-phase construct of ON has been proposed by Bratman (2017), according to which the first phase of ON would be positive, where the individual simply decides to eat healthily, while the second phase would consist of an intensification of such pursuit of health, until reaching an obsessive state. Although this two-phase construct advances our understanding of the development of ON, it remains still unclear why some individuals develop ON and others don’t and therefore what factors are responsible for healthy eating to turn into an obsession. In addition, broader socio-cultural factors influencing the developmental pathway of ON have rather been neglected. Although some studies have hinted at the important link between ON and sociocultural forces of modern Western culture [43], [38], [42], [36], most of the studies about ON had a more narrow approach, leaving society’s influence on ON largely unexplored.

A second knowledge gap concerns the involvement of multiple perspectives in understanding and conceptualizing ON. Previous research approached ON in a monodisciplinary way, meaning from the perspective of one single discipline (psychology, nutrition, etc.), and rarely consulted the perspectives of health practitioners, people with ON, or lay people with an interest in or opinion about ON. This can be particularly reductionist because ON is a complex phenomenon – i.e. it is new and therefore still under-researched, thus it is not possible to rely on prevalence estimates in population groups, or on diagnostic instruments that are shown to be internally valid; it is multifactorial and it has intertwined consequences, with one trigger causing multiple reactions. For these reasons, studying ON may require a broader spectrum of perspectives. If some studies attempted to explore the perspectives of health practitioners [44], [45], these were aimed at investigating opinions regarding ON, failing to engage in a process of knowledge co-creation more broadly, where practitioners' experiential knowledge is recalled to trace the developmental pathway of ON. Furthermore, the lack of an official diagnosis is possibly making it difficult to recruit and involve patients in research. Although this can be overcome by relying on the perspectives of people who self-identify as having ON, only a few studies have involved individuals with self-declared ON symptoms [46], [47][48].

### 1.3 Research Objective and Research Questions

These knowledge gaps show that the socio-cultural factors contributing to the development of ON remain largely unexplored, and multiple different perspectives have seldom been consulted to study ON. We believe that there is a need to approach ON in a holistic way, including the various aspects that make ON a complex phenomenon, while also considering different perspectives to understand its nature. The aim of this research project is therefore to unravel the complexity of orthorexia nervosa, by involving multiple perspectives (i.e. practitioners', insiders' and lay people's perspectives) in investigating the phenomenon, its development, and societal factors influencing it. Thus, the following research question paved the way for our investigation: *How can we understand the development of orthorexia nervosa and its socio-cultural contributing factors?* Understanding the phenomenon in a more comprehensive and inclusive way allows clinical practice to advance, as well as the development of preventive and therapeutic approaches.

## References

- [1] U. Schmidt *et al.*, “Eating disorders: The big issue,” *The Lancet Psychiatry*, vol. 3, no. 4, pp. 313–315, 2016.
- [2] H. E. Erskine, H. A. Whiteford, and K. M. Pike, “The global burden of eating disorders,” *Curr. Opin. Psychiatry*, vol. 29, no. 6, pp. 346–353, 2016.
- [3] American Psychiatric Association, “Diagnostic and Statistical Manual of Mental Disorders,” 2013.
- [4] J. Neale, S. M. A. Pais, D. Nicholls, S. Chapman, and L. D. Hudson, “What Are the Effects of Restrictive Eating Disorders on Growth and Puberty and Are Effects Permanent? A Systematic Review and Meta-Analysis,” *J. Adolesc. Heal.*, vol. 66, no. 2, pp. 144–156, Feb. 2020.
- [5] A. Marks, “The evolution of our understanding and treatment of eating disorders over the past 50 years,” *J. Clin. Psychol.*, vol. 75, no. 8, pp. 1380–1391, 2019.
- [6] M. Samnaliev, H. L. A. Noh, K. R. Sonnevile, and S. B. Austin, “The economic burden of eating disorders and related mental health comorbidities: An exploratory analysis using the U.S. Medical Expenditures Panel Survey,” *Prev. Med. Reports*, vol. 2, pp. 32–34, 2015.
- [7] S. E. Mazzeo and C. M. Bulik, “Environmental and Genetic Risk Factors for Eating Disorders: What the Clinician Needs to Know,” *Child Adolesc. Psychiatr. Clin. N. Am.*, vol. 18, no. 1, pp. 67–82, 2009.
- [8] A. LaMarre, C. Rice, and F. Relations, “Healthcare providers’ engagement with eating disorder recovery narratives: opening to complexity and diversity.”
- [9] P. Hay, “Current approach to eating disorders: a clinical update,” *Intern. Med. J.*, vol. 50, no. 1, pp. 24–29, 2020.
- [10] J. J. Thomas, L. R. Vartanian, and K. D. Brownell, “The Relationship Between Eating Disorder Not Otherwise Specified (EDNOS) and Officially Recognized Eating Disorders: Meta-Analysis and Implications for DSM,” *Psychol. Bull.*, vol. 135, no. 3, pp. 407–433, 2009.
- [11] K. H. Gordon, J. M. Holm-Denoma, V. J. Douglas, R. Crosby, and S. A. Wonderlich, “The classification of eating disorders,” *Oxford Handb. Eat. Disord.*, no. September 2020, pp. 9–23, 2017.
- [12] L. Dell’Osso *et al.*, “Historical evolution of the concept of anorexia nervosa and relationships with orthorexia nervosa, autism, and obsessive-compulsive spectrum,” *Neuropsychiatr. Dis. Treat.*, vol. 12, pp. 1651–1660, 2016.
- [13] D. A. Regier, E. A. Kuhl, and D. J. Kupfer, “The DSM-5: classification and criteria changes.”
- [14] K. C. Allison and J. D. Lundgren, *Emerging syndromes*, no. September 2020, 2017.
- [15] C. G. Fairburn and Z. Cooper, “Eating disorders, DSM-5 and clinical reality,” *Br. J. Psychiatry*, vol. 198, no. 1, pp. 8–10, 2011.
- [16] T. M. Dunn and S. Bratman, “On orthorexia nervosa: A review of the literature and proposed diagnostic criteria,” *Eat. Behav.*, vol. 21, pp. 11–17, 2016.
- [17] H. Cena *et al.*, “Definition and diagnostic criteria for orthorexia nervosa: a narrative review of the literature,” *Eating and Weight Disorders*, vol. 24, no. 2. Springer International Publishing, pp. 209–246, 01-Apr-2019.
- [18] S. Bratman, “Orthorexia vs. theories of healthy eating,” *Eat. Weight Disord.*, vol. 22, no. 3, pp. 381–385, 2017.
- [19] B. Missbach and F. Barthels, “Orthorexia Nervosa: moving forward in the field,” *Eat. Weight Disord.*, vol. 22, no. 1, p. 1, 2017.
- [20] S. Jessica, “The Eating Disorders Clinical Pocket Guide: Quick Reference for Healthcare Providers, Second Edition,” 2013.
- [21] R. M. Moroze, T. M. Dunn, J. Craig Holland, J. Yager, and P. Weintraub, “Microthinking About Micronutrients: A Case of Transition From Obsessions About Healthy Eating to Near-Fatal ‘Orthorexia Nervosa’ and Proposed Diagnostic Criteria,” *Psychosomatics*, vol. 56, no. 4, pp. 397–403, 2015.
- [22] F. Barthels, F. Meyer, and R. Pietrowsky, “Die Düsseldorfer Orthorexie Skala–Konstruktion und Evaluation eines Fragebogens zur Erfassung ortho-rektischen Ernährungsverhaltens,” <http://dx.doi.org/10.1026/1616-3443/a000310>, Aug. 2015.
- [23] M. Varga, S. Dukay-Szabó, F. Túry, and F. Van Furth Eric, “Evidence and gaps in the literature on orthorexia nervosa,” *Eat. Weight Disord.*, vol. 18, no. 2, pp. 103–111, 2013.

- [24] H. Cena *et al.*, *Definition and diagnostic criteria for orthorexia nervosa: a narrative review of the literature*, vol. 24, no. 2. Springer International Publishing, 2019.
- [25] J. Strahler and R. Stark, “Perspective: Classifying Orthorexia Nervosa as a New Mental Illness—Much Discussion, Little Evidence,” *Adv. Nutr.*, vol. 2019, no. May 2019, pp. 1–6, 2020.
- [26] E. Mitrofanova, E. Pummell, L. Martinelli, and A. Petróczy, “Does ORTO-15 produce valid data for ‘Orthorexia Nervosa’? A mixed-method examination of participants’ interpretations of the fifteen test items,” vol. 1, p. 3.
- [27] G. Voglino *et al.*, “Orthorexia Nervosa, a challenging evaluation: analysis of a sample of customers from organic food stores,” *Psychol. Health Med.*, pp. 1–9, May 2020.
- [28] S. E. McComb and J. S. Mills, “Orthorexia nervosa: A review of psychosocial risk factors,” *Appetite*, vol. 140, no. October 2018, pp. 50–75, 2019.
- [29] C. Walker, H. Swerissen, and J. Belfrage, “Self-management: its place in the management of chronic illnesses,” *Aust. Health Rev.*, vol. 26, no. 2, pp. 34–42, 2003.
- [30] R. Crawford, “Healthism and the medicalization of everyday life,” *Int. J. Heal. Serv.*, vol. 10, no. 3, pp. 365–388, 1980.
- [31] M. De Jong, A. Collins, and S. Plüg, “‘To be healthy to me is to be free’: how discourses of freedom are used to construct healthiness among young South African adults,” *Int. J. Qual. Stud. Health Well-being*, vol. 14, no. 1, 2019.
- [32] T. B. Encyclopedia, G. Ritzer, and C. Rojek, “Food and Health Tanja Schneider University of St. Gallen, Switzerland; University of Oxford, UK,” *Blackwell Encycl. Sociol.*, vol. 2, pp. 1–5, 2019.
- [33] L. Salter and A. Dickson, “The fantasy of healthy food: desire and anxiety in healthy food guide magazine,” *Crit. Public Health*, vol. 00, no. 00, pp. 1–13, 2020.
- [34] M. McCartney, “Clean eating and the cult of healthism,” *BMJ*, 2016.
- [35] A. A. Ross Arguedas, “‘Can naughty be healthy?’: Healthism and its discontents in news coverage of orthorexia nervosa,” *Soc. Sci. Med.*, vol. 246, p. 112784, Feb. 2020.
- [36] C. Hanganu-Bresch, “Orthorexia: eating right in the context of healthism,” *Med. Humanit.*, p. medhum-2019-011681, 2019.
- [37] C. Cinquegrani and D. H. K. Brown, “‘Wellness’ lifts us above the Food Chaos’: a narrative exploration of the experiences and conceptualisations of Orthorexia Nervosa through online social media forums,” *Qual. Res. Sport. Exerc. Heal.*, vol. 10, no. 5, pp. 585–603, 2018.
- [38] C. Rangel, S. Dukeshire, and L. MacDonald, “Diet and anxiety. An exploration into the Orthorexic Society,” *Appetite*, vol. 58, no. 1, pp. 124–132, 2012.
- [39] G. Nicolosi, “Biotechnologies, alimentary fears and the orthorexic society,” *Tailoring Biotechnol.*, vol. 2, no. 3, pp. 37–56, 2007.
- [40] J. Lee and D. Macdonald, “‘Are they just checking our obesity or what?’ The healthism discourse and rural young women,” *Sport. Educ. Soc.*, vol. 15, no. 2, pp. 203–219, 2010.
- [41] M. Fimmano, “‘All I Need to do is Improve My Diet and Exercise Habits’: Exploring the Impact of the ‘Mental Healthism’ Discourse on People who have Experienced Mental Illness,” Murdoch University, 2019.
- [42] P. G. Turner and C. E. Lefevre, “Instagram use is linked to increased symptoms of orthorexia nervosa,” *Eat. Weight Disord.*, vol. 22, no. 2, pp. 277–284, 2017.
- [43] E. V. Syurina, Z. M. Bood, F. V. M. Ryman, and S. Muftugil-Yalcin, “Cultural Phenomena Believed to Be Associated With Orthorexia Nervosa – Opinion Study in Dutch Health Professionals,” *Front. Psychol.*, vol. 9, no. SEP, p. 1419, Sep. 2018.
- [44] W. Vandereycken, “Media hype, diagnostic fad or genuine disorder? Professionals’ opinions about night eating syndrome, orthorexia, muscle Dysmorphia, and emetophobia,” *Eat. Disord.*, vol. 19, no. 2, pp. 145–155, 2011.
- [45] F. V. M. Ryman, T. Cesuroglu, Z. M. Bood, and E. V. Syurina, “Orthorexia nervosa: Disorder or not? Opinions of Dutch health professionals,” *Front. Psychol.*, vol. 10, no. MAR, pp. 1–9, 2019.
- [46] T. M. Dunn, N. Hawkins, S. Gagliano, and K. Stoddard, “Individuals who self-identify as having ‘orthorexia nervosa’ score in the clinical range on the Eating Attitudes Test-26,” *Eat. Weight Disord.*, vol. 24, no. 6, pp. 1025–1030, 2019.
- [47] A. Fixsen, A. Cheshire, and M. Berry, “The Social Construction of a Concept — Orthorexia Nervosa : Morality Narratives and Psycho-Politics,” 2020.
- [48] M. Greville-Harris, J. Smithson, and A. Karl, “What are people’s experiences of orthorexia nervosa?”

A qualitative study of online blogs,” *Eat. Weight Disord.*, no. 0123456789, 2019.