

VU Research Portal

Modelling Joint Decision Making Processes Involving Emotion-Related Valuing and Mutual Empathic Understanding

Treur, J.

published in

Lecture Notes in Computer Science
2011

DOI (link to publisher)

[10.1007/978-3-642-25044-6_33](https://doi.org/10.1007/978-3-642-25044-6_33)

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Treur, J. (2011). Modelling Joint Decision Making Processes Involving Emotion-Related Valuing and Mutual Empathic Understanding. *Lecture Notes in Computer Science*, 7047, 410-423. https://doi.org/10.1007/978-3-642-25044-6_33

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Modelling Joint Decision Making Processes Involving Emotion-Related Valuing and Empathic Understanding

Jan Treur

VU University Amsterdam, Agent Systems Research Group
De Boelelaan 1081, 1081 HV, Amsterdam, The Netherlands

treur@cs.vu.nl

<http://www.cs.vu.nl/~treur>

Abstract. In this paper a social agent model for joint decision making is presented addressing the role of mutually acknowledged empathic understanding in the decision making. The model is based on principles from recent neurological theories on mirror neurons, internal simulation, and emotion-related valuing. Emotion-related valuing of decision options and mutual contagion of intentions and emotions between agents are used as a basis for mutual empathic understanding and convergence of decisions and their associated emotions.

1 Introduction

An important aspect in group functioning is the ability for joint decision making. In recent years developments in neuroscience have clarified some of the mechanisms underlying such processes (e.g., [7, 13, 18]). Two interrelated core concepts in this discipline are mirror neurons and internal simulation. Mirror neurons are neurons that not only have the function to prepare for a certain action or body change, but are also activated upon observing somebody else who is performing or tending to perform this action or body change (e.g., [23, 32, 35, 39]). Internal simulation is mental processing that copies processes that may take place externally, for example, in another individual (e.g., [8, 10, 16, 17, 20]). On the one hand, mirror neurons and internal simulation have been put forward as a basic mechanism for imitation and contagion of actions and emotions; on the other hand, they have been related to empathy; e.g., [23]. In this way mirror neurons and internal simulation provide a basis both to mutually tune individual intentions and emotions and to develop mutual empathic understanding between persons (e.g., [16, 17, 33, 36]). Usually these two aspects are addressed separately, but in joint decision making processes they both play their roles in order to achieve solidly grounded joint decisions.

Empathic understanding can concern both cognitive (e.g., knowing or believing) and affective (e.g., feeling) aspects. Affective and cognitive understanding are often related to each other, as any cognitive state triggers an associated emotional response which is the basis of the related feeling (e.g., [8, 10, 11, 12]). Usually in an individual decision making process, before a decision option is chosen an internal simulation takes place to predict the expected effects of the option (e.g., [2, 8, 10, 11, 12, 28]). Based on these predicted effects a valuation of the option takes place, which may

involve or even be mainly based on the affective state associated to this effect (e.g., [1, 8, 9, 11, 29, 31]). To achieve a solid joint decision, a shared feeling and valuation for the chosen option are important, and also mutual recognition of this sharedness. When this is achieved, a common decision has a strong shared emotional grounding as the group members do not only intend to follow that option, but they also share a good feeling about it, and they have (mutually acknowledged) empathic understanding of how other persons feel about the options. The latter may be important as well for acceptance of non-joint decisions.

The obtained social agent model can be used as a basis for the design of human-like virtual agents for simulation-based training or in gaming, or for virtual stories. For the first type of application the idea is to develop a number of virtual agents cooperating with a human trainee as a team in an decision making task. For the second type of application the idea is to design a system for agent-based virtual stories in which, for example, persons play a role which can be based on the presented model.

In this paper, first in Section 2 some core concepts used are briefly reviewed. Next, in Section 3 the social agent model is presented. In Section 4 some of the explored simulation scenarios are discussed. Finally, Section 5 is a discussion.

2 Mirroring, Internal Simulation and Emotion-Related Valuing

Two concepts used here as a basis are mirror neurons and internal simulation; in combination they provide an individual's mental function of mirroring mental processes of another individual (see also [39]). Mirror neurons are not only firing when a subject is preparing an action, but also when somebody else is performing or preparing this action and the subject just observes that. They have first been found in monkeys (cf. [15, 34]), and after that it has been assumed that similar types of neurons also occur in humans, with empirical support, for example, in [25] based on fMRI, and [14, 30] based on single cell experiments with epilepsy patients (see also [23, 24, 27]). The effect of activation of mirror neurons is context-dependent. A specific type of neurons has been suggested to be able to indicate such a context. They are assumed to indicate self-other distinction and exert control by allowing or suppressing action execution; e.g., [6, 19, 24], and [23], pp. 196-203.

Activation states of mirror neurons play an important role in *mirroring* mental processes of other persons by *internal simulation*. In [26] the following causal chain for generation of felt emotions is suggested (see also [12], pp. 114-116):

sensory representation → preparation for bodily changes → expressed bodily changes →
emotion felt = based on sensory representation of (sensed) bodily changes

As a further step *as-if body loops* were introduced bypassing actually expressed bodily changes (cf. [8], pp. 155-158; see also [10], pp. 79-80; [11, 12]):

sensory representation → preparation for bodily changes = emotional response →
emotion felt = based on sensory representation of (simulated) bodily changes

An as-if body loop describes an *internal simulation* of the bodily processes, without actually affecting the body, comparable to simulation in order to perform, for example, prediction, mindreading or imagination; e.g., [2], [16], [17], [20], [28]. The feelings generated in this way play an important role in valuing predicted or imagined

effects of actions, in relation to amygdala activations; see, e.g., [29], [31]. The emotional response and feeling mutually affect each other in a bidirectional manner: an as-if body loop usually has a cyclic form (see, for example, [11], pp. 91-92; [12], pp. 119-122):

emotion felt = based on sensory representation of (simulated) bodily changes →
preparation for bodily changes = emotional response

As mirror neurons make that some specific sensory input (an observed action of another person) directly links to related preparation states, they combine well with as-if body loops; see also [39], or [12], pp. 102-104. In this way states of other persons lead to activation of some of a person's corresponding own states that at the same time play a role in the person's own feelings and decisions for actions. This provides an effective mechanism for how observed actions and feelings and own actions and feelings are tuned to each other. Thus a mechanism is obtained which explains how in a social context persons fundamentally affect each other's individual decisions and states, including feelings. Moreover, it is also the basis for empathic understanding of other persons' preferences and feelings. Both the tuning and convergence of action tendencies and the mutual empathic understanding (even when finally no common option is decided for) play a crucial role in joint decision making processes.

3 The Social Agent Model

The issues and perspectives briefly reviewed in the introduction and Section 2 have been used as a basis for the neurologically inspired cognitive agent model presented below (for an overview, see Fig. 1); in summary:

- Decision making is based on *emotion-related valuing* of the *predicted effects* of each action option
- Both the tendency to go for an action and the associated emotion are transferred between agents via *mirroring processes* using *internal simulation*
- These mirroring processes at the same time induce a gradual process of mutually *tuning* the considered actions and their emotion-related valuations, and the development of mutual *empathic understanding*
- The outcome of such a joint decision process in principle involves three elements:
 - a *common action* option
 - a *shared positive feeling* and *valuation* for the effect of this action option
 - mutually *acknowledged empathic understanding* for both the action and feeling
- In case of an outcome without a common choice for an action option, the process results in mutually *acknowledged empathic understanding*
- The mutually acknowledged empathic understanding is based on the following criteria:
 - (a) Showing the same state as the other agent (nonverbal part of the empathic response)
 - (b) Telling that the other agent has this state (verbal part of the empathic response)
 Assuming true, faithful nonverbal and verbal expression, these criteria are in line with the criteria of empathy for affective states formulated in [36].

In the model s denotes a *stimulus*, a an *option* for an *action* to be decided about, and e a world state which is an *effect* of the action. The effect state e is *valued* by associating a

Prediction of effects of prepared actions is modelled using the connection from the preparation $PS(a)$ of the action a to the sensory representation $SR(e)$ of the effect e . Suppression of the sensory representation of a predicted effect (according to, e.g., [3], [4], [28]) is modelled by the (inhibiting) connection from the ownership state $OS(B, s, a, e)$ to sensory representation $SR(e)$. The control exerted by the ownership state for action a is modelled by the connection from $OS(B, s, a, e)$ to $ES(a)$. Communicating ownership for an action (a way of expressing recognition of the other person's states, as a verbal part of showing empathic understanding) is modelled by the connection from the ownership state $OS(B, s, a, e)$ to the communication effector state $EC(B, s, a, e)$. Similarly, communicating of ownership for an emotion for effect e indicated by b is modelled by the connection from the ownership state $OS(B, e, b)$ to the communication effector state $EC(B, e, b)$. Connections between state properties (the arrows in Fig. 1) have weights, as indicated in Table 2.

Table 2. Overview of the connections and their weights

from states	to state	weights	LP
SS(W)	SR(W)	ω_{1W}	LP1
PS(a), OS(B, s, a, e), SS(e)	SR(e)	$\omega_{21e}, \omega_{22e}, \omega_{23e}$	LP2
PS(b), OS(B, e, b), SS(b)	SR(b)	$\omega_{21b}, \omega_{22b}, \omega_{23b}$	
SR(s), SR(b), SR(B, a)	PS(a)	$\omega_{31a}, \omega_{32a}, \omega_{33a}$	LP3
SR(e), SR(b), SR(B, b)	PS(b)	$\omega_{31b}, \omega_{32b}, \omega_{33b}$	
SR(B, a), SR(s), PS(a), SR(e)	OS(B, s, a, e)	$\omega_{41a}, \omega_{42a}, \omega_{43a}, \omega_{44a}$	LP4
SR(B, b), SR(e), PS(b), SR(b)	OS(B, e, b)	$\omega_{41b}, \omega_{42b}, \omega_{43b}, \omega_{44b}$	
OS(B, s, a, e), PS(a)	ES(a)	$\omega_{51a}, \omega_{52a}$	LP5
OS(B, e, b), PS(b)	ES(b)	$\omega_{51b}, \omega_{52b}$	
ES(a)	WS(e)	ω_{6e}	LP6
ES(b)	WS(b)	ω_{6b}	
WS(W)	SS(W)	ω_{7W}	LP7
OS(B, s, a, e)	EC(B, s, a, e)	ω_{8a}	LP8
OS(B, e, b)	EC(B, e, b)	ω_{8b}	

In this table the column LP refers to the (temporally) Local Properties LP1 to LP9 presented below. A weight usually has a value between -1 and 1 and may depend on the specific instance for agent B , stimulus s , action a and/or effect state b involved. Note that in general weights are assumed non-negative, except for inhibiting connections, such as ω_{22e} which models suppression of the sensory representation of effect e , and ω_{22b} which models suppression of the sensory representation of body state b .

Below, the dynamics following the connections between the states in Fig. 1 are described in more detail. This is done for each state by a dynamic property specifying how the activation value for this state is updated based on the activation values of the states connected to it (the incoming arrows in Fig. 1). Note that in these property specifications s , a , e , b , and B are parameters for stimuli, actions, effects, body states, and agents, respectively; multiple instances for each of them can be used in a given agent model. The agent model has been computationally formalised using the hybrid

modeling language LEADSTO; cf. [5]. Within LEADSTO a dynamic property or temporal causal relation $a \rightarrow b$ denotes that when a state property a (or conjunction thereof) occurs, then after a certain time delay, state property b will occur. Below, this delay will be taken as a uniform time step Δt . Each time first a semiformal description is given, and next a formal specification in the hybrid LEADSTO format. Parameter γ indicates the speed by which an activation level is updated based on received input from other states. During processing, each state property has an activation level represented by a real number between 0 and 1; variables V (possibly with subscripts) run over these values. In dynamic property specifications, this is added as a last argument to the state property expressions (an alternative notation $\text{activation}(p, V)$ with p a state property has not been used for the sake of notational simplicity).

Below, f is a function for which different choices can be made, for example, the identity function $f(W) = W$ or a combination function based on a continuous logistic threshold function of the form

$$th(\sigma, \tau, X) = \left(\frac{1}{1 + e^{-\sigma(X - \tau)}} - \frac{1}{1 + e^{\sigma\tau}} \right) (1 + e^{-\sigma\tau}) \quad \text{or} \quad th(\sigma, \tau, X) = \frac{1}{1 + e^{-\sigma(X - \tau)}}$$

with σ a steepness and τ a threshold value, when $X \geq 0$, and 0 when $X < 0$. Note that for higher values of $\sigma\tau$ (e.g., $\sigma > 20/\tau$) the right hand side threshold function can be used as an approximation. In the example simulations, in LP1, LP6, and LP7, f is taken the identity function $f(W) = W$, and for the other states f is a combination function based on the logistic threshold function: $f(X_1, X_2) = th(\sigma, \tau, X_1 + X_2)$, and similarly for other numbers of arguments; other types of combination functions might be used as well. For example values for τ and σ , see Table 3 in Section 4.

The first property LP1 describes how sensory representations are generated for any state W , indicating a stimulus s , an action a of an agent B , or a feeling b of an agent B .

LP1 Sensory representation of w based on a sensor state for w

If the sensor state for W has level V_1

and the sensory representation of W has level V_2

then after duration Δt the sensory representation of W will have level $V_2 + \gamma [f(\omega_{1W}V_1) - V_2] \Delta t$.

$$SS(W, V_1) \ \& \ SR(W, V_2) \ \rightarrow \ SR(W, V_2 + \gamma [f(\omega_{1W}V_1) - V_2] \Delta t)$$

The sensory representation of an effect state e is not only affected by a corresponding sensor state for e (affected by the world state), but also by two action-related states:

- via the *predictive loop* by a preparation state, as a way of *internal simulation* to predict the effect e of a prepared action a
- by an inhibiting connection from the self-ownership state, to *suppress* the sensory representation of the *effect* e of the action a , once it is going to be initiated; e.g., [3], [4]

This is expressed in dynamic property LP2. Note that for this suppressing effect the connection weight ω_{22e} from ownership state for action a to sensory representation for effect e is taken negative, for example $\omega_{22e} = -0.2$. Dynamic property LP2b specifies a similar temporal relationship for update of the sensory representation of a body state, and thus models *internal simulation* by an *as-if body loop*.

LP2e Sensory representation for an effect state e

If the preparation state for action a has level V_1
 and the ownership of action a for B and s has level V_2
 and the sensor state for state e has level V_3 and the sensory representation state of e has level V_4
 then after Δt the sensory representation of e will have level $V_4 + \gamma [f(\omega_{21e}V_1, \omega_{22e}V_2, \omega_{23e}V_3) - V_4] \Delta t$.

$$PS(a, V_1) \ \& \ OS(B, s, a, e, V_2) \ \& \ SS(b, V_3) \ \& \ SR(b, V_4) \ \rightarrow \ SR(b, V_4 + \gamma [f(\omega_{21e}V_1, \omega_{22e}V_2, \omega_{23e}V_3) - V_4] \Delta t)$$
LP2b Sensory representation for a body state b

If the preparation state for body state b has level V_1
 and the ownership of body state b for B and b, and e has level V_2
 and the sensor state for state b has level V_3 and the sensory representation of state b has level V_4
 then after Δt the sensory representation of b will have level $V_4 + \gamma [f(\omega_{21b}V_1, \omega_{22b}V_2, \omega_{23b}V_3) - V_4] \Delta t$.

$$PS(a, V_1) \ \& \ OS(B, e, b, V_2) \ \& \ SS(b, V_3) \ \& \ SR(b, V_4) \ \rightarrow \ SR(b, V_4 + \gamma [f(\omega_{21b}V_1, \omega_{22b}V_2, \omega_{23b}V_3) - V_4] \Delta t)$$

Preparation for action a is affected by

- the sensory representation of stimulus s
- the body state b associated to the predicted effect e of the action,
- observation of the action (tendency) in another agent

The first bullet is an external trigger for the action. The second bullet models the impact of the result b of the *emotion-related valuing* of the action effect e. The third bullet models the *mirroring* effect for the action as observed as a tendency in another agent. Similarly for the preparation for a body state b; here the sensory representation of the effect e serves as a trigger, and the emotion state of another agent is mirrored.

LP3a Preparing for an action a

If sensory representation of s has level V_1 and sensory representation of body state b has level V_2
 and sensory representation of B for a has level V_3 and the preparation for action a has level V_4
 then after Δt preparation for action a will have level $V_4 + \gamma [f(\omega_{31a}V_1, \omega_{32a}V_2, \omega_{33Ba}V_3) - V_4] \Delta t$.

$$SR(s, V_1) \ \& \ SR(b, V_2) \ \& \ SR(B, a) \ \& \ PS(a, V_4) \ \rightarrow \ PS(a, V_4 + \gamma [f(\omega_{31a}V_1, \omega_{32a}V_2, \omega_{33Ba}V_3) - V_4] \Delta t)$$
LP3b Preparing for a body state b

If sensory representation of e has level V_1 and sensory representation of b has level V_2
 and sensory representation of B for b has level V_3 and the preparation for action a has level V_4
 then after Δt preparation for action a will have level $V_4 + \gamma [f(\omega_{31b}V_1, \omega_{32b}V_2, \omega_{33Bb}V_3) - V_4] \Delta t$.

$$SR(e, V_1) \ \& \ SR(b, V_2) \ \& \ SR(B, b) \ \& \ PS(b, V_4) \ \rightarrow \ PS(b, V_4 + \gamma [f(\omega_{31b}V_1, \omega_{32b}V_2, \omega_{33Bb}V_3) - V_4] \Delta t)$$

Ownership states for an action a or body state b are generated by LP4a and LP4b. They keep track of the agent's context with respect to the action or body state. This context concerns both the agent self and the other agents and their extent of ownership of the action or body change; in this sense it is a basis for attribution to an agent, and includes self-other distinction. Moreover, a self-ownership is used to control execution of prepared actions or body states, like super mirror neurons are assumed to do. For example, in case the agent B is self, the ownership state for action a strengthens the initiative to perform a as a self-generated action: executing a prepared action depends on whether a certain activation level of the ownership state

for the agent self is available for this action. This is how control over the execution of the action (go/no-go decision) is exerted, and can, for example, be used to veto the action in a stage of preparation.

LP4a Generating an ownership state for B and a

If the sensory representation of (tendency for) action a in agent B has level V_1
and the sensory representation of s has level V_2 and the preparation for action a has level V_3
and the sensory representation of e has level V_4 and ownership of a for B, s and e has level V_5
then after Δt ownership of a for B, s and e will have

$$\begin{aligned} & \text{level } V_5 + \gamma [f(\omega_{41a}V_1, \omega_{42a}V_2, \omega_{43a}V_3, \omega_{44a}V_4) - V_5] \Delta t. \\ \text{SR}(B, a, V_1) \ \& \ \text{SR}(s, V_2) \ \& \ \text{PS}(a, V_3) \ \& \ \text{SR}(e, V_4) \ \& \ \text{OS}(B, s, a, e, V_5) \\ \rightarrow \text{OS}(B, s, a, e, V_5) \ \& \ \gamma [f(\omega_{41a}V_1, \omega_{42a}V_2, \omega_{43a}V_3, \omega_{44a}V_4) - V_5] \Delta t \end{aligned}$$

LP4b Generating an ownership state for B and b

If the sensory representation of B with body state b has level V_1
and the sensory representation of e has level V_2 and the preparation for body state b has level V_3
and the sensory representation of b has level V_4 and ownership of b for B and e has level V_5
then after Δt ownership of b for B and e will have

$$\begin{aligned} & \text{level } V_5 + \gamma [f(\omega_{41b}V_1, \omega_{42b}V_2, \omega_{43b}V_3, \omega_{44b}V_4) - V_5] \Delta t. \\ \text{SR}(B, b, V_1) \ \& \ \text{SR}(e, V_2) \ \& \ \text{PS}(b, V_3) \ \& \ \text{SR}(b, V_4) \ \& \ \text{OS}(B, e, b, V_5) \\ \rightarrow \text{OS}(B, e, b, V_5) \ \& \ \gamma [f(\omega_{41b}V_1, \omega_{42b}V_2, \omega_{43b}V_3, \omega_{44b}V_4) - V_5] \Delta t \end{aligned}$$

Note that in case that B is the agent self, the first condition in LP4a and LP4b indicates how far the agent has a certain willingness to come to an action or expression. For example, when no other agent is present the willingness to explicitly express emotions may be less, or when the agent is in a passive mood, willingness to come to an action a may be low. The use of ownership states in control of execution is modelled by LP5:

LP5a Action a execution

If ownership of a for B and s and e has level V_1 and preparation for action a has level V_2
and the action execution state for a has level V_3
then after Δt the action execution state for a will have level $V_3 + \gamma [f(\omega_{51a}V_1, \omega_{52a}V_2) - V_3] \Delta t$.

$$\text{OS}(B, s, a, e, V_1) \ \& \ \text{PS}(a, V_2) \ \& \ \text{ES}(a, V_3) \ \rightarrow \ \text{ES}(a, V_3 + \gamma [f(\omega_{51a}V_1, \omega_{52a}V_2) - V_3] \Delta t)$$

LP5b Body change b execution

If ownership of b for B and e has level V_1 and preparation for body state b has level V_2
and the execution state for b has level V_3
then after Δt the execution state for b will have level $V_3 + \gamma [f(\omega_{51b}V_1, \omega_{52b}V_2) - V_3] \Delta t$.

$$\text{OS}(B, e, b, V_1) \ \& \ \text{PS}(b, V_2) \ \& \ \text{ES}(b, V_3) \ \rightarrow \ \text{ES}(b, V_3 + \gamma [f(\omega_{51b}V_1, \omega_{52b}V_2) - V_3] \Delta t)$$

Note that these executions also function as the *nonverbal part of the empathic response*; e.g., showing a face expression with the same emotion as the other person.

Property LP6 describes in a straightforward manner how execution of action a or body change b affects the world state for effect e or body state b.

LP6e From action execution to effect state

If the execution state for action a has level V_1 and world state e has level V_2
then after Δt world state e will have level $V_2 + \gamma [f(\omega_{6e}V_1) - V_2] \Delta t$.

$$\text{ES}(a, V_1) \ \& \ \text{WS}(e, V_2) \ \rightarrow \ \text{WS}(e, V_2 + \gamma [f(\omega_{6e}V_1) - V_2] \Delta t)$$

LP6b From body change execution to body state

If the execution state for body state b has level V_1 and body state b has level V_2
 then after Δt body state b will have level $V_2 + \gamma [f(\omega_{6b}V_1) - V_2] \Delta t$.

$$ES(a, V_1) \ \& \ WS(b, V_2) \ \rightarrow \ WS(b, V_2 + \gamma [f(\omega_{6b}V_1) - V_2] \Delta t)$$

The following property models how sensor states are updated. It applies to an action a of agent B , a feeling b of agent B , a stimulus s , effect e , or emotion indicated by body state b (covered by variable W).

LP7 Generating a sensor state for a world or body state W

If world state W has level V_1 and the sensor state for W has level V_2
 then after Δt the sensor state for W will have level $V_2 + \gamma [f(\omega_{7w}V_1) - V_2] \Delta t$.

$$WS(W, V_1) \ \& \ SS(W, V_2) \ \rightarrow \ SS(W, V_2 + \gamma [f(\omega_{7w}V_1) - V_2] \Delta t)$$

Communication of ownership of the other agent to the other agent represents acknowledgement of an agent that it has noticed the state of the other agent: a *verbal part* of the *empathic response*. These communications depend on the ownership states as specified in LP8.

LP8a Communication of the other agent B 's intention a and e for s

If the ownership state of a and e for B and s has level V_1 ,
 and communication of a and e for B and s has level V_2
 then after Δt communication of a and e for B and s will have level $V_2 + \gamma [f(\omega_{8a}V_1) - V_2] \Delta t$.

$$OS(B, s, a, e, V_1) \ \& \ EO(B, s, a, e, V_2) \ \rightarrow \ EO(B, s, a, e, V_2 + \gamma [f(\omega_{8a}V_1) - V_2] \Delta t)$$

LP8b Communication of the other agent B 's emotion b for e

If the ownership state of b for B and e has level V_1 ,
 and communication of b for B and e has level V_2
 then after Δt communication of b for B and e will have level $V_2 + \gamma [f(\omega_{8b}V_1) - V_2] \Delta t$.

$$OS(B, e, b, V_1) \ \& \ EO(B, e, b, V_2) \ \rightarrow \ EO(B, e, b, V_2 + \gamma [f(\omega_{8b}V_1) - V_2] \Delta t)$$

4 Simulation Results

In this section simulation results are discussed for scenarios that have been explored. Note that in this section for the sake of simplicity two agents A and B are considered and for each of s , a , e , b , just one instance is used, which is the same for both agents. In the first two scenarios mutual empathic understanding and convergence to a joint decision are achieved (for two different situations), and in the third scenario mutual empathic understanding is achieved but no convergence to a joint decision. In the scenarios discussed all connection strengths were taken 1 , except the inhibiting connections, which were taken -0.2 , and the connection to the action effect in the world which was taken 0 as the focus here is on the process of decision making prior to the actual execution of the decision. The speed factor γ was set to 0.5 and $\Delta t = 0.2$. In the scenario shown in Fig. 2 both agents get stimulus s as input with level 1 . Here time is on the horizontal axis and activation levels as indicated are on the vertical axis. The upper graph shows agent A and the lower graph agent B . The threshold and steepness values used (for both agents) are shown in Table 3.




Fig. 2. Reaching a joint decision and mutual understanding for different self-contexts

Table 3. Threshold and steepness values used

LP	LP2e	LP2b	LP3a	LP3b	LP4a	LP4b	LP5a	LP5b	LP8a	LP8b
threshold τ	0.2	0.7	1	0.7	3.2	3.2	1.6	1	0.6	0.6
steepness σ	4	4	4	4	8	8	20	20	20	20

The only difference between the two agents is that agent A has level 1 context factor which indicates willingness to come to action and for agent B this is 0.5. In Fig. 2 the following is shown:

- From time point 3 on, triggered by the stimulus s , both agents develop a *preparation for action option a*, which is immediately followed by activation of *predicted effect e*.
- Around time point 6 both agents start to develop an *emotional response preparation* for b triggered by the predicted effect e.
- As a consequence (by the as-if body loop), for both the *feeling* of this emotion starts from time point 9 on.
- Around time point 10 agent A starts to activate the *self ownership* state for *action option a*, whereas for agent B this only happens later, after time point 16, due to its lower self-context value.
- Due to this, agent A *expresses* (the tendency for) *action option a* from time point 20 on (marked line).
- Around time 21 agent A starts to develop a *self-ownership* state for *emotion b*
- From time point 22 on agent A *expresses* the *emotion felt* (marked line).

Note that at this point in time agent B does not yet show such reactions, due to the lower self-context for agent B. However, by B’s mirroring of the two types of

expression (action a tendency and body state b) from agent A, agent B is affected in its preparation levels for both the action a option and the bodily response b.

- Around time 16 agent B has started to develop a *self-ownership* state for the *action a*.
- From time point 21 agent B also starts to develop a *self-ownership* state for *feeling b* and *expresses* the *feeling* of b (marked line).
- From time 22 on agent B develops an *ownership* state for *agent A of action a*, and from time 24 on agent B develops an *ownership* state for *agent A feeling b*.
- The *expression* of a tendency for *action* option a is developed by agent B from time point 26 on (marked line).

This actually creates a joint decision for action option a, accompanied by a shared good feeling b for it. Moreover, this also provides the nonverbal part of B's empathic response on agent A's action tendency and feeling.

- After time 27 agent B starts to develop an *ownership* state for *agent A feeling b*.
- Agent B shows a *verbal empathic response* to A for both the *action* and the *feeling* starting at time points 28 and 31, respectively (marked lines).

The verbal empathic response from agent A to B comes later, which reflects the fact that some time was needed to get agent B in the proper state (due to mirroring) to show support for action option a and feeling b:

- Agent A develops *ownership* states for *agent B of action a* and *B feeling b* starting at time 28 and 29, respectively.
- At time points 33 and 34 (marked lines, upper graph), agent A shows a *verbal empathic response* to B for both the *action* and the *feeling*, respectively.

This shows how the process to reach a joint decision can be based on different processes within each of the agents, and their mutual impact on each other.

A second scenario addressed a case in which agent B and A both have self-context level I , and A has stimulus level I , and agent B 0.5 . Also in this case after some time a joint decision comes out, but now agent B depends on agent A for its activation of preparation for action option a and the associated emotional response and feeling. Therefore during the period from time point 5 to time point 25 the activation levels of action preparation, effect prediction, emotional response and feeling stay low. After time point 25 they move up due to agent A's expression starting at time 20 and 21.

A third scenario addressed a case in which agent A has self-context level I , but for agent B this level is 0 . The stimulus s for both has level I . In this case no joint decision comes out, as agent B does not follow A in the action option a, but still empathic responses are shown. As in the scenario in Fig. 2 agent B develops expressed states for the action a and feeling b, from time point 20 on. Also agent B shows the same pattern as in Fig. 2, up to time point 20. However, then a main difference is that in this scenario the self ownership state of B for action a does not develop; it gets a level not much more than 0.1 . As a consequence no tendency for action a is developed. Note that due to the emotion contagion still the feeling level of agent B becomes higher and as a result this feeling is expressed (from time point 22 on), thus contributing a nonverbal empathic response. Moreover, also verbal empathic responses of agent B are developed (after time points 27 and 30, respectively).

5 Discussion

In this paper a social agent model was presented based on mechanisms from Social Neuroscience. The model addresses the emergence of joint decisions, accompanied by shared emotions and mutually acknowledged empathic understanding. To this end it covers both cognitive and affective processes and their interaction in decision making, and social contagion. Core mechanisms adopted are mirror neurons (e.g., [23, 32, 35, 39]), internal simulation (e.g., [8, 10, 16, 17, 20]), and emotion-related valuing of predicted effects of action options (e.g., [1, 8, 9, 11, 29, 31]). It was shown how such social agent models can be used to perform simulation and analysis of the emergence of joint decisions grounded in shared emotion-related valuing, and together with mutual empathic understanding of agents.

The social agent model uses elements from the model presented in [37] for the empathic understanding, but in contrast to [37] where the empathic understanding was limited to emotions, in the current model it is applied to both (tendencies for) actions and emotions. Furthermore, the current model uses the idea of ownership states as in the model presented in [38]. However, in [38] ownership states are differentiated into prior and retrospective ownership states, which was not done in the current model. Moreover, in the current model the ownership states were used both for actions and for expressing emotions, whereas in [38] they were only focused on actions, and emotions were not addressed. Another difference to both [37] and [38] is the use in the current model of social contagion to affect both action tendencies and associated feelings in order to come to joint decisions accompanied by shared associated emotions. This purpose was also addressed at an abstract level in [21] and [22], but the models in these references do not address the underlying internal neurological mechanisms within the agents, and the mutually acknowledged empathic understanding as addressed in the model presented in the current paper.

Beliefs and explicit information exchange by means of verbal communication was left out of consideration in the presented model. In an extension this can be added and integrated, for example, in manner similar to what is described in [21] or [22].

References

1. Bechara, A., Damasio, H., Damasio, A.R.: Role of the Amygdala in Decision-Making. *Ann. N.Y. Acad. Sci.* 985, 356–369 (2003)
2. Becker, W., Fuchs, A.F.: Prediction in the Oculomotor System: Smooth Pursuit During Transient Disappearance of a Visual Target. *Experimental Brain Res.* 57, 562–575 (1985)
3. Blakemore, S.-J., Frith, C.D., Wolpert, D.M.: Spatio-Temporal Prediction Modulates the Perception of Self-Produced Stimuli. *J. of Cognitive Neuroscience* 11, 551–559 (1999)
4. Blakemore, S.-J., Wolpert, D.M., Frith, C.D.: Why can't you tickle yourself? *Neuroreport* 11, 11–16 (2000)
5. Bosse, T., Jonker, C.M., van der Meij, L., Treur, J.: A Language and Environment for Analysis of Dynamics by Simulation. *Intern. J. of AI Tools* 16, 435–464 (2007)
6. Brass, M., Spengler, S.: The Inhibition of Imitative Behaviour and Attribution of Mental States. In: Striano, T., Reid, V. (eds.) *Social Cognition: Development, Neuroscience, and Autism*, pp. 52–66. Wiley-Blackwell (2009)
7. Cacioppo, J.T., Berntson, G.G.: *Social neuroscience*. Psychology Press (2005)

8. Damasio, A.R.: *Descartes' Error: Emotion, Reason and the Human Brain*. Papermac, London (1994)
9. Damasio, A.R.: The Somatic Marker Hypothesis and the Possible Functions of the Prefrontal Cortex. *Philosophical Transactions of the Royal Society: Biological Sciences* 351, 1413–1420 (1996)
10. Damasio, A.R.: *The Feeling of What Happens*. In: *Body and Emotion in the Making of Consciousness*. Harcourt Brace, New York (1999)
11. Damasio, A.R.: *Looking for Spinoza: Joy, Sorrow, and the Feeling Brain*. Vintage books, London (2003)
12. Damasio, A.R.: *Self comes to mind: constructing the conscious brain*. Pantheon Books, NY (2010)
13. Decety, J., Cacioppo, J.T. (eds.): *Handbook of Social Neuroscience*. Oxford University Press (2010)
14. Fried, I., Mukamel, R., Kreiman, G.: Internally Generated Preactivation of Single Neurons in Human Medial Frontal Cortex Predicts Volition. *Neuron* 69, 548–562 (2011)
15. Gallese, V., Fadiga, L., Fogassi, L., Rizzolatti, G.: Action Recognition in the Premotor Cortex. *Brain* 119, 593–609 (1996)
16. Gallese, V., Goldman, A.: Mirror neurons and the simulation theory of mindreading. *Trends in Cognitive Sciences* 2, 493–501 (1998)
17. Goldman, A.I.: *Simulating Minds: The Philosophy, Psychology, and Neuroscience of Mindreading*. Oxford Univ. Press, New York (2006)
18. Harmon-Jones, E., Winkielman, P. (eds.): *Social neuroscience: Integrating biological and psychological explanations of social behavior*. Guilford, New York (2007)
19. Hendriks, M., Treur, J.: Modeling Super Mirroring Functionality in Action Execution, Imagination, Mirroring, and Imitation. In: Pan, J.-S., Chen, S.-M., Nguyen, N.T. (eds.) *ICCCI 2010, Part I. LNCS, vol. 6421*, pp. 330–342. Springer, Heidelberg (2010)
20. Hesslow, G.: Conscious thought as simulation of behaviour and perception. *Trends Cogn. Sci.* 6, 242–247 (2002)
21. Hoogendoorn, M., Treur, J., van der Wal, C.N., van Wissen, A.: Agent-Based Modelling of the Emergence of Collective States Based on Contagion of Individual States in Groups. *Transactions on Computational Collective Intelligence* 3, 152–179 (2011)
22. Hoogendoorn, M., Treur, J., van der Wal, C.N., van Wissen, A.: Modelling the Interplay of Emotions, Beliefs and Intentions within Collective Decision Making Based on Insights from Social Neuroscience. In: Wong, K.W., Mendis, B.S.U., Bouzerdoum, A. (eds.) *ICONIP 2010, Part I. LNCS, vol. 6443*, pp. 196–206. Springer, Heidelberg (2010)
23. Iacoboni, M.: *Mirroring People: the New Science of How We Connect with Others*. Farrar, Straus & Giroux, New York (2008)
24. Iacoboni, M.: Mesial frontal cortex and super mirror neurons. *Behavioral and Brain Sciences* 31, 30 (2008)
25. Iacoboni, M., Molnar-Szakacs, I., Gallese, V., Buccino, G., Mazziotta, J.C., Rizzolatti, G.: Grasping the intentions of others with one's own mirror neuron system. *PLoS Biology* 3, e79 (2005)
26. James, W.: What is an emotion. *Mind* 9, 188–205 (1884)
27. Keysers, C., Gazzola, V.: Social Neuroscience: Mirror Neurons Recorded in Humans. *Current Biology* 20, 253–254 (2010)
28. Moore, J., Haggard, P.: Awareness of action: Inference and prediction. *Consciousness and Cognition* 17, 136–144 (2008)
29. Morrison, S.E., Salzman, C.D.: Re-valuing the amygdala. *Current Opinion in Neurobiology* 20, 221–230 (2010)

30. Mukamel, R., Ekstrom, A.D., Kaplan, J., Iacoboni, M., Fried, I.: Single-Neuron Responses in Humans during Execution and Observation of Actions. *Current Biology* 20, 750–756 (2010)
31. Murray, E.A.: The amygdala, reward and emotion. *Trends Cogn. Sci.* 11, 489–497 (2007)
32. Pineda, J.A. (ed.): *Mirror Neuron Systems: the Role of Mirroring Processes in Social Cognition*. Humana Press Inc. (2009)
33. Preston, S.D., de Waal, F.B.M.: Empathy: its ultimate and proximate bases. *Behav. Brain Sci.* 25, 1–72 (2002)
34. Rizzolatti, G., Fadiga, L., Gallese, V., Fogassi, L.: Premotor Cortex and the Recognition of Motor Actions. *Cognitive Brain Research* 3, 131–141 (1996)
35. Rizzolatti, G., Sinigaglia, C.: *Mirrors in the Brain: How Our Minds Share Actions and Emotions*. Oxford University Press (2008)
36. Singer, T., Leiberg, S.: Sharing the Emotions of Others: The Neural Bases of Empathy. In: Gazzaniga, M.S. (ed.) *The Cognitive Neurosciences*, 4th edn., pp. 973–986. MIT Press (2009)
37. Treur, J.: A Cognitive Agent Model Displaying and Regulating Different Social Response Patterns. In: Walsh, T. (ed.) *Proc. IJCAI 2011*, pp. 1735–1742 (2011)
38. Treur, J.: A Cognitive Agent Model Incorporating Prior and Retrospective Ownership States for Actions. In: Walsh, T. (ed.) *Proc. IJCAI 2011*, pp. 1743–1749 (2011)
39. Treur, J.: From Mirroring to the Emergence of Shared Understanding and Collective Power. In: Jędrzejowicz, P., Nguyen, N.T., Hoang, K. (eds.) *ICCCI 2011, Part I. LNCS*, vol. 6922, pp. 1–16. Springer, Heidelberg (2011)