

Reference List

1. Ayuso-Mateos, J.L., *et al.* Depressive disorders in Europe: prevalence figures from the ODIN study. *The British journal of psychiatry : the journal of mental science* **179**, 308-316 (2001).
2. Moussavi, S., *et al.* Depression, chronic diseases, and decrements in health: results from the World Health Surveys. *Lancet* **370**, 851-858 (2007).
3. Association, A.P. *Diagnostic and statistical manual of mental disorders: DSM-5™*, (American Psychiatric Publishing, Inc, Arlington, VA, 2013).
4. Fava, M. & Kendler, K.S. Major depressive disorder. *Neuron* **28**, 335-341 (2000).
5. Kessler, R.C., *et al.* The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *Jama* **289**, 3095-3105 (2003).
6. Castren, E. Is mood chemistry? *Nature reviews. Neuroscience* **6**, 241-246 (2005).
7. Castren, E. & Hen, R. Neuronal plasticity and antidepressant actions. *Trends in neurosciences* **36**, 259-267 (2013).
8. Maletic, V., *et al.* Neurobiology of depression: an integrated view of key findings *International journal of clinical practice* **61**, 2030-2040 (2007).
9. Krishnan, V. & Nestler, E.J. The molecular neurobiology of depression. *Nature* **455**, 894-902 (2008).
10. Racagni, G. & Popoli, M. Cellular and molecular mechanisms in the long-term actions of antidepressants. *Dialogues in clinical neuroscience* **10**, 385-400 (2008).
11. Mayberg, H.S., *et al.* Deep brain stimulation for treatment-resistant depression. *Neuron* **45**, 651-660 (2005).
12. Rush, A.J., *et al.* Acute and longer-term outcomes in depressed outpatients requiring one or several treatment steps: a STAR*D report. *The American journal of psychiatry* **163**, 1905-1917 (2006).
13. Belmaker, R.H. & Agam, G. Major depressive disorder. *The New England journal of medicine* **358**, 55-68 (2008).
14. Franklin, T.B., Saab, B.J. & Mansuy, I.M. Neural mechanisms of stress resilience and vulnerability. *Neuron* **75**, 747-761 (2012).
15. Richardson-Jones, J.W., *et al.* 5-HT_{1A} autoreceptor levels determine vulnerability to stress and response to antidepressants. *Neuron* **65**, 40-52 (2010).
16. Yu, H., *et al.* Variant brain-derived neurotrophic factor Val66Met polymorphism alters vulnerability to stress and response to antidepressants. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **32**, 4092-4101 (2012).
17. Hasler, G., Drevets, W.C., Manji, H.K. & Charney, D.S. Discovering endophenotypes for major depression. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **29**, 1765-1781 (2004).
18. Fried, E.I. & Nesse, R.M. Depression is not a consistent syndrome: An investigation of unique symptom patterns in the STAR*D study. *Journal of affective disorders* **172C**, 96-102 (2014).
19. Gould, T.D. & Gosman, II. Psychiatric endophenotypes and the development of valid animal models. *Genes, brain, and behavior* **5**, 113-119 (2006).
20. Nestler, E.J. & Carlezon, W.A., Jr. The mesolimbic dopamine reward circuit in depression. *Biological psychiatry* **59**, 1151-1159 (2006).

21. Treadway, M.T. & Zald, D.H. Reconsidering anhedonia in depression: lessons from translational neuroscience. *Neuroscience and biobehavioral reviews* **35**, 537-555 (2011).
22. Der-Avakian, A. & Markou, A. The neurobiology of anhedonia and other reward-related deficits. *Trends in neurosciences* **35**, 68-77 (2012).
23. Tremblay, L.K., *et al.* Functional neuroanatomical substrates of altered reward processing in major depressive disorder revealed by a dopaminergic probe. *Archives of general psychiatry* **62**, 1228-1236 (2005).
24. Eshel, N. & Roiser, J.P. Reward and punishment processing in depression. *Biological psychiatry* **68**, 118-124 (2010).
25. Padrao, G., Mallorqui, A., Cucurell, D., Marco-Pallares, J. & Rodriguez-Fornells, A. Neurophysiological differences in reward processing in anhedonics. *Cognitive affective & behavioral neuroscience* **13**, 102-115 (2013).
26. Vrieze, E., *et al.* Reduced reward learning predicts outcome in major depressive disorder. *Biological psychiatry* **73**, 639-645 (2013).
27. Gorwood, P. Neurobiological mechanisms of anhedonia. *Dialogues in clinical neuroscience* **10**, 291-299 (2008).
28. Hammar, A. & Ardal, G. Cognitive functioning in major depression--a summary. *Frontiers in human neuroscience* **3**, 26 (2009).
29. Clark, L., Chamberlain, S.R. & Sahakian, B.J. Neurocognitive mechanisms in depression: implications for treatment. *Annual review of neuroscience* **32**, 57-74 (2009).
30. Gotlib, I.H. & Joormann, J. Cognition and depression: current status and future directions. *Annual review of clinical psychology* **6**, 285-312 (2010).
31. Murrough, J.W., Iacoviello, B., Neumeister, A., Charney, D.S. & Iosifescu, D.V. Cognitive dysfunction in depression: neurocircuitry and new therapeutic strategies. *Neurobiology of learning and memory* **96**, 553-563 (2011).
32. Dageyte, G., Den Boer, J.A. & Trentani, A. The cholinergic system and depression. *Behavioural brain research* **221**, 574-582 (2011).
33. Disner, S.G., Beevers, C.G., Haigh, E.A. & Beck, A.T. Neural mechanisms of the cognitive model of depression. *Nature reviews. Neuroscience* **12**, 467-477 (2011).
34. Russo, S.J. & Nestler, E.J. The brain reward circuitry in mood disorders. *Nature reviews. Neuroscience* **14**, 609-625 (2013).
35. Pettiti, H.M. Antidepressant treatment of co-occurring depression and alcohol dependence. *Biological psychiatry* **56**, 785-792 (2004).
36. Brady, K.T. & Sinha, R. Co-occurring mental and substance use disorders: the neurobiological effects of chronic stress. *The American journal of psychiatry* **162**, 1483-1493 (2005).
37. Chambers, R.A. Adult hippocampal neurogenesis in the pathogenesis of addiction and dual diagnosis disorders. *Drug and alcohol dependence* **130**, 1-12 (2013).
38. Davis, L., Uezato, A., Newell, J.M. & Frazier, E. Major depression and comorbid substance use disorders. *Current opinion in psychiatry* **21**, 14-18 (2008).

39. Ostacher, M.J. Comorbid alcohol and substance abuse dependence in depression: impact on the outcome of antidepressant treatment. *The Psychiatric clinics of North America* **30**, 69-76 (2007).
40. Boschloo, L., *et al.* Predictors of the 2-year recurrence and persistence of alcohol dependence. *Addiction* **107**, 1639-1640 (2012).
41. Koob, G.F. Negative reinforcement in drug addiction: the darkness within. *Current opinion in neurobiology* **23**, 559-563 (2013).
42. Hasin, D., *et al.* Effects of major depression on remission and relapse of substance dependence. *Archives of general psychiatry* **59**, 375-380 (2002).
43. Stevenson, J.R., *et al.* Abstinence following alcohol drinking produces depression-like behavior and reduced hippocampal neurogenesis in mice. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **34**, 1209-1222 (2009).
44. Southwick, S.M., Vythilingam, M. & Charney, D.S. The psychobiology of depression and resilience to stress: implications for prevention and treatment. *Annual review of clinical psychology* **1**, 255-291 (2005).
45. Johnstone, T., van Reekum, C.M., Urry, H.L., Kalin, N.H. & Davidson, R.J. Failure to regulate: counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **27**, 8877-8884 (2007).
46. Pezawas, L., *et al.* 5-HTTLPR polymorphism impacts human cingulate-amygdala interactions: a genetic susceptibility mechanism for depression. *Nature neuroscience* **8**, 828-834 (2005).
47. Miller, E.K. & Cohen, J.D. An integrative theory of prefrontal cortex function. *Annual review of neuroscience* **24**, 167-202 (2001).
48. Goldstein, R.Z. & Volkow, N.D. Dysfunction of the prefrontal cortex in addiction: neuroimaging findings and clinical implications. *Nature reviews. Neuroscience* **12**, 652-669 (2011).
49. Koenigs, M. & Grafman, J. The functional neuroanatomy of depression: distinct roles for ventromedial and dorsolateral prefrontal cortex. *Behavioural brain research* **201**, 239-243 (2009).
50. Bremner, J.D., *et al.* Reduced volume of orbitofrontal cortex in major depression. *Biological psychiatry* **51**, 273-279 (2002).
51. Drevets, W.C., Price, J.L. & Furey, M.L. Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. *Brain Struct Funct* **213**, 93-118 (2008).
52. Han, K.M., *et al.* Cortical thickness, cortical and subcortical volume, and white matter integrity in patients with their first episode of major depression. *Journal of affective disorders* **155**, 42-48 (2014).
53. Davidson, R.J., Pizzagalli, D., Nitschke, J.B. & Putnam, K. Depression: perspectives from affective neuroscience. *Annual review of psychology* **53**, 545-574 (2002).
54. Wacker, J., Dillon, D.G. & Pizzagalli, D.A. The role of the nucleus accumbens and rostral anterior cingulate cortex in anhedonia: integration of resting EEG, fMRI, and volumetric techniques. *NeuroImage* **46**, 327-337 (2009).
55. Walter, M., *et al.* The relationship between aberrant neuronal activation in the pregenual anterior cingulate, altered glutamatergic metabolism, and anhedonia in major depression. *Archives of general psychiatry* **66**, 478-486 (2009).

56. Gabbay, V., *et al.* Anterior cingulate cortex gamma-aminobutyric acid in depressed adolescents: relationship to anhedonia. *Archives of general psychiatry* **69**, 139-149 (2012).
57. Deckersbach, T., Dougherty, D.D. & Rauch, S.L. Functional imaging of mood and anxiety disorders. *J Neuroimaging* **16**, 1-10 (2006).
58. Beevers, C.G., Clasen, P., Stice, E. & Schnyer, D. Depression symptoms and cognitive control of emotion cues: a functional magnetic resonance imaging study. *Neuroscience* **167**, 97-103 (2010).
59. Neves, G., Cooke, S.F. & Bliss, T.V. Synaptic plasticity, memory and the hippocampus: a neural network approach to causality. *Nature reviews. Neuroscience* **9**, 65-75 (2008).
60. Sapolsky, R.M. Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Archives of general psychiatry* **57**, 925-935 (2000).
61. Conrad, C.D. Chronic stress-induced hippocampal vulnerability: the glucocorticoid vulnerability hypothesis. *Reviews in the neurosciences* **19**, 395-411 (2008).
62. Wingenfeld, K. & Wolf, O.T. Stress, memory, and the hippocampus. *Frontiers of neurology and neuroscience* **34**, 109-120 (2014).
63. Kim, J.J. & Diamond, D.M. The stressed hippocampus, synaptic plasticity and lost memories. *Nature reviews. Neuroscience* **3**, 453-462 (2002).
64. Malberg, J.E., Eisch, A.J., Nestler, E.J. & Duman, R.S. Chronic antidepressant treatment increases neurogenesis in adult rat hippocampus. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **20**, 9104-9110 (2000).
65. Santarelli, L., *et al.* Requirement of hippocampal neurogenesis for the behavioral effects of antidepressants. *Science* **301**, 805-809 (2003).
66. Luo, A.H., Tahsili-Fahadan, P., Wise, R.A., Lupica, C.R. & Aston-Jones, G. Linking context with reward: a functional circuit from hippocampal CA3 to ventral tegmental area. *Science* **333**, 353-357 (2011).
67. Hyman, S.E. Addiction: a disease of learning and memory. *The American journal of psychiatry* **162**, 1414-1422 (2005).
68. Noonan, M.A., Bulin, S.E., Fuller, D.C. & Eisch, A.J. Reduction of adult hippocampal neurogenesis confers vulnerability in an animal model of cocaine addiction. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **30**, 304-315 (2010).
69. Alvarez, R.P., Biggs, A., Chen, G., Pine, D.S. & Grillon, C. Contextual fear conditioning in humans: cortical-hippocampal and amygdala contributions. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **28**, 6211-6219 (2008).
70. Campbell, S. & Macqueen, G. The role of the hippocampus in the pathophysiology of major depression. *Journal of psychiatry & neuroscience : JPN* **29**, 417-426 (2004).
71. McEwen, B.S. & Wingfield, J.C. What is in a name? Integrating homeostasis, allostasis and stress. *Hormones and behavior* **57**, 105-111 (2010).
72. Gold, P.W. The organization of the stress system and its dysregulation in depressive illness. *Molecular psychiatry* **20**, 32-47 (2015).

73. Koob, G.F. A role for brain stress systems in addiction. *Neuron* **59**, 11-34 (2008).
74. Sinha, R. Chronic stress, drug use, and vulnerability to addiction. *Annals of the New York Academy of Sciences* **1141**, 105-130 (2008).
75. Sinha, R. How does stress increase risk of drug abuse and relapse? *Psychopharmacology* **158**, 343-359 (2001).
76. Yap, J.J. & Miczek, K.A. Stress and Rodent Models of Drug Addiction: Role of VTA-Accumbens-PFC-Amygdala Circuit. *Drug discovery today. Disease models* **5**, 259-270 (2008).
77. Phelps, E.A. Human emotion and memory: interactions of the amygdala and hippocampal complex. *Current opinion in neurobiology* **14**, 198-202 (2004).
78. Phelps, E.A. & LeDoux, J.E. Contributions of the amygdala to emotion processing: from animal models to human behavior. *Neuron* **48**, 175-187 (2005).
79. Berridge, K.C. & Robinson, T.E. Parsing reward. *Trends in neurosciences* **26**, 507-513 (2003).
80. Pierce, R.C. & Kumaresan, V. The mesolimbic dopamine system: the final common pathway for the reinforcing effect of drugs of abuse? *Neuroscience and biobehavioral reviews* **30**, 215-238 (2006).
81. Salamone, J.D. & Correa, M. The mysterious motivational functions of mesolimbic dopamine. *Neuron* **76**, 470-485 (2012).
82. Funahashi, S. Neuronal mechanisms of executive control by the prefrontal cortex. *Neuroscience research* **39**, 147-165 (2001).
83. Miczek, K.A., Yap, J.J. & Covington, H.E., 3rd. Social stress, therapeutics and drug abuse: preclinical models of escalated and depressed intake. *Pharmacology & therapeutic* **120**, 102-128 (2008).
84. Roozendaal, B. Stress and memory: opposing effects of glucocorticoids on memory consolidation and memory retrieval. *Neurobiology of learning and memory* **78**, 578-595 (2002).
85. Charney, D.S. Psychobiological mechanisms of resilience and vulnerability: implications for successful adaptation to extreme stress. *The American journal of psychiatry* **161**, 195-216 (2004).
86. Briand, L.A. & Blendy, J.A. Molecular and genetic substrates linking stress and addiction. *Brain research* **1314**, 219-234 (2010).
87. Arnsten, A.F. Stress signalling pathways that impair prefrontal cortex structure and function. *Nature reviews. Neuroscience* **10**, 410-422 (2009).
88. McKlveen, J.M., et al. Role of prefrontal cortex glucocorticoid receptors in stress and emotion. *Biological psychiatry* **74**, 672-679 (2013).
89. Miller, B.T. & D'Esposito, M. Searching for "the top" in top-down control. *Neuron* **48**, 535-538 (2005).
90. Sinha, R., Shaham, Y. & Heilig, M. Translational and reverse translational research on the role of stress in drug craving and relapse. *Psychopharmacology (Berl)* **218**, 69-82 (2011).
91. Bechara, A. Decision making, impulse control and loss of willpower to resist drugs: a neurocognitive perspective. *Nature neuroscience* **8**, 1458-1463 (2005).
92. Fernando, A.B. & Robbins, T.W. Animal models of neuropsychiatric disorders. *Annual review of clinical psychology* **7**, 39-61 (2011).

93. Koob, G.F. & Volkow, N.D. Neurocircuitry of addiction. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **35**, 217-238 (2010).
94. Nestler, E.J., *et al.* Preclinical models: status of basic research in depression. *Biological psychiatry* **52**, 503-528 (2002).
95. Krishnan, V. & Nestler, E.J. Animal models of depression: molecular perspectives. *Current topics in behavioral neurosciences* **7**, 121-147 (2011).
96. Newport, D.J., Stowe, Z.N. & Nemeroff, C.B. Parental depression: animal models of an adverse life event. *The American journal of psychiatry* **159**, 1265-1283 (2002).
97. Belzung, C. & Lemoine, M. Criteria of validity for animal models of psychiatric disorders: focus on anxiety disorders and depression. *Biology of mood & anxiety disorders* **1**, 9 (2011).
98. Willner, P. Validity, reliability and utility of the chronic mild stress model of depression: a 10-year review and evaluation. *Psychopharmacology* **134**, 319-329 (1997).
99. Papp, M., Willner, P. & Muscat, R. An animal model of anhedonia: a re-evaluation of sucrose consumption and place preference conditioning by chronic unpredictable mild stress. *Psychopharmacology* **104**, 255-259 (1991).
100. Pucilowski, O., Overstreet, D.H., Rezvani, A.H. & Janowsky, D.S. Chronic mild stress-induced anhedonia: greater effect in a genetic rat model of depression. *Physiology & behavior* **54**, 1215-1220 (1993).
101. Mineur, Y.S., Belzung, C. & Crusio, W.E. Effects of unpredictable chronic mild stress on anxiety and depression-like behavior in mice. *Behavioural brain research* **175**, 43-50 (2006).
102. Luo, D.D., An, S.C. & Zhang, X. Involvement of hippocampal serotonin and neuropeptide Y in depression induced by chronic unpredictable mild stress. *Brain research bulletin* **77**, 8-12 (2008).
103. Hill, M.N., Hellems, K.G., Verma, P., Gorzalka, B.B. & Weinberg, J. Neurobiology of chronic mild stress: parallels to major depression. *Neuroscience and biobehavioral reviews* **36**, 2085-2117 (2012).
104. Papp, M., Moryl, E. & Willner, P. Pharmacological validation of the chronic mild stress model of depression. *European journal of pharmacology* **296**, 129-136 (1996).
105. Maier, S.F. & Watkins, L.R. Stressor controllability and learned helplessness: the roles of the dorsal raphe nucleus, serotonin, and corticotropin-releasing factor. *Neuroscience and biobehavioral reviews* **29**, 829-841 (2005).
106. Chourbaji, S., *et al.* Learned helplessness: validity and reliability of depressive-like states in mice. *Brain research. Brain research protocols* **16**, 70-78 (2005).
107. Vollmayr, B. & Gass, P. Learned helplessness: unique features and translational value of a cognitive depression model. *Cell Tissue Res* **354**, 171-178 (2013).
108. Gambarana, C., Scheggi, S., Tagliamonte, A., Tolu, P. & De Montis, M.G. Animal models for the study of antidepressant activity. *Brain research. Brain research protocols* **7**, 11-20 (2001).
109. Song, L., Che, W., Min-Wei, W., Murakami, Y. & Matsumoto, K. Impairment of the spatial learning and memory induced by learned helplessness and chronic mild stress. *Pharmacology, biochemistry, and behavior* **83**, 186-193 (2006).

110. Shumake, J., Barrett, D. & Gonzalez-Lima, F. Behavioral characteristics of rats predisposed to learned helplessness: reduced reward sensitivity, increased novelty seeking, and persistent fear memories. *Behavioural brain research* **164**, 222-230 (2005).
111. Hajszan, T., *et al.* Remodeling of hippocampal spine synapses in the rat learned helplessness model of depression. *Biological psychiatry* **65**, 392-400 (2009).
112. Anisman, H. & Zacharko, R.M. Depression as a consequence of inadequate neurochemical adaptation in response to stressors. *The British journal of psychiatry. Supplement*, 36-43 (1992).
113. Enkel, T., Spanagel, R., Vollmayr, B. & Schneider, M. Stress triggers anhedonia in rats bred for learned helplessness. *Behavioural brain research* **209**, 183-186 (2010).
114. Vetulani, J. Early maternal separation: a rodent model of depression and a prevailing human condition. *Pharmacological reports : PR* **65**, 1451-1461 (2013).
115. Parker, G., Hadzi-Pavlovic, D., Greenwald, S. & Weissman, M. Low parental care as a risk factor to lifetime depression in a community sample. *Journal of affective disorders* **33**, 173-180 (1995).
116. Pryce, C.R., *et al.* Long-term effects of early-life environmental manipulations in rodents and primates: Potential animal models in depression research. *Neuroscience and biobehavioral reviews* **29**, 649-674 (2005).
117. Aisa, B., Tordera, R., Lasheras, B., Del Rio, J. & Ramirez, M.J. Cognitive impairment associated to HPA axis hyperactivity after maternal separation in rats. *Psychoneuroendocrinology* **32**, 256-266 (2007).
118. Reus, G.Z., *et al.* Maternal deprivation induces depressive-like behaviour and alters neurotrophin levels in the rat brain. *Neurochemical research* **36**, 460-466 (2011).
119. El Khoury, A., Gruber, S.H., Mork, A. & Mathe, A.A. Adult life behavioral consequences of early maternal separation are alleviated by escitalopram treatment in a rat model of depression. *Progress in neuro-psychopharmacology & biological psychiatry* **30**, 535-540 (2006).
120. Mourlon, V., *et al.* Maternal deprivation induces depressive-like behaviours only in female rats. *Behavioural brain research* **213**, 278-287 (2010).
121. Oomen, C.A., *et al.* Opposite effects of early maternal deprivation on neurogenesis in male versus female rats. *PLoS one* **4**, e3675 (2009).
122. Fone, K.C. & Porkess, M.V. Behavioural and neurochemical effects of post-weaning social isolation in rodents-relevance to developmental neuropsychiatric disorders. *Neuroscience and biobehavioral reviews* **32**, 1087-1102 (2008).
123. Hall, F.S., Humby, T., Wilkinson, L.S. & Robbins, T.W. The effects of isolation-rearing on sucrose consumption in rats. *Physiology & behavior* **62**, 291-297 (1997).
124. Brenes, J.C., Rodriguez, O. & Fornaguera, J. Differential effect of environment enrichment and social isolation on depressive-like behavior, spontaneous activity and serotonin and norepinephrine concentration in prefrontal cortex and ventral striatum. *Pharmacology, biochemistry, and behavior* **89**, 85-93 (2008).
125. Lukkes, J.L., Mokin, M.V., Scholl, J.L. & Forster, G.L. Adult rats exposed to early-life social isolation exhibit increased anxiety and conditioned fear behavior, and altered hormonal stress responses. *Hormones and behavior* **55**, 248-256 (2009).

126. Meng, Q., Li, N., Han, X., Shao, F. & Wang, W. Effects of adolescent social isolation on the expression of brain-derived neurotrophic factors in the forebrain. *European journal of pharmacology* **650**, 229-232 (2011).
127. Silva-Gomez, A.B., Rojas, D., Juarez, I. & Flores, G. Decreased dendritic spine density on prefrontal cortical and hippocampal pyramidal neurons in postweaning social isolation rats. *Brain research* **983**, 128-136 (2003).
128. Bianchi, M., *et al.* Isolation rearing induces recognition memory deficits accompanied by cytoskeletal alterations in rat hippocampus. *The European journal of neuroscience* **24**, 2894-2902 (2006).
129. Cui, M., *et al.* Enriched environment experience overcomes the memory deficits and depressive-like behavior induced by early life stress. *Neuroscience letters* **404**, 208-212 (2006).
130. Schmidt, M.V., Wang, X.D. & Meijer, O.C. Early life stress paradigms in rodents: potential animal models of depression? *Psychopharmacology* **214**, 131-140 (2011).
131. Willner, P. Chronic mild stress (CMS) revisited: consistency and behavioural-neurobiological concordance in the effects of CMS. *Neuropsychobiology* **52**, 90-110 (2005).
132. Elizalde, N., *et al.* Long-lasting behavioral effects and recognition memory deficit induced by chronic mild stress in mice: effect of antidepressant treatment. *Psychopharmacology* **199**, 1-14 (2008).
133. Holderbach, R., Clark, K., Moreau, J.L., Bischofberger, J. & Normann, C. Enhanced long-term synaptic depression in an animal model of depression. *Biological psychiatry* **62**, 92-100 (2007).
134. Bessa, J.M., *et al.* The mood-improving actions of antidepressants do not depend on neurogenesis but are associated with neuronal remodeling. *Molecular psychiatry* **14**, 764-773, 739 (2009).
135. Pan, Y., Wang, F.M., Qiang, L.Q., Zhang, D.M. & Kong, L.D. Icaritin attenuates chronic mild stress-induced dysregulation of the LHPA stress circuit in rats. *Psychoneuroendocrinology* **35**, 272-283 (2010).
136. Sanchis-Segura, C., Spanagel, R., Henn, F.A. & Vollmayr, B. Reduced sensitivity to sucrose in rats bred for helplessness: a study using the matching law. *Behavioral Pharmacology* **16**, 267-270 (2005).
137. Malberg, J.E. & Duman, R.S. Cell proliferation in adult hippocampus is decreased by inescapable stress: reversal by fluoxetine treatment. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **28**, 1562-1571 (2003).
138. MacQueen, G.M., Ramakrishnan, K., Ratnasingan, R., Chen, B. & Young, L.T. Desipramine treatment reduces the long-term behavioural and neurochemical sequelae of early-life maternal separation. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum* **6**, 391-396 (2003).
139. Llorente, R., *et al.* Early maternal deprivation in rats induces gender-dependent effects on developing hippocampal and cerebellar cells. *Int J Dev Neurosci* **27**, 233-241 (2009).

140. Mirescu, C., Peters, J.D. & Gould, E. Early life experience alters response of adult neurogenesis to stress. *Nature neuroscience* **7**, 841-846 (2004).
141. Golden, S.A., Covington, H.E., 3rd, Berton, O. & Russo, S.J. A standardized protocol for repeated social defeat stress in mice. *Nature protocols* **6**, 1183-1191 (2011).
142. Koolhaas, J.M., *et al.* The resident-intruder paradigm: a standardized test for aggression, violence and social stress. *Journal of visualized experiments : JoVE*, e4367 (2013).
143. Von Frijtag, J.C., *et al.* Defeat followed by individual housing results in long-term impaired reward- and cognition- elated behaviours in rats. *Behavioural brain research* **117**, 137-146 (2000).
144. Artola, A., *et al.* Long-lasting modulation of the induction of LTD and LTP in rat hippocampal CA1 by behavioural stress and environmental enrichment. *The European journal of neuroscience* **23**, 261-272 (2006).
145. Van Bokhoven, P., *et al.* Reduction in hippocampal neurogenesis after social defeat is long-lasting and responsive to late antidepressant treatment. *The European journal of neuroscience* **33**, 1833-1840 (2011).
146. Krishnan, V., *et al.* Molecular adaptations underlying susceptibility and resistance to social defeat in brain reward regions. *Cell* **131**, 391-404 (2007).
147. Ruis, M.A., *et al.* Housing familiar male wildtype rats together reduces the long-term adverse behavioural and physiological effects of social defeat. *Psychoneuroendocrinology* **24**, 285-300 (1999).
148. de Jong, J.G., van der Vegt, B.J., Buwalda, B. & Koolhaas, J.M. Social environment determines the long-term effects of social defeat. *Physiology & behavior* **84**, 87-95 (2005).
149. Nestler, E.J. & Hyman, S.E. Animal models of neuropsychiatric disorders. *Nature neuroscience* **13**, 1161-1169 (2010).
150. Hollis, F. & Kabbaj, M. Social defeat as an animal model for depression. *ILAR journal / National Research Council, Institute of Laboratory Animal Resources* **55**, 221-232 (2014).
151. Wood, S.K., Walker, H.E., Valentin, R.J. & Bhatnagar, S. Individual differences in reactivity to social stress predict susceptibility and resilience to a depressive phenotype: role of corticotropin-releasing factor. *Endocrinology* **151**, 1795-1805 (2010).
152. Riga, D., Theijls, J.T., De Vries, T.J., Smit, A.B. & Spijker, S. Social defeat-induced anhedonia: effects on operant sucrose-seeking behavior. *Front Behav Neurosci* **9**, 195 (2015).
153. Reijmers, L.G., Hoekstra, K., Burbach, J.P., van Ree, J.M. & Spruijt, B.M. Long-term impairment of social memory in the rat after social defeat is not restored by desglycinamide-vasopressin. *Neuroscience letters* **305**, 145-148 (2001).
154. Rygula, R., *et al.* Anhedonia and motivational deficits in rats: impact of chronic social stress. *Behavioural brain research* **162**, 127-134 (2005).
155. Riga, D., *et al.* A sustained depressive state promotes a guanfacine reversible susceptibility to alcohol seeking in rats. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **39**, 1115-1124 (2014).

156. Der-Avakian, A., Mazei-Robison, M.S., Kesby, J.P., Nestler, E.J. & Markou, A. Enduring deficits in brain reward function after chronic social defeat in rats: susceptibility, resilience, and antidepressant response. *Biological psychiatry* **76**, 542-549 (2014).
157. Anacker, C., et al. Neuroanatomic Differences Associated with Stress Susceptibility and Resilience. *Biological psychiatry* (2015).
158. Wilkinson, M.B., et al. A novel role of the WNT-dishevelled-GSK3beta signaling cascade in the mouse nucleus accumbens in a social defeat model of depression. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **31**, 9084-9092 (2011).
159. Bagot, R.C., et al. Ventral hippocampal afferents to the nucleus accumbens regulate susceptibility to depression. *Nat Commun* **6**, 7062 (2015).
160. Kanarik, M., et al. Brain responses to chronic social defeat stress: effects on regional oxidative metabolism as a function of a hedonic trait, and gene expression in susceptible and resilient rats. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology* **21**, 92-107 (2011).
161. Funk, D., Li, Z. & Le, A.D. Effects of environmental and pharmacological stressors on c-fos and corticotropin-releasing factor mRNA in rat brain: Relationship to the reinstatement of alcohol seeking. *Neuroscience* **138**, 235-243 (2006).
162. Buwalda, B., et al. Long-term effects of social stress on brain and behavior: a focus on hippocampal functioning. *Neuroscience and biobehavioral reviews* **29**, 83-97 (2005).
163. Tse, Y.C., et al. A longitudinal study of stress-induced hippocampal volume changes in mice that are susceptible or resilient to chronic social defeat. *Hippocampus* **24**, 1120-1128 (2014).
164. Bremner, J.D., et al. Hippocampal volume reduction in major depression. *The American journal of psychiatry* **157**, 115-118 (2000).
165. Hickie, I., et al. Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. *The British journal of psychiatry : the journal of mental science* **186**, 197-202 (2005).
166. Von Frijtag, J.C., et al. Chronic imipramine treatment partially reverses the long-term changes of hippocampal synaptic plasticity in socially stressed rats. *Neuroscience letters* **309**, 153-156 (2001).
167. Von Frijtag, J.C., Van den Bos, R. & Spruijt, B.M. Imipramine restores the long-term impairment of appetitive behavior in socially stressed rats. *Psychopharmacology* **162**, 232-238 (2002).
168. Berton, O., et al. Essential role of BDNF in the mesolimbic dopamine pathway in social defeat stress. *Science* **311**, 864-868 (2006).
169. Tsankova, N.M., et al. Sustained hippocampal chromatin regulation in a mouse model of depression and antidepressant action. *Nature neuroscience* **9**, 519-525 (2006).
170. Lehmann, M.L. & Herkenham, M. Environmental enrichment confers stress resiliency to social defeat through an infralimbic cortex-dependent neuroanatomical pathway. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **31**, 6159-6173 (2011).

171. Petti ti, H. Antidepressant treatment of co-occurring depression and alcohol dependence. *Biol Psychiatry* **56**, 785-792 (2004).
172. American Psychiatric Association. *Diagnostic and statistical manual of mental disorders* (American Psychiatric Press, Washington, DC, 2000).
173. Baune, B.T., *et al.* The role of cognitive impairment in general functioning in major depression. *Psychiatry Res* **176**, 183-189 (2010).
174. Davis, L., Uezato, A., Newell, J. & Frazier, E. Major depression and comorbid substance use disorders. *Curr Opin Psychiatry* **21**, 14-18 (2008).
175. Kelly, T., Daley, D. & Douaihy, A. Treatment of substance abusing patients with comorbid psychiatric disorders. *Addict Behav* **37**, 11-24 (2012).
176. Petrakis, I., Gonzalez, G., Rosenheck, R. & Krystal, J. Comorbidity of alcoholism and psychiatric disorders: an overview. *Alcohol Research & Health* **26**, 81-89 (2002).
177. Nestler, E. & Hyman, S. Animal models of neuropsychiatric disorders. *Nat Neurosci* **13**, 1161-1169 (2012).
178. Golden, S., Covington, H.I., Berton, O. & Russo, S. A standardized protocol for repeated social defeat stress in mice. *Nat Protoc* **6**, 1183-1191 (2011).
179. Fanous, S., Terwilliger, E., Hammer, R.J. & Nikulina, E. Viral depletion of VTA BDNF in rats modulates social behavior, consequences of intermittent social defeat stress, and long-term weight regulation. *Neurosci Lett* **502**, 192-196 (2011).
180. de Jong, J., van der Vegt, B., Buwalda, B. & Koolhaas, J. Social environment determines the long-term effects of social defeat. *Physiol Behav* **84**, 87-95 (2005).
181. Von Frijtag, J., *et al.* Defeat followed by individual housing results in long-term impaired reward- and cognition-related behaviours in rats. *Behav Brain Res* **117**, 137-146 (2000).
182. Austin, M., Mitchell, P. & Goodwin, G. Cognitive deficits in depression: possible implications for functional neuropathology. *Br J Psychiatry* **178**, 200-206 (2001).
183. Von Frijtag, J., *et al.* Chronic imipramine treatment partially reverses the long-term changes of hippocampal synaptic plasticity in socially stressed rats. *Neurosci Lett* **309**, 153-156 (2001).
184. Van Bokhoven, P., *et al.* Reduction in hippocampal neurogenesis after social defeat is long-lasting and responsive to late antidepressant treatment. *Eur J Neurosci* **33**, 1833-1840 (2011).
185. Artola, A., *et al.* Long-lasting modulation of the induction of LTD and LTP in rat hippocampal CA1 by behavioural stress and environmental enrichment. *Eur J Neurosci* **23**, 261-272 (2006).
186. Caldwell, E. & Riccio, D. Alcohol self-administration in rats: Modulation by temporal parameters related to repeated mild social defeat stress. *Alcohol* **44**, 265-274 (2010).
187. Funk, D., Harding, S., Juzysch, W. & Lê, A. Effects of unconditioned and conditioned social defeat on alcohol self-administration and reinstatement of alcohol seeking in rats. *Psychopharmacology (Berl)* **183**, 341-349 (2005).
188. Briand, L. & Blendy, J. Molecular and genetic substrates linking stress and addiction. *Brain Res* **1314**, 219-234 (2010).

189. Reijmers, L., Hoekstra, K., Burbach, J., van Ree, J. & Spruijt, B. Long-term impairment of social memory in the rat after social defeat is not restored by desglycinamide-vasopressin. *Neurosci Lett* **305**, 145-148 (2001).
190. Dere, E., Huston, J. & De Souza Silva, M. The pharmacology, neuroanatomy and neurogenetics of one-trial object recognition in rodents. *Neurosci Biobehav Rev* **31**, 673-704 (2007).
191. Wouda, J., *et al.* Varenicline attenuates cue-induced relapse to alcohol, but not nicotine seeking, while reducing inhibitory response control. *Psychopharmacology* **216**, 267-277 (2011).
192. Akkerman, S., Prickaerts, J., Steinbusch, H. & Blokland, A. Object recognition testing: statistical considerations. *Behav Brain Res* **232**, 317-322 (2012).
193. Lê, A., *et al.* Effect of prazosin and guanfacine on stress-induced reinstatement of alcohol and food seeking in rats. *Psychopharmacology (Berl)*. **218**, 89-99 (2011).
194. Millan, M., *et al.* Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. *Nat Rev Drug Discov* **11**, 141-168 (2012).
195. Bremner, J., *et al.* Hippocampal volume reduction in major depression. *Am J Psychiatry* **157**, 115-118 (2000).
196. Femenía, T., Gómez-Galán, M., Lindskog, M. & Magara, S. Dysfunctional hippocampal activity affects emotion and cognition in mood disorders. *Brain Res* **1476**, 58-70 (2012).
197. van Erp, A. & Miczek, K. Persistent suppression of ethanol self-administration by brief social stress in rats and increased startle response as index of withdrawal. *Physiol Behav* **73**, 301-311 (2001).
198. Koob, G. Dynamics of neuronal circuits in addiction: reward, anti-reward, and emotional memory. *Pharmacopsychiatry* **42**, S32-41 (2009).
199. Nestler, E. & Carlezon, W.J. The mesolimbic dopamine reward circuit in depression. *Biol Psychiatry* **59**, 1151-1159 (2006).
200. Kalivas, P. & Volkow, N. The neural basis of addiction: a pathology of motivation and choice. *Am J Psychiatry* **162**, 1403-1413 (2005).
201. Quan, M., Tian, Y., Xu, K., Zhang, T. & Yang, Z. Post-weaning social isolation influences spatial cognition, prefrontal cortical synaptic plasticity and hippocampal potassium ion channels in Wistar rats. *Neuroscience* **169**, 214-222 (2010).
202. Hermes, G., Li, N., Duman, C. & Duman, R. Post-weaning chronic social isolation produces profound behavioral dysregulation with decreases in prefrontal cortex synaptic-associated protein expression in female rats. *Physiol Behav* **104**, 354-359 (2011).
203. Fone, K. & Porkess, M. Behavioural and neurochemical effects of post-weaning social isolation in rodents-relevance to developmental neuropsychiatric disorders. *Neurosci Biobehav Rev* **32**, 1087-1102 (2008).
204. Arnsten, A. & Jin, L. Guanfacine for the treatment of cognitive disorders: a century of discoveries at Yale. *Yale J Biol Med* **85**, 45-58 (2012).
205. Gamo, N. & Arnsten, A. Molecular modulation of prefrontal cortex: rationale and development of treatments for psychiatric disorders. *Behav Neurosci* **125**, 282-296 (2011).

206. Goldstein, R. & Volkow, N. Dysfunction of the prefrontal cortex in addiction: neuroimaging findings and clinical implications. *Nat Rev Neurosci* **12**, 652-669 (2011).
207. Arnsten, A.F.T. Stress signalling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience* **10**, 410-422 (2009).
208. Lee, B., Tiefenbacher, S., Platt, D. & Spealman, R. Pharmacological blockade of alpha2-adrenoceptors induces reinstatement of cocaine-seeking behavior in squirrel monkeys. *Neuropsychopharmacology* **29**, 686-693 (2004).
209. Smith, R. & Aston-Jones, G. $\alpha(2)$ Adrenergic and imidazoline receptor agonists prevent cue-induced cocaine seeking. *Biol Psychiatry* **70**, 712-719 (2011).
210. Sofuoglu, M., Devito, E., Waters, A. & Carroll, K. Cognitive enhancement as a treatment for drug addictions. *Neuropharmacology* **64**, 452-463 (2013).
211. Fox, H., *et al.* Guanfacine effects on stress, drug craving and prefrontal activation in cocaine dependent individuals: preliminary findings. *J Psychopharmacol* **26**, 958-972 (2012).
212. Schramm, N., McDonald, M. & Limbird, L. The alpha(2a)-adrenergic receptor plays a protective role in mouse behavioral models of depression and anxiety. *J Neurosci* **21**, 4875-4882 (2001).
213. Goddard, A., *et al.* Current perspectives of the roles of the central norepinephrine system in anxiety and depression. *Depress Anxiety* **27**, 339-350 (2010).
214. Wang, M., *et al.* alpha 2A-adrenoceptors strengthen working memory networks by inhibiting cAMP-HCN channel signaling in prefrontal cortex. *Cell* **129**, 397-410 (2007).
215. Ji, X., Ji, J., Zhang, H. & Li, B. Stimulation of alpha2-adrenoceptors suppresses excitatory synaptic transmission in the medial prefrontal cortex of rat. *Neuropsychopharmacology* **33**, 2263-2271 (2008).
216. Ventura, R., Morrone, C. & Puglisi-Allegra, S. Prefrontal/accumbal catecholamine system determines motivational salience attribution to both reward- and aversion-related stimuli. *Proc Natl Acad Sci* **104**, 5181-5186 (2007).
217. Lê, A., Funk, D., Harding, S., Juzysch, W. & Fletcher, P. The role of noradrenaline and 5-hydroxytryptamine in yohimbine-induced increases in alcohol-seeking in rats. *Psychopharmacology (Berl)* **204**, 477-488 (2009).
218. Perry, J., *et al.* Prefrontal cortex and drug abuse vulnerability: translation to prevention and treatment interventions. *Brain Res Rev* **65**, 124-149 (2011).
219. American Psychiatric Association. *Diagnostic and statistical manual of mental disorders*, (Author, Washington, DC, 2013).
220. Schrader, G.D. Does anhedonia correlate with depression severity in chronic depression? *Compr Psychiatry* **38**, 260-263 (1997).
221. Spijker, J., Bijl, R.V., de Graaf, R. & Nolen, W.A. Determinants of poor 1-year outcome of DSM-III-R major depression in the general population: results of the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Acta Psychiatr Scand* **103**, 122-130 (2001).
222. Cella, M., Dymond, S. & Cooper, A. Impaired flexible decision-making in Major Depressive Disorder. *J Affect Disord* **124**, 207-210 (2010).

223. Ho, N. & Sommers, M. Anhedonia: a concept analysis. *Arch Psychiatr Nurs* **27**, 121-129 (2013).
224. Nielsen, C.K., Arnt, J. & Sanchez, C. Intracranial self-stimulation and sucrose intake differ as hedonic measures following chronic mild stress: interstrain and interindividual differences. *Behav Brain Res* **107**, 21-33 (2000).
225. Donahue, R.J., Muschamp, J.W., Russo, S.J., Nestler, E.J. & Carlezon, W.A., Jr. Effects of striatal DeltaFosB overexpression and ketamine on social defeat stress-induced anhedonia in mice. *Biol Psychiatry* **76**, 550-558 (2014).
226. Buwalda, B., *et al.* Long-lasting deficit of dexamethasone suppression of hypothalamic-pituitary-adrenocortical activation following peripheral CRF challenge in socially defeated rats. *J Neuroendocrinol* **11**, 513-520 (1999).
227. Dere, E., Huston, J.P. & De Souza Silva, M.A. The pharmacology, neuroanatomy and neurogenetics of one-trial object recognition in rodents. *Neurosci Biobehav Rev* **31**, 673-704 (2007).
228. Richardson, N.R. & Roberts, D.C. Progressive ratio schedules in drug self-administration studies in rats: a method to evaluate reinforcing efficacy. *Journal of neuroscience methods* **66**, 1-11 (1996).
229. Akkerman, S., Prickaerts, J., Steinbusch, H.W. & Blokland, A. Object recognition testing: practical considerations. *Behavioural brain research* **232**, 317-322 (2012).
230. Austin, M.P., Mitchell, P. & Goodwin, G.M. Cognitive deficits in depression: possible implications for functional neuropathology. *The British journal of psychiatry : the journal of mental science* **178**, 200-206 (2001).
231. Millan, M.J., *et al.* Cognitive dysfunction in psychiatric disorders: characteristics causes and the quest for improved therapy. *Nat Rev Drug Discov* **11**, 141-168 (2012).
232. Leistedt, S.J. & Linkowski, P. Brain, networks, depression, and more. *Eur Neuropsychopharmacol* **23**, 55-62 (2013).
233. Blanchard, R.J., McKittrick, C.R. & Blanchard, D.C. Animal models of social stress: effects on behavior and brain neurochemical systems. *Physiology & behavior* **73**, 261-271 (2001).
234. Bruchas, M.R., *et al.* Selective p38alpha MAPK deletion in serotonergic neurons produces stress resilience in models of depression and addiction. *Neuron* **71**, 498-511 (2011).
235. Fanous, S., Terwilliger, E.F., Hammer, R.P., Jr. & Nikulina, E.M. Viral depletion of VTA BDNF in rats modulates social behavior, consequences of intermittent social defeat stress, and long-term weight regulation. *Neurosci Lett* **502**, 192-196 (2011).
236. McIntyre, R.S., *et al.* Cognitive deficits and functional outcomes in major depressive disorder: determinants, substrates, and treatment interventions. *Depression and anxiety* **30**, 515-527 (2013).
237. Femenia, T., Gomez-Galan, M., Lindskog, M. & Magara, S. Dysfunctional hippocampal activity affects emotion and cognition in mood disorders. *Brain research* **1476**, 58-70 (2012).
238. Pizzagalli, D.A., Iosifescu, D., Hallett, L.A., Ratner, K.G. & Fava, M. Reduced hedonic capacity in major depressive disorder: evidence from a probabilistic reward task. *J Psychiatr Res* **43**, 76-87 (2008).

239. McCabe, C., Cowen, P.J. & Harmer, C.J. Neural representation of reward in recovered depressed patients. *Psychopharmacology (Berl)* **205**, 667-677 (2009).
240. Heller, A.S., *et al.* Reduced capacity to sustain positive emotion in major depression reflects diminished maintenance of fronto-striatal brain activation. *Proc Natl Acad Sci U S A* **106**, 22445-22450 (2009).
241. Smoski, M.J., *et al.* fMRI of alterations in reward selection, anticipation, and feedback in major depressive disorder. *J Affect Disord* **118**, 69-78 (2009).
242. Keedwell, P.A., Andrew, C., Williams, S.C., Brammer, M.J. & Phillips, M.L. The neural correlates of anhedonia in major depressive disorder. *Biol Psychiatry* **58**, 843-853 (2005).
243. Schlaepfer, T.E., *et al.* Deep brain stimulation to reward circuitry alleviates anhedonia in refractory major depression. *Neuropsychopharmacology* **33**, 368-377 (2008).
244. Hodos, W. Progressive ratio as a measure of reward strength. *Science* **134**, 943-944 (1961).
245. Diergaarde, L., van Mourik, Y., Pattij T., Schoelmeier, A.N. & De Vries, T.J. Poor impulse control predicts inelastic demand for nicotine but not alcohol in rats. *Addict Biol* **17**, 576-587 (2012).
246. Covington, H.E., 3rd, *et al.* Brief social defeat stress: long lasting effects on cocaine taking during a binge and zif268 mRNA expression in the amygdala and prefrontal cortex. *Neuropsychopharmacology* **30**, 310-321 (2005).
247. Covington, H.E., 3rd & Miczek, K.A. Intense cocaine self-administration after episodic social defeat stress, but not after aggressive behavior: dissociation from corticosterone activation. *Psychopharmacology (Berl)* **183**, 331-340 (2005).
248. Miczek, K.A., Nikulina, E.M., Shimamoto, A. & Covington, H.E., 3rd. Escalated or suppressed cocaine reward, tegmental BDNF, and accumbal dopamine caused by episodic versus continuous social stress in rats. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **31**, 9848-9857 (2011).
249. Funk, D., Harding, S., Juzysch, W. & Le, A.D. Effects of unconditioned and conditioned social defeat on alcohol self-administration and reinstatement of alcohol seeking in rats. *Psychopharmacology (Berl)* **183**, 341-349 (2005).
250. Muir, V.J. & Perry, C.M. Guanfacine extended-release: in attention deficit hyperactivity disorder. *Drugs* **70**, 1693-1702 (2010).
251. Sofuoglu, M., DeVito, E.E., Waters, A.J. & Carroll, K.M. Cognitive enhancement as a treatment for drug addictions. *Neuropharmacology* **64**, 452-463 (2013).
252. Lee, B., Tiefenbacher, S., Platt, D.M. & Spealman, R.D. Pharmacological blockade of alpha2-adrenoceptors induces reinstatement of cocaine-seeking behavior in squirrel monkeys. *Neuropsychopharmacology* **29**, 686-693 (2004).
253. Smith, R.J. & Aston-Jones, G. alpha(2) Adrenergic and imidazoline receptor agonists prevent cue-induced cocaine seeking. *Biol Psychiatry* **70**, 712-719 (2011).
254. Fox, H.C., *et al.* Guanfacine effects on stress, drug craving and prefrontal activation in cocaine dependent individuals: preliminary findings. *J Psychopharmacol* **26**, 958-972 (2012).
255. Fredriksson, I., *et al.* Evaluation of guanfacine as a potential medication for alcohol use disorder in long-term drinking rats: behavioral and electrophysiological findings. *Neuropsychopharmacology* **40**, 1130-1140 (2015).

256. Fox, H., Sofuoglu, M. & Sinha, R. Guanfacine enhances inhibitory control and attentional shifting in early abstinent cocaine-dependent individuals. *J Psychopharmacol* **29**, 312-323 (2015).
257. McKee, S.A., *et al.* A translational investigation targeting stress-reactivity and prefrontal cognitive control with guanfacine for smoking cessation. *J Psychopharmacol* **29**, 300-311 (2015).
258. Le, A.D., *et al.* Effect of prazosin and guanfacine on stress-induced reinstatement of alcohol and food seeking in rats. *Psychopharmacology (Berl)* **218**, 89-99 (2011).
259. Anisman, H. & Matheson, K. Stress, depression, and anhedonia: caveats concerning animal models. *Neurosci Biobehav Rev* **29**, 525-546 (2005).
260. Pothion, S., Bizot, J.C., Trovero, F. & Belzung, C. Strain differences in sucrose preference and in the consequences of unpredictable chronic mild stress. *Behav Brain Res* **155**, 135-146 (2004).
261. Henningsen, K., *et al.* Cognitive deficits in the rat chronic mild stress model for depression: relation to anhedonic-like responses. *Behav Brain Res* **198**, 136-141 (2009).
262. Razzoli, M., Carboni, L., Andreoli, M., Ballo, A. & Arban, R. Different susceptibility to social defeat stress of BalbC and C57BL6/J mice. *Behav Brain Res* **216**, 100-108 (2011).
263. Bai, M., *et al.* Comparison of depressive behaviors induced by three stress paradigms in rats. *Physiol Behav* **131**, 81-86 (2014).
264. Meerlo, P., Overkamp, G.J., Daan, S., Van Den Hoofdakker, R.H. & Koolhaas, J.M. Changes in Behaviour and Body Weight Following a Single or Double Social Defeat in Rats. *Stress* **1**, 21-32 (1996).
265. Muto, J., *et al.* Oral administration of inosine produces antidepressant-like effects in mice. *Sci Rep* **4**, 4199 (2014).
266. Forbes, N.F., Stewart, C.A., Matthews, K. & Reid, I.C. Chronic mild stress and sucrose consumption: validity as a model of depression. *Physiol Behav* **60**, 1481-1484 (1996).
267. Barr, A.M. & Phillips, A.G. Chronic mild stress has no effect on responding by rats for sucrose under a progressive ratio schedule. *Physiol Behav* **64**, 591-597 (1998).
268. Hollis, F., Duclot, F., Gunjan, A. & Kabbaj, M. Individual differences in the effect of social defeat on anhedonia and histone acetylation in the rat hippocampus. *Horm Behav* **59**, 331-337 (2011).
269. Bondar, N.P., Kovalenko, I.L., Avgustinovich, D.F., Smagin, D.A. & Kudryavtseva, N.N. Anhedonia in the shadow of chronic social defeat stress, or when the experimental context matters. *Open Behav Sci J.* **3**, 17-27 (2009).
270. Becker, C., *et al.* Repeated social defeat-induced depression-like behavioral and biological alterations in rats: involvement of cholecystokinin. *Mol Psychiatry* **13**, 1079-1092 (2008).
271. Carnevali, L., *et al.* Social defeat and isolation induce clear signs of a depression-like state, but modest cardiac alterations in wild-type rats. *Physiol Behav* **106**, 142-150 (2012).
272. Kamal, A., *et al.* Announced reward counteracts the effects of chronic social stress on anticipatory behavior and hippocampal synaptic plasticity in rats. *Exp Brain Res* **201**, 641-651 (2010).

273. Hone-Blanchet, A. & Fecteau, S. Overlap of food addiction and substance use disorders definitions analysis of animal and human studies. *Neuropharmacology* **85**, 81-90 (2014).
274. Chentsova-Du on, Y. & Hanley, K. The effects of anhedonia and depression on hedonic responses. *Psychiatry Res* **179**, 176-180 (2010).
275. Wade, T.D. & Kendler, K.S. The relationship between social support and major depression: cross-sectional, longitudinal, and genetic perspectives. *The Journal of nervous and mental disease* **188**, 251-258 (2000).
276. Henriques, J.B. & Davidson, R.J. Decreased responsiveness to reward in depression. *Cognition and emotion* **14**, 711-724 (2000).
277. Pechtel, P., Dutra, S.J., Goetz, E.L. & Pizzagalli, D.A. Blunted reward responsiveness in remitted depression. *Journal of psychiatric research* **47**, 1864-1869 (2013).
278. Sloman, L., Gilbert, P. & Hasey, G. Evolved mechanisms in depression: the role and interaction of attachment and social rank in depression. *Journal of affective disorders* **74**, 107-121 (2003).
279. Girard, J.M., et al. Nonverbal Social Withdrawal in Depression: Evidence from manual and automatic analysis. *Image Vis Comput* **32**, 641-647 (2014).
280. Trew, J.L. Exploring the roles of approach and avoidance in depression: an integrative model. *Clinical psychology review* **31**, 1156-1168 (2011).
281. Radke, S., Guths, F., Andre, J.A., Muller, B.W. & de Bruijn, E.R. In action or inaction Social approach-avoidance tendencies in major depression. *Psychiatry research* **219**, 513-517 (2014).
282. MacQueen, G.M., et al. Course of illness, hippocampal function, and hippocampal volume in major depression. *Proceedings of the National Academy of Sciences of the United States of America* **100**, 1387-1392 (2003).
283. Gould, N.F., et al. Performance on a virtual reality spatial memory navigation task in depressed patients. *The American journal of psychiatry* **164**, 516-519 (2007).
284. Cornwell, B.R., et al. Abnormal hippocampal functioning and impaired spatial navigation in depressed individuals: evidence from whole-head magnetoencephalography. *The American journal of psychiatry* **167**, 836-844 (2010).
285. Panza, F., et al. Temporal relationship between depressive symptoms and cognitive impairment: the Italian Longitudinal Study on Aging. *J Alzheimers Dis* **17**, 899-911 (2009).
286. Darcet, F., Gardier, A.M., Gaillard, R., David, D.J. & Guilloux, J.P. Cognitive Dysfunction in Major Depressive Disorder. A Translational Review in Animal Models of the Disease. *Pharmaceuticals (Basel)* **9**(2016).
287. Rock, P.L., Roiser, J.P., Riedel, W.J. & Blackwell, A.D. Cognitive impairment in depression: a systematic review and meta-analysis. *Psychological medicine* **44**, 2029-2040 (2014).
288. Joormann, J. & Gotlib, I.H. Emotion regulation in depression: relation to cognitive inhibition. *Cognition & emotion* **24**, 281-298 (2010).
289. Assari, S. & Lankarani, M.M. Stressful Life Events and Risk of Depression 25 Years Later: Race and Gender Differences. *Front Public Health* **4**, 49 (2016).

290. Feder, A., Nestler, E.J. & Charney, D.S. Psychobiology and molecular genetics of resilience. *Nature reviews. Neuroscience* **10**, 446-457 (2009).
291. Hammen, C. Stress and depression. *Annu Rev Clin Psychol* **1**, 293-319 (2005).
292. Renstrom, F., *et al.* Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. *Diabetes* **60**, 345-354 (2011).
293. Blalock, J.A. & Joiner, T.E. Interaction of cognitive avoidance coping and stress in predicting depression/anxiety. *Cognitive Therapy and Research* **24**, 47-65 (2000).
294. Koolhaas, J.M., de Boer, S.F., Coppens, C.M. & Buwalda, B. Neuroendocrinology of coping styles: towards understanding the biology of individual variation. *Frontiers in neuroendocrinology* **31**, 307-321 (2010).
295. Cohen, H., *et al.* Blunted HPA axis response to stress influences susceptibility to posttraumatic stress response in rats. *Biological psychiatry* **59**, 1208-1218 (2006).
296. Jakovcevski, M., Schachner, M. & Morellini, F. Individual variability in the stress response of C57BL/6J male mice correlates with trait anxiety. *Genes, brain, and behavior* **7**, 235-243 (2008).
297. Cao, J.L., *et al.* Mesolimbic dopamine neurons in the brain reward circuit mediate susceptibility to social defeat and antidepressant action. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **30**, 16453-16458 (2010).
298. Joormann, J. & Quinn, M.E. Cognitive processes and emotion regulation in depression. *Depression and anxiety* **31**, 308-315 (2014).
299. Meerlo, P., Sgoifo, A., De Boer, S.F. & Koolhaas, J.M. Long-lasting consequences of a social conflict in rats: behavior during the interaction predicts subsequent changes in daily rhythms of heart rate, temperature, and activity. *Behavioral neuroscience* **113**, 1283-1290 (1999).
300. Cacioppo, J.T., Hawkey, L.C. & Thisted, R.A. Perceived social isolation makes me sad: 5-year cross-lagged analyses of loneliness and depressive symptomatology in the Chicago Health, Aging, and Social Relations Study. *Psychology and aging* **25**, 453-463 (2010).
301. Witvliet, M., Brendgen, M., van Lier, P.A., Koot, H.M. & Vitaro, F. Early adolescent depressive symptoms: prediction from clique isolation, loneliness, and perceived social acceptance. *Journal of abnormal child psychology* **38**, 1045-1056 (2010).
302. Stein, M.B., *et al.* Social anxiety disorder and the risk of depression: a prospective community study of adolescents and young adults. *Arch Gen Psychiatry* **58**, 251-256 (2001).
303. Cruwys, T., Haslam, S.A., Dingle, G.A., Haslam, C. & Jetten, J. Depression and Social Identity: An Integrative Review. *Personality and social psychology review : an official journal of the Society for Personality and Social Psychology, Inc* **18**, 215-238 (2014).
304. Toth, I. & Neumann, I.D. Animal models of social avoidance and social fear. *Cell and tissue research* **354**, 107-118 (2013).
305. Rubin, K.H. & Burgess, K. Social withdrawal and anxiety. in *The developmental psychopathology of anxiety* (eds. Vasey, M.W. & Dadds, M.R.) 407-434 (Oxford University Press, Oxford, UK, 2001).

306. De Raedt, R. & Koster, E.H. Understanding vulnerability for depression from a cognitive and neuroscience perspective: A reappraisal of aetiological factors and a new conceptual framework. *Cognitive, affective & behavioral neuroscience* **10**, 50-70 (2010).
307. Marazziti, D., Consoli, G., Picchetti M., Carlini, M. & Faravelli, L. Cognitive impairment in major depression. *European journal of pharmacology* **626**, 83-86 (2010).
308. Basso, M.R. & Bornstein, R.A. Relational and memory deficits in recurrent versus first-episode major depression on a word-list learning task. *Neuropsychology* **13**, 557-563 (1999).
309. Sexton, C.E., Mackay, C.E. & Ebmeier, K.P. A systematic review and meta-analysis of magnetic resonance imaging studies in late-life depression. *Am J Geriatr Psychiatry* **21**, 184-195 (2013).
310. Jin, H.M., *et al.* The effects of social defeat on behavior and dopaminergic markers in mice. *Neuroscience* **288**, 167-177 (2015).
311. Broadbent, N.J., Squire, L.R. & Clark, R.E. Spatial memory, recognition memory, and the hippocampus. *Proceedings of the National Academy of Sciences of the United States of America* **101**, 14515-14520 (2004).
312. Broadbent, N.J., Gaskin, S., Squire, L.R. & Clark, R.E. Object recognition memory and the rodent hippocampus. *Learn Mem* **17**, 5-11 (2010).
313. Patki, G., *et al.* Novel mechanistic insights into treadmill exercise based rescue of social defeat-induced anxiety-like behavior and memory impairment in rats. *Physiology & behavior* **130**, 135-144 (2014).
314. Chen, L.S., Eaton, W.W., Gallo, J.J., Nestadt, G. & Crum, R.M. Empirical examination of current depression categories in a population-based study: symptoms, course, and risk factors. *The American journal of psychiatry* **157**, 573-580 (2000).
315. Koolhaas, J.M., *et al.* Coping styles in animals: current status in behavior and stress-physiology. *Neuroscience and biobehavioral reviews* **23**, 925-935 (1999).
316. Ebner, K., Wotjak, C.T., Landgraf, R. & Engelmann, M. Neuroendocrine and behavioral response to social confrontation: residents versus intruders, active versus passive coping styles. *Hormones and behavior* **47**, 14-21 (2005).
317. Walker, F.R., Masters, L.M., Dielenberg, R.A. & Day, T.A. Coping with defeat: acute glucocorticoid and forebrain responses to social defeat vary with defeat episode behaviour. *Neuroscience* **162**, 244-253 (2009).
318. Narayanan, V., *et al.* Social defeat: impact on fear extinction and amygdala-prefrontal cortical theta synchrony in 5-HTT deficient mice. *PLoS one* **6**, e22600 (2011).
319. Walker, F.R., Hinwood, M., Masters, L., Dielenberg, R.A. & Day, T.A. Individual differences predict susceptibility to conditioned fear arising from psychosocial trauma. *Journal of psychiatric research* **42**, 371-383 (2008).
320. Caldwell, E.E. & Riccio, D.C. Alcohol self-administration in rats: Modulation by temporal parameters related to repeated mild social defeat stress. *Alcohol* **44**, 265-274 (2010).
321. Schmidt, M.V., *et al.* High susceptibility to chronic social stress is associated with a depression-like phenotype. *Psychoneuroendocrinology* **35**, 635-643 (2010).

322. Krishnan, V. Defeating the fear: new insights into the neurobiology of stress susceptibility. *Experimental neurology* **261**, 412-416 (2014).
323. Hasin, D.S., Goodwin, R.D., Stinson, F.S. & Grant, B.F. Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions. *Arch Gen Psychiatry* **62**, 1097-1106 (2005).
324. Boschloo, L., *et al.* Comorbidity and risk indicators for alcohol use disorders among persons with anxiety and/or depressive disorders: findings from the Netherlands Study of Depression and Anxiety (NESDA). *Journal of affective disorders* **131**, 233-242 (2011).
325. Boden, J.M. & Fergusson, D.M. Alcohol and depression. *Addiction* **106**, 906-914 (2011).
326. Briere, F.N., Rohde, P., Seeley, J.R., Klein, D. & Lewinsohn, P.M. Comorbidity between major depression and alcohol use disorder from adolescence to adulthood. *Comprehensive psychiatry* **55**, 526-533 (2014).
327. Kendler, K.S. & Gardner, C.O. Dependent stressful life events and prior depressive episodes in the prediction of major depression: the problem of causal inference in psychiatric epidemiology. *Archives of general psychiatry* **67**, 1120-1127 (2010).
328. Kendler, K.S. & Gardner, C.O. Depressive vulnerability, stressful life events and episode onset of major depression: a longitudinal model. *Psychol Med* **46**, 1865-1874 (2016).
329. Elliott, E., Ezra-Nevo, G., Regev, L., Neufeld-Cohen, A. & Chen, A. Resilience to social stress coincides with functional DNA methylation of the Crf gene in adult mice. *Nature neuroscience* **13**, 1351-1353 (2010).
330. Hodes, G.E., *et al.* Individual differences in the peripheral immune system promote resilience versus susceptibility to social stress. *Proc Natl Acad Sci U S A* **111**, 16136-16141 (2014).
331. Francis, T.C., *et al.* Nucleus accumbens medium spiny neuron subtypes mediate depression-related outcomes to social defeat stress. *Biol Psychiatry* **77**, 212-222 (2015).
332. Kabbaj, M., *et al.* Social defeat alters the acquisition of cocaine self-administration in rats: role of individual differences in cocaine-taking behavior. *Psychopharmacology* **158**, 382-387 (2001).
333. West, C.H. & Weiss, J.M. Intake of ethanol and reinforcing fluids in rats bred for susceptibility to stress. *Alcohol* **38**, 13-27 (2006).
334. Weiss, J.M., *et al.* Rats selectively bred for behavior related to affective disorders: proclivity for intake of alcohol and drugs of abuse, and measures of brain monoamines. *Biochemical pharmacology* **75**, 134-159 (2008).
335. Wang, J., *et al.* BDNF overexpression in the ventral tegmental area prolongs social defeat stress-induced cross-sensitization to amphetamine and increases DeltaFosB expression in mesocorticolimbic regions of rats. *Neuropsychopharmacology: official publication of the American College of Neuropsychopharmacology* **38**, 2286-2296 (2013).
336. Deroche-Gamonet, V., Belin, D. & Piazza, P.V. Evidence for addiction-like behavior in the rat. *Science* **305**, 1014-1017 (2004).

337. Bolton, J.M., Robinson, J. & Sareen, J. Self-medication of mood disorders with alcohol and drugs in the National Epidemiologic Survey on Alcohol and Related Conditions *Journal of affective disorder* **115**, 367-375 (2009).
338. Becker, H.C., Lopez, M.F. & Doremus-Fitzwater, T.L. Effects of stress on alcohol drinking: a review of animal studies. *Psychopharmacology* **218**, 131-156 (2011).
339. Noori, H.R., Helinski, S. & Spanagel, R. Cluster and meta-analyses on factors influencing stress-induced alcohol drinking and relapse in rodents. *Addiction biology* **19**, 225-232 (2014).
340. Veenstra, M.Y., *et al.* A literature overview of the relationship between life-events and alcohol use in the general population. *Alcohol and alcoholism* **41**, 455-463 (2006).
341. Uhart, M. & Wand, G.S. Stress, alcohol and drug interaction : an update of human research. *Addiction biolog* **14**, 43-64 (2009).
342. Norman, K.J., *et al.* Social stress and escalated drug self-administration in mice I. Alcohol and corticosterone. *Psychopharmacology* **232**, 991-1001 (2015).
343. Stoops, W.W. Reinforcing effects of stimulants in humans: sensitivity of progressive-ratio schedules. *Experimental and clinical psychopharmacology* **16**, 503-512 (2008).
344. Murphy, F.C., Michael, A. & Sahakian, B.J. Emotion modulates cognitive flexibility in patients with major depression. *Psychological medicine* **42**, 1373-1382 (2012).
345. Zhang, F., Yuan, S., Shao, F. & Wang, W. Adolescent Social Defeat Induced Alteration in Social Behavior and Cognitive Flexibility in Adult Mice: Effects of Developmental Stage and Social Condition. *Front Behav Neurosci* **10**, 149 (2016).
346. Seu, E., Lang, A., Rivera, R.J. & Jentsch, J.D. Inhibition of the norepinephrine transporter improves behavioral flexibility in rats and monkeys. *Psychopharmacology* **202**, 505-519 (2009).
347. Brown, H.D., Amodeo, D.A., Sweeney, J.A. & Ragozzino, M.E. The selective serotonin reuptake inhibitor, escitalopram, enhances inhibition of prepotent responding and spatial reversal learning. *Journal of psychopharmacology* **26**, 1443-1455 (2012).
348. Lejoyeux, M., Arbaretz, M., McLoughlin, M. & Ades, J. Impulse control disorders and depression. *The Journal of nervous and mental disease* **190**, 310-314 (2002).
349. Gohier, B., *et al.* Cognitive inhibition and working memory in unipolar depression. *Journal of affective disorder* **116**, 100-105 (2009).
350. Saddichha, S. & Schuetz, C. Impulsivity in remitted depression: a meta-analytical review. *Asian journal of psychiatry* **9**, 13-16 (2014).
351. Corruble, E., Benyamina, A., Bayle, F., Falissard, B. & Hardy, P. Understanding impulsivity in severe depression? A psychometrical contribution. *Progress in neuro-psychopharmacology & biological psychiatry* **27**, 829-833 (2003).
352. Perry, J.L. & Carroll, M.E. The role of impulsive behavior in drug abuse. *Psychopharmacology* **200**, 1-26 (2008).
353. Dick, D.M., *et al.* Understanding the construct of impulsivity and its relationship to alcohol use disorders. *Addiction biolog* **15**, 217-226 (2010).
354. Voon, V., *et al.* Measuring "waitin'" impulsivity in substance addictions and binge eating disorder in a novel analogue of rodent serial reaction time task. *Biological psychiatry* **75**, 148-155 (2014).

355. Sanchez-Roige, S., *et al.* Exaggerated waiting impulsivity associated with human binge drinking, and high alcohol consumption in mice. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **39**, 2919-2927 (2014).
356. Loos, M., Staal, J., Smit, A.B., De Vries, T.J. & Spijker, S. Enhanced alcohol self-administration and reinstatement in a highly impulsive, inbred recombinant mouse strain. *Front Behav Neurosci* **7**, 151 (2013).
357. Fergusson, D.M., Boden, J.M. & Horwood, L.J. Tests of causal links between alcohol abuse or dependence and major depression. *Archives of general psychiatry* **66**, 260-266 (2009).
358. Gilman, S.E. & Abraham, H.D. A longitudinal study of the order of onset of alcohol dependence and major depression. *Drug and alcohol dependence* **63**, 277-286 (2001).
359. Nurnberger, J.I., Jr., Foroud, T., Flury, L., Meyer, E.T. & Wiegand, R. Is there a genetic relationship between alcoholism and depression? *Alcohol research & health : the journal of the National Institute on Alcohol Abuse and Alcoholism* **26**, 233-240 (2002).
360. Bell, R.L., Rodd, Z.A., Lumeng, L., Murphy, J.M. & McBride, W.J. The alcohol-preferring rat and animal models of excessive alcohol drinking. *Addiction biology* **11**, 270-288 (2006).
361. Moonat, S. & Pandey, S.C. Stress, epigenetics, and alcoholism. *Alcohol Res* **34**, 495-505 (2012).
362. Nieratschker, V., Batra, A. & Fallgatter, A.J. Genetics and epigenetics of alcohol dependence. *J Mol Psychiatry* **1**, 11 (2013).
363. Belin, D., Mar, A.C., Dalley, J.W., Robbins, T.W. & Everitt, B.J. High impulsivity predicts the switch to compulsive cocaine-taking. *Science* **320**, 1352-1355 (2008).
364. Broos, N., Diergaarde, L., Schoelmeier, A.N., Pattij, T. & De Vries, T.J. Trait impulsive choice predicts resistance to extinction and propensity to relapse to cocaine seeking: a bidirectional investigation. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **37**, 1377-1386 (2012).
365. Diergaarde, L., *et al.* Impulsive choice and impulsive action predict vulnerability to distinct stages of nicotine seeking in rats. *Biological psychiatry* **63**, 301-308 (2008).
366. Economidou, D., Pelloux, Y., Robbins, T.W., Dalley, J.W. & Everitt, B.J. High impulsivity predicts relapse to cocaine-seeking after punishment-induced abstinence. *Biological psychiatry* **65**, 851-856 (2009).
367. Gonzalez, V.M., Reynolds, B. & Skewes, M.C. Role of impulsivity in the relationship between depression and alcohol problems among emerging adult college drinkers. *Experimental and clinical psychopharmacology* **19**, 303-313 (2011).
368. Verdejo-Garcia, A., Bechara, A., Recknor, E.C. & Perez-Garcia, M. Negative emotion driven impulsivity predicts substance dependence problems. *Drug and alcohol dependence* **91**, 213-219 (2007).
369. Oberlin, B.G. & Grahame, N.J. High-alcohol preferring mice are more impulsive than low-alcohol preferring mice as measured in the delay discounting task. *Alcoholism, clinical and experimental research* **33**, 1294-1303 (2009).

370. Fairhall, S.L., Sharma, S., Magnusson, J. & Murphy, B. Memory related dysregulation of hippocampal function in major depressive disorder. *Biological psychology* **85**, 499-503 (2010).
371. Pinger, C. & Duman, R.S. Stress, depression, and neuroplasticity: a convergence of mechanisms. *Neuropsychopharmacology* **33**, 88-109 (2008).
372. Antunes, M. & Biala, G. The novel object recognition memory: neurobiology, test procedure, and its modifications. *Cogn Process* **13**, 93-110 (2012).
373. Bannerman, D.M., et al. Hippocampal synaptic plasticity, spatial memory and anxiety. *Nature reviews. Neuroscience* **15**, 181-192 (2014).
374. Pavelka, N., et al. A power law global error model for the identification of differentially expressed genes in microarray data. *BMC Bioinformatics* **5**, 203 (2004).
375. Zhang, B., Kirov, S. & Snoddy, J. WebGestalt: an integrated system for exploring gene sets in various biological contexts. *Nucleic acids research* **33**, W741-748 (2005).
376. Dityatev, A. & Schachner, M. Extracellular matrix molecules and synaptic plasticity. *Nat Rev Neurosci* **4**, 456-468 (2003).
377. Faissner, A., et al. Contributions of astrocytes to synapse formation and maturation - Potential functions of the perisynaptic extracellular matrix. *Brain Res Rev* **63**, 26-38 (2010).
378. Dityatev, A. & Rusakov, D.A. Molecular signals of plasticity at the tetrapartite synapse. *Curr Opin Neurobiol* **21**, 353-359 (2011).
379. Hartig, W., Brauer, K., Bigl, V. & Bruckner, G. Chondroitin sulfate proteoglycan-immunoreactivity of lectin-labeled perineuronal nets around parvalbumin-containing neurons. *Brain research* **635**, 307-311 (1994).
380. Deepa, S.S., et al. Composition of perineuronal net extracellular matrix in rat brain: a different disaccharide composition for the net-associated proteoglycans. *The Journal of biological chemistry* **281**, 17789-17800 (2006).
381. Romberg, C., et al. Depletion of perineuronal nets enhances recognition memory and long-term depression in the perirhinal cortex. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **33**, 7057-7065 (2013).
382. Dityatev, A., et al. Activity-dependent formation and function of chondroitin sulfate-rich extracellular matrix of perineuronal nets. *Dev Neurobiol* **67**, 570-588 (2007).
383. Yamada, J., Ohgomori, T. & Jinno, S. Perineuronal nets affect parvalbumin expression in GABAergic neurons of the mouse hippocampus. *The European journal of neuroscience* **41**, 368-378 (2015).
384. Donato, F., Rompani, S.B. & Caroni, P. Parvalbumin-expressing basket-cell network plasticity induced by experience regulates adult learning. *Nature* **504**, 272-276 (2013).
385. Murray, A.J., et al. Parvalbumin-positive CA1 interneurons are required for spatial working but not for reference memory. *Nature neuroscience* **14**, 297-299 (2011).
386. Pizzorusso, T., et al. Reaction of ocular dominance plasticity in the adult visual cortex. *Science* **298**, 1248-1251 (2002).
387. Dresler, M., Kluge, M., Genzel, L., Schussler, P. & Steiger, A. Impaired offline memory consolidation in depression. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology* **20**, 553-561 (2010).

388. Pienger, C., *et al.* Reversible inhibition of CREB/ATF transcription factors in region CA1 of the dorsal hippocampus disrupts hippocampus-dependent spatial memory. *Neuron* **34**, 447-462 (2002).
389. Okada, T., *et al.* Long-term potentiation in the hippocampal CA1 area and dentate gyrus plays different roles in spatial learning. *Eur J Neurosci* **17**, 341-349 (2003).
390. Li, K.W., *et al.* Proteomics Analysis of Rat Brain Postsynaptic Density - Implications of the diverse protein functional groups for the integration of synaptic physiology *The Journal of biological chemistry* **279**, 987-1002 (2004).
391. Dityatev, A., Seidenbecher, C.I. & Schachner, M. Compartmentalization from the outside: the extracellular matrix and functional microdomains in the brain. *Trends in neurosciences* **33**, 503-512 (2010).
392. Frischknecht, R., *et al.* Brain extracellular matrix affects AMPA receptor lateral mobility and short-term synaptic plasticity. *Nature neuroscience* **12**, 897-904 (2009).
393. Saghatelian, A.K., *et al.* Reduced perisomatic inhibition, increased excitatory transmission, and impaired long-term potentiation in mice deficient for the extracellular matrix glycoprotein tenascin-R. *Mol Cell Neurosci* **17**, 226-240 (2001).
394. Carulli, D., *et al.* Animals lacking link protein have attenuated perineuronal nets and persistent plasticity. *Brain : a journal of neurology* **133**, 2331-2347 (2010).
395. Geissler, M., *et al.* Primary hippocampal neurons, which lack four crucial extracellular matrix molecules, display abnormalities of synaptic structure and function and severe deficits in perineuronal net formation. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **33**, 7742-7755 (2013).
396. Lubbers, B.R., *et al.* The Extracellular Matrix Protein Brevican Limits Time-Dependent Enhancement of Cocaine Conditioned Place Preference. *Neuropsychopharmacology* **41**, 1907-1916 (2016).
397. Bukalo, O., Schachner, M. & Dityatev, A. Modification of extracellular matrix by enzymatic removal of chondroitin sulfate and by lack of tenascin-R differentially affects several forms of synaptic plasticity in the hippocampus. *Neuroscience* **104**, 359-369 (2001).
398. Meighan, S.E., *et al.* Effects of extracellular matrix-degrading proteases matrix metalloproteinases 3 and 9 on spatial learning and synaptic plasticity. *J Neurochem* **96**, 1227-1241 (2006).
399. Nagy, V., Bozdagi, O. & Huntley, G.W. The extracellular protease matrix metalloproteinase-9 is activated by inhibitory avoidance learning and required for long-term memory. *Learn Mem* **14**, 655-664 (2007).
400. Hylín, M.J., Orsi, S.A., Moore, A.N. & Dash, P.K. Disruption of the perineuronal net in the hippocampus or medial prefrontal cortex impairs fear conditioning. *Learn Mem* **20**, 267-273 (2013).
401. Frischknecht, R. & Gundelfinger, E.D. The brain's extracellular matrix and its role in synaptic plasticity. *Adv Exp Med Biol* **970**, 153-171 (2012).
402. van der Kooij, M.A., *et al.* Role for MMP-9 in stress-induced downregulation of nectin-3 in hippocampal CA1 and associated behavioural alterations. *Nat Commun* **5**, 4995 (2014).

403. Schuppel, K., *et al.* Perineuronal nets of extracellular matrix around hippocampal interneurons resist destruction by activated microglia in trimethyltin treated rats. *Brain research* **958**, 448-453 (2002).
404. Cabungcal, J.H., *et al.* Perineuronal nets protect fast-spiking interneurons against oxidative stress. *Proceedings of the National Academy of Sciences of the United States of America* **110**, 9130-9135 (2013).
405. Guirado, R., Perez-Rando, M., Sanchez-Matarredona, D., Castren, E. & Nacher, J. Chronic fluoxetine treatment alters the structure, connectivity and plasticity of cortical interneurons. *Int J Neuropsychopharmacol* **17**, 1635-1646 (2014).
406. Ohira, K., Takeuchi, R., Iwanaga, T. & Miyakawa, T. Chronic fluoxetine treatment reduces parvalbumin expression and perineuronal nets in gamma-aminobutyric acidergic interneurons of the frontal cortex in adult mice. *Mol Brain* **6**, 43 (2013).
407. Holm, M.M., *et al.* Hippocampal GABAergic dysfunction in a rat chronic mild stress model of depression. *Hippocampus* **21**, 422-433 (2011).
408. Mendez, P., Pazienti, A., Szabo, G. & Bacci, A. Direct alteration of a specific inhibitory circuit of the hippocampus by antidepressants. *J Neurosci* **32**, 16616-16628 (2012).
409. Klausberger, T. & Somogyi, P. Neuronal diversity and temporal dynamics: the unity of hippocampal circuit operations. *Science* **321**, 53-57 (2008).
410. Campanac, E., *et al.* Enhanced intrinsic excitability in basket cells maintains excitatory-inhibitory balance in hippocampal circuits. *Neuron* **77**, 712-722 (2013).
411. Lasztocki, B. & Klausberger, T. Layer-specific GABAergic control of distinct gamma oscillations in the CA1 hippocampus. *Neuron* **81**, 1126-1139 (2014).
412. Stark, E., *et al.* Pyramidal cell-interneuron interactions underlie hippocampal ripple oscillations. *Neuron* **83**, 467-480 (2014).
413. Balmer, T.S., Carels, V.M., Frisch, J.L. & Nick, T.A. Modulation of perineuronal nets and parvalbumin with developmental song learning. *J Neurosci* **29**, 12878-12885 (2009).
414. Karunakaran, S., *et al.* PV plasticity sustained through D1/5 dopamine signaling required for long-term memory consolidation. *Nat Neurosci* **19**, 454-464 (2016).
415. Karpova, N.N., *et al.* Fear erasure in mice requires synergy between antidepressants and extinction training. *Science* **334**, 1731-1734 (2011).
416. Gogolla, N., Caroni, P., Luthi, A. & Herry, C. Perineuronal nets protect fear memories from erasure. *Science* **325**, 1258-1261 (2009).
417. Luscher, B., Shen, Q. & Sahir, N. The GABAergic deficit hypothesis of major depressive disorder. *Molecular psychiatry* **16**, 383-406 (2011).
418. Ting, J.T., Daigle, T.L., Chen, Q. & Feng, G. Acute brain slice methods for adult and aging animals: application of targeted patch clamp analysis and optogenetics. *Methods Mol Biol* **1183**, 221-242 (2014).
419. Shimono, K., Baudry, M., Ho, L., Taketani, M. & Lynch, G. Long-term recording of LTP in cultured hippocampal slices. *Neural Plast* **9**, 249-254 (2002).
420. Van den Oever, M.C., *et al.* Prefrontal cortex AMPA receptor plasticity is crucial for cue-induced relapse to heroin-seeking. *Nature neuroscience* **11**, 1053-1058 (2008).

421. COUNO E, D.S., *et al.* Lasting synaptic changes underlie attention deficits caused by nicotine exposure during adolescence. *Nature neuroscience* **14**, 417-419 (2011).
422. Schindelin, J., *et al.* Fiji: an open-source platform for biological-image analysis. *Nat Methods* **9**, 676-682 (2012).
423. Van den Oever, M.C., *et al.* Extracellular matrix plasticity and GABAergic inhibition of prefrontal cortex pyramidal cells facilitates relapse to heroin seeking. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **35**, 2120-2133 (2010).
424. Meyer-Arendt, K., *et al.* IsoformResolver: A peptide-centric algorithm for protein inference. *Journal of proteome research* **10**, 3060-3075 (2011).
425. Reiter, L., *et al.* Protein identification false discovery rates for very large proteomics data sets generated by tandem mass spectrometry. *Molecular & cellular proteomics : MCP* **8**, 2405-2417 (2009).
426. Karp, N.A., *et al.* Addressing accuracy and precision issues in iTRAQ quantitation. *Molecular & cellular proteomics : MCP* **9**, 1885-1897 (2010).
427. Lander, C., Kind, P., Maleski, M. & Hockfield, S. A family of activity-dependent neuronal cell-surface chondroitin sulfate proteoglycans in cat visual cortex. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **17**, 1928-1939 (1997).
428. Ajmo, J.M., Eakin, A.K., Hamel, M.G. & Gottschall, P.E. Discordant localization of WFA reactivity and brevican/ADAMTS-derived fragment in rodent brain. *BMC neuroscience* **9**, 14 (2008).
429. Paxinos, G. & Watson, C. *The Rat Brain in Stereotaxic Coordinates - The New Coronal Set*, (Elsevier Academic Press, Burlington, MA, 2005).
430. Hitti F.L. & Siegelbaum, S.A. The hippocampal CA2 region is essential for social memory. *Nature* **508**, 88-92 (2014).
431. Laursen, T.M., Munk-Olsen, T., Nordentoft, M. & Mortensen, P.B. Increased mortality among patients admitted with major psychiatric disorders: a register-based study comparing mortality in unipolar depressive disorder, bipolar affective disorder, schizoaffective disorder, and schizophrenia. *The Journal of clinical psychiatry* **68**, 899-907 (2007).
432. Sullivan, P.F., Neale, M.C. & Kendler, K.S. Genetic epidemiology of major depression: review and meta-analysis. *The American journal of psychiatry* **157**, 1552-1562 (2000).
433. Kendler, K.S., Karkowski, L.M. & Prescott, C.A. Causal relationship between stressful life events and the onset of major depression. *The American journal of psychiatry* **156**, 837-841 (1999).
434. de Kloet, E.R., Joels, M. & Holsboer, F. Stress and the brain: from adaptation to disease. *Nature reviews. Neuroscience* **6**, 463-475 (2005).
435. Leppanen, J.M. Emotional information processing in mood disorders: a review of behavioral and neuroimaging findings. *Current opinion in psychiatry* **19**, 34-39 (2006).
436. Mann, J.J. The medical management of depression. *The New England journal of medicine* **353**, 1819-1834 (2005).

437. Frazer, A. & Morilak, D.A. What should animal models of depression model? *Neuroscience and biobehavioral reviews* **29**, 515-523 (2005).
438. Willner, P. The validity of animal models of depression. *Psychopharmacology* **83**, 1-16 (1984).
439. Neumann, I.D., *et al.* Animal models of depression and anxiety: What do they tell us about human condition? *Progress in neuro-psychopharmacology & biological psychiatry* **35**, 1357-1375 (2011).
440. Tamashiro, K.L., Nguyen, M.M. & Sakai, R.R. Social stress: from rodents to primates. *Frontiers in neuroendocrinology* **26**, 27-40 (2005).
441. Allan, S. & Gilbert, P. Submissive behaviour and psychopathology. *The British journal of clinical psychology / the British Psychological Society* **36 (Pt 4)**, 467-488 (1997).
442. Keller, M.C., Neale, M.C. & Kendler, K.S. Association of different adverse life events with distinct patterns of depressive symptoms. *The American journal of psychiatry* **164**, 1521-1529; quiz 1622 (2007).
443. Johnson, R.M., *et al.* Adverse behavioral and emotional outcomes from child abuse and witnessed violence. *Child maltreatment* **7**, 179-186 (2002).
444. Lorant, V., *et al.* Depression and socio-economic risk factors: 7-year longitudinal population study. *The British journal of psychiatry : the journal of mental science* **190**, 293-298 (2007).
445. Barger, S.D., Messerli-Burgy, N. & Barth, J. Social relationship correlates of major depressive disorder and depressive symptoms in Switzerland: nationally representative cross sectional study. *BMC public health* **14**, 273 (2014).
446. Alpass, F.M. & Neville, S. Loneliness, health and depression in older males. *Aging & mental health* **7**, 212-216 (2003).
447. Schwarzbach, M., *et al.* The relationship between social integration and depression in non-demented primary care patients aged 75 years and older. *Journal of affective disorders* **145**, 172-178 (2013).
448. Schinka, K.C., Van Dulmen, M.H., Bossarte, R. & Swahn, M. Association between loneliness and suicidality during middle childhood and adolescence: longitudinal effects and the role of demographic characteristics. *J Psychol* **146**, 105-118 (2012).
449. Qualter, P., *et al.* Trajectories of loneliness during childhood and adolescence: predictors and health outcomes. *J Adolesc* **36**, 1283-1293 (2013).
450. Matthews, G.A., *et al.* Dorsal Raphe Dopamine Neurons Represent the Experience of Social Isolation. *Cell* **164**, 617-631 (2016).
451. Michelsen, K.A., Prickaerts, J. & Steinbusch, H.W. The dorsal raphe nucleus and serotonin: implications for neuroplasticity linked to major depression and Alzheimer's disease. *Prog Brain Res* **172**, 233-264 (2008).
452. Kerman, I.A., *et al.* Evidence for transcriptional factor dysregulation in the dorsal raphe nucleus of patients with major depressive disorder. *Front Neurosci* **6**, 135 (2012).
453. Warden, M.R., *et al.* A prefrontal cortex-brainstem neuronal projection that controls response to behavioural challenge. *Nature* **492**, 428-432 (2012).
454. Organization, W.H. The ICD-10 classification of mental and behavioural disorders: clinical descriptions and diagnostic guidelines. (World Health Organization, Geneva, 1992).

455. O'Connell, L.A. & Hofmann, H.A. The vertebrate mesolimbic reward system and social behavior network: a comparative synthesis. *The Journal of comparative neurology* **519**, 3599-3639 (2011).
456. Young, L.J. The neurobiology of social recognition, approach, and avoidance. *Biological psychiatry* **51**, 18-26 (2002).
457. Dolen, G., Darvishzadeh, A., Huang, K.W. & Malenka, R.C. Social reward requires coordinated activity of nucleus accumbens oxytocin and serotonin. *Nature* **501**, 179-184 (2013).
458. Nikulina, E.M., Covington, H.E., 3rd, Ganschow, L., Hammer, R.P., Jr. & Miczek, K.A. Long-term behavioral and neuronal cross-sensitization to amphetamine induced by repeated brief social defeat stress: Fos in the ventral tegmental area and amygdala. *Neuroscience* **123**, 857-865 (2004).
459. Kumar, S., *et al.* Prefrontal cortex reactivity underlies trait vulnerability to chronic social defeat stress. *Nat Commun* **5**, 4537 (2014).
460. Romer Thomsen, K., Whybrow, P.C. & Kringelbach, M.L. Reconceptualizing anhedonia: novel perspectives on balancing the pleasure networks in the human brain. *Front Behav Neurosci* **9**, 49 (2015).
461. Sherdell, L., Waugh, C.E. & Gotlib, I.H. Anticipatory pleasure predicts motivation for reward in major depression. *Journal of abnormal psychology* **121**, 51-60 (2012).
462. Peluso, M.A., *et al.* Amygdala hyperactivation in untreated depressed individuals. *Psychiatry research* **173**, 158-161 (2009).
463. Gaffey, M.S., *et al.* Association between depression severity and amygdala reactivity during sad face viewing in depressed preschoolers: an fMRI study. *Journal of affective disorders* **129**, 364-370 (2011).
464. Williams, L.M., *et al.* Amygdala Reactivity to Emotional Faces in the Prediction of General and Medication-Specific Responses to Antidepressant Treatment in the Randomized iSPOT-D Trial. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **40**, 2398-2408 (2015).
465. Koob, G. & Kreek, M.J. Stress, dysregulation of drug reward pathways, and the transition to drug dependence. *The American journal of psychiatry* **164**, 1149-1159 (2007).
466. Jaeger, J., Berns, S., Uzelac, S. & Davis-Conway, S. Neurocognitive deficits and disability in major depressive disorder. *Psychiatry research* **145**, 39-48 (2006).
467. Foland-Ross, L.C. & Gotlib, I.H. Cognitive and neural aspects of information processing in major depressive disorder: an integrative perspective. *Front Psychol* **3**, 489 (2012).
468. Elliott, R., Zahn, R., Deakin, J.F. & Anderson, I.M. Affective cognition and its disruption in mood disorders. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **36**, 153-182 (2011).
469. Dere, E., Pause, B.M. & Pietrowsky, R. Emotion and episodic memory in neuropsychiatric disorders. *Behavioural brain research* **215**, 162-171 (2010).
470. Zhong, M., *et al.* Amygdala hyperactivation and prefrontal hypoactivation in subjects with cognitive vulnerability to depression. *Biological psychology* **88**, 233-242 (2011).
471. Ramel, W., *et al.* Amygdala reactivity and mood-congruent memory in individuals at risk for depressive relapse. *Biological psychiatry* **61**, 231-239 (2007).

472. Strunk, D.R., Lopez, H. & DeRubeis, R.J. Depressive symptoms are associated with unrealistic negative predictions of future life events. *Behav Res Ther* **44**, 861-882 (2006).
473. Field, M., Mogg, K. & Bradley, B.P. Craving and cognitive biases for alcohol cues in social drinkers. *Alcohol and alcoholism* **40**, 504-510 (2005).
474. Quirk, G.J. & Mueller, D. Neural mechanisms of extinction learning and retrieval. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **33**, 56-72 (2008).
475. King, J.A., Tenney, J., Rossi, V., Colamussi, L. & Burdick, S. Neural substrates underlying impulsivity. *Annals of the New York Academy of Sciences* **1008**, 160-169 (2003).
476. Bari, A. & Robbins, T.W. Inhibition and impulsivity: behavioral and neural basis of response control. *Prog Neurobiol* **108**, 44-79 (2013).
477. Robinson, T.E. & Flagel, S.B. Dissociating the predictive and incentive motivational properties of reward-related cues through the study of individual differences. *Biological psychiatry* **65**, 869-873 (2009).
478. Lovic, V., Saunders, B.T., Yager, L.M. & Robinson, T.E. Rats prone to attribute incentive salience to reward cues are also prone to impulsive action. *Behavioural brain research* **223**, 255-261 (2011).
479. Ahrens, A.M., Singer, B.F., Fitzpatrick, C.J., Morrow, J.D. & Robinson, T.E. Rats that sign-track are resistant to Pavlovian but not instrumental extinction. *Behavioural brain research* **296**, 418-430 (2016).
480. Flagel, S.B., Akil, H. & Robinson, T.E. Individual differences in the attribution of incentive salience to reward-related cues: Implications for addiction. *Neuropharmacology* **56 Suppl 1**, 139-148 (2009).
481. Fossati, P., et al. Verbal memory performance of patients with a first depressive episode and patients with unipolar and bipolar recurrent depression. *Journal of psychiatric research* **38**, 137-144 (2004).
482. Nadel, L., Hupbach, A., Gomez, R. & Newman-Smith, K. Memory formation consolidation and transformation. *Neuroscience and biobehavioral reviews* **36**, 1640-1645 (2012).
483. Hammar, A., Lund, A. & Hugdahl, K. Selective impairment in effortful information processing in major depression. *Journal of the International Neuropsychological Society : JINS* **9**, 954-959 (2003).
484. Fales, C.L., et al. Altered emotional interference processing in affective and cognitive-control brain circuitry in major depression. *Biological psychiatry* **63**, 377-384 (2008).
485. Dere, E., Kart-Teke, E., Huston, J.P. & De Souza Silva, M.A. The case for episodic memory in animals. *Neuroscience and biobehavioral reviews* **30**, 1206-1224 (2006).
486. Kogan, J.H., Frankland, P.W. & Silva, A.J. Long-term memory underlying hippocampus-dependent social recognition in mice. *Hippocampus* **10**, 47-56 (2000).
487. Kalisch, R., et al. Context-dependent human extinction memory is mediated by a ventromedial prefrontal and hippocampal network. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **26**, 9503-9511 (2006).
488. Corcoran, K.A., Desmond, T.J., Frey, K.A. & Maren, S. Hippocampal inactivation disrupts the acquisition and contextual encoding of fear extinction. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **25**, 8978-8987 (2005).

489. Cheung, T.H. & Cardinal, R.N. Hippocampal lesions facilitate instrumental learning with delayed reinforcement but induce impulsive choice in rats. *BMC neuroscience* **6**, 36 (2005).
490. McHugh, S.B., Campbell, T.G., Taylor, A.M., Rawlins, J.N. & Bannerman, D.M. A role for dorsal and ventral hippocampus in inter-temporal choice cost-benefit decision making. *Behav Neurosci* **122**, 1-8 (2008).
491. Fuchs, R.A., *et al.* The role of the dorsomedial prefrontal cortex, basolateral amygdala, and dorsal hippocampus in contextual reinstatement of cocaine seeking in rats. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology* **30**, 296-309 (2005).
492. MacQueen, G. & Frodl, T. The hippocampus in major depression: evidence for the convergence of the bench and bedside in psychiatric research? *Molecular psychiatry* **16**, 252-264 (2011).
493. Li, S., *et al.* Chronic mild stress impairs cognition in mice: from brain homeostasis to behavior. *Life Sci* **82**, 934-942 (2008).
494. Orsetti M., Colella, L., Dellarole, A., Canonico, P.L. & Ghi, P. Modification of spatial recognition memory and object discrimination after chronic administration of haloperidol, amitriptyline, sodium valproate or olanzapine in normal and anhedonic rats. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum* **10**, 345-357 (2007).
495. Roll, L. & Faissner, A. Influence of the extracellular matrix on endogenous and transplanted stem cells after brain damage. *Front Cell Neurosci* **8**, 219 (2014).
496. Perea, G., Navarrete, M. & Araque, A. Tripartite synapses: astrocytes process and control synaptic information. *Trends in neurosciences* **32**, 421-431 (2009).
497. Fellin, T., Pascual, O. & Haydon, P.G. Astrocytes coordinate synaptic networks: balanced excitation and inhibition. *Physiology (Bethesda)* **21**, 208-215 (2006).
498. Lee, Y., Gaskins, D., Anand, A. & Shekhar, A. Glia mechanisms in mood regulation: a novel model of mood disorders. *Psychopharmacology* **191**, 55-65 (2007).
499. Peng, L., Verkhratsky, A., Gu, L. & Li, B. Targeting astrocytes in major depression. *Expert Rev Neurother* **15**, 1299-1306 (2015).
500. Rajkowska, G. & Stockmeier, C.A. Astrocyte pathology in major depressive disorder: insights from human postmortem brain tissue. *Curr Drug Targets* **14**, 1225-1236 (2013).
501. Cobb, J.A., *et al.* Density of GFAP-immunoreactive astrocytes is decreased in the hippocampus in major depressive disorder. *Neuroscience* **316**, 209-220 (2016).
502. Muller, M.B., *et al.* Neither major depression nor glucocorticoid treatment affects the cellular integrity of the human hippocampus. *The European journal of neuroscience* **14**, 1603-1612 (2001).
503. Okuda, H., *et al.* Chondroitin sulfate proteoglycan tenascin-R regulates glutamate uptake by adult brain astrocytes. *The Journal of biological chemistry* **289**, 2620-2631 (2014).
504. Gomez-Galan, M., De Bundel, D., Van Eeckhaut, A., Smolders, I. & Lindskog, M. Dysfunctional astrocytic regulation of glutamate transmission in a rat model of depression. *Molecular psychiatry* **18**, 582-594 (2013).

505. Vegh, M.J., *et al.* Reducing hippocampal extracellular matrix reverses early memory deficits in a mouse model of Alzheimer's disease. *Acta Neuropathol Commun* **2**, 76 (2014).
506. Yang, S., *et al.* Perineuronal net digestion with chondroitin se restores memory in mice with tau pathology. *Exp Neurol* **265**, 48-58 (2015).
507. Slaker, M., *et al.* Removal of perineuronal nets in the medial prefrontal cortex impairs the acquisition and reconsolidation of a cocaine-induced conditioned place preference memory. *The Journal of neuroscience : the officia journal of the Society for Neuroscience* **35**, 4190-4202 (2015).
508. Xue, Y.X., *et al.* Depletion of perineuronal nets in the amygdala to enhance the erasure of drug memories. *The Journal of neuroscience : the officia journal of the Society for Neuroscience* **34**, 6647-6658 (2014).
509. Mi, R., *et al.* Di ering mechanisms for glutamate receptor aggregation on dendriti spines and shafts in cultured hippocampal neurons. *The Journal of neuroscience : the official journal of the Soc ty for Neuroscience* **22**, 7606-7616 (2002).
510. Kim, S.H., Turnbull, J. & Guimond, S. Extracellular matrix and cell signalling: the dynamic cooperation of integrin, proteoglycan and growth factor receptor. *J Endocrinol* **209**, 139-151 (2011).
511. Felix-Ortiz, A.C. & Tye, K.M. Amygdala inputs to the ventral hippocampus bidirectionally modulate social behavior. *The Journal of neuroscience : the offici journal of the Society for Neuroscience* **34**, 586-595 (2014).
512. Ferguson, J.N., Aldag, J.M., Insel, T.R. & Young, L.J. Oxytocin in the medial amygdala is essential for social recognition in the mouse. *The Journal of neuroscience : the official journal of the Soc ty for Neuroscience* **21**, 8278-8285 (2001).
513. Challis, C., *et al.* Raphe GABAergic neurons mediate the acquisition of avoidance a er social defeat. *The Journal of neuroscience : the officia journal of the Society for Neuroscience* **33**, 13978-13988, 13988a (2013).
514. Li, M., Long, C. & Yang, L. Hippocampal-prefrontal circuit and disrupted functiona connectivity in psychiatric and neurodegenerati e disorders. *Biomed Res Int* **2015**, 810548 (2015).
515. Spellman, T., *et al.* Hippocampal-prefrontal input supports spatial encoding in working memory. *Nature* **522**, 309-314 (2015).
516. Bjorkqvist, K. Social defeat as a stressor in humans. *Physiology & behavior* **73**, 435-442 (2001).
517. Buwalda, B., Geerdink, M., Vidal, J. & Koolhaas, J.M. Social behavior and social stress in adolescence: a focus on animal models. *Neuroscience and biobehavioral reviews* **35**, 1713-1721 (2011).
518. Burke, A.R., Renner, K.J., Forster, G.L. & Watt, M.J. Adolescent social defeat alters neural, endocrine and behavioral responses to amphetamine in adult male rats. *Brain research* **1352**, 147-156 (2010).
519. Sterlemann, V., *et al.* Chronic social stress during adolescence induces cogniti e impairment in aged mice. *Hippocampus* **20**, 540-549 (2010).
520. Burcusa, S.L. & Iacono, W.G. Risk for recurrence in depression. *Clinical psychology review* **27**, 959-985 (2007).

521. Kendler, K.S., Thornton, L.M. & Gardner, C.O. Genetic risk, number of previous depressive episodes, and stressful life events in predicting onset of major depression. *The American journal of psychiatry* **158**, 582-586 (2001).
522. Monroe, S.M. & Harkness, K.L. Life stress, the “kindling” hypothesis, and the recurrence of depression: considerations from a life stress perspective. *Psychol Rev* **112**, 417-445 (2005).
523. Kendler, K.S., *et al.* Stressful life events, genetic liability, and onset of an episode of major depression in women. *The American journal of psychiatry* **152**, 833-842 (1995).
524. Pettiti, H.M., Pierce, J.D., Jr., Wolf, A.L., Rukstalis, M.R. & O’Brien, C.P. Gender differences in comorbidly depressed alcohol-dependent outpatients. *Alcoholism, clinical and experimental research* **21**, 1742-1746 (1997).
525. Nurnberger, J.I., Jr., *et al.* Evidence for a locus on chromosome 1 that influence vulnerability to alcoholism and affective disorder. *The American journal of psychiatry* **158**, 718-724 (2001).
526. Neumann, I.D., Toschi, N., Ohl, F., Torner, L. & Kromer, S.A. Maternal defence as an emotional stressor in female rats: correlation of neuroendocrine and behavioural parameters and involvement of brain oxytocin. *The European journal of neuroscience* **13**, 1016-1024 (2001).
527. Ver Hoeve, E.S., Kelly, G., Luz, S., Ghanshani, S. & Bhatnagar, S. Short-term and long-term effects of repeated social defeat during adolescence or adulthood in female rats. *Neuroscience* **249**, 63-73 (2013).
528. Lukas, M. & Neumann, I.D. Social preference and maternal defeat-induced social avoidance in virgin female rats: sex differences in involvement of brain oxytocin and vasopressin. *J Neurosci Methods* **234**, 101-107 (2014).
529. Shimamoto, A., Debold, J.F., Holly, E.N. & Miczek, K.A. Blunted accumbal dopamine response to cocaine following chronic social stress in female rats: exploring a link between depression and drug abuse. *Psychopharmacology* **218**, 271-279 (2011).
530. Shimamoto, A., Holly, E.N., Boyson, C.O., DeBold, J.F. & Miczek, K.A. Individual differences in anhedonic and accumbal dopamine responses to chronic social stress and their link to cocaine self-administration in female rats. *Psychopharmacology* **232**, 825-834 (2015).
531. Brunton, P.J. & Russell, J.A. Prenatal social stress in the rat programmes neuroendocrine and behavioural responses to stress in the adult offspring: sex-specific effects. *J Neuroendocrinol* **22**, 258-271 (2010).
532. Gulyas, A.I., Megias, M., Emri, Z. & Freund, T.F. Total number and ratio of excitatory and inhibitory synapses converging onto single interneurons of different types in the CA1 area of the rat hippocampus. *The Journal of neuroscience : the official journal of the Society for Neuroscience* **19**, 10082-10097 (1999).
533. Chamberland, S. & Topolnik, L. Inhibitory control of hippocampal inhibitory neurons. *Front Neurosci* **6**, 165 (2012).