

VU Research Portal

Optimizing fluid management in critically ill patients

Trof, R.J.

2012

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Trof, R. J. (2012). *Optimizing fluid management in critically ill patients*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Table of Contents

Chapter 1	General introduction and outline of thesis	9
Part I Fluids: types, dosing and timing		
Chapter 2	Greater cardiac response of colloid than saline fluid loading in septic and nonseptic critically ill patients with clinical hypovolemia <i>Intensive Care Med 2010;36:697-701</i>	23
Chapter 3	Crystalloid or colloid fluids: a matter of volumes? <i>Annual update in Intensive Care and Emergency Medicine, Berlin; Springer;2011:313-321</i>	45
Chapter 4	Replacing or restricting fluids: Timing, dosing and choosing the type of fluid in patients with or at risk for ALI/ARDS <i>Controversies in Intensive Care Medicine, Berlin; Medizinisch Wissenschaftliche Verlagsgesellschaft; 2008:29-35</i>	59
Chapter 5	Use of synthetic colloids in sepsis: a critical review on efficacy, safety and patient benefits <i>Minerva Anesthesiol 2011;77:1216-1223. Review</i>	71
Part II Monitoring fluid therapy		
Chapter 6	Cardiac filling volumes versus pressures for predicting fluid responsiveness after cardiovascular surgery: the role of systolic cardiac function <i>Crit Care 2011;15:R73</i>	87

Chapter 7	Global end-diastolic volume increases to maintain fluid responsiveness in sepsis-induced systolic dysfunction <i>Submitted</i>	109
Chapter 8	Transpulmonary dilution-derived extravascular lung water as a measure of lung edema <i>Curr Opin Crit Care 2007;13:303-7. Review</i>	127
Chapter 9	Volume-limited versus pressure-limited hemodynamic management in septic and nonseptic shock <i>Crit Care Med 2012;40:1177-1185</i>	139
	Letters to the editor, authors reply Results of questionable management protocols are inherently questionable Jean-Louis Teboul, Xavier Monnet, Azriel Perel <i>Crit Care Med 2012;40:2536-7</i> Hemodynamic treatment algorithms should follow physiology – or they fail to improve outcome Manu Malbrain, Daniel Reuter <i>Crit Care Med 2012;40:2924-5</i> Transpulmonary thermodilution: the jury is out Michael Hooper, Paul Marik <i>Crit Care Med 2012; in press</i>	167
Chapter 10	Summary, general discussion and future perspectives	181
Chapter 11	Nederlandse samenvatting	209
Chapter 12	Bibliography	223
	Acknowledgements	229
	Curriculum Vitae	233