

Contents

Chapter 1	Outline of the thesis	15
1.1	The introduction	15
1.2	The scientific developments	15
1.3	Synthesis and conclusions	15
Chapter 2	Introduction	17
2.1	Aim of this thesis	17
2.2	Diffuse emission sources	17
2.3	Trace gas focus	17
2.3.1	Sources and emissions of Carbon dioxide (CO ₂)	18
2.3.2	Sources and emissions of Methane (CH ₄)	19
2.3.3	Sources and emissions of Nitrous oxide (N ₂ O)	20
2.3.4	Sources and emissions of Ammonia (NH ₃)	21
2.4	Impacts of the emissions	22
2.5	Uncertainties in greenhouse gas and ammonia emissions	24
2.5.1	Uncertainties in CO ₂ emissions	24
2.5.2	Uncertainties in CH ₄ emissions	25
2.5.3	Uncertainties in N ₂ O emissions	25
2.5.4	Uncertainty in NH ₃ emissions	26
2.6	Measurement techniques	27
2.6.1	Emission measurement strategies for diffuse sources	27
2.6.2	Sensors	28
2.6.2.1	Gas Chromatography.	28
2.6.2.2	Infra red techniques	28
2.6.2.3	Wet chemical techniques	29
2.6.3	Measurement methods	30
2.6.3.1	Box measurement method	30
2.6.3.2	Eddy covariance	34
2.6.3.3	The relaxed eddy accumulation method	35
2.6.3.4	Mass balance method	35
2.6.3.5	Gradient method	35
2.6.3.6	Plume measurements method	36
2.7	Trace gas challenges	38
2.8	Different questions, different methods	40
Chapter 3	Eddy Correlation and Relaxed Eddy Accumulation measurements of CO ₂ fluxes over grassland	43
3.1	Introduction	44
3.2	Eddy Correlation Setup	44
3.2.1	Eddy Correlation: Technical description	44
3.2.2	Eddy Correlation Results	46
3.3	Open and Closed Path Intercomparison Experiment	47
3.3.1	Technical Description	47
3.3.2	Results of the Intercomparison Experiment	47
3.4	A Combined E.C. and R.E.A. System	49
3.4.1	Technical Description	49
3.4.2	Results of the combined E.C. - R.E.A. system	49
3.5	Conclusions	50

Chapter 4	Inter-comparison of ammonia fluxes obtained using the Relaxed Eddy Accumulation technique	53
4.1	Introduction	54
4.2	Material and methods	55
4.2.1	Micrometeorological theory	55
4.2.2	Measurement site	56
4.2.3	Measurement set-up	57
4.2.3.1	Detection and response characteristics	57
4.2.3.2	Reference mode sampling	58
4.2.3.3	Use of a dead-band	59
4.2.3.4	Gradient reference	59
4.3	Results	60
4.3.1	Data coverage	60
4.3.2	Micrometeorological estimates and deadband	60
4.3.3	Reference sampling mode.	60
4.3.4	Comparison of ammonia concentration estimates	61
4.3.5	Comparison of the flux estimates	62
4.4	Discussion	66
4.4.1	Estimation of the REA scaling factor β	66
4.4.2	Comparison of measured ammonia concentrations and fluxes by the REA and AGM systems	66
4.4.3	Design features of the different REA systems	67
4.4.3.1	Sampling inlet and fast response switching	67
4.4.3.2	Sampling height	68
4.4.3.3	Chemical detection systems	68
4.4.3.4	Use of the reference sampling mode	68
4.4.4	Potential for measurement of NH_3 flux divergence using REA	69
4.5	Conclusions & recommendations	69
Chapter 5	Methane emission estimates from landfills obtained with dynamic plume measurements	73
5.1	Introduction	74
5.2	Materials and Methods	74
5.2.1	Description of the measurement sited and methodology	74
5.2.2	Emission modelling	76
5.2.3	The landfill gas production model	77
5.3	Results	77
5.3.1	Experiments at Nauerna	77
5.3.2	Experiments at Hollandse Brug	79
5.3.3	Experiments at Braambergen	79
5.3.4	Comparison between measured emission levels and production estimates	79
5.4	Conclusions	80
Chapter 6	Estimation of NH_3 emissions from a naturally ventilated livestock farm using local-scale atmospheric dispersion modelling	83
6.1	Introduction	84
6.2	Materials and methods	85
6.2.1	Measurement site	85
6.2.2	Concentration measurements	86
6.2.3	Micrometeorological measurements	86
6.3	Inference of the source strength from NH_3 concentration	86

6.3.1	General approach	86
6.3.2	The Gaussian-3D Model	88
6.3.3	The Huang-3D plume source model	88
6.3.4	The FIDES-2D model	89
6.3.5	Spatial distribution of the farm emissions with the Gaussian 3D model	89
6.3.6	Time course of the farm emissions	90
6.4	Results	91
6.4.1	Spatial variability of the farm emissions inferred with the fast response NH ₃ sensor	91
6.4.2	Temporal variability of the farm emissions estimated with the Huang 3d model	92
6.5	Discussion	93
6.5.1	Emissions from the farm buildings estimated with different techniques and sensitivity analysis	93
6.5.2	Daily variability of the emissions from a naturally ventilated building	98
6.6	Conclusions	100
Chapter 7	Dairy farm CH ₄ and N ₂ O emissions, from one square metre to the full farm scale	103
7.1	Introduction	104
7.2	Materials and Methods	104
7.2.1	Measurement locations	104
7.2.2	CH ₄ and N ₂ O concentration measurements.	104
7.2.3	Gaussian plume method	104
7.2.4	The fast box measurement technique.	105
7.2.5	"Under cover" measurements.	105
7.2.6	Theoretical emission calculation	106
7.3	Results and Discussion	107
7.3.1	Fast box measurements on the farms	107
7.3.2	Measurements at manure storages	108
7.3.3	Whole farm experiments	109
7.4	Conclusions	112
Chapter 8	Synthesis & Conclusions	115
8.1	General comments	115
8.2	The technical perspective	115
8.2.1	Chamber measurements	115
8.2.2	Micrometeorological techniques	116
8.2.3	Plume technique	118
8.3	The source perspective	119
8.3.1	Landfills	119
8.3.2	Agricultural fields	121
8.3.3	Farms	123
8.3.4	Final remarks	124
	Bibliography	127
	Acknowledgements	141