

VU Research Portal

Water

Moors, E.J.

2012

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Moors, E. J. (2012). *Water*. [PhD-Thesis – Research external, graduation internal, Vrije Universiteit Amsterdam]. *AI Terra Scientific Contributions* 41.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

List of Figures

1.1	Changes in forested area in the Netherlands	3
2.1	Schematic view of the water balance components of a forest	11
2.2	Movement of soil water	22
2.3	Water balance components for the layer and patch version of the two layer model	24
2.4	Pictures of water covering different types of leaf surfaces	29
3.1	Location of the sites	35
3.2	Employment of the LAI-2000 sensor below the canopy	37
3.3	Picture of the larch stand at the Bankenbos site	39
3.4	Land use in the area surrounding the Bankenbos site	40
3.5	Leaf Area Index of the larch stand at the Bankenbos site	41
3.6	Soil profile at the Bankenbos site	42
3.7	View on the tower at the Edesebos site	43
3.8	Land use of the area surrounding the Edesebos site	44
3.9	Leaf Area Index of the oak stand at the Edesebos site	45
3.10	Fine root distribution of the oak stand at the Edesebos site	46
3.11	Picture of the poplar stand at the Fleditebos	48
3.12	Land use in the area surrounding the Fleditebos site	49
3.13	Leaf Area Index of the poplar stand at the Fleditebos site	50
3.14	The soil profile at the Fleditebos site	51
3.15	Cross section of the soil surface at the groundwater observing tubes at the poplar forest of the Fleditebos site.	53
3.16	Picture of undergrowth at the mixed forest of the Kampina site	54
3.17	Land use in the area surrounding the Kampina site	55

3.18	Leaf Area Index of trees and undergrowth at the Kampina site	57
3.19	Picture of trees and undergrowth at the Loobos site	58
3.20	Land use in the area surrounding the Loobos site	59
3.21	Leaf Area Index of trees and undergrowth at the Loobos site	60
3.22	The soil profile at the Loobos site	61
3.23	Topography near the measurement tower at the Loobos site	62
3.24	Schematic representation of the soil profile at the different sites	64
4.1	Pictures of the Bowen ratio system at the Edesebos site	68
4.2	Pictures of the equipment mounted on the scaffolding towers at the sites Bankenbos, Fleditebos, Kampina and Loobos	72
4.3	Picture of the tipping bucket raingauge used at the Bankenbos, Fleditebos, Kampina and Loobos sites	74
4.4	Picture of the throughfall trough at the Loobos site	76
4.5	Relative frequency of the throughfall rate as a fraction of precipitation rate at the Loobos site	76
4.6	Volumetric soil water content at the Loobos site, as measured by the 5 permanent FD sensors and as measured by taking gravimetric samples	78
5.1	Roughness length at different wind directions for the Loobos site	84
5.2	Measured and modelled normalised co-spectra of vertical wind speed and specific humidity	88
5.3	Daily averages of the ratio of energy balance closure for dry days	91
5.4	Energy balance at the Fleditebos site 1997 using half hour averages	92
5.5	Normalised co-spectra of $w'T'$ for wet stable conditions and for dry stable conditions	94
5.6	Energy balance closure for Dry and Wet conditions at the poplar stand of the Fleditebos site	95
6.1	Data quality checking and gap-filling procedure	100
6.2	Example of a neural network configuration	103
6.3	Measured evaporation E and simulated evaporation E_{NN} for the poplar forest	109
6.4	Neural network configuration used for the simulation of the downward long wave radiation	112
6.5	RMSE of the calibration and validation data for the incoming long wave radiation using data sets with increasing number of missing data	113
7.1	Soil water stress models: option A with feedback of the deepest roots and option B with feedback of the total root zone	120

7.2	Soil water content as a function of soil water pressure of the different sites	125
7.3	Fractional surface conductance $g_s/g_{s,max}$	128
7.4	Soil water deficit measured at specific depths at the Loobos site	131
7.5	The relative stomatal conductance of the pine forest as a function of soil water deficit	132
7.6	The frequency distribution of the θ_D (-) for the top soil of the pine forest	132
7.7	Potential water stress periods for the pine stand	134
7.8	Surface conductance as related to soil water deficit for the pine forest for different groundwater levels	134
7.9	The relative reduction of soil water stress in the deeper soil layers for all test sites based on option A as a function of the volumetric soil water content	135
7.10	The relative $g_s/g_{s,max}$ as a function of θ_D representing the upper 0 - 25 cm of the soil using two soil water stress models	136
7.11	Contour plot of the relative conductance $g_s/g_{s,max}$ as a function of $\theta_D(z_1)$ and $\theta_D(z_2)$ based on model option B	137
7.12	Net radiation, latent heat flux and sensible heat flux below the canopy as a fraction of the total flux measured above the poplar trees	139
7.13	The simulated diurnal variation of the incoming short wave radiation above the lower as the ratio to that above the higher vegetation layer for a clear day at the pine forest	142
7.14	The fractional surface conductances for the tree layer, the undergrowth layer and for the total vegetation at the poplar forest	144
7.15	The fractional surface conductances for the tree layer, the undergrowth layer and for the total vegetation at the pine forest	145
7.16	The total maximum surface conductance with all reduction functions set to 1, for the trees, the undergrowth and the combination of trees and undergrowth at the pine forest	146
7.17	Ratio of the simulated daily evaporation rate of the undergrowth to the total evaporation rate for the poplar forest and the pine forest . .	147
8.1	Frequency distribution of the number of showers occurring at one day and the time between showers	157
8.2	Averaged values of kB^{-1} as a function of stability at the pine stand for dry and wet conditions	158
8.3	Evaporation rates E at the Loobos site: measured above the canopy, as derived from the energy balance, from sapflow measurements and measured below the canopy.	162

8.4	Precipitation, interception rate, evaporation rates as derived directly from the eddy-correlation system, as the residue of the energy balance and transpiration from the sapflow measurements at the pine forest . .	163
8.5	Monthly averages of the evaporation rate under wet conditions at the pine forest	164
8.6	Monthly averages of the evaporation rate under wet conditions for the mixed forest	165
8.7	Water storage capacity as a function of the Vegetation Area Index . .	166
8.8	Water storage capacity as a function of the fractional vegetation cover	167
8.9	Average water storage capacity per season on canopy cover basis and ratio of average measured evaporation rate and precipitation calculated applying the Gash-model	169
8.10	Measured and modelled interception losses for 3 years at the oak forest	174
8.11	The seasonally averaged measured wet evaporation rate for the larch, pine, poplar and mixed site and the Penman-Monteith evaporation rate E_{PM} using the site dependent kB^{-1} values and the fractional canopy cover corrected Penman-Monteith evaporation rate PM using $kB^{-1}=0$	176
A.1	Amount of stemflow of the poplar trees at Fleditebos as a function of precipitation and of the Vegetation Area Index	190
F.1	Weekly throughfall at the Loobos pine stand, as a fraction of gross precipitation plotted against vegetation area index	207
F.2	Weekly throughfall at the Fleditebos poplar stand, as a fraction of gross precipitation plotted against vegetation area index	209