

# VU Research Portal

## Water

Moors, E.J.

2012

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Moors, E. J. (2012). *Water*. [PhD-Thesis – Research external, graduation internal, Vrije Universiteit Amsterdam]. *AI Terra Scientific Contributions* 41.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

---

## Bibliography

- Allen, R.G., Pereira, L.S., Howell, T.A. and Jensen, M.E., 2011. Evapotranspiration information reporting: I. Factors governing measurement accuracy. *Agricultural Water Management*, 98(6): 899–920.
- Anderson, A.R. and Pyatt, D.G., 1986. Interception of precipitation by pole-stage Sitka spruce and Lodgepole pine and mature Sitka spruce at Kielder forest, Northumberland. *Forestry*, 59(1): 29–38.
- Ashby, M., Dolman, A.J., Kabat, P., Moors, E. and Ogink-Hendriks, M.J., 1996. *SWAPS version 1.0. Technical reference manual*. Technical Document Technical Document 42, DLO-Staring Centrum.
- Aston, A.R., 1979. Rainfall interception by eight small trees. *Journal of Hydrology*, 42(3-4): 383–396.
- Aubinet, M., Grelle, A., Ibrom, A., Rannik, U., Moncrieff, J., Foken, T., Kowalski, A.S., Martin, P.H., Berbigier, P., Bernhofer, C., Clement, R., Elbers, J., Granier, A., Grunwald, T., Morgenstern, K., Pilegaard, K., Rebmann, C., Snijders, W., Valentini, R. and Vesala, T., 2000. Estimates of the annual net carbon and water exchange of forests: The EUROFLUX methodology. *Advances in Ecological Research*, Vol 30, 30: 113–175.
- Bakker, M.R., Augusto, L. and Achat, D.L., 2006. Fine root distribution of trees and understory in mature stands of maritime pine (*Pinus pinaster*) on dry and humid sites. *Plant and Soil*, 286(1-2): 37–51.
- Baldocchi, D.D. and Xu, L.K., 2007. What limits evaporation from Mediterranean oak woodlands - The supply of moisture in the soil, physiological control by plants

- or the demand by the atmosphere? *Advances in Water Resources*, 30(10): 2113–2122.
- Ball, J., 1987. Calculations related to gas exchange. In: E.Z.G.F.I. Cowan (Ed.), *Stomatal Function*, Stanford University Press, Stanford, CA, pp. 446–476.
- Bartelink, H.H., 1998. Radiation interception by forest trees: a simulation study on effects of stand density and foliage clustering on absorption and transmission. *Ecological Modelling*, 105(2-3): 213–225.
- Begue, A., Prince, S.D., Hanan, N.P. and Roujean, J.L., 1996. Shortwave radiation budget of Sahelian vegetation. 2. Radiative transfer models. *Agricultural and Forest Meteorology*, 79(1-2): 97–112.
- Black, T.A., Tan, C.S. and Nnyamah, J.U., 1980. Transpiration rate of Douglas-fir trees in thinned and un-thinned stands. *Canadian Journal of Soil Science*, 60(4): 625–631.
- Blyth, E.M. and Dolman, A.J., 1995. The roughness length for heat of sparse vegetation. *Journal of Applied Meteorology*, 34(2): 583–585.
- Boels, D., Van Gils, J., Veerman, G.J. and Wit, K.E., 1978. Theory and system of automatic-determination of soil-moisture characteristics and unsaturated hydraulic conductivities. *Soil Science*, 126(4): 191–199.
- Bosveld, F.C., 1997. Derivation of fluxes from profiles over a moderately homogeneous forest. *Boundary-Layer Meteorology*, 84(2): 289–327.
- Bosveld, F.C., 1999. *Exchange processes between a coniferous forest and the atmosphere*. Ph.D. thesis, Wageningen Agricultural University, Wageningen, The Netherlands.
- Bosveld, F.C. and Bouten, W., 2003. Evaluating a model of evaporation and transpiration with observations in a partially wet Douglas-fir forest. *Boundary-Layer Meteorology*, 108(3): 365–396.
- Bouten, W., Swart, P.J.F. and Dewater, E., 1991. Microwave transmission, a new tool in forest hydrological research. *Journal of Hydrology*, 124(1-2): 119–130.
- Breuer, L., Eckhardt, K. and Frede, H.G., 2003. Plant parameter values for models in temperate climates. *Ecological Modelling*, 169(2-3): 237–293.
- Brunner, I. and Godbold, D.L., 2007. Tree roots in a changing world. *Journal of Forest Research*, 12(2): 78–82.

- Brutsaert, W., 1982. *Evaporation into the atmosphere*. Reidel, Dordrecht, The Netherlands.
- Bryant, M.L., Bhat, S. and Jacobs, J.M., 2005. Measurements and modeling of throughfall variability for five forest communities in the southeastern US. *Journal of Hydrology*, 312(1-4): 95–108.
- Buckley, T.N., 2005. The control of stomata by water balance. *New Phytologist*, 168(2): 275–291.
- Butler, D.R., 1985. The energy-balance of water drops on a leaf surface. *Boundary-Layer Meteorology*, 32(4): 337–349.
- Butler, D.R., 1986. Evaporation from rain drops on leaves in a cereal canopy - a simulation-model. *Boundary-Layer Meteorology*, 36(1-2): 39–51.
- Calder, I.R., 1986. A stochastic model of rainfall interception. *Journal of Hydrology*, 89(1-2): 65–71.
- Calder, I.R., Hall, R.L., Rosier, P.T.W., Bastable, H.G. and Prasanna, K.T., 1996. Dependence of rainfall interception on drop size. 2. Experimental determination of the wetting functions and two-layer stochastic model parameters for five tropical tree species. *Journal of Hydrology*, 185(1-4): 379–388.
- Calder, I., 1990. *Evaporation in the Uplands*. Wiley, Chichester, UK.
- Caldwell, M.M., Dawson, T.E. and Richards, J.H., 1998. Hydraulic lift: Consequences of water efflux from the roots of plants. *Oecologia*, 113(2): 151–161.
- Calfapietra, C., Ainsworth, E.A., Beier, C., De Angelis, P., Ellsworth, D.S., Godbold, D.L., Hendrey, G.R., Hickler, T., Hoosbeek, M.R., Karnosky, D.F., King, J., Korner, C., Leakey, A.D.B., Lewin, K.F., Liberloo, M., Long, S.P., Lukac, M., Matyssek, R., Miglietta, F., Nagy, J., Norby, R.J., Oren, R., Percy, K.E., Rogers, A., Mugnozza, G.S., Stitt, M., Taylor, G. and Ceulemans, R., 2010. Challenges in elevated  $\text{CO}_2$  experiments on forests. *Trends in Plant Science*, 15(1): 5–10.
- Canadell, J.G., Pitelka, L.F. and Ingram, J.S.I., 1996. The effects of elevated  $\text{CO}_2$  on plant-soil carbon below-ground: A summary and synthesis. *Plant and Soil*, 187(2): 391–400.
- Cannell, M.G.R., 1982. Crop and isolation ideotypes - evidence for progeny differences in nursery-grown *Picea Sitchensis*. *Silvae Genetica*, 31(2-3): 60–66.

- Carlyle-Moses, D.E., 2004. A reply to R. Keim's Comment on "Measurement and modelling of growing-season canopy water fluxes in a mature mixed deciduous forest stand, southern Ontario, Canada". *Agricultural and Forest Meteorology*, 124(3-4): 281–284.
- Chapin, F., Matson, P. and Mooney, H., 2002. *Principles of terrestrial ecosystem ecology*. Springer, New York.
- Chason, J.W., Baldocchi, D.D. and Huston, M.A., 1991. A comparison of direct and indirect methods for estimating forest canopy leaf-area. *Agricultural and Forest Meteorology*, 57(1-3): 107–128.
- Christensen, J.H., Hewitson, B., Busuioc, A., Chen, X., Gao, I., Held, R., Kolli, R.K., Kwon, W.T., Laprise, R., Magana Rueda, L., Mearns, L.O., Menendez, C.G., Risnen, J., Rinke, A., Sarr, A. and Whetton, P., 2007. *Regional climate projections. Climate Change 2007: The physical science basis. Contribution of the working group I to the fourth assessment report of the intergovernmental panel on climate change*. Cambridge and New York.
- Cochard, H., Coll, L., Le Roux, X. and Ameglio, T., 2002. Unraveling the effects of plant hydraulics on stomatal closure during water stress in walnut. *Plant Physiology*, 128(1): 282–290.
- Corrsin, S., 1974. Second 25 years of statistical-theory of turbulent-diffusion. *Transactions-American Geophysical Union*, 55(3): 135–135.
- Cowan, I., 1977. Stomatal behavior and environment. *Adv. Bot. Res.*, 4: 117–228.
- Crockford, R.H. and Richardson, D.P., 2000. Partitioning of rainfall into through-fall, stemflow and interception: effect of forest type, ground cover and climate. *Hydrological Processes*, 14(16-17): 2903–2920.
- Davi, H., Dufrene, E., Francois, C., Le Maire, G., Loustau, D., Bosc, A., Rambal, S., Granier, A. and Moors, E.J., 2006. Sensitivity of water and carbon fluxes to climate changes from 1960 to 2100 in European forest ecosystems. *Agricultural and Forest Meteorology*, 141(1): 35–56.
- Dawson, T.E., 1996. Determining water use by trees and forests from isotopic, energy balance and transpiration analyses: The roles of tree size and hydraulic lift. *Tree Physiology*, 16(1-2): 263–272.
- De Vries, D., 1963. Thermal properties of soils. In: W.v. Wijk (Ed.), *Physics of plant environment*, North-Holland Publishing Company, Amsterdam., pp. 210–235.

- Deguchi, A., Hattori, S. and Park, H.T., 2006. The influence of seasonal changes in canopy structure on interception loss: Application of the revised Gash model. *Journal of Hydrology*, 318(1-4): 80–102.
- Denmead, O. and Bradley, E., 1985. Flux-gradient relationships in a forest canopy. In: B. Hutchison and B. Hicks (Eds.), *The forest-atmosphere interaction*, Reidel, Dordrecht, p. 421.
- Desai, A.R., Bolstad, P.V., Cook, B.D., Davis, K.J. and Carey, E.V., 2005. Comparing net ecosystem exchange of carbon dioxide between an old-growth and mature forest in the upper Midwest, USA. *Agricultural and Forest Meteorology*, 128(1-2): 33–55.
- Dewar, R.C., 2002. The Ball-Berry-Leuning and Tardieu-Davies stomatal models: synthesis and extension within a spatially aggregated picture of guard cell function. *Plant Cell and Environment*, 25(11): 1383–1398.
- Dik, E., 1990. *Estimating volumes and timber heights of poplars (in Dutch)*. Tech. Rep. Report nr. 590, De Dorschkamp - Instituut voor Bosbouw en Groenbeheer.
- Dik, E., 1996. *Revised stem-volume functions of some tree species: Tables, conversion to trade volume, bark percentages and taper of the stem (in Dutch)*. Tech. Rep. Report nr. 223, Instituut voor Bos- en Natuuronderzoek (IBN-DLO).
- Dirkse, G., Daamen, W., Schoonderwoerd, H., Japink, M., van Jole, M., van Moorsel, R., Schnitger, P., Stouthamer, W. and Vocks, M., 2006. *Meetnet Functievervulling bos 2001-2005. Vijfde Nederlandse Bosstatistiek*. Tech. Rep. Report dk065-O, Directie Kennis, LNV.
- Dolman, A.J., 1986. Estimates of roughness length and zero plane displacement for a foliated and non-foliated oak canopy. *Agricultural and Forest Meteorology*, 36(3): 241–248.
- Dolman, A.J., 1987. Summer and winter rainfall interception in an oak forest - predictions with an analytical and a numerical-simulation model. *Journal of Hydrology*, 90(1-2): 1–9.
- Dolman, A.J., 1988. Transpiration of an oak forest as predicted from porometer and weather data. *Journal of Hydrology*, 97(3-4): 225–234.
- Dolman, A.J., 1993. A multiple-source land-surface energy-balance model for use in general-circulation models. *Agricultural and Forest Meteorology*, 65(1-2): 21–45.

- Dolman, A.J. and de Jeu, R.A.M., 2010. Evaporation in focus. *Nature Geoscience*, 3(5): 296–296.
- Dolman, A.J. and Wallace, J.S., 1991. Lagrangian and K-theory approaches in modeling evaporation from sparse canopies. *Quarterly Journal of the Royal Meteorological Society*, 117(502): 1325–1340.
- Domec, J.C., Noormets, A., King, J.S., Sun, G., McNulty, S.G., Gavazzi, M.J., Boggs, J.L. and Treasure, E.A., 2009. Decoupling the influence of leaf and root hydraulic conductances on stomatal conductance and its sensitivity to vapour pressure deficit as soil dries in a drained loblolly pine plantation. *Plant Cell and Environment*, 32(8): 980–991.
- Droogers, P., 2009. *Verbetering bepaling actuele verdamping voor het strategisch waterbeheer: definitiestudie (In Dutch)*. Tech. Rep. STOWA rapport 2009-11, STOWA, Future Water, Wageningen, The Netherlands.
- Dufour, F., 2000. *Groundwater in the Netherlands - Facts and figures*. Netherlands Institute of Applied Geoscience TNO - National Geological Survey, Delft/Utrecht.
- Dyer, A.J., Garratt, J.R., Francey, R.J., Mellroy, I.C., Bacon, N.E., Hyson, P., Bradley, E.F., Denmead, O.T., Tsvang, L.R., Volkov, Y.A., Koprov, B.M., Elagina, L.G., Sahashi, K., Monji, N., Hanafusa, T., Tsukamoto, O., Frenzen, P., Hicks, B.B., Wesely, M., Miyake, M. and Shaw, W., 1982. An international turbulence comparison experiment (ITCE 1976). *Boundary-Layer Meteorology*, 24(2): 181–209.
- Dyer, A., 1974. A review of flux-profile relationships. *Boundary-Layer Meteorology*, 7: 363–372.
- Evers, P., Bouten, W., van Grinsven, J. and Steingrver, E., 1991. *CORRELACI: Identification of traditional and air pollution related stress factors in a Douglas fir ecosystem: the ACIFORN stands*. Tech. Rep. Report 626, De Dorschkamp.
- Falge, E., Baldocchi, D., Olson, R., Anthoni, P., Aubinet, M., Bernhofer, C., Burba, G., Ceulemans, G., Clement, R., Dolman, H., Granier, A., Gross, P., Grunwald, T., Hollinger, D., Jensen, N.O., Katul, G., Keronen, P., Kowalski, A., Lai, C.T., Law, B.E., Meyers, T., Moncrieff, J., Moors, E., Munger, J.W., Pilegaard, K., Rannik, U., Rebmann, C., Suyker, A., Tenhunen, J., Tu, K., Verma, S., Vesala, T., Wilson, K. and Wofsy, S., 2001. Gap filling strategies for long term energy flux data sets. *Agricultural and Forest Meteorology*, 107(1): 71–77.

- Farquhar, G.D., Schulze, E.D. and Koppers, M., 1980. Responses to humidity by stomata of *Nicotiana-Glauca* L and *Corylus-Avellana* L are consistent with the optimization of carbon-dioxide uptake with respect to water-loss. *Australian Journal of Plant Physiology*, 7(3): 315–327.
- Feddes, R.A. and Zaradny, H., 1978. Model for simulating soil-water content considering evapotranspiration - comments. *Journal of Hydrology*, 37(3-4): 393–397.
- Feddes, R.A., Hoff, H., Bruen, M., Dawson, T., de Rosnay, P., Dirmeyer, O., Jackson, R.B., Kabat, P., Kleidon, A., Lilly, A. and Pitman, A.J., 2001. Modeling root water uptake in hydrological and climate models. *Bulletin of the American Meteorological Society*, 82(12): 2797–2809.
- Feddes, R.A. and Raats, P.A.C., 2004. Parameterizing the soil - water - plant root system. In: R.A. Feddes, G. de Rooij and J.C. van Dam (Eds.), *Unsaturated-zone Modeling: Progress, Challenges and Applications*, Wageningen UR Frontis Series, Kluwer Academic Publishers, Dordrecht, p. 95:141.
- Filius, A. and Roosenschoon, O., 1993. *Verloofing van de Veluwe (in Dutch)*. Tech. Rep. Hinkeloord Reports 7, Department of Forestry, Wageningen Agricultural University.
- Finnigan, J.J., 2002. personal communication.
- Fleischbein, K., Wilcke, W., Goller, R., Boy, J., Valarezo, C., Zech, W. and Knoblich, K., 2005. Rainfall interception in a lower montane forest in Ecuador: effects of canopy properties. *Hydrological Processes*, 19(7): 1355–1371.
- Ford, E.D., 1976. Canopy of a Scots pine forest - description of a surface of complex roughness. *Agricultural Meteorology*, 17(1): 9–32.
- Franks, P.J., 2004. Stomatal control and hydraulic conductance, with special reference to tall trees. *Tree Physiology*, 24(8): 865–878.
- Franks, P.J., Drake, P.L. and Froend, R.H., 2007. Anisohydric but isohydrodynamic: seasonally constant plant water potential gradient explained by a stomatal control mechanism incorporating variable plant hydraulic conductance. *Plant Cell and Environment*, 30(1): 19–30.
- Fuchs, M. and Tanner, C.B., 1970. Error analysis of bowen ratios measured by differential psychrometry. *Agricultural Meteorology*, 7(4): 329–&.
- Gardner, M.W. and Dorling, S.R., 1998. Artificial neural networks (the multilayer perceptron) - a review of applications in the atmospheric sciences. *Atmospheric Environment*, 32(14-15): 2627–2636.



- Garratt, J.R. and Hicks, B.B., 1973. Momentum, heat and water-vapor transfer to and from natural and artificial surfaces. *Quarterly Journal of the Royal Meteorological Society*, 99(422): 680–687.
- Gash, J.H.C., 1979. Analytical model of rainfall interception by forests. *Quarterly Journal of the Royal Meteorological Society*, 105(443): 43–55.
- Gash, J.H.C. and Dolman, A.J., 2003. Sonic anemometer (co)sine response and flux measurement I. the potential for (co)sine error to affect sonic anemometer-based flux measurements. *Agricultural and Forest Meteorology*, 119(3-4): 195–207.
- Gash, J.H.C., Lloyd, C.R. and Lachaud, G., 1995. Estimating sparse forest rainfall interception with an analytical model. *Journal of Hydrology*, 170(1-4): 79–86.
- Gash, J.H.C., Valente, F. and David, J.S., 1999. Estimates and measurements of evaporation from wet, sparse pine forest in Portugal. *Agricultural and Forest Meteorology*, 94(2): 149–158.
- Gerrits, A.M.J., Pfister, L. and Savenije, H.H.G., 2010. Spatial and temporal variability of canopy and forest floor interception in a beech forest. *Hydrological Processes*, 24(21): 3011–3025, gerrits, A. M. J. Pfister, L. Savenije, H. H. G.
- Giacomin, A. and Trucchi, P., 1992. Rainfall interception in a beech coppice (Acquerino, Italy). *Journal of Hydrology*, 137(1-4): 141–147.
- Goulden, M.L., Munger, J.W., Fan, S.M., Daube, B.C. and Wofsy, S.C., 1996. Measurements of carbon sequestration by long-term eddy covariance: Methods and a critical evaluation of accuracy. *Global Change Biology*, 2(3): 169–182.
- Granier, A., Loustau, D. and Breda, N., 2000. A generic model of forest canopy conductance dependent on climate, soil water availability and leaf area index. *Annals of Forest Science*, 57(8): 755–765.
- Granier, A., Reichstein, M., Bréda, N., Janssens, I.A., Falge, E., Ciais, P., Grünwald, T., Aubinet, M., Berbigier, P., Bernhofer, C., Buchmann, N., Facini, O., Grassi, G., Heinesch, B., Ilvesniemi, H., Keronen, P., Knohl, A., Küstner, B., Lagergren, F., Lindroth, A., Longdoz, B., Loustau, D., Mateus, J., Montagnani, L., Nys, C., Moors, E.J., Papale, D., Peiffer, M., Pilegaard, K., Pita, G., Pumpanen, J., Rambal, S., Rebmann, C., Rodrigues, A., Seufert, G., Tenhunen, J., Vesala, T. and Wang, Q., 2007. Evidence for soil water control on carbon and water dynamics in european forests during the extremely dry year: 2003. *Agricultural and Forest Meteorology*, 143(1-2): 123–145.

- Green, R., 1979. *Sampling design and statistical methods for environmental biologist*. John Wiley & Sons, New York, USA.
- Grelle, A., Lundberg, A., Lindroth, A., Moren, A.S. and Cienciala, E., 1997. Evaporation components of a boreal forest: Variations during the growing season. *Journal of Hydrology*, 197(1-4): 70–87.
- Groen, K., 1997. *Pesticide leaching in polders: Field and model studies on cracked clays and loamy sand*. Tech. Rep. Van Zee tot Land 62, Ministerie van Verkeer en Waterstaat, Directoraat-Generaal Rijkswaterstaat, Directie IJsselmeergebied.
- Haan, C., 1977. *Statistical methods in hydrology*. Iowa State University Press, Ames, Iowa.
- Hall, R.L. and Harding, R.J., 1993. The water-use of the Balquhiddy catchments - a processes approach. *Journal of Hydrology*, 145(3-4): 285–314.
- Hall, R., 2002. Aerodynamic resistance of coppiced poplar. *Agricultural and Forest Meteorology*, 114: 83–102.
- Hanan, N.P., 2001. Enhanced two-layer radiative transfer scheme for a land surface model with a discontinuous upper canopy. *Agricultural and Forest Meteorology*, 109(4): 265–281.
- Helvey, J.D. and Patric, J.H., 1965. Canopy and litter interception of rainfall by hardwoods of eastern united states. *Water Resources Research*, 1(2): 193–&.
- Hendriks, M., Kabat, P., Homma, F. and Postma, J., 1990. *Onderzoek naar de verdamping van een loofbos: meetresultaten en enkele modelberekeningen*. Tech. rep., Studiecommissie Waterbeheer Natuur, Bos en Landschap (in Dutch). Staring Center.
- Hilhorst, M., 1984. A sensor for the determination of the complex permittivity of materials as a measure for the moisture content. In: P. Bergveld (Ed.), *Sensors and Activators*, Kluwer Technical Books, Deventer, The Netherlands, pp. 79–84.
- Hojstrup, J., 1981. A simple model for the adjustment of velocity spectra in unstable conditions downstream of an abrupt change in roughness and heat flux. *Boundary-Layer Meteorology*, 21: 341 – 356.
- Hormann, G., Branding, A., Clemen, T., Herbst, M., Hinrichs, A. and Thamm, F., 1996. Calculation and simulation of wind controlled canopy interception of a beech forest in northern Germany. *Agricultural and Forest Meteorology*, 79(3): 131–148.

- Horton, R., 1919. Rainfall interception. *Mon. Weather Rev.*, 47: 603 – 623.
- Huntingford, C. and Cox, P.M., 1997. Use of statistical and neural network techniques to detect how stomatal conductance responds to changes in the local environment. *Ecological Modelling*, 97(3): 217–246.
- Ibrom, A., Dellwik, E., Flyvbjerg, H., Jensen, N.O. and Pilegaard, K., 2007. Strong low-pass filtering effects on water vapour flux measurements with closed-path eddy correlation systems. *Agricultural and Forest Meteorology*, 147(3-4): 140–156, doi: 10.1016/j.agrformet.2007.07.007.
- Ishii, H.T., Jennings, G.M., Sillett, S.C. and Koch, G.W., 2008. Hydrostatic constraints on morphological exploitation of light in tall sequoia sempervirens trees. *Oecologia*, 156(4): 751–763.
- Jackson, R.B., Schenk, H.J., Jobbagy, E.G., Canadell, J., Colello, G.D., Dickinson, R.E., Field, C.B., Friedlingstein, P., Heimann, M., Hibbard, K., Kicklighter, D.W., Kleidon, A., Neilson, R.P., Parton, W.J., Sala, O.E. and Sykes, M.T., 2000. Belowground consequences of vegetation change and their treatment in models. *Ecological Applications*, 10(2): 470–483.
- Jacobs, C.M.J., Moors, E.J., Ter Maat, H.W., Teuling, A.J., Balsamo, G., Bergaoui, K., Ettema, J., Lange, M., Van den Hurk, B., Viterbo, P. and Wergen, W., 2008. Evaluation of European Land Data Assimilation System (ELDAS) products using in situ observations. *Tellus Series a-Dynamic Meteorology and Oceanography*, 60(5): 1023–1037.
- Jarvis, P.G., 1976. Interpretation of variations in leaf water potential and stomatal conductance found in canopies in the field. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 273(927): 593–610.
- Jarvis, P.G., 1980. Stomatal conductance, gaseous exchange and transpiration. In: P.G.J. J. Grace E. D. Ford (Ed.), *Plants and their atmospheric environment*, Blackwell Scientific Publications, Oxford, pp. 175–204.
- Jonkheer, R., 1989. *Vegetatiekartering Kampina 1988*. Tech. Rep. Report 2870, Natuurmonumenten.
- Kabat, P., Hutjes, R.W.A. and Feddes, R.A., 1997. The scaling characteristics of soil parameters: From plot scale heterogeneity to subgrid parameterization. *Journal of Hydrology*, 190(3-4): 363–396.
- Kaimal, J.C. and Finnigan, J.J., 1994. *Atmospheric boundary layer flows*. Oxford-University-Press, New-York-(State).

- Kaimal, J.C., Izumi, Y., Wyngaard, J.C. and Cote, R., 1972. Spectral characteristics of surface-layer turbulence. *Quarterly Journal of the Royal Meteorological Society*, 98(417): 563–589.
- Kaimal, J.C. and Kristensen, L., 1991. Time-series tapering for short data samples. *Boundary-Layer Meteorology*, 57(1-2): 187–194.
- Katul, G., Oren, R., Ellsworth, D., Hsieh, C.I., Phillips, N. and Lewin, K., 1997. A Lagrangian dispersion model for predicting CO<sub>2</sub> sources, sinks, and fluxes in a uniform loblolly pine (*Pinus taeda* L) stand. *Journal of Geophysical Research-Atmospheres*, 102(D8): 9309–9321.
- Keim, R.F., 2004. Comment on “Measurement and modeling of growing-season canopy water fluxes in a mature mixed deciduous forest stand, southern Ontario, Canada”. *Agricultural and Forest Meteorology*, 124(3-4): 277–279.
- Kelliher, F.M., Black, T.A. and Price, D.T., 1986. Estimating the effects of understorey removal from a Douglas-fir forest using a 2-layer canopy evapotranspiration model. *Water Resources Research*, 22(13): 1891–1899.
- Klaassen, W., Bosveld, F. and de Water, E., 1998. Water storage and evaporation as constituents of rainfall interception. *Journal of Hydrology*, 213(1-4): 36–50.
- Koop, T., Kapilashrami, A., Molina, L.T. and Molina, M.J., 2000. Phase transitions of sea-salt/water mixtures at low temperatures: Implications for ozone chemistry in the polar marine boundary layer. *Journal of Geophysical Research-Atmospheres*, 105(D21): 26393–26402.
- Körner, C., 1985. Humidity responses in forest trees - precautions in thermal scanning surveys. *Archives for Meteorology Geophysics and Bioclimatology Series B-Theoretical and Applied Climatology*, 36(1): 83–98.
- Kouwenberg, L., McElwain, J., Kurschner, W., Wagner, F., Beerling, D., Mayle, F. and Visscher, H., 2003. Stomatal frequency adjustment of four conifer species to historical changes in atmospheric CO<sub>2</sub>. *American Journal of Botany*, 90(4): 610–619, doi:10.3732/ajb.90.4.610.
- Kruijt, B., Witte, J.P., Jacobs, C. and Kroon, T., 2008. Effects of rising atmospheric CO<sub>2</sub> on evapotranspiration and soil moisture: A practical approach for the Netherlands. *Journal of Hydrology*, 349(3-4): 257–267.

- Kume, T., Kuraji, K., Yoshifuji, N., Morooka, T., Sawano, S., Chong, L. and Suzuki, M., 2006. Estimation of canopy drying time after rainfall using sap flow measurements in an emergent tree in a lowland mixed-dipterocarp forest in Sarawak, Malaysia. *Hydrological Processes*, 20(3): 565–578.
- Laming, P., Rijdsdijk, J. and Verwijs, J., 1978. *Timber types, information for practical applications (in Dutch)*. Houtinstituut TNO, Delft.
- Lankreijer, H., Lundberg, A., Grelle, A., Lindroth, A. and Seibert, J., 1999. Evaporation and storage of intercepted rain analysed by comparing two models applied to a boreal forest. *Agricultural and Forest Meteorology*, 98-9: 595–604.
- Lankreijer, H.J.M., Hendriks, M.J. and Klaassen, W., 1993. A comparison of models simulating rainfall interception of forests. *Agricultural and Forest Meteorology*, 64(3-4): 187–199.
- Laubach, J., Raschendorfer, M., Kreilein, H. and Gravenhorst, G., 1994. Determination of heat and water-vapor fluxes above a spruce forest by eddy-correlation. *Agricultural and Forest Meteorology*, 71(3-4): 373–401.
- Leuning, R. and Moncrieff, J., 1990. Eddy-covariance  $\text{CO}_2$  flux measurements using open-path and closed-path  $\text{CO}_2$  analyzers - Corrections for analyzer water-vapor sensitivity and damping of fluctuations in air sampling tubes. *Boundary-Layer Meteorology*, 53(1-2): 63–76.
- Leuning, R., Zhang, Y.Q., Rajaud, A., Cleugh, H. and Tu, K., 2008. A simple surface conductance model to estimate regional evaporation using MODIS leaf area index and the Penman-Monteith equation. *Water Resources Research*, 44(10): W10419, doi:10.1029/2007WR006562.
- Leyton, L., Reynolds, E.R.C. and Thompson, F.B., 1967. Rainfall interception in forest and moorland. In: W. Sopper and H. Lull (Eds.), *Forest Hydrology*, Pergamon Press, Oxford, UK, pp. 163 – 178.
- Lindroth, A., 1984. Gradient distributions and flux profile relations above a rough forest. *Quarterly Journal of the Royal Meteorological Society*, 110(464): 553–563.
- Linsley, R., Kohler, M. and Paulhus, J., 1982. *Hydrology for Engineers*. 3rd edn., McGraw-Hill international book company, Tokyo, Japan.
- Lloyd, C.R., 1995. The effect of heterogeneous terrain on micrometeorological flux measurements - a case-study from Hapex-Sahel. *Agricultural and Forest Meteorology*, 73(3-4): 209–216.

- Lloyd, C.R. and Marques, A.D., 1988. Spatial variability of throughfall and stemflow measurements in Amazonian rainforest. *Agricultural and Forest Meteorology*, 42(1): 63–73.
- Lloyd, J. and Taylor, J.A., 1994. On the temperature-dependence of soil respiration. *Functional Ecology*, 8(3): 315–323.
- Loescher, H.W., Gholz, H.L., Jacobs, J.M. and Oberbauer, S.F., 2005. Energy dynamics and modeled evapotranspiration from a wet tropical forest in Costa Rica. *Journal of Hydrology*, 315(1-4): 274–294.
- Lösch, R. and Schulze, E.D., 1994. Internal coordination of plant responses to drought and evaporative demand. In: E.D.S.M. Caldwell (Ed.), *Ecophysiology of Photosynthesis, Ecological Studies*, vol. 100, Springer, Heidelberg, p. 185204.
- Loustau, D., Berbigier, P., Granier, A. and Moussa, F.E., 1992. Interception loss, throughfall and stemflow in a maritime pine stand. I. variability of throughfall and stemflow beneath the pine canopy. *Journal of Hydrology*, 138(3-4): 449–467.
- Ludwig, F., Dawson, T.E., de Kroon, H., Berendse, F. and Prins, H.H.T., 2003. Hydraulic lift in *Acacia tortilis* trees on an East African savanna. *Oecologia*, 134(3): 293–300.
- Luxmoore, R.J., 1983. Water-budget of an eastern deciduous forest stand. *Soil Science Society of America Journal*, 47(4): 785–791.
- Makkink, G., 1959. Testing the Penman formula by means of lysimeters. *J. Int. Water Eng.*, 11: 277–288.
- Marin, C.T., Bouten, I.W. and Dekker, S., 2000. Forest floor water dynamics and root water uptake in four forest ecosystems in northwest Amazonia. *Journal of Hydrology*, 237(3-4): 169–183.
- McLaren, J.D., Arain, M.A., Khomik, M., Peichl, M. and Brodeur, J., 2008. Water flux components and soil water-atmospheric controls in a temperate pine forest growing in a well-drained sandy soil. *Journal of Geophysical Research-Biogeosciences*, 113(G4): G04031, doi:10.1029/2007JG000653.
- McMillen, R.T., 1988. An eddy-correlation technique with extended applicability to non-simple terrain. *Boundary-Layer Meteorology*, 43(3): 231–245.
- McNaughton, K.G. and Van den Hurk, B., 1995. A Lagrangian revision of the resistors in the 2-layer model for calculating the energy budget of a plant canopy. *Boundary-Layer Meteorology*, 74(3): 261–288.

- Medlyn, B.E., Barton, C.V.M., Broadmeadow, M.S.J., Ceulemans, R., De Angelis, P., Forstreuter, M., Freeman, M., Jackson, S.B., Kellomaki, S., Laitat, E., Rey, A., Roberntz, P., Sigurdsson, B.D., Strassemeier, J., Wang, K., Curtis, P.S. and Jarvis, P.G., 2001. Stomatal conductance of forest species after long-term exposure to elevated CO<sub>2</sub> concentration: a synthesis. *New Phytologist*, 149(2): 247–264.
- MFV-Bos, 2006. *Meetnet Functievervulling Bos 2001-2005. Vijfde Nederlandse Bosstatistiek*. Tech. rep., Ministerie van Landbouw, Natuur en Voedselkwaliteit. Directie Kennis, The Hague, The Netherlands.
- Milly, P.C.D. and Dunne, K.A., 2011. On the hydrologic adjustment of climate-model projections: The potential pitfall of potential evapotranspiration. *Earth Interactions*, 15: 1–14.
- Mizutani, K. and Ikeda, T., 1994. Evaporation of intercepted rainfall from a *Castanopsis cuspidata* Schottky forest using various micrometeorological methods. In: *International Symposium Forest Hydrology 1994*, Tokyo, Japan, pp. 69–76.
- Moffat, A.M., Papale, D., Reichstein, M., Hollinger, D.Y., Richardson, A.D., Barr, A.G., Beckstein, C., Braswell, B.H., Churkina, G., Desai, A.R., Falge, E., Gove, J.H., Heimann, M., Hui, D.F., Jarvis, A.J., Kattge, J., Noormets, A. and Stauch, V.J., 2007. Comprehensive comparison of gap-filling techniques for eddy covariance net carbon fluxes. *Agricultural and Forest Meteorology*, 147(3-4): 209–232.
- Mölder, M. and Kellner, E., 2002. Excess resistance of bog surfaces in central Sweden. *Agricultural and Forest Meteorology*, 112(1): 23–30.
- Mölder, M. and Lindroth, A., 1999. Thermal roughness length of a boreal forest. *Agricultural and Forest Meteorology*, 98-99: 659–670.
- Mölder, M. and Lindroth, A., 2001. Dependence of kB<sup>-1</sup> factor on roughness Reynolds number for barley and pasture. *Agricultural and Forest Meteorology*, 106(2): 147–152.
- Moncrieff, J., Valentini, R., Greco, S., Seufert, G. and Ciccioli, P., 1997. Trace gas exchange over terrestrial ecosystems: Methods and perspectives in micrometeorology. *Journal of Experimental Botany*, 48(310): 1133–1142.
- Moncrieff, J.B., Malhi, Y. and Leuning, R., 1996. The propagation of errors in long-term measurements of land-atmosphere fluxes of carbon and water. *Global Change Biology*, 2(3): 231–240.
- Monteith, J.L., 1965. Light distribution and photosynthesis in field crops. *Annals of Botany*, 29(113): 17–37.

- Monteith, J. and Unsworth, M., 1990. *Principles of Environmental Physics, second edition*. Edward Arnold, London.
- Moore, C.J., 1986. Frequency-response corrections for eddy-correlation systems. *Boundary-Layer Meteorology*, 37(1-2): 17–35.
- Moors, E.J., 2008. Evaporation. In: P.T. M. Bierkens H. Dolman (Ed.), *Climate and the Hydrological Cycle*, IAHS Special Publication : 8, IAHS Press, Centre for Ecology and Hydrology, Wallingford, Oxfordshire, UK, pp. 23–41.
- Moors, E. and Dolman, A., 2001. Long term measurements of weather and fluxes of CO<sub>2</sub>: treatment of discontinuous data. In: *Phuket Proceedings of the international workshop on GAME-AAN/Radiation, Phuket, Thailand 2001*, Bulletin of the Terrestrial Environment Research Center. University of Tsukuba, pp. 75–78.
- Musters, P., 1998. *Temporal and spatial patterns of root water uptake in an Austrian pine stand on sandy soil*. Ph.D. thesis, Thesis University of Amsterdam, The Netherlands.
- Nadezhdina, N., Cermak, J., Meiresonne, L. and Ceulemans, R., 2007. Transpiration of Scots pine in Flanders growing on soil with irregular substratum. *Forest Ecology and Management*, 243(1): 1–9.
- Nadezhdina, N., Tatarinov, F. and Ceulemans, R., 2004. Leaf area and biomass of Rhododendron understory in a stand of Scots pine. *Forest Ecology and Management*, 187(2-3): 235–246.
- Ogink-Hendriks, M.J., 1995. Modeling surface conductance and transpiration of an oak forest in the Netherlands. *Agricultural and Forest Meteorology*, 74(1-2): 99–118.
- Ohta, T., Maximov, T.C., Dolman, A.J., Nakai, T., Molen, M.K.v.d., Kononov, A.V., Maximov, T., Hiyama, T., Iijima, Y., Moors, E.J. and Tanaka, H., 2008. Interannual variation of water balance and summer evapotranspiration in an eastern Siberian larch forest over a 7-year period (1998-2006). *Agricultural and Forest Meteorology*, 148(12): 1941–1953.
- Olsthoorn, A.F.M., 1998. *Soil acidification effects on fine root growth of Douglas-fir on sandy soils*. Ph.D. thesis, Wageningen University, Wageningen, The Netherlands.
- Paulson, C., 1970. The mathematical representation of wind speed and temperature profiles in the unstable atmospheric surface layer. *J. appl. Met.*, 9: 857861.



- Penman, H.L., 1948. Natural evaporation from open water, bare soil and grass. *Proceedings of the Royal Society of London Series a-Mathematical and Physical Sciences*, 193(1032): 120.
- Pierce, L.L. and Running, S.W., 1988. Rapid estimation of coniferous forest leaf-area index using a portable integrating radiometer. *Ecology*, 69(6): 1762–1767.
- Pook, E.W., Moore, P.H.R. and Hall, T., 1991. Rainfall interception by trees of *Pinus-Radiata* and *Eucalyptus-Viminalis* in a 1300 mm rainfall area of southeastern New-South-Wales. I. gross losses and their variability. *Hydrological Processes*, 5(2): 127–141.
- Press, W., Flannery, B., Teukosky, S. and Vetterling, W., 1989. *Numerical recipes. The Art of Scientific Computing. "Fortran version"*. Cambridge University Press, USA.
- Price, A.G. and Carlyle-Moses, D.E., 2003. Measurement and modelling of growing-season canopy water fluxes in a mature mixed deciduous forest stand, southern Ontario, Canada. *Agricultural and Forest Meteorology*, 119(1-2): 69–85.
- Pypker, T.G., Bond, B.J., Link, T.E., Marks, D. and Unsworth, M.H., 2005. The importance of canopy structure in controlling the interception loss of rainfall: Examples from a young and an old-growth Douglas-fir forest. *Agricultural and Forest Meteorology*, 130(1-2): 113–129.
- Qu, W., Henderson-Sellers, A., Pitman, A. and Chen, T., 1996. *Cabauw Sensitivity Experimental Results from PILPS*. Tech. Rep. 24, IGPO Publication Series.
- Rambal, S., 1984. Water balance and pattern of root water uptake by a *Quercus coccifera* L. evergreen shrub. *Oecologia*, 62(1): 18–25.
- Raupach, M.R., 1989. Applying Lagrangian fluid-mechanics to infer scalar source distributions from concentration profiles in plant canopies. *Agricultural and Forest Meteorology*, 47(2-4): 85–108.
- Roberts, J., Pymar, C.F., Wallace, J.S. and Pitman, R.M., 1980. Seasonal-changes in leaf-area, stomatal and canopy conductances and transpiration from bracken below a forest canopy. *Journal of Applied Ecology*, 17(2): 409–422.
- Rolf, H., 1989. *Verlaging van de grondwaterstanden in Nederland: analyse periode 1950-1986*. Tech. rep., Ministerie van Verkeer en Waterstaat.
- Rutter, A.J., Morton, A.J. and Robins, P.C., 1975. Predictive model of rainfall interception in forests. 2. Generalization of model and comparison with observations in some coniferous and hardwood stands. *Journal of Applied Ecology*, 12(1): 367–380.

- Rutter, A., Kershaw, K., Robins, P. and Morton, A., 1971. A predictive model of rainfall interception in forests. I. Derivation of the model from observations in a plantation of Corsican pine. *Agricultural Meteorology*, 9: 367–384.
- Saxén, B. and Saxén, H., 1995. *NNDT - a neural network development tool. Version 1.2*. Tech. rep., A bo Akademi University, A bo, Finland, pp 19.
- Schotanus, P., Nieuwstadt, F.T.M. and De Bruin, H.A.R., 1983. Temperature-measurement with a sonic anemometer and its application to heat and moisture fluxes. *Boundary-Layer Meteorology*, 26(1): 81–93.
- Schuepp, P.H., Leclerc, M.Y., Macpherson, J.I. and Desjardins, R.L., 1990. Footprint prediction of scalar fluxes from analytical solutions of the diffusion equation. *Boundary-Layer Meteorology*, 50(1-4): 353–373.
- Schymanski, S.J., Sivapalan, M., Roderick, M.L., Beringer, J. and Hutley, L.B., 2008. An optimality-based model of the coupled soil moisture and root dynamics. *Hydrology and Earth System Sciences*, 12(3): 913–932.
- Sellers, P.J. and Lockwood, J.G., 1981. A computer-simulation of the effects of differing crop types on the water-balance of small catchments over long-time periods. *Quarterly Journal of the Royal Meteorological Society*, 107(452): 395–414.
- Shalhevet, J., Maas, E.V., Hoffman, G.J. and Ogata, G., 1976. Salinity and hydraulic conductance of roots. *Physiologia Plantarum*, 38(3): 224–232.
- Shuttleworth, W.J., 1978. A simplified one-dimensional theoretical description of the vegetation-atmosphere interaction. *Boundary-Layer Meteorol.*, 14: 3–27.
- Shuttleworth, W.J., 2007. Putting the ‘vap’ into evaporation. *Hydrology and Earth System Sciences*, 11(1, Part 2): 210–244.
- Shuttleworth, W., 1976. A one-dimensional theoretical description of the vegetation-atmosphere interaction. *Boundary-Layer Meteorology*, 10: 273–302.
- Shuttleworth, W. and Wallace, J.S., 1985. Evaporation from sparse crops - an energy combination theory. *Quarterly Journal of the Royal Meteorological Society*, 111(469): 839–855, doi:10.1256/smsqj.46909.
- Siau, J.F., 1971. *Flow in wood*. Syracuse University Press, Syracuse, USA.
- Sinclair, T., 2005. Theoretical analysis of soil and plant traits influencing daily plant water flux on drying soils. *Agronomy Journal*, 97: 1148 – 1152.

- Sinclair, T., Holbrook, N. and Zwieniecki, M., 2005. Daily transpiration rates of woody species on drying soil. *Tree Physiology*, 25: 1469–1472.
- Skaar, C., 1972. *Water in wood*. Syracuse University Press, Syracuse, USA.
- Stenberg, P., Linder, S., Smolander, H. and Flowerellis, J., 1994. Performance of the LAI-2000 plant canopy analyzer in estimating leaf-area index of some Scots pine stands. *Tree Physiology*, 14(7-9): 981–995.
- Stewart, J.B., 1977. Evaporation from wet canopy of a pine forest. *Water Resources Research*, 13(6): 915–921.
- Stuurgroep-Grondwaterbeheer-Midden-Nederland, 1992. *Een nieuw evenwicht (in Dutch)*. Tech. rep., Provincie Gelderlands.
- Swanson, R.H., 1994. Significant historical developments in thermal methods for measuring sap flow in trees. *Agricultural and Forest Meteorology*, 72(1-2): 113–132.
- Talsma, T. and Gardner, E., 1986. Soil water extraction by a mixed eucalypt forest during a drought period. *Australian Journal of Soil Research*, 24(1): 25–32.
- Tanner, B., Swiatek, E. and Greene, J., 1993. Density fluctuations and use of krypton hygrometer in surface flux measurements. In: *Conf. on Management of Irrigation and Drainage Systems*, ASCE, Park City, UT, p. 945952.
- Teklehaimanot, Z. and Jarvis, P.G., 1991. Modeling of rainfall interception loss in agro-forestry systems. *Agroforestry Systems*, 14(1): 65–80.
- Teklehaimanot, Z., Jarvis, P.G. and Ledger, D.C., 1991. Rainfall interception and boundary-layer conductance in relation to tree spacing. *Journal of Hydrology*, 123(3-4): 261–278.
- Thom, A., Stewart, J., Oliver, H. and Gash, J., 1975. Comparison of aerodynamic and energy budget estimates of fluxes over a pine forest. *Quarterly Journal of the Royal Meteorological Society*, 101(427): 93–105, doi:10.1002/qj.49710142708.
- Trimble, G. and Weitzman, S., 1954. Effect of hardwood forest canopy on rainfall intensities. *Transactions-American Geophysical Union*, 35: 226–234.
- Turner, J. and Lambert, M.J., 1987. Forest water usage and interactions with nutrition of *Pinus-Radiata*. *Acta Oecologica-Oecologia Plantarum*, 8(1): 37–43.

- Valente, F., David, J.S. and Gash, J.H.C., 1997. Modelling interception loss for two sparse eucalypt and pine forests in central Portugal using reformulated Rutter and Gash analytical models. *Journal of Hydrology*, 190(1-2): 141–162.
- Van Dam, J.C., 2000. Simulation of field-scale water flow and bromide transport in a cracked clay soil. *Hydrological Processes*, 14(6): 1101–1117.
- van den Burg, J., 1996. *De betekenis van bodem en klimaat voor het Nederlandse bos*. Ph.D. thesis, Wageningen University, Wageningen, The Netherlands.
- Van den Hurk, B. and McNaughton, K.G., 1995. Implementation of near-field dispersion in a simple 2-layer surface-resistance model. *Journal of Hydrology*, 166(3-4): 293–311.
- Van der Tol, C., Gash, J.H.C., Grant, S.J., McNeil, D.D. and Robinson, M., 2003. Average wet canopy evaporation for a sitka spruce forest derived using the eddy correlation-energy balance technique. *Journal of Hydrology*, 276(1-4): 12–19.
- van Dijk, A. and Bruijnzeel, L.A., 2001a. Modelling rainfall interception by vegetation of variable density using an adapted analytical model. Part 1. Model description. *Journal of Hydrology*, 247(3-4): 230–238.
- van Dijk, A. and Bruijnzeel, L.A., 2001b. Modelling rainfall interception by vegetation of variable density using an adapted analytical model. Part 2. Model validation for a tropical upland mixed cropping system. *Journal of Hydrology*, 247(3-4): 239–262.
- Van Genuchten, M.T., 1980. A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science Society of America Journal*, 44(5): 892–898.
- van Loon, W.K.P., Bastings, H.M.H. and Moors, E.J., 1998. Calibration of soil heat flux sensors. *Agricultural and Forest Meteorology*, 92(1): 1–8.
- Van Ulden, A.P. and Holtslag, A.A.M., 1985. Estimation of atmospheric boundary-layer parameters for diffusion applications. *Journal of Climate and Applied Meteorology*, 24(11): 1196–1207.
- van Wijk, M.T. and Bouten, W., 2001. Towards understanding tree root profiles: simulating hydrologically optimal strategies for root distribution. *Hydrology and Earth System Sciences*, 5(4): 629–644.
- Van Wijk, W. and Vries, D.D., 1963. Periodic temperature variations in a homogeneous soil. In: W. Van Wijk (Ed.), *Physics of plant environment*, North Holland Publ. Co., Amsterdam, pp. 103 – 143.

- Veerman, G., 1998. personal communication.
- Verhoef, A. and Allen, S.J., 2000. A SVAT scheme describing energy and CO<sub>2</sub> fluxes for multi-component vegetation: calibration and test for a Sahelian savannah. *Ecological Modelling*, 127(2-3): 245–267.
- Verma, S.B., Baldocchi, D.D., Anderson, D.E., Matt, D.R. and Clement, R.J., 1986. Eddy fluxes of CO<sub>2</sub>, water-vapor, and sensible heat over a deciduous forest. *Boundary-Layer Meteorology*, 36(1-2): 71–91.
- Vincke, C. and Thiry, Y., 2008. Water table is a relevant source for water uptake by a Scots pine (*Pinus sylvestris* L.) stand: Evidences from continuous evapotranspiration and water table monitoring. *Agricultural and Forest Meteorology*, 148(10): 1419–1432.
- Watanabe, T. and Mizutani, K., 1994. Multilayer canopy model for estimation of rainfall interception. In: *Proceedings International Symposium Forest Hydrology, 1994*, Tokyo, Japan, pp. 55–61.
- Waterloo, M., 1994. *Water and nutrient dynamics of Pinus caribaea plantation forests on former grassland soils in Southwest Viti Levu, Fiji*. Ph.D. thesis, Vrije Universiteit, Amsterdam, The Netherlands.
- Webb, E.K., Pearman, G.I. and Leuning, R., 1980. Correction of flux measurements for density effects due to heat and water-vapor transfer. *Quarterly Journal of the Royal Meteorological Society*, 106(447): 85–100.
- Wendroth, O., Ehlers, W., Hopmans, J.W., Kage, H., Halbertsma, J. and Wosten, J.H.M., 1993. Reevaluation of the evaporation method for determining hydraulic functions in unsaturated soils. *Soil Science Society of America Journal*, 57(6): 1436–1443.
- Whitehead, D. and Kelliher, F.M., 1991. A canopy water balance model for a *pinus radiata* stand before and after thinning. *Agricultural and Forest Meteorology*, 55: 109–126.
- Wilson, K.B., Hanson, P.J., Mulholland, P.J., Baldocchi, D.D. and Wullschleger, S.D., 2001. A comparison of methods for determining forest evapotranspiration and its components: sap-flow, soil water budget, eddy covariance and catchment water balance. *Agricultural and Forest Meteorology*, 106(2): 153–168.
- Wind, G., 1968. Capillary conductivity data estimated by a simple method. In: P. Rijtema and H. Wassink (Eds.), *Proceedings of the Wageningen symposium: Water*

- in the unsaturated zone, June 1966*, vol. 1, IAHS Gentbrugge/ Unesco Paris, pp. 181–191.
- Woodruff, D.R., McCulloh, K.A., Warren, J.M., Meinzer, F.C. and Lachenbruch, B., 2007. Impacts of tree height on leaf hydraulic architecture and stomatal control in Douglas-fir. *Plant Cell and Environment*, 30(5): 559–569.
- Wösten, J.H.M., Lilly, A., Nemes, A. and Le Bas, C., 1999. Development and use of a database of hydraulic properties of European soils. *Geoderma*, 90(3-4): 169–185.
- Wright, S., 1996. Phenological responses to seasonality in tropical forest plants. In: R.C. Mulkey S.S. and A. Smith (Eds.), *Tropical Forest Plant Ecophysiology*, Chapman and Hall, New York, pp. 440–460.
- Xia, Y.L., Fabian, P., Stohl, A. and Winterhalter, M., 1999. Forest climatology: estimation of missing values for Bavaria, Germany. *Agricultural and Forest Meteorology*, 96(1-3): 131–144.