

# VU Research Portal

## The PowerMatcher: Smart Coordination for the Smart Electricity Grid

Kok, J.K.

2013

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Kok, J. K. (2013). *The PowerMatcher: Smart Coordination for the Smart Electricity Grid*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

---

# Contents

<b>Preface</b>	<b>i</b>
<b>1 Introduction</b>	<b>1</b>
1.1 PowerMatcher: ‘A World’s Top Sustainable Solution’ . . . . .	1
1.1.1 EcoGrid . . . . .	2
1.1.2 PowerMatching City . . . . .	2
1.1.3 The Best Sustainable IT Project and the Blue Tulip . . . . .	3
1.2 The Future of Electricity . . . . .	3
1.2.1 A New View on the Electricity Consumer . . . . .	4
1.2.2 The Need for a New Coordination Mechanism . . . . .	5
1.3 Coordination Mechanism Requirements . . . . .	5
1.4 Main Result: The PowerMatcher . . . . .	7
1.5 Research Design . . . . .	10
1.6 PowerMatcher’s Theoretical Basis . . . . .	12
1.6.1 Existing Theory and Open Questions . . . . .	12
1.6.2 Multi-Disciplinary Approach . . . . .	15
1.6.3 Contributions to Theory . . . . .	16
1.7 Structure of this Thesis . . . . .	17
1.8 Publications . . . . .	17
1.9 Glossary of Important Terms and Abbreviations . . . . .	21
<b>I Digital and Electrical (R)evolutions</b>	<b>27</b>
<b>2 Why “Smart” Electricity Networks?</b>	<b>29</b>
2.1 Transition to Sustainability . . . . .	31

2.1.1	Sustainable Electricity Sources . . . . .	32
2.1.2	The Supply Intermittency Problem . . . . .	33
2.1.3	The Traditional Reaction: Increase Regulation Capacity . . . .	34
2.1.4	The Smart Reaction: Demand Response . . . . .	36
2.2	Electrification of Everything. . . . .	38
2.2.1	Ageing Networks Operated to Their Limits . . . . .	39
2.2.2	The Traditional Reaction: Grid Reinforcements . . . . .	40
2.2.3	The Smart Reaction: Active Distribution Management . . . .	40
2.3	Decentralisation of Generation . . . . .	42
2.3.1	Distributed Generation: Types and Drivers . . . . .	43
2.3.2	Control Paradigm Mismatch . . . . .	44
2.3.3	The Traditional Reaction: “Fit and Forget” . . . . .	45
2.3.4	The Smart Reaction: Distributed Coordination . . . . .	45
2.4	Smart Grid Visions . . . . .	47
2.4.1	GridWise vision . . . . .	48
2.4.2	European SmartGrids Vision . . . . .	50
2.4.3	Germany: E-Energy . . . . .	53
2.5	The Internet as Metaphor for a Smart Grid . . . . .	54
2.5.1	Desirable Properties of the Internet . . . . .	54
2.5.2	Emergence of Self-healing Behaviour . . . . .	55
2.6	An Internet of Energy? . . . . .	56
<b>3</b>	<b>Electricity <math>\neq</math> Information</b> . . . . .	<b>57</b>
3.1	Why is Electricity Different? . . . . .	58
3.1.1	Passive Flow Networks . . . . .	58
3.1.2	Absence of Storage . . . . .	60
3.1.3	Outside to Inside Causality . . . . .	60
3.1.4	Continuous Mathematics versus Discrete Logic . . . . .	61
3.2	Electricity Networks and Electricity Markets . . . . .	62
3.2.1	The Electricity System . . . . .	62
3.2.2	The Physical Subsystem . . . . .	64
3.2.3	The Commodity Subsystem . . . . .	65
3.2.4	The Balancing Market . . . . .	66
3.2.5	System Support Services . . . . .	68
3.3	Smart Coordination for the Smart Electricity Grid . . . . .	68
3.3.1	The Smart Energy Management Matrix . . . . .	68
3.3.2	Top-down Switching . . . . .	69
3.3.3	Centralised Optimisation . . . . .	70
3.3.4	Price Reaction . . . . .	71

3.3.5	Market Integration . . . . .	72
3.3.6	The Hot Spot in the Matrix . . . . .	74
3.3.7	When is a System ‘Smart’? . . . . .	75
3.3.8	What’s Next? . . . . .	76
<b>II</b>	<b>Theory</b>	<b>77</b>
<b>4</b>	<b>Decentralised Market-based Control</b>	<b>79</b>
4.1	Multi-agent Systems Technology . . . . .	80
4.2	Electronic Markets . . . . .	82
4.3	Market-based Control . . . . .	82
4.4	Protocols for Market-based Control . . . . .	85
4.4.1	Price-Based and Utility-Based Market Communications . . . . .	85
4.4.2	Existing Market Protocols, A Short Overview . . . . .	87
4.5	Price-Based Control: A Typical Example . . . . .	87
4.6	What’s Next? . . . . .	89
<b>5</b>	<b>Optimality of Market-based Control</b>	<b>91</b>
5.1	Microeconomic Markets and Control Theory . . . . .	93
5.2	Microeconomic Control Theorem . . . . .	95
5.2.1	Model . . . . .	95
5.2.2	Theorem . . . . .	96
5.2.3	Proof . . . . .	97
5.3	Analytical Results for a Society of Control Agents . . . . .	98
5.4	Implications and Generalisations . . . . .	100
5.4.1	Top-down control or bottom-up markets? . . . . .	100
5.4.2	Microeconomic control as an online adaptive strategy . . . . .	101
5.5	Conclusion . . . . .	102
5.5.1	Relevance to Computer Science . . . . .	103
5.5.2	Relevance to Electrical and Control Engineering . . . . .	103
5.5.3	What’s next? . . . . .	103
<b>6</b>	<b>Network Feasibility in Resource Allocation</b>	<b>105</b>
6.1	The Concept of Locational Pricing . . . . .	107
6.1.1	“A Typical Example” Revisited . . . . .	107
6.1.2	Related Work on Locational Pricing . . . . .	110
6.1.3	How are passive flow networks different? . . . . .	111
6.2	Network and agent models . . . . .	112
6.2.1	Network Model . . . . .	112

6.2.2	Agent model . . . . .	113
6.2.3	Network-agnostic market clearance . . . . .	113
6.2.4	Flow Model . . . . .	114
6.3	Locational Marginal Pricing Framework . . . . .	115
6.3.1	Market Clearing Component . . . . .	117
6.3.2	Line Capacity Component . . . . .	117
6.3.3	Transport Network Losses . . . . .	118
6.3.4	Network Inherent Storage . . . . .	119
6.3.5	The Locational Price . . . . .	119
6.4	Analysis . . . . .	120
6.4.1	Search Space and Convergence . . . . .	120
6.4.2	Combining Locational Pricing and Flow Analysis . . . . .	121
6.5	Market Algorithm for Network Feasible Solutions . . . . .	122
6.5.1	Algorithm Description . . . . .	123
6.5.2	Example . . . . .	126
6.6	Conclusion . . . . .	126
6.6.1	Relevance to Computer Science . . . . .	128
6.6.2	What's next? . . . . .	128
<b>7</b>	<b>Locational Pricing in Radial Networks</b>	<b>129</b>
7.1	Method Outline . . . . .	131
7.1.1	Radial Networks . . . . .	131
7.1.2	Propagation of Capacity Constraints . . . . .	132
7.1.3	Propagation of Line Losses . . . . .	133
7.2	Formal Algorithm Description . . . . .	134
7.2.1	Propagate . . . . .	135
7.2.2	Concentrate . . . . .	135
7.2.3	Swing Nodal Price . . . . .	136
7.2.4	Price Back Propagation . . . . .	136
7.2.5	Agent Pseudocode . . . . .	136
7.3	Example . . . . .	138
7.4	Variations . . . . .	141
7.4.1	Propagation of Non-Network Constraints . . . . .	141
7.4.2	Load Management Based on Measurements . . . . .	141
7.5	Conclusion . . . . .	142
7.5.1	Relevance to Computer Science . . . . .	143
7.5.2	Relevance to Industrial Engineering . . . . .	143
7.5.3	Relevance to Power Systems Engineering . . . . .	143
7.5.4	What's Next? . . . . .	143

<b>III Innovation Concept</b>	<b>145</b>
<b>8 The PowerMatcher</b>	<b>147</b>
8.1 A Tree-Structure of Agents . . . . .	148
8.1.1 Logical Structure and Basic Agent Roles . . . . .	148
8.1.2 Basic Device Agent Functionality . . . . .	150
8.1.3 Auctioneer and Concentrator Functionality . . . . .	152
8.1.4 Communication Timing . . . . .	153
8.2 Classification of DER Controllability . . . . .	153
8.3 Requirements Met by Design . . . . .	154
8.3.1 Design for Openness and Privacy Protection . . . . .	155
8.3.2 Design for Scalability . . . . .	156
8.4 Proof of Principle: Cluster-level Behaviour . . . . .	158
8.5 Conclusion . . . . .	161
8.5.1 What's next? . . . . .	162
<b>9 Bidding Strategies of Device Agents</b>	<b>163</b>
9.1 The Dominant Strategy of DER Devices . . . . .	164
9.2 Agent Strategies Based on Short-term Economics . . . . .	165
9.2.1 A Strategy Fully Based on Marginal Cost . . . . .	165
9.2.2 A Strategy Fully Based on Price History . . . . .	166
9.2.3 An Intermediate Strategy . . . . .	167
9.3 The Existence of a Bid Strategy Spectrum . . . . .	170
9.4 Guidelines for Device Agent Design . . . . .	172
9.5 Conclusion . . . . .	173
9.5.1 What's Next? . . . . .	174
<b>10 On Trade &amp; Supply Functionality</b>	<b>175</b>
10.1 Wholesale Market Timescales and Electricity Profiles . . . . .	176
10.2 The Balancing Market Revisited . . . . .	180
10.3 Portfolio Imbalance: Wind Energy . . . . .	181
10.4 Virtual Power Plant Balancing . . . . .	183
10.4.1 Balancing Actions by BRPs . . . . .	183
10.4.2 Reducing Ramping Steepness . . . . .	186
10.5 Conclusion . . . . .	187
10.5.1 What's Next? . . . . .	187

<b>IV</b>	<b>Field Deployment and Validation</b>	<b>189</b>
<b>11</b>	<b>Validation Approach</b>	<b>191</b>
11.1	Validation Criteria . . . . .	192
11.1.1	DER devices to address . . . . .	192
11.1.2	Application Fields: Market & Networks . . . . .	193
11.1.3	Integration of Renewables . . . . .	194
11.1.4	Scalability . . . . .	194
11.2	Validation Means . . . . .	195
11.2.1	Crisp Field Experiment . . . . .	195
11.2.2	Micro-CHP Field Experiment . . . . .	196
11.2.3	PowerMatching City Field Experiment . . . . .	196
11.2.4	Plug-in Hybrid Car Field Experiment . . . . .	198
11.2.5	SmartHouse/SmartGrid Scalability Field Experiment . . . . .	198
11.2.6	PowerMatcher Simulation Environment . . . . .	199
11.2.7	SmartProofs Smart Heat Pumps Simulation . . . . .	199
11.2.8	Grid4Vehicles Electric Vehicles Simulation . . . . .	200
11.2.9	SH/SG Large-scale Wind Integration Simulation . . . . .	200
11.2.10	Overview . . . . .	200
11.3	Openness Validation: Integration of DER Devices . . . . .	201
<b>12</b>	<b>Optimisation in Electricity Trade &amp; Supply</b>	<b>203</b>
12.1	Commercial Portfolio Balancing . . . . .	204
12.1.1	The CRISP Field Test . . . . .	204
12.1.2	Imbalance Reduction Results . . . . .	207
12.1.3	Individual DER unit behaviour . . . . .	208
12.2	Virtual Power Plant Market Operations . . . . .	210
12.2.1	PowerMatching City Field Test . . . . .	210
12.2.2	Agent Strategy Heating Systems . . . . .	211
12.2.3	VPP Operation . . . . .	213
12.3	Conclusion . . . . .	215
<b>13</b>	<b>Active Distribution Management</b>	<b>217</b>
13.1	Congestion Management by micro-CHP systems . . . . .	218
13.1.1	Field Test Set-up . . . . .	218
13.1.2	Field Test Results . . . . .	219
13.2	Congestion Management by Electric Vehicles . . . . .	220
13.2.1	Simulation Set-up . . . . .	221
13.2.2	Simulation Results . . . . .	222
13.2.3	Field Experience and Results . . . . .	224

<i>Contents</i>	xiii
13.3 Heat Pump Active Network Services . . . . .	226
13.3.1 Two critical scenarios . . . . .	226
13.3.2 Simulation Set-up . . . . .	227
13.3.3 Simulation Results . . . . .	228
13.4 Congestion Management using Bid Propagation . . . . .	229
13.4.1 Field Test Set-up . . . . .	229
13.4.2 Field Test Results . . . . .	230
13.5 Conclusion . . . . .	232
<b>14 Integration of Large-Scale Wind Power</b>	<b>235</b>
14.1 Assumptions, Scenarios, Models and Input Data . . . . .	236
14.1.1 Renewable Generation Capacity . . . . .	236
14.1.2 Household Prosumption and Flexibility . . . . .	237
14.1.3 Renewable Power Generation Patterns . . . . .	238
14.2 Simulation & Results . . . . .	238
14.3 Conclusions . . . . .	240
<b>15 Demonstration of Scalability</b>	<b>241</b>
15.1 Performance Metric and Desired Value . . . . .	242
15.1.1 Mass Scale . . . . .	242
15.1.2 Performance Metric . . . . .	242
15.1.3 Success Value . . . . .	243
15.2 Architecture Under Test . . . . .	243
15.3 Latency Measurements . . . . .	246
15.3.1 Raw Results . . . . .	246
15.3.2 Artificial Latencies . . . . .	247
15.3.3 Corrected Results . . . . .	248
15.4 Conclusion & Discussion . . . . .	248
15.4.1 What's Next? . . . . .	249
<b>V Conclusion</b>	<b>251</b>
<b>16 Conclusion</b>	<b>253</b>
16.1 Requirements and Research Questions . . . . .	253
16.2 Main Results . . . . .	255
16.2.1 The Answer to the Main Question . . . . .	255
16.2.2 Openness . . . . .	256
16.2.3 Scalability . . . . .	256
16.2.4 Trade & Supply Functionality . . . . .	258



16.2.5 Active Distribution Management Functionality . . . . .	258
16.2.6 Integration of Renewable Energy Sources . . . . .	259
16.2.7 Theoretical Contributions . . . . .	260
16.3 What Makes Our Approach Special? . . . . .	260
16.4 What's Next? . . . . .	262
16.4.1 Field Demonstration Up-Scaling . . . . .	262
16.4.2 Market Introduction . . . . .	262
16.4.3 Towards a Smart Grid Market Model . . . . .	264
<b>Samenvatting</b>	<b>269</b>
<b>Summary</b>	<b>273</b>
<b>Extended Scientific Summary</b>	<b>277</b>
<b>Bibliography</b>	<b>287</b>