

VU Research Portal

Child abuse and recovery

Thomaes, K.

2013

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Thomaes, K. (2013). *Child abuse and recovery: Brain structure and function in child abuse related Complex posttraumatic stress disorder and effects of treatment.*

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Reference List

- APA (2000). *Diagnostic and Statistical Manual of Mental Disorders IV - Text Revision (DSM-IV-TR)*. Washington DC: American Psychiatric Press Incorporated.
- Armony, J. L., Corbo, V., Clement, M. H., & Brunet, A. (2005). Amygdala response in patients with acute PTSD to masked and unmasked emotional facial expressions. *American Journal of Psychiatry*, 162, 1961-1963.
- Arntz, A., van den, H. M., Cornelis, J., Verheul, R., van den Bosch, W. M., & de Bie, A. J. (2003). Reliability and validity of the borderline personality disorder severity index. *Journal of Personality Disorders*, 17, 45-59.
- Ashburner, J. & Friston, K. J. (2000). Voxel-based morphometry--the methods. *Neuroimage*, 11, 805-821.
- Ashburner, J. & Friston, K. J. (2001). Why voxel-based morphometry should be used. *Neuroimage*, 14, 1238-1243.
- Astur, R. S., St Germain, S. A., Tolin, D., Ford, J., Russell, D., & Stevens, M. (2006). Hippocampus function predicts severity of post-traumatic stress disorder. *Cyberpsychology and Behavior*, 9, 234-240.
- Baars, E. W., van der, H. O., Nijenhuis, E. R., Chu, J. A., Glas, G., & Draijer, N. (2011). Predicting stabilizing treatment outcomes for complex posttraumatic stress disorder and dissociative identity disorder: an expertise-based prognostic model. *Journal of Trauma and Dissociation*, 12, 67-87.
- Bar-Haim, Y., Lamy, D., Pergamin, L., Bakermans-Kranenburg, M. J., & Van IJzendoorn, M. H. (2007). Threat-related attentional bias in anxious and nonanxious individuals: a meta-analytic study. *Psychological Bulletin*, 133, 1-24.
- Baxter, L. R., Jr., Schwartz, J. M., Bergman, K. S., Szuba, M.P., Guze, B. H., Mazziotta, J. C. et al. (1992). Caudate glucose metabolic rate changes with both drug and behavior therapy for obsessive-compulsive disorder. *Archives of General Psychiatry*, 49, 681-689.
- Baxter, L. R., Jr., Thompson, J. M., Schwartz, J. M., Guze, B. H., Phelps, M. E., Mazziotta, J. C. et al. (1987). Trazodone treatment response in obsessive-compulsive disorder--correlated with shifts in glucose metabolism in the caudate nuclei. *Psychopathology*, 20 Suppl 1:114-22., 114-122.
- Beck, A. T., Steer, R. A., & Garbin, M. G. (1998). Psychometric properties of the Beck Depression Inventory. *Clinical Psychology Review*, 42, 841-865.
- Beekman, A. T., van, O. J., van Marle, H. J., & van Harten, P. N. (2012). [Staging and profiling of psychiatric disorders]. *Tijdschrift voor Psychiatrie*, 54, 915-920.
- Bernstein, E. M. & Putnam, F. W. (1986). Development, reliability, and validity of a dissociation scale. *Journal of Nervous & Mental Disease*, 174, 727-735.
- Bisson, J. & Andrew, M. (2007). Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database Systematic Reviews*, CD003388.
- Blake, D. D., Weathers, F. W., Nagy, L. M., Kaloupek, D. G., Gusman, F. D., Charney, D. S. et al. (1995). The development of a Clinician-Administered PTSD Scale. *Journal of Traumatic Stress*, 8, 75-90.
- Bluhm, R. L., Williamson, P. C., Osuch, E. A., Frewen, P. A., Stevens, T. K., Boksman, K. et al. (2009). Alterations in default network connectivity in posttraumatic stress disorder related to early-life trauma. *Journal of Psychiatry & Neuroscience*, 34, 187-194.
- Boldrini, M., Hen, R., Underwood, M. D., Rosoklija, G. B., Dwork, A. J., Mann, J. J. et al. (2012). Hippocampal Angiogenesis and Progenitor Cell Proliferation Are Increased with Antidepressant Use in Major Depression. *Biological Psychiatry*, 72, 562-571.
- Bonne, O., Brandes, D., Gilboa, A., Gomori, J. M., Shenton, M. E., Pitman, R. K. et al. (2001). Longitudinal MRI study of hippocampal volume in trauma survivors with PTSD. *American Journal of Psychiatry*, 158, 1248-1251.
- Bonne, O., Vythilingam, M., Inagaki, M., Wood, S., Neumeister, A., Nugent, A. C. et al. (2008). Reduced posterior hippocampal volume in posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 69, 1087-1091.
- Bradley, R., Greene, J., Russ, E., Dutra, L., & Westen, D. (2005). A multidimensional meta-analysis of psychotherapy for PTSD. *American Journal of Psychiatry*, 162, 214-227.
- Brambilla, P., Soloff, P. H., Sala, M., Nicoletti, M. A., Keshavan, M. S., & Soares, J. C. (2004). Anatomical MRI study of borderline personality disorder patients. *Psychiatry Research*, 131, 125-133.
- Bremner, J. D., Krystal, J. H., Putnam, F. W., Southwick, S. M., Marmar, C., Charney, D. S. et al. (1998). Measurement of dissociative states with the Clinician-Administered Dissociative States Scale (CADSS). *Journal of Traumatic Stress*, 11, 125-136.

- Bremner, J. D., Narayan, M., Staib, L. H., Southwick, S. M., McGlashan, T., & Charney, D. S. (1999a). Neural correlates of memories of childhood sexual abuse in women with and without posttraumatic stress disorder. *American Journal of Psychiatry*, 156, 1787-1795.
- Bremner, J. D., Randall, P., Vermetten, E., Staib, L., Bronen, R. A., Mazure, C. et al. (1997). Magnetic resonance imaging-based measurement of hippocampal volume in posttraumatic stress disorder related to childhood physical and sexual abuse--a preliminary report. *Biological Psychiatry*, 41, 23-32.
- Bremner, J. D., Shobe, K. K., & Kihlstrom, J. F. (2000). False memories in women with self-reported childhood sexual abuse: an empirical study. *Psychological Science*, 11, 333-337.
- Bremner, J. D., Staib, L. H., Kaloupek, D., Southwick, S. M., Soufer, R., & Charney, D. S. (1999b). Neural correlates of exposure to traumatic pictures and sound in Vietnam combat veterans with and without posttraumatic stress disorder: a positron emission tomography study. *Biological Psychiatry*, 45, 806-816.
- Bremner, J. D., Vermetten, E., Vythilingam, M., Afzal, N., Schmahl, C., Elzinga, B. et al. (2004a). Neural correlates of the classic color and emotional stroop in women with abuse-related posttraumatic stress disorder. *Biological Psychiatry*, 55, 612-620.
- Bremner, J. D., Vythilingam, M., Vermetten, E., Southwick, S. M., McGlashan, T., Nazeer, A. et al. (2003a). MRI and PET study of deficits in hippocampal structure and function in women with childhood sexual abuse and posttraumatic stress disorder. *American Journal of Psychiatry*, 160, 924-932.
- Bremner, J. D., Vythilingam, M., Vermetten, E., Southwick, S. M., McGlashan, T., Staib, L. H. et al. (2003b). Neural correlates of declarative memory for emotionally valenced words in women with posttraumatic stress disorder related to early childhood sexual abuse. *Biological Psychiatry*, 53, 879-889.
- Bremner, J. D., Vythilingam, M., Vermetten, E., Vaccarino, V., & Charney, D. S. (2004b). Deficits in hippocampal and anterior cingulate functioning during verbal declarative memory encoding in midlife major depression. *American Journal of Psychiatry*, 161, 637-645.
- Brennen, T., Dybdahl, R., & Kapidzic, A. (2007). Trauma-related and neutral false memories in war-induced Posttraumatic Stress Disorder. *Consciousness and Cognition*, 16, 877-885.
- Breslau, N. (2001). Outcomes of posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 62 Suppl 17:55-9., 55-59.
- Breslau, N., Kessler, R. C., Chilcoat, H. D., Schultz, L. R., Davis, G. C., & Andreski, P. (1998). Trauma and posttraumatic stress disorder in the community: the 1996 Detroit Area Survey of Trauma. *Archives of General Psychiatry*, 55, 626-632.
- Brewin, C. R., Kleiner, J. S., Vasterling, J. J., & Field, A.P. (2007). Memory for emotionally neutral information in posttraumatic stress disorder: A meta-analytic investigation. *Journal of Abnormal Psychology*, 116, 448-463.
- Brohawn, K. H., Offringa, R., Pfaff, D. L., Hughes, K. C., & Shin, L. M. (2010). The neural correlates of emotional memory in posttraumatic stress disorder. *Biological Psychiatry*, 68, 1023-1030.
- Bryant, R. A. (2012). Simplifying complex PTSD: Comment on Resick et al. (2012). *Journal of Traumatic Stress*, 25, 252-253.
- Bryant, R. A., Felmingham, K., Kemp, A., Das, P., Hughes, G., Peduto, A. et al. (2008a). Amygdala and ventral anterior cingulate activation predicts treatment response to cognitive behaviour therapy for post-traumatic stress disorder. *Psychological Medicine*, 38, 555-561.
- Bryant, R. A., Felmingham, K., Whitford, T. J., Kemp, A., Hughes, G., Peduto, A. et al. (2008b). Rostral anterior cingulate volume predicts treatment response to cognitive-behavioural therapy for posttraumatic stress disorder. *Journal of Psychiatry and Neuroscience*, 33, 142-146.
- Bryant, R. A. & Harvey, A. G. (1995). Processing threatening information in posttraumatic stress disorder. *Journal of Abnormal Psychology*, 104, 537-541.
- Buckley, T. C., Blanchard, E. B., & Neill, W. T. (2000). Information processing and PTSD: a review of the empirical literature. *Clinical Psychology Review*, 20, 1041-1065.
- Carey, P. D., Warwick, J., Niehaus, D. J., van der, L. G., van Heerden, B. B., Harvey, B. H. et al. (2004). Single photon emission computed tomography (SPECT) of anxiety disorders before and after treatment with citalopram. *BMC Psychiatry*, 4:30., 30.
- Carter, C. S. & van Veen, V. (2007). Anterior cingulate cortex and conflict detection: an update of theory and data. *Cognitive, Affective, & Behavioral Neuroscience*, 7, 367-379.

- Casanova, R., Srikanth, R., Baer, A., Laurienti, P. J., Burdette, J. H., Hayasaka, S. et al. (2007). Biological parametric mapping: A statistical toolbox for multimodality brain image analysis. *Neuroimage*, 34, 137-143.
- Chanen, A. M., Velakoulis, D., Carison, K., Gaunson, K., Wood, S. J., Yuen, H.P. et al. (2008). Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. *Psychiatry Research*, 163(2), 116-125.
- Chemtob, C. M., Roitblat, H. L., Hamada, R. S., Muraoka, M. Y., Carlson, J. G., & Bauer, G. B. (1999). Compelled attention: the effects of viewing trauma-related stimuli on concurrent task performance in posttraumatic stress disorder. *Journal of Traumatic Stress*, 12, 309-326.
- Chen, S., Xia, W., Li, L., Liu, J., He, Z., Zhang, Z. et al. (2006). Gray matter density reduction in the insula in fire survivors with posttraumatic stress disorder: a voxel-based morphometric study. *Psychiatry Research*, 146, 65-72.
- Chung, Y. A., Kim, S. H., Chung, S. K., Chae, J. H., Yang, D. W., Sohn, H. S. et al. (2006). Alterations in cerebral perfusion in posttraumatic stress disorder patients without re-exposure to accident-related stimuli. *Clinical Neurophysiology*, 117, 637-642.
- Clancy, C.P., Graybeal, A., Tompson, W.P., Badgett, K. S., Feldman, M. E., Calhoun, P. S. et al. (2006). Lifetime trauma exposure in veterans with military-related posttraumatic stress disorder: association with current symptomatology. *Journal of Clinical Psychiatry*, 67, 1346-1353.
- Clark, C. R., McFarlane, A. C., Morris, P., Weber, D. L., Sonkilla, C., Shaw, M. et al. (2003). Cerebral function in posttraumatic stress disorder during verbal working memory updating: a positron emission tomography study. *Biological Psychiatry*, 53, 474-481.
- Cloitre, M., Chase Stovall-McClough, K., Miranda, R., & Chemtob, C. M. (2004). Therapeutic alliance, negative mood regulation, and treatment outcome in child abuse-related posttraumatic stress disorder. *Journal of Consulting & Clinical Psychology*, 72, 411-416.
- Cloitre, M. & Koenen, K. C. (2001). The impact of borderline personality disorder on process group outcome among women with posttraumatic stress disorder related to childhood abuse. *International Journal Group Psychotherapy*, 51, 379-398.
- Cloitre, M., Koenen, K. C., Cohen, L. R., & Han, H. (2002). Skills training in affective and interpersonal regulation followed by exposure: a phase-based treatment for PTSD related to childhood abuse. *Journal of Consulting & Clinical Psychology*, 70, 1067-1074.
- Cloitre, M., Stovall-McClough, K. C., Nooner, K., Zorbas, P., Cherry, S., Jackson, C. L. et al. (2010). Treatment for PTSD related to childhood abuse: a randomized controlled trial. *American Journal of Psychiatry*, 167, 915-924.
- Conrad, C. D. (2008). Chronic stress-induced hippocampal vulnerability: the glucocorticoid vulnerability hypothesis. *Reviews in the Neurosciences*, 19, 395-411.
- Corbo, V., Clement, M. H., Armony, J. L., Pruessner, J. C., & Brunet, A. (2005). Size versus shape differences: contrasting voxel-based and volumetric analyses of the anterior cingulate cortex in individuals with acute posttraumatic stress disorder. *Biological Psychiatry*, 58, 119-124.
- Costafreda, S. G., Brammer, M. J., David, A. S., & Fu, C. H. (2008). Predictors of amygdala activation during the processing of emotional stimuli: a meta-analysis of 385 PET and fMRI studies. *Brain Research Reviews*, 58, 57-70.
- Daselaar, S. M., Veltman, D. J., Rombouts, S. A., Raaijmakers, J. G., & Jonker, C. (2003). Neuroanatomical correlates of episodic encoding and retrieval in young and elderly subjects. *Brain*, 126, 43-56.
- Davatzikos, C. (2004). Why voxel-based morphometric analysis should be used with great caution when characterizing group differences. *Neuroimage*, 23, 17-20.
- Davidson, J. R., Book, S. W., Colket, J. T., Tupler, L. A., Roth, S., David, D. et al. (1997). Assessment of a new self-rating scale for post-traumatic stress disorder. *Psychological Medicine*, 27, 153-160.
- Davidson, J. R., Tharwani, H. M., & Connor, K. M. (2002). Davidson Trauma Scale (DTS): normative scores in the general population and effect sizes in placebo-controlled SSRI trials. *Depression and Anxiety*, 15, 75-78.
- De Bellis, M. D., Keshavan, M. S., Shifflett, H., Iyengar, S., Beers, S. R., Hall, J. et al. (2002). Brain structures in pediatric maltreatment-related posttraumatic stress disorder: a sociodemographically matched study. *Biological Psychiatry*, 52, 1066-1078.
- De Ruiter, M. B., Veltman, D. J., Phaf, R. H., & van Dyck, R. (2007). Negative words enhance recognition in nonclinical high dissociators: an fMRI study. *Neuroimage*, 37, 323-334.
- Derogatis, L. R., Lipman, R. S., & Covi, L. (1973). SCL-90: an outpatient psychiatric rating scale--preliminary report. *Psychopharmacology Bulletin*, 9, 13-28.

- Devineni, T., Blanchard, E. B., Hickling, E. J., & Buckley, T. C. (2004). Effect of psychological treatment on cognitive bias in motor vehicle accident-related Posttraumatic Stress Disorder. *Journal of Anxiety Disorders*, 18, 211-231.
- Dorrepaal, E., Thomaes, K., Smit, J. H., Hoogendoorn, A., Veltman, D. J., van Balkom, A. J. et al. (2012a). Clinical Phenomenology of Childhood Abuse-Related Complex PTSD in a Population of Female Patients: Patterns of Personality Disturbance. *Journal of Trauma and Dissociation*, 13, 271-290.
- Dorrepaal, E., Thomaes, K., Smit, J. H., van Balkom, A. J., van, D. R., Veltman, D. J. et al. (2010). Stabilizing group treatment for Complex Posttraumatic Stress Disorder related to childhood abuse based on psycho-education and cognitive behavioral therapy: a pilot study. *Child Abuse and Neglect*, 34, 284-288.
- Dorrepaal, E., Thomaes, K., Smit, J. H., van Balkom, A. J., Veltman, D. J., Hoogendoorn, A. W. et al. (2012b). Stabilizing Group Treatment for Complex Posttraumatic Stress Disorder Related to Child Abuse Based on Psychoeducation and Cognitive Behavioural Therapy: A Multisite Randomized Controlled Trial. *Psychotherapy Psychosomatics*, 81, 217-225.
- Draijer N (1989). Structured Trauma Interview. Amsterdam: Free University, Department of Psychiatry.
- Draijer N (2003). Diagnosis and indication when a history of child sexual abuse is presumed (Diagnostiek en indicatiestelling bij (een vermoeden van) seksueel misbruik in de voorgeschiedenis). In N.Nicolai (Ed.), *Handboek Psychotherapie na seksueel misbruik* (Utrecht: Tijdstroom.
- Draijer, N. (1990). Sexual traumatization in childhood. Long-term impact of sexual abuse of girls. SUA, Amsterdam.
- Draijer, N. & Langeland, W. (2009). Diagnosing and Treating Complex Traumatized Patients: A two dimensional approach. In Presented at the ISSTD Annual Conference, Washington.
- Draijer, N. & Langeland, W. (1999). Childhood trauma and perceived parental dysfunction in the etiology of dissociative symptoms in psychiatric inpatients. *American Journal of Psychiatry*, 156, 379-385.
- Drevets, W. C., Savitz, J., & Trimble, M. (2008). The subgenual anterior cingulate cortex in mood disorders. *CNS Spectrums*, 13, 663-681.
- Driessen, M., Beblo, T., Mertens, M., Piefke, M., Rullkoetter, N., Silva-Saavedra, A. et al. (2004). Posttraumatic stress disorder and fMRI activation patterns of traumatic memory in patients with borderline personality disorder. *Biological Psychiatry*, 55, 603-611.
- Driessen, M., Herrmann, J., Stahl, K., Zwaan, M., Meier, S., Hill, A. et al. (2000). Magnetic resonance imaging volumes of the hippocampus and the amygdala in women with borderline personality disorder and early traumatization. *Archives of General Psychiatry*, 57, 1115-1122.
- Eckert, M. A., Menon, V., Walczak, A., Ahlstrom, J., Denslow, S., Horwitz, A. et al. (2009). At the heart of the ventral attention system: the right anterior insula. *Human Brain Mapping*, 30, 2530-2541.
- Ehling, T., Nijenhuis, E. R., & Krikke, A.P. (2007). Volume of discrete brain structures in complex dissociative disorders: preliminary findings. *Progress in Brain Research*, 167:307-10., 307-310.
- Elzinga, B. M., Ardon, A. M., Heijnis, M. K., de Ruiter, M. B., van Dyck, R., & Veltman, D. J. (2006). Neural correlates of enhanced working-memory performance in dissociative disorder: a functional MRI study. *Psychological Medicine*, 37, 235-245.
- Elzinga, B. M. & Bremner, J. D. (2002). Are the neural substrates of memory the final common pathway in posttraumatic stress disorder (PTSD)? *Journal of Affective Disorders*, 70, 1-17.
- Elzinga, B. M., Schmahl, C. G., Vermetten, E., van Dyck, R., & Bremner, J. D. (2003). Higher cortisol levels following exposure to traumatic reminders in abuse-related PTSD. *Neuropsychopharmacology*, 28, 1656-1665.
- Etkin, A., Pittenger, C., Polan, H. J., & Kandel, E. R. (2005). Toward a neurobiology of psychotherapy: basic science and clinical applications. *Journal of Neuropsychiatry and Clinical Neuroscience*, 17, 145-158.
- Etkin, A. & Wager, T. D. (2007). Functional neuroimaging of anxiety: a meta-analysis of emotional processing in PTSD, social anxiety disorder, and specific phobia. *American Journal of Psychiatry*, 164, 1476-1488.
- Farrow, T. F., Hunter, M. D., Wilkinson, I. D., Gouneea, C., Fawbert, D., Smith, R. et al. (2005). Quantifiable change in functional brain response to empathic and forgiveness judgments with resolution of posttraumatic stress disorder. *Psychiatry Research*, 140, 45-53.

- Feeny, N. C., Zoellner, L. A., & Foa, E. B. (2002). Treatment outcome for chronic PTSD among female assault victims with borderline personality characteristics: a preliminary examination. *Journal of Personality Disorders*, 16, 30-40.
- Felmington, K., Kemp, A., Williams, L., Das, P., Hughes, G., Peduto, A. et al. (2007). Changes in anterior cingulate and amygdala after cognitive behavior therapy of posttraumatic stress disorder. *Psychological Science*, 18, 127-129.
- Fennema-Notestine, C., Stein, M. B., Kennedy, C. M., Archibald, S. L., & Jernigan, T. L. (2002). Brain morphometry in female victims of intimate partner violence with and without posttraumatic stress disorder. *Biological Psychiatry*, 52, 1089-1101.
- Fernandez, M., Pissioti, A., Frans, O., von Knorring, L., Fischer, H., & Fredrikson, M. (2001). Brain function in a patient with torture related post-traumatic stress disorder before and after fluoxetine treatment: a positron emission tomography provocation study. *Neuroscience Letters*, 297, 101-104.
- Field, N.P., Classen, C., Butler, L. D., Koopman, C., Zarcone, J., & Spiegel, D. (2001). Revictimization and information processing in women survivors of childhood sexual abuse. *Journal of Anxiety Disorders*, 15, 459-469.
- First, M. B., Spitzer, R. L., Williams, J. B. W., & Gibbon, M. (1995). *Structured Clinical Interview for DSM-IV diagnoses (SCID-I)*. Washington DC: American Psychiatric Press Incorporated.
- Foa, E. B. (2000). Psychosocial treatment of posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 61 Suppl 5:43-8; discussion 49-51., 43-48.
- Foa, E. B., Feske, U., Murdock, T. B., Kozak, M. J., & McCarthy, P. R. (1991). Processing of threat-related information in rape victims. *Journal of Abnormal Psychology*, 100, 156-162.
- Foa, E. B., Keane, T. M., & Friedman, M. J. (2000). *Effective treatments for PTSD*. New York: Guilford Press.
- Ford, J. D. (1999). Disorders of extreme stress following war-zone military trauma: associated features of posttraumatic stress disorder or comorbid but distinct syndromes? *Journal of Consulting & Clinical Psychology*, 67, 3-12.
- Ford, J. D. & Kidd, P. (1998). Early childhood trauma and disorders of extreme stress as predictors of treatment outcome with chronic posttraumatic stress disorder. *Journal of Traumatic Stress*, 11, 743-761.
- Ford, J. D., Stockton, P., Kaltman, S., & Green, B. L. (2006). Disorders of extreme stress (DESNOS) symptoms are associated with type and severity of interpersonal trauma exposure in a sample of healthy young women. *Journal of Interpersonal Violence*, 21, 1399-1416.
- Francati, V., Vermetten, E., & Bremner, J. D. (2007). Functional neuroimaging studies in posttraumatic stress disorder: review of current methods and findings. *Depression and Anxiety*, 24, 202-218.
- Freeman, T., Kimbrell, T., Booe, L., Myers, M., Cardwell, D., Lindquist, D. M. et al. (2006). Evidence of resilience: neuroimaging in former prisoners of war. *Psychiatry Research*, 146, 59-64.
- Frewen, P. A., Dozois, D. J., & Lanius, R. A. (2008). Neuroimaging studies of psychological interventions for mood and anxiety disorders: empirical and methodological review. *Clinical Psychology Review*, 28, 228-246.
- Fusar-Poli, P., Placentino, A., Carletti, F., Landi, P., Allen, P., Surguladze, S. et al. (2009). Functional atlas of emotional faces processing: a voxel-based meta-analysis of 105 functional magnetic resonance imaging studies. *Journal of Psychiatry & Neuroscience*, 34, 418-432.
- Geuze, E., Vermetten, E., Ruf, M., de Kloet, C. S., & Westenberg, H. G. (2008). Neural correlates of associative learning and memory in veterans with posttraumatic stress disorder. *Journal of Psychiatric Research*, 42, 659-669.
- Gilbertson, M. W., Shenton, M. E., Ciszewski, A., Kasai, K., Lasko, N. B., Orr, S.P. et al. (2002). Smaller hippocampal volume predicts pathologic vulnerability to psychological trauma. *Nature & Neuroscience*, 5, 1242-1247.
- Goldin, P. R., McRae, K., Ramel, W., & Gross, J. J. (2008). The neural bases of emotion regulation: reappraisal and suppression of negative emotion. *Biological Psychiatry*, 63, 577-586.
- Golier, J. A., Yehuda, R., De Santi, S., Segal, S., Dolan, S., & de Leon, M. J. (2005). Absence of hippocampal volume differences in survivors of the Nazi Holocaust with and without posttraumatic stress disorder. *Psychiatry Research*, 139, 53-64.
- Goodman, M. (2012). Complex PTSD is on the trauma spectrum: Comment on Resick et al. (2012). *Journal of Traumatic Stress*, 25, 254-255.

- Green, B. L., Goodman, L. A., Krupnick, J. L., Corcoran, C. B., Petty, R. M., Stockton, P. et al. (2000). Outcomes of single versus multiple trauma exposure in a screening sample. *Journal of Traumatic Stress, 13*, 271-286.
- Hakamata, Y., Matsuoka, Y., Inagaki, M., Nagamine, M., Hara, E., Imoto, S. et al. (2007). Structure of orbitofrontal cortex and its longitudinal course in cancer-related post-traumatic stress disorder. *Neuroscience Research, 59*, 383-389.
- Hamilton, J.P., Siemer, M., & Gotlib, I. H. (2008). Amygdala volume in major depressive disorder: a meta-analysis of magnetic resonance imaging studies. *Molecular Psychiatry, 13*, 993-1000.
- Hampson, M., Stoica, T., Saks, J., Scheinost, D., Qiu, M., Bhawnani, J. et al. (2012). Real-time fMRI Biofeedback Targeting the Orbitofrontal Cortex for Contamination Anxiety. *Journal of Visualized Experiments, 20*, pii: 3535.
- Hayes, J.P., Labar, K. S., McCarthy, G., Selgrade, E., Nasser, J., Dolcos, F. et al. (2011). Reduced hippocampal and amygdala activity predicts memory distortions for trauma reminders in combat-related PTSD. *Journal of Psychiatric Research, 45*, 660-669.
- Hazlett, E. A., New, A. S., Newmark, R., Haznedar, M. M., Lo, J. N., Speiser, L. J. et al. (2005). Reduced anterior and posterior cingulate gray matter in borderline personality disorder. *Biological Psychiatry, 58*, 614-623.
- Heim, C., Newport, D. J., Wagner, D., Wilcox, M. M., Miller, A. H., & Nemeroff, C. B. (2002). The role of early adverse experience and adulthood stress in the prediction of neuroendocrine stress reactivity in women: a multiple regression analysis. *Depression and Anxiety, 15*, 117-125.
- Hendler, T., Rotshtein, P., Yeshurun, Y., Weizmann, T., Kahn, I., Ben Bashat, D. et al. (2003). Sensing the invisible: differential sensitivity of visual cortex and amygdala to traumatic context. *Neuroimage, 19*, 587-600.
- Herman, J. L. (1992). Complex PTSD: A syndrome in survivors of prolonged and repeated trauma. *Journal of Traumatic Stress, 5*, 377-391.
- Hoexter, M. Q., de Souza Duran, F. L., D'Alcante, C. C., Dougherty, D. D., Shavitt, R. G., Lopes, A. C. et al. (2012). Gray matter volumes in obsessive-compulsive disorder before and after fluoxetine or cognitive-behavior therapy: a randomized clinical trial. *Neuropsychopharmacology, 37*, 734-745.
- Höing, M. (2003). Hulp aan slachtoffers van seksueel geweld. Eburon Delft.
- Hopper, J. W., Frewen, P. A., Van Der Kolk, B. A., & Lanius, R. A. (2007). Neural correlates of reexperiencing, avoidance, and dissociation in PTSD: symptom dimensions and emotion dysregulation in responses to script-driven trauma imagery. *Journal of Traumatic Stress, 20*, 713-725.
- Hovens, J. E., van der Ploeg, H. M., Klaarenbeek, M. T., Bramsen, I., Schreuder, J. N., & Rivero, V. V. (1994). The assessment of posttraumatic stress disorder: with the Clinician Administered PTSD Scale: Dutch results. *Journal of Clinical Psychology, 50*, 325-340.
- Irle, E., Lange, C., & Sachsse, U. (2005). Reduced size and abnormal asymmetry of parietal cortex in women with borderline personality disorder. *Biological Psychiatry, 57*, 173-182.
- Jatzko, A., Rothenhofer, S., Schmitt, A., Gaser, C., Demirakca, T., Weber-Fahr, W. et al. (2006). Hippocampal volume in chronic posttraumatic stress disorder (PTSD): MRI study using two different evaluation methods. *Journal of Affective Disorders, 94*, 121-126.
- Jenkins, M. A., Langlais, P. J., Delis, D., & Cohen, R. (1998). Learning and memory in rape victims with posttraumatic stress disorder. *American Journal of Psychiatry, 155*, 278-279.
- Johnsen, G. E. & Asbjørnsen, A. E. (2009). Verbal learning and memory impairments in posttraumatic stress disorder: the role of encoding strategies. *Psychiatry Research, 165*, 68-77.
- Johnsen, G. E. & Asbjørnsen, A. E. (2008). Consistent impaired verbal memory in PTSD: a meta-analysis. *Journal of Affective Disorders, 111*, 74-82.
- Kanagaratnam, P. & Asbjørnsen, A. E. (2007). Executive deficits in chronic PTSD related to political violence. *Journal of Anxiety Disorders, 21*, 510-525.
- Kandel, E. R. (1998). A new intellectual framework for psychiatry. *American Journal of Psychiatry, 155*, 457-469.
- Karl, A., Schaefer, M., Malta, L. S., Dorfel, D., Rohleder, N., & Werner, A. (2006). A meta-analysis of structural brain abnormalities in PTSD. *Neuroscience & Biobehavioral Reviews, 30*, 1004-1031.
- Kasai, K., Yamasue, H., Gilbertson, M. W., Shenton, M. E., Rauch, S. L., & Pitman, R. K. (2008). Evidence for acquired pregenual anterior cingulate gray matter loss from a twin study of combat-related posttraumatic stress disorder. *Biological Psychiatry, 63*, 550-556.

- Kemp, A. H., Felmingham, K., Das, P., Hughes, G., Peduto, A. S., Bryant, R. A. et al. (2007). Influence of comorbid depression on fear in posttraumatic stress disorder: an fMRI study. *Psychiatry Research*, 155, 265-269.
- Kemp, A. H., Felmingham, K. L., Falconer, E., Liddell, B. J., Bryant, R. A., & Williams, L. M. (2009). Heterogeneity of non-conscious fear perception in posttraumatic stress disorder as a function of physiological arousal: an fMRI study. *Psychiatry Research*, 174, 158-161.
- Kensinger, E. A. & Schacter, D. L. (2005). Retrieving accurate and distorted memories: neuroimaging evidence for effects of emotion. *Neuroimage*, 27, 167-177.
- Kessler, R. C., Davis, C. G., & Kendler, K. S. (1997). Childhood adversity and adult psychiatric disorder in the US National Comorbidity Survey. *Psychological Medicine*, 27, 1101-1119.
- Kessler, R. C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C. B. (1995). Posttraumatic stress disorder in the National Comorbidity Survey. *Archives of General Psychiatry*, 52, 1048-1060.
- Kimble, M. O., Frueth, B. C., & Marks, L. (2009). Does the modified Stroop effect exist in PTSD? Evidence from dissertation abstracts and the peer reviewed literature. *Journal of Anxiety Disorders*, 23, 650-655.
- Kitayama, N., Quinn, S., & Bremner, J. D. (2006). Smaller volume of anterior cingulate cortex in abuse-related posttraumatic stress disorder. *Journal of Affective Disorders*, 90, 171-174.
- Kitayama, N., Vaccarino, V., Kutner, M., Weiss, P., & Bremner, J. D. (2005). Magnetic resonance imaging (MRI) measurement of hippocampal volume in posttraumatic stress disorder: a meta-analysis. *Journal of Affective Disorders*, 88, 79-86.
- Koolschijn, P. C., van Haren, N. E., Lensvelt-Mulders, G. J., Hulshoff Pol, H. E., & Kahn, R. S. (2009). Brain volume abnormalities in major depressive disorder: a meta-analysis of magnetic resonance imaging studies. *Human Brain Mapping*, 30, 3719-3735.
- Krause-Utz, A., Oei, N. Y., Niedtfeld, I., Bohus, M., Spinhoven, P., Schmahl, C. et al. (2012). Influence of emotional distraction on working memory performance in borderline personality disorder. *Psychological Medicine*, 1-12.
- Lacerda, A. L., Keshavan, M. S., Hardan, A. Y., Yorbik, O., Brambilla, P., Sassi, R. B. et al. (2004). Anatomic evaluation of the orbitofrontal cortex in major depressive disorder. *Biological Psychiatry*, 55, 353-358.
- Langevin, J.P., De Salles, A. A., Kosoyan, H.P., & Krahl, S. E. (2010). Deep brain stimulation of the amygdala alleviates post-traumatic stress disorder symptoms in a rat model. *Journal of Psychiatric Research*, 44, 1241-1245.
- Lanius, R. A., Bluhm, R. L., Coupland, N. J., Hegadoren, K. M., Rowe, B., Theberge, J. et al. (2010a). Default mode network connectivity as a predictor of post-traumatic stress disorder symptom severity in acutely traumatized subjects. *Acta Psychiatrica Scandinavica*, 121, 33-40.
- Lanius, R. A., Brewin, C. R., Bremner, J. D., Daniels, J. K., Friedman, M. J., Liberzon, I. et al. (2010b). Does neuroimaging research examining the pathophysiology of posttraumatic stress disorder require medication-free patients? *Journal of Psychiatry & Neuroscience*, 35, 80-89.
- Lanius, R. A., Frewen, P. A., Girotti, M., Neufeld, R. W., Stevens, T. K., & Densmore, M. (2007). Neural correlates of trauma script-imagery in posttraumatic stress disorder with and without comorbid major depression: a functional MRI investigation. *Psychiatry Research*, 155, 45-56.
- Lanius, R. A., Vermetten, E., Loewenstein, R. J., Brand, B., Schmahl, C., Bremner, J. D. et al. (2010c). Emotion modulation in PTSD: Clinical and neurobiological evidence for a dissociative subtype. *American Journal of Psychiatry*, 167, 640-647.
- Lanius, R. A., Williamson, P. C., Boksman, K., Densmore, M., Gupta, M., Neufeld, R. W. et al. (2002). Brain activation during script-driven imagery induced dissociative responses in PTSD: a functional magnetic resonance imaging investigation. *Biological Psychiatry*, 52, 305-311.
- Lanius, R. A., Williamson, P. C., Hopper, J., Densmore, M., Boksman, K., Gupta, M. A. et al. (2003). Recall of emotional states in posttraumatic stress disorder: an fMRI investigation. *Biological Psychiatry*, 53, 204-210.
- Lansing, K., Amen, D. G., Hanks, C., & Rudy, L. (2005). High-resolution brain SPECT imaging and eye movement desensitization and reprocessing in police officers with PTSD. *Journal of neuropsychiatry and clinical neurosciences*, 17, 526-532.
- Lau, M. & Kristensen, E. (2007). Outcome of systemic and analytic group psychotherapy for adult women with history of intrafamilial childhood sexual abuse: a randomized controlled study. *Acta Psychiatrica Scandinavica*, 116, 96-104.
- Ledoux, J. E. (2002). *Synaptic Self-How Our Brains Become Who We Are*. New York: Viking.

- Letizia, B., Andrea, F., & Paolo, C. (2007). Neuroanatomical changes after eye movement desensitization and reprocessing (EMDR) treatment in posttraumatic stress disorder. *Journal of Neuropsychiatry & Clinical Neuroscience*, 19, 475-476.
- Leung, H. C., Skudlarski, P., Gatenby, J. C., Peterson, B. S., & Gore, J. C. (2000). An event-related functional MRI study of the stroop color word interference task. *Cerebral Cortex*, 10, 552-560.
- Levin, P., Lazrove, S., & van der, K. B. (1999). What psychological testing and neuroimaging tell us about the treatment of Posttraumatic Stress Disorder by Eye Movement Desensitization and Reprocessing. *Journal of Anxiety Disorders*, 13, 159-172.
- Leyton, M., Okazawa, H., Diksic, M., Paris, J., Rosa, P., Mzengeza, S. et al. (2001). Brain Regional alpha-[11C] methyl-L-tryptophan trapping in impulsive subjects with borderline personality disorder. *American Journal of Psychiatry*, 158, 775-782.
- Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gotzsche, P. C., Ioannidis, J.P. et al. (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS.Med.*, 6, e1000100.
- Liberzon, I. & Sripada, C. S. (2008). The functional neuroanatomy of PTSD: a critical review. *Progress in Brain Research*, 167, 151-169.
- Lindauer, R. J., Booij, J., Habraken, J. B., van Meijel, E.P., Uylings, H. B., Olff, M. et al. (2008). Effects of psychotherapy on regional cerebral blood flow during trauma imagery in patients with post-traumatic stress disorder: a randomized clinical trial. *Psychological Medicine*, 38, 543-554.
- Lindauer, R. J., Olff, M., van Meijel, E.P., Carlier, I. V., & Gersons, B.P. (2006). Cortisol, learning, memory, and attention in relation to smaller hippocampal volume in police officers with posttraumatic stress disorder. *Biological Psychiatry*, 59, 171-177.
- Linden, D. E. (2006). How psychotherapy changes the brain--the contribution of functional neuroimaging. *Molecular Psychiatry*, 11, 528-538.
- Litz, B. T., Weathers, F. W., Monaco, V., Herman, D. S., Wulfsohn, M., Marx, B. et al. (1996). Attention, arousal, and memory in posttraumatic stress disorder. *Journal of Traumatic Stress*, 9, 497-519.
- Ludascher, P., Valerius, G., Stiglmayr, C., Mauchnik, J., Lanius, R. A., Bohus, M. et al. (2010). Pain sensitivity and neural processing during dissociative states in patients with borderline personality disorder with and without comorbid posttraumatic stress disorder: a pilot study. *Journal of Psychiatry & Neuroscience*, 35, 177-184.
- Lupien, S. J., McEwen, B. S., Gunnar, M. R., & Heim, C. (2009). Effects of stress throughout the lifespan on the brain, behaviour and cognition. *Nature Reviews Neuroscience*, 10, 434-445.
- Lyoo, I. K., Kim, J. E., Yoon, S. J., Hwang, J., Bae, S., & Kim, D. J. (2011). The neurobiological role of the dorsolateral prefrontal cortex in recovery from trauma. Longitudinal brain imaging study among survivors of the South Korean subway disaster. *Archives of General Psychiatry*, 68, 701-713.
- McDonagh, A., Friedman, M., McHugo, G., Ford, J., Sengupta, A., Mueser, K. et al. (2005). Randomized trial of cognitive-behavioral therapy for chronic posttraumatic stress disorder in adult female survivors of childhood sexual abuse. *Journal of Consulting & Clinical Psychology*, 73, 515-524.
- McEwen, B. S. (2001). Plasticity of the hippocampus: adaptation to chronic stress and allostatic load. *Annals of the New York Academy of Sciences*, 933:265-77., 265-277.
- McGlashan, T. H., Grilo, C. M., Skodol, A. E., Gunderson, J. G., Shea, M. T., Morey, L. C. et al. (2000). The Collaborative Longitudinal Personality Disorders Study: baseline Axis I/II and II/II diagnostic co-occurrence. *Acta Psychiatrica Scandinavica*, 102, 256-264.
- McHugh, T., Forbes, D., Bates, G., Hopwood, M., & Creamer, M. (2012). Anger in PTSD: is there a need for a concept of PTSD-related posttraumatic anger? *Clinical Psychology Review*, 32, 93-104.
- McNally, R. J. (2006). Cognitive abnormalities in post-traumatic stress disorder. *Trends in Cognitive Sciences*, 10, 271-277.
- McNally, R. J., Kaspi, S.P., Riemann, B. C., & Zeitlin, S. B. (1990). Selective processing of threat cues in posttraumatic stress disorder. *Journal of Abnormal Psychology*, 99, 398-402.
- Meewisse, M. L., Reitsma, J. B., de Vries, G. J., Gersons, B.P., & Olff, M. (2007). Cortisol and post-traumatic stress disorder in adults: systematic review and meta-analysis. *British Journal of Psychiatry*, 191:387-92., 387-392.
- Milad, M. R. & Rauch, S. L. (2007). The role of the orbitofrontal cortex in anxiety disorders. *Annals of the New York Academy of Sciences*, 1121, 546-561.

- Milad, M. R., Wright, C. I., Orr, S.P., Pitman, R. K., Quirk, G. J., & Rauch, S. L. (2007). Recall of fear extinction in humans activates the ventromedial prefrontal cortex and hippocampus in concert. *Biological Psychiatry*, 62, 446-454.
- Miller, M. W., Fogler, J. M., Wolf, E. J., Kaloupek, D. G., & Keane, T. M. (2008). The internalizing and externalizing structure of psychiatric comorbidity in combat veterans. *Journal of Traumatic Stress*, 21, 58-65.
- Molina, M. E., Isoardi, R., Prado, M. N., & Bentolila, S. (2007). Basal cerebral glucose distribution in long-term post-traumatic stress disorder. *World Journal of Biological Psychiatry*, 1-9.
- Molnar, B. E., Buka, S. L., & Kessler, R. C. (2001). Child sexual abuse and subsequent psychopathology: results from the National Comorbidity Survey. *American Journal of Public Health*, 91, 753-760.
- Moore, S. A. (2009). Cognitive abnormalities in posttraumatic stress disorder. *Current Opinion in Psychiatry*, 22, 19-24.
- Moores, K. A., Clark, C. R., McFarlane, A. C., Brown, G. C., Puce, A., & Taylor, D. J. (2008). Abnormal recruitment of working memory updating networks during maintenance of trauma-neutral information in post-traumatic stress disorder. *Psychiatry Research*, 163, 156-170.
- Moradi, A. R., Taghavi, R., Neshat-Doost, H. T., Yule, W., & Dalgleish, T. (2000). Memory bias for emotional information in children and adolescents with posttraumatic stress disorder: a preliminary study. *Journal of Anxiety Disorders*, 14, 521-534.
- Nardo, D., Hogberg, G., Looi, J. C., Larsson, S., Hallstrom, T., & Pagani, M. (2010). Gray matter density in limbic and paralimbic cortices is associated with trauma load and EMDR outcome in PTSD patients. *Journal of Psychiatric Research*, 44, 477-485.
- Ochsner, K. N., Bunge, S. A., Gross, J. J., & Gabrieli, J. D. (2002). Rethinking feelings: an fMRI study of the cognitive regulation of emotion. *Journal of Cognitive Neuroscience*, 14, 1215-1229.
- Oquendo, M. A., Krunic, A., Parsey, R. V., Milak, M., Malone, K. M., Anderson, A. et al. (2005). Positron emission tomography of regional brain metabolic responses to a serotonergic challenge in major depressive disorder with and without borderline personality disorder. *Neuropsychopharmacology*, 30, 1163-1172.
- Orth, U., Cahill, S.P., Foa, E. B., & Maercker, A. (2008). Anger and posttraumatic stress disorder symptoms in crime victims: a longitudinal analysis. *Journal of Consulting & Clinical Psychology*, 76, 208-218.
- Pallanti, S. & Bernardi, S. (2009). Neurobiology of repeated transcranial magnetic stimulation in the treatment of anxiety: a critical review. *International Clinical Psychopharmacology*, 24, 163-173.
- Pardo, J. V., Pardo, P. J., Janer, K. W., & Raichle, M. E. (1990). The anterior cingulate cortex mediates processing selection in the Stroop attentional conflict paradigm. *Proceedings of the National Academy of Sciences of the United States of America*, 87, 256-259.
- Pederson, C. L., Maurer, S. H., Kaminski, P. L., Zander, K. A., Peters, C. M., Stokes-Crowe, L. A. et al. (2004). Hippocampal volume and memory performance in a community-based sample of women with posttraumatic stress disorder secondary to child abuse. *Journal of Traumatic Stress*, 17, 37-40.
- Pelcovitz, D., van der, K. B., Roth, S., Mandel, F., Kaplan, S., & Resick, P. (1997). Development of a criteria set and a structured interview for disorders of extreme stress (SIDES). *Journal of Traumatic Stress*, 10, 3-16.
- Peres, J. F., Newberg, A. B., Mercante, J.P., Simao, M., Albuquerque, V. E., Peres, M. J. et al. (2007). Cerebral blood flow changes during retrieval of traumatic memories before and after psychotherapy: a SPECT study. *Psychological Medicine*, 37, 1481-1491.
- Pfohl, N. & M. Z. (1997). *Structured Interview for DSM-IV Personality (SIDP-IV)*. Washington DC: American Psychiatric Press Incorporated.
- Phan, K. L., Wager, T., Taylor, S. F., & Liberzon, I. (2002). Functional neuroanatomy of emotion: a meta-analysis of emotion activation studies in PET and fMRI. *Neuroimage*, 16, 331-348.
- Phelps, E. A., Delgado, M. R., Nearing, K. I., & LeDoux, J. E. (2004). Extinction learning in humans: role of the amygdala and vmPFC. *Neuron*, 43, 897-905.
- Protopopescu, X., Pan, H., Tuescher, O., Cloitre, M., Goldstein, M., Engelien, W. et al. (2005). Differential time courses and specificity of amygdala activity in posttraumatic stress disorder subjects and normal control subjects. *Biological Psychiatry*, 57, 464-473.
- Putnam, F. W., Carlson, E. B., Ross, C. A., Anderson, G., Clark, P., Torem, M. et al. (1996). Patterns of dissociation in clinical and nonclinical samples. *Journal of Nervous & Mental Disease*, 184, 673-679.

- Quide, Y., Witteveen, A. B., El-Hage, W., Veltman, D. J., & Olf, M. (2012). Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: a systematic review. *Neuroscience & Biobehavioral Reviews*, 36, 626-644.
- Rauch, S. L., Shin, L. M., & Phelps, E. A. (2006). Neurocircuitry models of posttraumatic stress disorder and extinction: human neuroimaging research--past, present, and future. *Biological Psychiatry*, 60, 376-382.
- Rauch, S. L., Shin, L. M., Segal, E., Pitman, R. K., Carson, M. A., McMullin, K. et al. (2003). Selectively reduced regional cortical volumes in post-traumatic stress disorder. *Neuroreport*, 14, 913-916.
- Rauch, S. L., Whalen, P. J., Shin, L. M., McInerney, S. C., Macklin, M. L., Lasko, N. B. et al. (2000). Exaggerated amygdala response to masked facial stimuli in posttraumatic stress disorder: a functional MRI study. *Biological Psychiatry*, 47, 769-776.
- Reinders, A. A., Nijenhuis, E. R., Quak, J., Korf, J., Haaksma, J., Paans, A. M. et al. (2006). Psychobiological characteristics of dissociative identity disorder: a symptom provocation study. *Biological Psychiatry*, 60, 730-740.
- Resick, P. A., Bovin, M. J., Calloway, A. L., Dick, A. M., King, M. W., Mitchell, K. S. et al. (2012a). A critical evaluation of the complex PTSD literature: Implications for DSM-5. *Journal of Traumatic Stress*, 25, 241-251.
- Resick, P. A., Wolf, E. J., Stirman, S. W., Wells, S. Y., Suvak, M. K., Mitchell, K. S. et al. (2012b). Advocacy through science: Reply to comments on Resick et al. (2012). *Journal of Traumatic Stress*, 25, 260-263.
- Richardson, P., Williams, S. R., Hepenstall, S., Gregory, L., McKie, S., & Corrigan, F. (2009). A single-case fMRI study: EMDR treatment of a patient with posttraumatic stress disorder. *Journal of EMDR Practice and Research*, 3, 10-23.
- Rinne, T., de Kloet, E. R., Wouters, L., Goekoop, J. G., DeRijk, R. H., & van den, B. W. (2002). Hyperresponsiveness of hypothalamic-pituitary-adrenal axis to combined dexamethasone/corticotropin-releasing hormone challenge in female borderline personality disorder subjects with a history of sustained childhood abuse. *Biological Psychiatry*, 52, 1102-1112.
- Roffman, J. L., Marci, C. D., Glick, D. M., Dougherty, D. D., & Rauch, S. L. (2005). Neuroimaging and the functional neuroanatomy of psychotherapy. *Psychological Medicine*, 35, 1385-1398.
- Rolls, E. T. & Grabenhorst, F. (2008). The orbitofrontal cortex and beyond: from affect to decision-making. *Progress in Neurobiology*, 86, 216-244.
- Rolls, E. T. & Kesner, R.P. (2006). A computational theory of hippocampal function, and empirical tests of the theory. *Progress in Neurobiology*, 79, 1-48.
- Roy, M. J., Francis, J., Friedlander, J., Banks-Williams, L., Lande, R. G., Taylor, P. et al. (2010). Improvement in cerebral function with treatment of posttraumatic stress disorder. *Annals of the New York Academy of Sciences*, 1208:142-9.
- Rugg, M. D., Henson, R. N., & Robb, W. G. (2003). Neural correlates of retrieval processing in the prefrontal cortex during recognition and exclusion tasks. *Neuropsychologia*, 41, 40-52.
- Rugg, M. D., Otten, L. J., & Henson, R. N. (2002). The neural basis of episodic memory: evidence from functional neuroimaging. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 357, 1097-1110.
- Ruocco, A. C., Amirthavasagam, S., & Zakzanis, K. K. (2012). Amygdala and hippocampal volume reductions as candidate endophenotypes for borderline personality disorder: a meta-analysis of magnetic resonance imaging studies. *Psychiatry Research*, 201, 245-252.
- Rusch, N., van Elst, L. T., Ludaescher, P., Wilke, M., Huppertz, H. J., Thiel, T. et al. (2003). A voxel-based morphometric MRI study in female patients with borderline personality disorder. *Neuroimage*, 20, 385-392.
- Sakamoto, H., Fukuda, R., Okuaki, T., Rogers, M., Kasai, K., Machida, T. et al. (2005). Parahippocampal activation evoked by masked traumatic images in posttraumatic stress disorder: a functional MRI study. *Neuroimage*, 26, 813-821.
- Sapolsky, R. M. (1996). Stress, Glucocorticoids, and Damage to the Nervous System: The Current State of Confusion. *Stress*, 1, 1-19.
- Sapolsky, R. M. (2003). Stress and plasticity in the limbic system. *Neurochemical Research*, 28, 1735-1742.
- Sapolsky, R. M. (2000). Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Archives of General Psychiatry*, 57, 925-935.

- Sar, V., Akyuz, G., & Dogan, O. (2007). Prevalence of dissociative disorders among women in the general population. *Psychiatry Research*, 149, 169-176.
- Schore, A. N. (2009). Right brain affect regulation. An essential mechanism of development, trauma, dissociation and psychopathology. In D.Fosha (Ed.), *The healing power of emotion* (1st ed., pp. 112-144). New York: WW Norton & Co.
- Seedat, S., Warwick, J., van Heerden, B., Hugo, C., Zungu-Dirwayi, N., Van Kradenburg, J. et al. (2004). Single photon emission computed tomography in posttraumatic stress disorder before and after treatment with a selective serotonin reuptake inhibitor. *Journal of Affective Disorders*, 80, 45-53.
- Semple, W. E., Goyer, P. F., McCormick, R., Donovan, B., Muzic, R. F., Jr., Rugle, L. et al. (2000). Higher brain blood flow at amygdala and lower frontal cortex blood flow in PTSD patients with comorbid cocaine and alcohol abuse compared with normals. *Psychiatry*, 63, 65-74.
- Shad, M. U., Muddasani, S., & Keshavan, M. S. (2006). Prefrontal subregions and dimensions of insight in first-episode schizophrenia--a pilot study. *Psychiatry Research*, 146, 35-42.
- Shin, L. M., Bush, G., Whalen, P. J., Handwerker, K., Cannistraro, P. A., Wright, C. I. et al. (2007). Dorsal anterior cingulate function in posttraumatic stress disorder. *Journal of Traumatic Stress*, 20, 701-712.
- Shin, L. M., Kosslyn, S. M., McNally, R. J., Alpert, N. M., Thompson, W. L., Rauch, S. L. et al. (1997). Visual imagery and perception in posttraumatic stress disorder. A positron emission tomographic investigation. *Archives of General Psychiatry*, 54, 233-241.
- Shin, L. M., McNally, R. J., Kosslyn, S. M., Thompson, W. L., Rauch, S. L., Alpert, N. M. et al. (1999). Regional cerebral blood flow during script-driven imagery in childhood sexual abuse-related PTSD: A PET investigation. *American Journal of Psychiatry*, 156, 575-584.
- Shin, L. M., Orr, S.P., Carson, M. A., Rauch, S. L., Macklin, M. L., Lasko, N. B. et al. (2004a). Regional cerebral blood flow in the amygdala and medial prefrontal cortex during traumatic imagery in male and female Vietnam veterans with PTSD. *Archives of General Psychiatry*, 61, 168-176.
- Shin, L. M., Shin, P. S., Heckers, S., Krangel, T. S., Macklin, M. L., Orr, S.P. et al. (2004b). Hippocampal function in posttraumatic stress disorder. *Hippocampus*, 14, 292-300.
- Shin, L. M., Whalen, P. J., Pitman, R. K., Bush, G., Macklin, M. L., Lasko, N. B. et al. (2001). An fMRI study of anterior cingulate function in posttraumatic stress disorder. *Biological Psychiatry*, 50, 932-942.
- Shin, L. M., Wright, C. I., Cannistraro, P. A., Wedig, M. M., McMullin, K., Martis, B. et al. (2005). A functional magnetic resonance imaging study of amygdala and medial prefrontal cortex responses to overtly presented fearful faces in posttraumatic stress disorder. *Archives of General Psychiatry*, 62, 273-281.
- Silbersweig, D., Clarkin, J. F., Goldstein, M., Kernberg, O. F., Tuescher, O., Levy, K. N. et al. (2007). Failure of frontolimbic inhibitory function in the context of negative emotion in borderline personality disorder. *American Journal of Psychiatry*, 164, 1832-1841.
- Soloff, P. H., Meltzer, C. C., Becker, C., Greer, P. J., Kelly, T. M., & Constantine, D. (2003). Impulsivity and prefrontal hypometabolism in borderline personality disorder. *Psychiatry Research*, 123, 153-163.
- Spaniol, J., Davidson, P. S., Kim, A. S., Han, H., Moscovitch, M., & Grady, C. L. (2009). Event-related fMRI studies of episodic encoding and retrieval: meta-analyses using activation likelihood estimation. *Neuropsychologia*, 47, 1765-1779.
- Stein, D. J., Ipser, J. C., & Seedat, S. (2006). Pharmacotherapy for post traumatic stress disorder (PTSD). *Cochrane Database Systematic Reviews*, CD002795.
- Stein, M. B., Koverola, C., Hanna, C., Torchia, M. G., & McClarty, B. (1997). Hippocampal volume in women victimized by childhood sexual abuse. *Psychological Medicine*, 27, 951-959.
- Steinberg, M., Rounsaville, B., & Cicchetti, D. V. (1990). The Structured Clinical Interview for DSM-III-R Dissociative Disorders: preliminary report on a new diagnostic instrument. *American Journal of Psychiatry*, 147, 76-82.
- Sutker, P. B., Allain, A. N., Jr., Johnson, J. L., & Butters, N. M. (1992). Memory and learning performances in POW survivors with history of malnutrition and combat veteran controls. *Archives of Clinical Neuropsychology*, 7, 431-444.
- Taylor, K. S., Seminowicz, D. A., & Davis, K. D. (2009). Two systems of resting state connectivity between the insula and cingulate cortex. *Human Brain Mapping*, 30, 2731-2745.

- Tebartz, v. E., Hesslinger, B., Thiel, T., Geiger, E., Haegele, K., Lemieux, L. et al. (2003). Frontolimbic brain abnormalities in patients with borderline personality disorder: a volumetric magnetic resonance imaging study. *Biological Psychiatry*, 54, 163-171.
- Tebartz, v. E., Ludaescher, P., Thiel, T., Buchert, M., Hesslinger, B., Bohus, M. et al. (2007). Evidence of disturbed amygdalar energy metabolism in patients with borderline personality disorder. *Neuroscience Letters*, 417, 36-41.
- Teicher, M. H., Tomoda, A., & Andersen, S. L. (2006). Neurobiological consequences of early stress and childhood maltreatment: are results from human and animal studies comparable? *Annals of the New York Academy of Sciences*, 1071: 313-23.
- Terr, L. C. (1991). Childhood traumas: an outline and overview. *American Journal of Psychiatry*, 148, 10-20.
- Thomaes, K., Dorrepaal, E., Draijer, N., de Ruiter, M. B., Elzinga, B. M., Sjoerds, Z. et al. (2011). Increased anterior cingulate cortex and hippocampus activation in Complex PTSD during encoding of negative words. *Social Cognitive and Affective Neuroscience*, 2011 Dec 7. [Epub ahead of print].
- Thomaes, K., Dorrepaal, E., Draijer, N., de Ruiter, M. B., Elzinga, B. M., van Balkom, A. J. et al. (2012). Treatment effects on insular and anterior cingulate cortex activation during classic and emotional Stroop interference in child abuse-related complex post-traumatic stress disorder. *Psychological Medicine*, Mar 22:1-13. [Epub ahead of print].
- Thomaes, K., Dorrepaal, E., Draijer, N., de Ruiter, M. B., van Balkom, A. J., Smit, J. H. et al. (2010). Reduced anterior cingulate and orbitofrontal volumes in child abuse-related complex PTSD. *Journal of Clinical Psychiatry*, 71, 1636-1644.
- Thomaes, K., Dorrepaal, E., Draijer, N.P., de Ruiter, M. B., Elzinga, B. M., van Balkom, A. J. et al. (2009). Increased activation of the left hippocampus region in Complex PTSD during encoding and recognition of emotional words: A pilot study. *Psychiatry Research: Neuroimaging*, 171, 44-53.
- Toffanin, T., Nifosi, F., Follador, H., Passamani, A., Zonta, F., Ferri, G. et al. (2011). Volumetric MRI analysis of hippocampal subregions in Cushing's disease: a model for glucocorticoid neural modulation. *European Psychiatry*, 26, 64-67.
- Tokunaga, H., Ikejiri, Y., Kazui, H., Masaki, Y., Hatta, N., Doronbekov, T. K. et al. (2006). Neural Correlates of Symptom Improvement in Posttraumatic Stress Disorder: Positron Emission Tomography Study. In N.Kato, M. Katawa, & R. K. Pitman (Eds.), *PTSD: Brain mechanisms and clinical implications*. (pP. 247-254). Tokyo: Springer-Verlag.
- van den Heuvel, O. A., Veltman, D. J., Groenewegen, H. J., Cath, D. C., van Balkom, A. J., van Hartkamp, J. et al. (2005a). Frontal-striatal dysfunction during planning in obsessive-compulsive disorder. *Archives of General Psychiatry*, 62, 301-309.
- van den Heuvel, O. A., Veltman, D. J., Groenewegen, H. J., Witter, M.P., Merkelbach, J., Cath, D. C. et al. (2005b). Disorder-specific neuroanatomical correlates of attentional bias in obsessive-compulsive disorder, panic disorder, and hypochondriasis. *Archives of General Psychiatry*, 62, 922-933.
- Van der Kolk, B. A., Pelcovitz D., Herman J.L., Roth S., Kaplan S., & Spitzer R.L. (1992). The Disorders of Extreme Stress Inventory. Unpublished measure.
- Van Der Kolk, B. A., Pelcovitz, D., Roth, S., Mandel, F. S., McFarlane, A., & Herman, J. L. (1996). Dissociation, somatization, and affect dysregulation: the complexity of adaptation of trauma. *American Journal of Psychiatry*, 153, 83-93.
- Van Der Kolk, B. A., Spinazzola, J., Blaustein, M. E., Hopper, J. W., Hopper, E. K., Korn, D. L. et al. (2007). A randomized clinical trial of eye movement desensitization and reprocessing (EMDR), fluoxetine, and pill placebo in the treatment of posttraumatic stress disorder: treatment effects and long-term maintenance. *Journal of Clinical Psychiatry*, 68, 37-46.
- Van IJzendoorn, M. H. & Schuengel, C. (1996). The measurement of dissociation in normal and clinical populations: Meta analytic validation of the dissociative experiences scale (DES). *Clinical Psychology Review*, 16, 365-382.
- van Tol, M. J., van der Wee, N. J., Demenescu, L. R., Nielen, M. M., Aleman, A., Renken, R. et al. (2011). Functional MRI correlates of visuospatial planning in out-patient depression and anxiety. *Acta Psychiatrica Scandinavica*, 10-0447.
- Vasterling, J. J., Brailey, K., Constans, J. I., & Sutker, P. B. (1998). Attention and memory dysfunction in posttraumatic stress disorder. *Neuropsychology*, 12, 125-133.

- Veltman, D. J., de Ruiter, M. B., Rombouts, S. A., Lazeron, R. H., Barkhof, F., van Dyck, R. et al. (2005). Neurophysiological correlates of increased verbal working memory in high-dissociative participants: a functional MRI study. *Psychological Medicine*, 35, 175-185.
- Vermetten, E., Schmahl, C., Lindner, S., Loewenstein, R. J., & Bremner, J. D. (2006). Hippocampal and amygdalar volumes in dissociative identity disorder. *American Journal of Psychiatry*, 163, 630-636.
- Vermetten, E., Vythilingam, M., Southwick, S. M., Charney, D. S., & Bremner, J. D. (2003). Long-term treatment with paroxetine increases verbal declarative memory and hippocampal volume in posttraumatic stress disorder. *Biological Psychiatry*, 54, 693-702.
- Videbech, P. & Ravnkilde, B. (2004). Hippocampal volume and depression: a meta-analysis of MRI studies. *American Journal of Psychiatry*, 161, 1957-1966.
- Videbech, P., Ravnkilde, B., Pedersen, T. H., Hartvig, H., Egander, A., Clemmensen, K. et al. (2002). The Danish PET/depression project: clinical symptoms and cerebral blood flow. A regions-of-interest analysis. *Acta Psychiatrica Scandinavica*, 106, 35-44.
- Vythilingam, M., Heim, C., Newport, J., Miller, A. H., Anderson, E., Bronen, R. et al. (2002). Childhood trauma associated with smaller hippocampal volume in women with major depression. *American Journal of Psychiatry*, 159, 2072-2080.
- Weisbart, C. E., Thompson, R., Pelaez-Merrick, M., Kim, J., Wike, T., Briggs, E. et al. (2008). Child and Adult Victimization: Sequelae for Female Caregivers of High-Risk Children. *Child Maltreatment*, 2008 May 23.
- Weniger, G., Lange, C., Sachsse, U., & Irlé, E. (2008). Amygdala and hippocampal volumes and cognition in adult survivors of childhood abuse with dissociative disorders. *Acta Psychiatrica Scandinavica*, 118, 281-290.
- Werner, N. S., Meindl, T., Engel, R. R., Rosner, R., Riedel, M., Reiser, M. et al. (2009a). Hippocampal function during associative learning in patients with posttraumatic stress disorder. *Journal of Psychiatric Research*, 43, 309-318.
- Werner, N. S., Meindl, T., Materne, J., Engel, R. R., Huber, D., Riedel, M. et al. (2009b). Functional MRI study of memory-related brain regions in patients with depressive disorder. *Journal of Affective Disorders*, 119, 124-131.
- Whalley, M. G., Rugg, M. D., Smith, A.P., Dolan, R. J., & Brewin, C. R. (2009). Incidental retrieval of emotional contexts in post-traumatic stress disorder and depression: an fMRI study. *Brain and Cognition*, 69, 98-107.
- Winter, H. & Irlé, E. (2004). Hippocampal volume in adult burn patients with and without posttraumatic stress disorder. *American Journal of Psychiatry*, 161, 2194-2200.
- Wittmann, B. C., Schott, B. H., Guderian, S., Frey, J. U., Heinze, H. J., & Duzel, E. (2005). Reward-related fMRI activation of dopaminergic midbrain is associated with enhanced hippocampus-dependent long-term memory formation. *Neuron*, 45, 459-467.
- Wixted, J. T. (2007). Dual-process theory and signal-detection theory of recognition memory. *Psychology Review*, 114, 152-176.
- Wolf, E. J., Lunney, C. A., Miller, M. W., Resick, P. A., Friedman, M. J., & Schnurr, P.P. (2012). The dissociative subtype of PTSD: a replication and extension. *Depression and Anxiety*, 29, 679-688.
- Woodward, S. H., Kaloupek, D. G., Streeter, C. C., Martinez, C., Schaer, M., & Eliez, S. (2006). Decreased anterior cingulate volume in combat-related PTSD. *Biological Psychiatry*, 59, 582-587.
- Worsley, K. J., Marrett, S., Neelin, P., Vandal, A. C., Friston, K. J., & Evans, A. C. (1996). A unified statistical approach for determining significant signals in images of cerebral activation. *Human Brain Mapping*, 4, 58-73.
- Wright, C. I., Martis, B., McMullin, K., Shin, L. M., & Rauch, S. L. (2003). Amygdala and insular responses to emotionally valenced human faces in small animal specific phobia. *Biological Psychiatry*, 54, 1067-1076.
- Wright, I. C., Ellison, Z. R., Sharma, T., Friston, K. J., Murray, R. M., & McGuire, P. K. (1999). Mapping of grey matter changes in schizophrenia. *Schizophrenia Research*, 35, 1-14.
- Yamasue, H., Kasai, K., Iwanami, A., Ohtani, T., Yamada, H., Abe, O. et al. (2003). Voxel-based analysis of MRI reveals anterior cingulate gray-matter volume reduction in posttraumatic stress disorder due to terrorism. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 9039-9043.

- Yehuda, R., Golier, J. A., Tischler, L., Harvey, P. D., Newmark, R., Yang, R. K. et al. (2007). Hippocampal volume in aging combat veterans with and without post-traumatic stress disorder: relation to risk and resilience factors. *Journal of Psychiatric Research*, 41, 435-445.
- Yehuda, R. & Seckl, J. (2011). Minireview: Stress-related psychiatric disorders with low cortisol levels: a metabolic hypothesis. *Endocrinology*, 152, 4496-4503.
- Yucel, K., McKinnon, M. C., Chahal, R., Taylor, V. H., Macdonald, K., Joffe, R. et al. (2008). Anterior Cingulate Volumes in Never-Treated Patients with Major Depressive Disorder. *Neuropsychopharmacology*, Mar 26.
- Zanarini, M. C., Frankenburg, F. R., Dubo, E. D., Sickel, A. E., Trikha, A., Levin, A. et al. (1998). Axis I comorbidity of borderline personality disorder. *American Journal of Psychiatry*, 155, 1733-1739.
- Zanarini, M. C., Frankenburg, F. R., Reich, D. B., Silk, K. R., Hudson, J. I., & McSweeney, L. B. (2007). The subsyndromal phenomenology of borderline personality disorder: a 10-year follow-up study. *American Journal of Psychiatry*, 164, 929-935.
- Zetzsche, T., Frodl, T., Preuss, U. W., Schmitt, G., Seifert, D., Leinsinger, G. et al. (2006). Amygdala volume and depressive symptoms in patients with borderline personality disorder. *Biological Psychiatry*, 60, 302-310.
- Zetzsche, T., Preuss, U. W., Frodl, T., Schmitt, G., Seifert, D., Munchhausen, E. et al. (2007). Hippocampal volume reduction and history of aggressive behaviour in patients with borderline personality disorder. *Psychiatry Research*, 154, 157-170.
- Zlotnick, C., Shea, T. M., Rosen, K., Simpson, E., Mulrenin, K., Begin, A. et al. (1997). An affect-management group for women with posttraumatic stress disorder and histories of childhood sexual abuse. *Journal of Traumatic Stress*, 10, 425-436.
- Zlotnick, C., Warshaw, M., Shea, M. T., Allsworth, J., Pearlstein, T., & Keller, M. B. (1999). Chronicity in posttraumatic stress disorder (PTSD) and predictors of course of comorbid PTSD in patients with anxiety disorders. *Journal of Traumatic Stress*, 12, 89-100.
- Zlotnick, C., Zakriski, A. L., Shea, M. T., Costello, E., Begin, A., Pearlstein, T. et al. (1996). The long-term sequelae of sexual abuse: support for a complex posttraumatic stress disorder. *Journal of Traumatic Stress*, 9, 195-205.
- Zoellner, L. A., Foa, E. B., Brigidi, B. D., & Przeworski, A. (2000). Are trauma victims susceptible to "false memories"? *Journal of Abnormal Psychology*, 109, 517-524.