

# VU Research Portal

## Cementless total hip arthroplasty in rheumatoid arthritis

Zwartele, R.E.A.M.

2013

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### ***citation for published version (APA)***

Zwartele, R. E. A. M. (2013). *Cementless total hip arthroplasty in rheumatoid arthritis*.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# Cementless total hip arthroplasty in rheumatoid arthritis

R.E.A.M. Zwartelé

## Contents

<b>Chapter 1</b>	<b>7</b>
Introduction	
<b>Chapter 2</b>	<b>13</b>
General considerations on total hip arthroplasty in rheumatoid arthritis	
<b>Chapter 3</b>	<b>27</b>
Computational assessment of press-fit acetabular implant fixation: the effect of implant design, interference fit, bone quality, and frictional properties.	
<i>D. janssen, R Zwartelé, H Doets, N Verdonshot. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine 2009, Vol 224; 67-75</i>	
<b>Chapter 4</b>	<b>45</b>
Long-term results of cementless primary total hip arthroplasty with a threaded cup and a tapered, rectangular titanium stem in rheumatoid arthritis and osteoarthritis.	
<i>R Zwartelé, A Peters, J Brouwers, P Olsthoorn, R Brand, H Doets. Int Orthop. 2008, 32:581-7.</i>	
<b>Chapter 5</b>	<b>59</b>
Primary total hip arthroplasty with a flattened press-fit acetabular component in osteoarthritis and inflammatory arthritis: a prospective study on 416 hips with 6–10years follow-up.	
<i>R Zwartelé, P Olsthoorn, R Pöll, R Brand, H Doets.. <a href="#">Arch Orthop Trauma Surg.</a> 2008, 128(12):1379-86.</i>	

<b>Chapter 6</b>	<b>75</b>
Increased risk of dislocation after primary total hip arthroplasty in inflammatory arthritis: a prospective observational study of 410 hips.	
<i>R Zwartelé, R Brand, H Doets. Acta Orthop Scand. 2004, 75(6):684-90.</i>	
<b>Chapter 7</b>	<b>89</b>
Cemented total hip arthroplasty in rheumatoid arthritis: a systematic review of the literature.	
<i>R Zwartelé, R Pöll. Accepted for publication in Hip International</i>	
<b>Chapter 8</b>	<b>111</b>
Cementless total hip arthroplasty in rheumatoid arthritis: a systematic review of the literature.	
<i>R Zwartelé, S Witjes, H Doets, T Stijnen, R Pöll. Arch Orthop Trauma Surg 2012, 132; 535-546.</i>	
<b>Chapter 9</b>	<b>135</b>
Discussion	
<b>Chapter 10</b>	<b>141</b>
Summary	
samenvatting	<b>147</b>
Dankwoord	<b>155</b>
Curriculum vitae	<b>159</b>