

# VU Research Portal

## Survival of the FI-Test

Oort, F.A.

2013

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Oort, F. A. (2013). *Survival of the FI-Test: Past, present and future of Fecal Immunochemical Tests in colorectal cancer screening.*

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# CONTENTS

<b>Chapter 1</b>	General introduction	<b>7</b>
<b>Chapter 2</b>	Colonoscopy-controlled intra-individual comparisons to screen relevant neoplasia: faecal immunochemical test vs. guaiac-based faecal occult blood test	<b>17</b>
<b>Chapter 3</b>	Higher Faecal Immunochemical Test cut-off levels: lower positivity rates but still acceptable detection rates for early-stage colorectal cancers	<b>33</b>
<b>Chapter 4</b>	Double sampling of a faecal immunochemical test is not superior to single sampling for detection of colorectal neoplasia: a colonoscopy controlled prospective cohort study	<b>53</b>
<b>Chapter 5</b>	Hemorrhoids detected at colonoscopy: an infrequent cause of false-positive fecal immunochemical test results	<b>73</b>
<b>Chapter 6</b>	Fecal Immunochemical Tests: sex specific cut-off values for equal sensitivity for colorectal cancer?	<b>91</b>
<b>Chapter 7</b>	DNA methylation of phosphatase and actin regulator 3 detects colorectal cancer in stool and complements FIT	<b>107</b>
<b>Chapter 8</b>	Summary, general discussion and future perspectives	<b>145</b>
	Samenvatting (Summary in Dutch)	<b>153</b>
	Dankwoord (Acknowledgements)	<b>159</b>
	About the author	<b>165</b>

