

VU Research Portal

Planktonic Foraminifera: From production to preservation of the oceanographic signal

Metcalf, B.

2013

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Metcalf, B. (2013). *Planktonic Foraminifera: From production to preservation of the oceanographic signal*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.


- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl



A light microscope image of a Bramlette-Heinrich layer from piston core T90-9p. Foraminifera are in low abundance, instead the layer is composed of terrigenous grains (i.e. quartz and detrital calcite) that are assumed to be the product of basal scouring by ice sheets and carried by icebergs, hence ice rafted debris (IRD).

10.

References

- Adelseck Jr, C.G., 1977. Dissolution of deep-sea carbonate: preliminary calibration of preservational and morphologic aspects. *Deep Sea Research*, 24(12): 1167-1185.
- Adshead, P.C., 1967. Collection and laboratory maintenance of living planktonic foraminifera. *Micropaleontology*, 13(1): 32-40.
- Akaike, H., 1974. A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19: 716-723.
- Al-Rousan, S., Pätzold, J., Al-Moghrabi, S. and Wefer, G., 2004. Invasion of anthropogenic CO₂ recorded in planktonic foraminifera from the northern Gulf of Aqaba. *International Journal of Earth Sciences*, 93(6): 1066-1076.
- Aldridge, D., Beer, C.J. and Purdie, D.A., 2012. Calcification in the planktonic foraminifera *Globigerina bulloides* linked to phosphate concentrations in surface waters of the North Atlantic Ocean. *Biogeosciences*, 9(5): 1725-1739.
- Alexandersson, E.T., 1976. Actual and anticipated petrographic effects of carbonate undersaturation in shallow seawater. *Nature*, 262(5570): 653-657.
- Allredge, A.L. and Jones, B.M., 1973. *Hastigerina pelagica*: Foraminiferal habitat for planktonic dinoflagellates. *Marine Biology*, 22: 131-135.
- Alley, R.B. et al., 1997. Holocene climatic instability: a prominent, widespread event 8200 years ago. *Geology*, 25: 483-486.
- Altabet, M.A., Higginson, M.J. and Murray, R.W., 2002. The effect of millennial-scale changes in the Arabian Sea denitrification on atmospheric CO₂. *Nature*, 415: 159-162.
- Anand, P., Elderfield, H. and Conte, M.H., 2003. Calibration of Mg/Ca thermometry in planktonic foraminifera from a sediment trap time series. *Paleoceanography*, 18: 1050.
- Anand, P., Kroon, D., Singh, A.D. and Ganssen, G.M., 2008. Coupled sea surface temperature-seawater δ¹⁸O reconstructions in the Arabian Sea at the millennial scale for the last 35 ka. *Paleoceanography*, 23(PA4207).
- Anderson, D.M. and Prell, W.L., 1993. 300 kyr record of upwelling off Oman during the late Quaternary; evidence of the Asian southwest monsoon. *Paleoceanography*, 8: 193-208.
- Anderson O.R., M., S., Be, A.W.H. and C., H., 1979. Trophic activity of planktonic foraminifera. *Journal of the Marine Biological Association of the UK*, 59: 791-799.
- Anderson, O.R. and Be, A.W.H., 1976. A cytochemical fine structure study of phagotrophy in a planktonic foraminifer, *Hastigerina pelagica* (d'Orbigny). *Biol. Bull.*, 151: 437-449.
- André, A. et al., 2012. The cryptic and the apparent reversed: lack of genetic differentiation within the morphologically diverse plexus of the planktonic foraminifer *Globigerinoides sacculifer*. *Paleobiology*, 39(1): 21-39.
- Aurahs, R., Grimm, G.W., Hemleben, V., Hemleben, C. and Kucera, M., 2009. Geographical distribution of cryptic genetic types in the planktonic foraminifer *Globigerinoides ruber*. *Molecular Ecology*, 18(1692 – 1706).
- Barash, M.S., 1971. The vertical and horizontal distribution of planktonic foraminifera in Quaternary sediments of the Atlantic Ocean. In: B.M. Funnell and W.R. Riedel (Editors), *The Micropalaeontology of Oceans*. Cambridge University Press, London, pp. 433-442.
- Bard, E., 2001. Paleoceanographic implications of the difference in deep-sea sediment mixing between large and fine particles. *Paleoceanography*, 16(3): 235-239.
- Bard, E., Arnold, M., Duprat, J., Moyes, J. and Duplessy, J.-C., 1987. Reconstruction of the last deglaciation: deconvolved records of δ¹⁸O profiles, micropaleontological variations and accelerator mass spectrometric ¹⁴C dating. *Climate Dynamics*, 1(101-112).
- Barker, S., 2000. *Planktonic foraminiferal proxies for temperature and pCO₂*, University of Cambridge, Cambridge.
- Barker, S. and Elderfield, H., 2002. Foraminiferal Calcification Response to Glacial-Interglacial Changes in Atmospheric CO₂. *Science*, 297(5582): 833-836.

References

- Barker, S., Greaves, M. and Elderfield, H., 2003. A study of cleaning procedures used for foraminiferal Mg/Ca paleothermometry. *Geochem. Geophys. Geosyst.*, 4(9): 8407.
- Barker, S., Kiefer, T. and Elderfield, H., 2004. Temporal changes in North Atlantic circulation constrained by planktonic foraminiferal shell weights. *Paleoceanography*, 19: 15.
- Bassinot, F.C., Levi, F., Melières, M., Ghelen, M. and Labeyrie, L., 2004. Crystallinity of foraminifer shells: a proxy to reconstruct past bottom water [CO₃²⁻] changes? *Geochemistry, Geophysics, Geosystems*, 5.
- Bauch, D., Carstens, J., Wefer, G. and Thiede, J., 2000. The imprint of anthropogenic CO₂ in the Arctic Ocean: evidence from planktic δ¹³C data from watercolumn and sediment surfaces. *Deep Sea Research Part 2: Topical Studies in Oceanography*, 47: 1791-1808.
- Bé, A.W.H., 1959. Ecology of Recent planktonic foraminifera: Part 1 - Areal distribution in the western North Atlantic. *Micropaleontology*, 5(1): 77-100.
- Bé, A.W.H., 1960. Ecology of Recent planktonic foraminifera: Part 2 - Bathymetric and seasonal distributions in the Sargasso Sea off Bermuda. *Micropaleontology*, 6(4): 373-392.
- Bé, A.W.H., 1966. Deep Scattering Layers. In: R.W. Fairbridge (Editor), *Encyclopedia of Oceanography*. Reinhold Publ. Corp.
- Bé, A.W.H., 1967. Shell porosity of recent planktonic foraminifera as a climatic index. *Science*, 161: 881-884.
- Bé, A.W.H., 1968. Shell porosity of recent planktonic foraminifera as a climatic index. *Science*, 161: 881-884.
- Bé, A.W.H., 1969. Planktonic Foraminifera, Distribution of Selected Groups of Marine Invertebrates in Waters South of 35°S latitude. *Antarctic Map Folio Series*. American Geographical Society, pp. 9-12.
- Bé, A.W.H., 1977. An ecological, zoogeographic, and taxonomic review of recent Planktonic Foraminifera. In: A.T.S. Ramsay (Editor), *Oceanic Micropalaeontology*. Academic Press, London, pp. 1-100.
- Bé, A.W.H., 1980. Gametogenic calcification in a spinose planktonic foraminifer *Globigerinoides sacculifer* (Brady). *Marine Micropaleontology*, 5: 283-310.
- Bé, A.W.H. and Anderson, O.R., 1976a. Gametogenesis in planktonic foraminifera. *Science*, 192(4242): 890-892.
- Bé, A.W.H. and Anderson, O.R., 1976b. Preservation of planktonic foraminifera and other calcareous plankton. In: H.J. Steedman (Editor), *Zooplankton Fixation and Preservation*. Unesco Press, Paris.
- Bé, A.W.H., Anderson, O.R., Faber, W.W. and Caron, D.A., 1983. Sequences of morphological and cytoplasmic changes during gametogenesis in the planktonic foraminifer *Globigerinoides sacculifer* (Brady). *Micropaleontology*, 29(3): 310-325.
- Bé, A.W.H., Caron, D.A. and Anderson, O.R., 1981. Effects of feeding frequency on life processes of the planktonic foraminifer *Globigerinoides sacculifer* in laboratory culture. *Journal of the Marine Biological Association of the UK*, 61: 257-277.
- Bé, A.W.H. and Ericson, D.B., 1963. Aspects of calcification in planktonic foraminifera (Sarcodina)*. *Annals of the New York Academy of Sciences*, 109(1): 65-81.
- Bé, A.W.H., Forns, J.M. and Roels, O.A., 1971. Plankton abundance in the North Atlantic Ocean. In: J.D. Costlow (Editor), *Fertility of the Sea*. Gordon and Breach Science Publishers, New York, pp. 17-50.
- Bé, A.W.H. and Hamlin, W.H., 1967. Ecology of Recent planktonic foraminifera: Part 3 - Distribution in the North Atlantic during the Summer of 1962. *Micropaleontology*, 13(1): 87-106.
- Bé, A.W.H., Harrison, S.M. and Lott, L., 1973. *Orbulina universa* d'Orbigny in the Indian Ocean. *Micropaleontology* 19: 150-192
- Bé, A.W.H. and Hemleben, C., 1970. Calcification in a living planktonic foraminifer, *Globigerinoides sacculifer* (Brady). *Neues Jahrbuch für Geologies und Palaeontologie*, 134(3): 221-234.
- Bé, A.W.H., Hemleben, C., Anderson, O.R. and Spindler, M., 1979. Chamber formation in planktonic foraminifera. *Micropaleontology*, 25: 294-307.
- Bé, A.W.H. et al., 1977. Laboratory and field observations of living planktonic foraminifera. *Micropaleontology*, 23(2): 155-179.
- Bé, A.W.H. and Hutson, W.H., 1977. Ecology of planktonic foraminifera and biogeographic patterns of life and fossil assemblages in the Indian Ocean. *Micropaleontology*, 23(369-414).

- Bé, A.W.H., Morse, J.W. and Harrison, S.M., 1975. Progressive dissolution and ultrastructural breakdown of planktonic foraminifera. In: W. Sliter, A.W.H. Bé and W.H. Berger (Editors), Special Publication: Dissolution of Deep-Sea carbonates Cushman Foundation of Foraminiferal Research, pp. 27-55.
- Bé, A.W.H. and Spero, H.J., 1981. Shell regeneration and biological recovery of planktonic foraminifera after physical injury induced in laboratory culture. *Micropaleontology*, 27(3): 305-316.
- Bé, A.W.H., Spero, H.J. and Anderson, O.R., 1982. Effects of symbiont elimination and reinfection on the life processes of the planktonic foraminifer *Globigerinodites sacculifer*. *Marine Biology*, 70: 73-86.
- Bé, A.W.H. and Tolderlund, D.S., 1971. Distribution and ecology of living planktonic foraminifera in surface waters of the Atlantic and Indian Oceans. In: B.M. Funnell and W.R. Riedel (Editors), *Micropaleontology of Oceans*. Cambridge University Press, London, pp. 105-149.
- Beer, C.J., Schiebel, R. and Wilson, P.A., 2010a. Technical Note: On methodologies for determining the size-normalised weight of planktic foraminifera. *Biogeosciences*, 7(7): 2193-2198.
- Beer, C.J., Schiebel, R. and Wilson, P.A., 2010b. Testing planktic foraminiferal shell weight as a surface water [CO₃²⁻] proxy using plankton net samples. *Geology*, 38(2): 103-106.
- Beiersdorf, H. et al., 1995. High-resolution stratigraphy and the response of biota to Late Cenozoic environmental changes in the central equatorial Pacific Ocean (Manihiki Plateau). *Marine Geology*, 125(1-2): 29-59.
- Bemis, B.E., Spero, H.J., Bijma, J. and Lea, D.W., 1998. Reevaluation of the Oxygen Isotopic Composition of Planktonic Foraminifera: Experimental Results and Revised Paleotemperature Equations. *Paleoceanography*, 13(2): 150-160.
- Berger, A., Loutre, M.F. and Mélice, J.L., 2006. Equatorial insolation: from precession harmonics to eccentricity frequencies. *Climate of the Past*, 2(2): 131-136.
- Berger, W.H., 1969a. Ecologic patterns of living planktonic Foraminifera. *Deep Sea Research and Oceanographic Abstracts*, 16(1): 1-24.
- Berger, W.H., 1969b. Planktonic foraminifera: basic morphology and ecologic implications. *Journal of Paleontology*, 43: 1369-1383.
- Berger, W.H., 1970a. Planktonic Foraminifera: differential production and expatriation off Baja California. *Limnology and Oceanography*, 15: 183-204.
- Berger, W.H., 1970b. Planktonic foraminifera: selective solution and the lysocline. *Marine Geology*, 8: 111-138.
- Berger, W.H., 1971. Sedimentation of planktonic foraminifera. *Marine Geology*, 11: 325-358.
- Berger, W.H., 1973. Deep-sea carbonates: evidence for a coccolith lysocline *Deep-Sea Research*, 20: 917-921.
- Berger, W.H., 1979. Preservation of foraminifera, *SEPM Short Course: Foraminiferal Ecology and Paleoecology*. SEPM, Houston, pp. 105-155.
- Berger, W.H. and Jansen, E., 1995. Younger Dryas episode: ice collapse and super fjord heat pump. In: S.R. Troelstra, J.E. Van Hinte and G.M. Ganssen (Editors), *The Younger Dryas* Koninklijke Nederlandse Akademie van Wetenschappen verhandelingen, Afd. Natuurkunde. Koninklijke Nederlandse Akademie van Wetenschappen, Amsterdam, pp. 61-106.
- Berger, W.H. and Killingley, J.S., 1977. Glacial-Holocene Transition in Deep-Sea Carbonates: Selective dissolution and stable isotope signal. *Science*, 197(4303): 563-566.
- Berger, W.H., Killingley, J.S. and Vincent, E., 1978. Stable isotopes in deep-sea carbonates: Box core ERDC-92, west equatorial Pacific. *Oceanological Acta*, 1(2): 203-216.
- Berger, W.H. and Piper, D.J.W., 1972. Planktonic foraminifera: differential settling, dissolution and redeposition. *Limnology and Oceanography*, 17: 275-287.
- Berger, W.H., Smetacek, V.S. and Wefer, G., 1989. Ocean productivity and paleoproductivity-an overview. In: W.H. Berger, V.S. Smetacek and G. Wefer (Editors), *Productivity in the Oceans: Present and Past* J.Wiley & Sons, New York, pp. 1-34.
- Beveridge, N.A.S. and Shackleton, N.J., 1994. Carbon isotopes in recent planktonic foraminifera: A record of anthropogenic CO₂ invasion of the surface ocean. *Earth and Planetary Science Letters*, 126(4): 259-273.
- Bian, N. and Martin, P.A., 2010. Investigating the fidelity of Mg/Ca and other elemental data from reductively cleaned planktonic foraminifera. *Paleoceanography*, 25(2): PA2215.
- Bijma, J., Hemleben, C., Huber, B.T., Erlenkeuser, H. and Kroon, D., 1998. Experimental determination of the ontogenetic stable isotope variability in two morphotypes of *Globigerinella siphonifera*

References

- (d'Orbigny). *Marine Micropaleontology*, 35(3-4): 141-160.
- Bijma, J., Hemleben, C. and Wellnitz, K., 1994. Lunar-influenced carbonate flux of the planktic foraminifer *Globigerinoides sacculifer* (Brady) from the central Red Sea. *Deep Sea Research Part I: Oceanographic Research Papers*, 41: 511-530.
- Bijma, J., Hönisch, B. and Zeebe, R.E., 2002. Impact of the ocean carbonate chemistry on living foraminiferal shell weight: Comment on "Carbonate ion concentration in glacial-age deep waters of the Caribbean Sea" by W. S. Broecker and E. Clark. *Geochem. Geophys. Geosyst.*, 3(11): 1064.
- Bijma, J., Spero, H. and Lea, D.W., 1999. Reassessing foraminiferal stable isotope geochemistry: Impacts of the oceanic carbonate system (Experimental results). In: G. Fischer and G. Wefer (Editors), *Use of Proxies in Paleoceanography: Examples from the South Atlantic* Springer-Verlag, Berlin Heidelberg, pp. 489-512.
- Billups, K. and Spero, H., 1995. Relationship between shell size, thickness and stable isotopes in individual planktonic foraminifera from two equatorial Atlantic cores. *Journal of Foraminiferal Research*, 25(1): 24-37.
- Birch, H., Coxall, H.K., Pearson, P.N., Kroon, D. and O'Regan, M., 2013. Planktonic foraminifera stable isotopes and water column structure: Disentangling ecological signals. *Marine Micropaleontology*.
- Black, D., Thunell, R., Wejnert, K. and Astor, Y., 2011. Carbon isotope composition of Caribbean Sea surface waters: Response to the uptake of anthropogenic CO₂. *Geophysical Research Letters*, 38(16).
- Blanco, J.M., Echevarria, F. and Garcia, C.M., 1994. Dealing with size spectra: some conceptual and mathematical problems. *Scientia Marina*, 58(1-2): 17-29.
- Bonneau, M.-C., Vergnaud-Grazzini, C. and Berger, W.H., 1980. Stable isotope fractionation and differential dissolution in recent planktonic foraminifera from Pacific box-cores. *Oceanological Acta*, 3(3): 377-382.
- Bouvier-Soumagnac, Y. and Duplessy, Y., 1985. Carbon and oxygen isotopic composition of planktonic foraminifera from laboratory culture, plankton tows and recent sediment: implications for the reconstruction of paleoclimatic conditions and of the global carbon cycle. *Journal of Foraminiferal Research*, 15(4): 302-320.
- Boyd, P.W., 2011. Beyond ocean acidification. *Nature Geoscience*, 4(5): 273-274.
- Brady, H.B., 1884. Report on the Foraminifera dredged by H.M.S. Challenger during the years 1873-1876. Report of the scientific results of the voyage of H.M.S. Challenger, 1873-1876, *Zoology*, 9: 1-814.
- Brewer, P.G., 2009. A changing ocean seen with clarity. *Proceedings of the National Academy of Sciences USA*, 106: 12213-14.
- Broecker, W. and Clark, E., 1999. CaCO₃ size distribution: A paleocarbonate ion proxy? *Paleoceanography*, 14(5): 596-1200.
- Broecker, W.S., 1986. Oxygen isotope constraints on surface ocean temperatures. *Quaternary Research*, 26(1): 121-134.
- Broecker, W.S., 2003. Glacial-age deep sea carbonate ion concentrations. *Geochemistry Geophysics Geosystems*, 4.
- Broecker, W.S. and Clark, E., 2001a. An evaluation of Lohmann's Foraminifera Weight Dissolution Index. *Paleoceanography*, 16(5): 531-534.
- Broecker, W.S. and Clark, E., 2001b. Reevaluation of the CaCO₃ Size Index Paleocarbonate Ion Proxy. *Paleoceanography*, 16(6): 669-671.
- Broecker, W.S. and Clark, E., 2002. Carbonate ion concentration in glacial-age deep waters of the Caribbean Sea. *Geochem. Geophys. Geosyst.*, 3(3).
- Broecker, W.S. and Clark, E., 2003a. Holocene atmospheric CO₂ increase as viewed from the seafloor. *Global Biogeochem. Cycles*, 17(2): 1052.
- Broecker, W.S. and Clark, E., 2003b. Role of sonification in shell weight measurements. *Geochem. Geophys. Geosyst.*, 4(11): 1093.
- Broerse, A.T.C., Ziveri, P., Van Hinte, J.E. and Honjo, S., 2000. Coccolithophore export production, species composition, and coccolith-CaCO₃ fluxes in the NE Atlantic (34°N 21°W and 48°N 21°W). *Deep-Sea Research II*, 47(9-11): 1877-1906.
- Brown, S.J. and Elderfield, H., 1996. Variations in Mg/Ca and Sr/Ca ratios of planktonic foraminifera caused by postdepositional dissolution: Evidence of shallow Mg-dependent dissolution. *Paleoceanography*, 11: 543-551.
- Brummer, G.-J.A., Hemleben, C. and Spindler, M., 1986. Planktonic foraminiferal ontogeny and new per-

- spectives for micropalaeontology. Nature Publishing Group.
- Brummer, G.-J.A., Hemleben, C. and Spindler, M., 1987. Ontogeny of extant spinose planktonic foraminifera (*Globigerinidae*): A concept exemplified by *Globigerinoides sacculifer* (Brady) and *G. ruber* (d'Orbigny). *Marine Micropaleontology*, 12(0): 357-381.
- Brummer, G.J.A., 1988. Ocean carbonate-CO₂ cycle. In: G.-J.A. Brummer and D. Kroon (Editors), *Planktonic foraminifers as tracers of ocean-climate history*. Free University Press, Amsterdam, pp. 322-334.
- Burrows, M.T. et al., The Pace of Shifting Climate in Marine and Terrestrial Ecosystems. *Science*, 334(6056): 652-655.
- Burton, E.A. and Walter, L.M., 1991. The effects of *p*CO₂ and temperature on magnesium incorporation in calcite in seawater and MgCl₂-CaCl₂ solutions. *Geochimica et Cosmochimica Acta*, 55: 777-785.
- Caley, T., Giraudeau, J., Malaizé, B., Rossignol, L. and Pierre, C., 2012. Agulhas leakage as a key process in the modes of Quaternary climate changes. *Proceedings of the National Academy of Sciences*, 109(18): 6835-6839.
- Carlson, A.E., 2008. Why there was not a Younger Dryas-like event during the Penultimate Deglaciation. *Quaternary Science Reviews*, 27(9-10): 882-887.
- Caron, D.A., Be, A.W.H. and O.R., A., 1981. Effects of variations in light intensity on life processes of the planktonic foraminifera *Globigerinoides sacculifer* in laboratory culture. *Journal of the Marine Biological Association of the UK*, 62: 435-451.
- Caron, D.A., Roger Anderson, O., Lindsey, J.L., Faber Jr, W.W. and Lin Lim, E.E., 1990. Effects of gametogenesis on test structure and dissolution of some spinose planktonic foraminifera and implications for test preservation. *Marine Micropaleontology*, 16(1-2): 93-116.
- Caron, M.I. and Homewood, P., 1983. Evolution of early planktic foraminifers. *Marine Micropaleontology*, 7(6): 453-462.
- Cheng, H. et al., 2009. Ice Age Terminations. *Science*, 326(5950): 248-252.
- Cifelli, R., 1969. Radiation of Cenozoic Planktonic Foraminifera. *Systematic Biology*, 18(2): 154-168.
- Cifelli, R., 1982. Textural Observations on Some Living Species of Planktonic Foraminifera. *Smithsonian Contributions to Paleobiology*, 45: 1-45.
- Cifelli, R. and Smith, R.K., 1970. Distribution of Planktonic Foraminifera in the Vicinity of the North Atlantic Current. *Smithsonian Contributions to Paleobiology*, 4: 51p.
- Clemens, S., Prell, W.L., Murray, D., Shimmield, G.B. and Weedon, G.P., 1991. Forcing mechanisms of the Indian Ocean monsoon. *Nature*, 353: 720-725.
- Cléroux, C. et al., 2008. Mg/Ca and Sr/Ca ratios in planktonic foraminifera: Proxies for upper water column temperature reconstruction. *Paleoceanography*, 23(3): PA3214.
- Cléroux, C., Cortijo, E., Duplessy, J.-C. and Zahn, R., 2007. Deep-dwelling foraminifera as thermocline temperature recorders. *Geochemistry, Geophysics, Geosystems*, 8(4): Q04N11.
- Conan, S.M.H. and Brummer, G.J.A., 2000. Fluxes of planktic foraminifera in response to monsoonal upwelling on the Somalia Basin margin. *Deep Sea Research Part II: Topical Studies in Oceanography*, 47(9-11): 2207-2227.
- Conan, S.M.H., Ivanova, E.M. and Brummer, G.J.A., 2002. Quantifying carbonate dissolution and calibration of foraminiferal dissolution indices in the Somali Basin. *Marine Geology*, 182(3-4): 325-349.
- Craig, H. and Gordon, L.I., 1965. Deuterium and oxygen ¹⁸ variations in the ocean and the marine atmosphere. *Proc. Conf. Stable Isotopes in Oceanography Studies and Paleotemperatures*, Lab. Geol. Nucl, Pisa 9-129.
- Curry, R. and Mauritzen, C., 2005. Dilution of the Northern North Atlantic Ocean in Recent Decades. *Science*, 308(5729): 1772-1774.
- Curry, W.B. and Matthews, R., 1981. Equilibrium ¹⁸O fractionation in small size fraction planktonic foraminifera: evidence from recent Indian Ocean sediments. *Marine Micropaleontology*, 6: 327-337.
- d'Orbigny, A., 1826. Tableau méthodique de la classe des Cephalopodes. *Annales de Sciences Naturelles*, 1: 96-169 & 245-314.
- Darling, K., Kucera, M. and Wade, C.M., 2007. Global molecular phylogeography reveals persistent Arctic circumpolar isolation in a marine planktonic protist. *Proceedings National Academy Science of the United States of America*, 104: 5002-5007.
- Darling, K.F., Kucera, M., Kroon, D. and Wade, C.M., 2006a. A resolution for the coiling direction paradox

References

- in *Neogloboquadrina pachyderma*. *Paleoceanography*, 21(PA2011).
- Darling, K.F., Kucera, M., Kroon, D. and Wade, C.M., 2006b. A resolution for the coiling direction paradox in *Neogloboquadrina pachyderma*. *Paleoceanography*, 21(2): PA2011.
- Dawber, C.F. and Elderfield, H., 2010. Historical reconstructions of North Atlantic surface water pH and planktonic foraminifera mass, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- Dawber, C.F., Elderfield, H. and Greaves, M., 2010. The response of planktonic foraminifera calcification to natural ocean acidification across a Pleistocene glacial termination, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- de Garidel-Thoron, T., Beaufort, L., Buchet, N. and Licari, L., 2010. Foraminiferal shell weight changes in the equatorial Pacific over the last millennium, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- de Moel, H. et al., 2009. Planktic foraminiferal shell thinning in the Arabian Sea due to anthropogenic ocean acidification? *Biogeosciences*, 6(9): 1917-1925.
- de Vargas, C., Bonzon, M., Rees, N.W., Pawlowski, J. and Zaninetti, L., 2002. A molecular approach to biodiversity and biogeography in the planktonic foraminifer *Globigerinella siphonifera* (dâ€™Orbigny). *Marine Micropaleontology*, 45(2): 101-116.
- de Vargas, C., Norris, R., Zaninetti, L., Gibb, S.W. and Pawlowski, J., 1999. Molecular evidence of cryptic speciation in planktonic foraminifers and their relation to oceanic provinces. *Proceedings of the National Academy of Sciences*, 96(6): 2864-2868.
- de Vargas, C., Renaud, S., Hilbrecht, H. and Pawlowski, J., 2001. Pleistocene adaptive radiation in *Globobulimina truncatulinoides*: genetic, morphologic, and environmental evidence. *Paleobiology*, 27(1): 104-125.
- de Villiers, S., 2003. A 425 kyr record of foraminiferal shell weight variability in the western equatorial Pacific. *Paleoceanography*, 18.
- de Villiers, S., 2004. Optimum growth conditions as opposed to calcite saturation as a control on the calcification rate and shell-weight of marine foraminifera. *Marine Biology*, 144(1): 45-49.
- de Villiers, S., Greaves, M. and Elderfield, H., 2002. An intensity ratio calibration method for the accurate determination of Mg/Ca and Sr/Ca of marine carbonates by ICP-AES. *Geochem. Geophys. Geosyst.*, 3(1): 1001.
- Delaygue, G. et al., 2001. Oxygen isotope/salinity relationship in the Indian Ocean. *Journal of Geophysical Research*, 106: 4565-4574.
- Dempster, A.P., Laird, N.M. and Rubin, D.B., 1977. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, Series B*, 39: 1-38.
- Deuser, W.G. and Ross, E.H., 1989. Seasonally abundant planktonic foraminifera of the Sargasso Sea: Succession, deep-water fluxes, isotopic compositions, and paleoceanographic implications. *Journal of Foraminiferal Research*, 19(4): 268-293.
- Deuser, W.G., Ross, E.H., Hemleben, C. and Spindler, M., 1986. Seasonal changes in species composition, numbers, mass, size, and isotopic composition of planktonic foraminifera settling into the deep Sargasso Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 33: 103-127.
- Dickson, A.G., 2010. The carbon dioxide system in seawater: equilibrium chemistry and measurements. In: U. Riebesell, V.J. Fabry, L. Hansson and J.P. Gattuso (Editors), *Guide to best practices for ocean acidification research and data reporting*. Publications Office of the European Union, Luxembourg, pp. 17-52.
- Dittert, N. et al., 1999. Carbonate dissolution in the deep-sea: Methods, quantification and paleoceanographic application. In: G. Fischer and G. Wefer (Editors), *Use of Proxies in Paleoceanography: Examples from the South Atlantic*. Springer-Verlag, Berlin Heidelberg, pp. 255-284.
- dos Anjos-Zerfass, G.S., Chemale, F.J. and Moura, C.A.V., 2011. Post-depositional effects on the microstructure and stable isotopes composition of planktic foraminiferal tests from the Miocene of the Pelotas Basin, south Brazilian continental margin. *Revista Mexicana de Ciencias Geológicas*, 28(1): 92-104.
- Durazzi, J.T., 1981. Stable-isotope studies of planktonic foraminifera in North Atlantic core tops. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 33(1-3): 157-172.
- Editorial, 2012. Stop-and-go deglaciation. *Nature Geoscience*, 5(9): 585-585.
- Eggins, S.M., Sadekov, A. and de Deckker, P., 2003. Modulation and daily banding of Mg/Ca in *Orbulina*

- universa* tests by symbiont photosynthesis and respiration: a complication for seawater thermometry. *Earth and Planetary Science Letters*, 225: 411-419.
- Elderfield, H. and Ganssen, G., 2000. Past temperature and $\delta^{18}\text{O}$ of surface ocean waters inferred from foraminiferal Mg/Ca ratios. *Nature*, 405(6785): 442-445.
- Elderfield, H., Vautravers, M. and Cooper, M., 2002. The relationship between shell size and Mg/Ca, Sr/Ca, ^{18}O , and ^{13}C of species of planktonic foraminifera. *Geochemistry Geophysics Geosystems*, 3(8).
- Emiliani, C., 1954. Depth habitats of some species of pelagic foraminifera as indicated by oxygen isotope ratios. *American Journal of Science*, 252: 149-158.
- Emiliani, C., 1955. Pleistocene Temperatures. *The Journal of Geology*, 63(6): 538-578.
- Emiliani, C., 1958. Ancient Temperatures, *Scientific America*, pp. 2-11.
- Emrich, K., Ehhalt, D.H. and Vogel, J.C., 1970. Carbon isotope fractionation during the precipitation of calcium carbonate. *Earth and Planetary Science Letters*, 8: 363-371.
- Epstein, S., Buchsbaum, R., Lowenstam, H.A. and Urey, H.C., 1951. Carbonate-water isotopic temperature scale. *Geological Society of America Bulletin*, 62: 417-425.
- Epstein, S., Buchsbaum, R., Lowenstam, H.A. and Urey, H.C., 1953. Revised carbonate-water isotopic temperature scale. *Geological Society of America Bulletin*, 64(11): 1315-1326.
- Epstein, S. and Lowenstam, H.A., 1953. Temperature-shell-growth relations of Recent and interglacial Pleistocene shoal water biota from Bermuda. *Journal of Geology*, 61: 424-438.
- Epstein, S. and Mayeda, T.K., 1953. Variations of O^{18} content of waters from natural sources. *Geochimica et Cosmochimica Acta*, 4: 213-224.
- Erez, J., 1978. Vital effect on stable-isotope composition seen in foraminifera and coral skeletons. *Nature*, 273(5659): 199-202.
- Erez, J., 1991. On the life history of planktonic foraminifera: Lunar reproduction cycle in *Globigerinoides sacculifer* (Brady). *Paleoceanography*, 6(3): 295-306.
- Erez, J., 2003. The source of ions for biomineralization in foraminifera and their implications for palaeoceanographic proxies. *Reviews in Mineralogy and Geochemistry*, 54: 115-149.
- Erez, J. and Luz, B., 1983. Experimental paleotemperature equation for planktonic foraminifera. *Geochimica et Cosmochimica Acta*, 47: 1025-1031.
- Etheridge, D.M. et al., 1996. Natural and anthropogenic changes in atmospheric CO_2 over the last 1000 years from air in Antarctic ice and firn. *Journal of Geophysical Research*, 101: 4115-4128.
- Ezard, T.H.G., Aze, T., Pearson, P.N. and Purvis, A., 2011. Interplay Between Changing Climate and Species Ecology Drives Macroevolutionary Dynamics. *Science*, 332(6027): 349-351.
- Fabry, V., Seibel, B.A., Feely, R.A. and Orr, J.C., 2008. Impacts of ocean acidification on marine fauna and ecosystem processes. *ICES Journal of Marine Science*, 65: 414-432.
- Fairbanks, R.G., Wiebe, P.H. and Be, A.W.H., 1980. Vertical distribution and Isotopic Composition of Living Planktonic Foraminifera in the Western North Atlantic. *Science*, 207: 61-63.
- Fallet, U., Boer, W., van Assen, C., Greaves, M. and Brummer, G.J.A., 2009. A novel application of wet-oxidation to retrieve carbonates from large, organic-rich samples for application in climate research. *Geochemistry Geophysics Geosystems*, 10(8).
- Farmer, E.J., Chapman, M.R. and Andrews, J.E., 2011. Holocene temperature evolution of the subpolar North Atlantic recorded in the Mg/Ca ratios of surface and thermocline dwelling planktonic foraminifera. *Global and Planetary Change*, 79: 234-243.
- Farrell, J.W. and Prell, W.L., 1989. Climatic change and CaCO_3 preservation: An 800,000 year bathymetric reconstruction from the Central Equatorial Pacific Ocean. *Paleoceanography*, 4(4): 447-466.
- Feely, R.A., Doney, S.C. and Cooley, S.R., 2009 Ocean Acidification: Present conditions and Future changes in a high- CO_2 world. *Oceanography*, 22: 36-47.
- Fischer, G., Müller, P.J. and Wefer, G., 1998. Latitudinal $\delta^{13}\text{C}_{\text{org}}$ variations in sinking matter and sediments from the South Atlantic: effects of anthropogenic CO_2 and implications for paleo- $p\text{CO}_2$ reconstructions. *Journal of Marine Systems*, 17(1-4): 471-495.
- Fischer, G., Schneider, R., Müller, P.J. and Wefer, G., 1997. Anthropogenic CO_2 in Southern Ocean surface waters: evidence from stable organic carbon isotopes. *Terra Nova*, 9(4): 153-157.
- Fischer, G., Schneider, R., Müller, P.J. and Wefer, G., 2003. Anthropogenic CO_2 in Southern Ocean surface waters: evidence from stable organic carbon isotopes. *Terra Nova*, 9: 153-157.
- Foster, G.L., 2008. Seawater pH, $p\text{CO}_2$ and $[\text{CO}_3^{2-}]$ variations in the Caribbean Sea over the last 130 kyr: A boron isotope and B/Ca study of planktonic foraminifera. *Earth and Planetary Science Letters*,

References

- 271: 254-266.
- Friedrich, O. et al., 2012. Influence of test size, water depth, and ecology on Mg/Ca, Sr/Ca, $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ in nine modern species of planktic foraminifers. *Earth and Planetary Science Letters*, 319-320(0): 133-145.
- Furbish, D.J. and Arnold, A.J., 1997. Hydrodynamic strategies in the morphological evolution of spinose planktonic foraminifera. *Geological Society of America Bulletin*, 109(8): 1055-1072.
- Ganssen, G., 1981. Isotopic analysis of foraminifera shells: Interference from chemical treatment. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 33: 271-276.
- Ganssen, G., 1983. Dokumentation von küstennahem Auftrieb anhand stabiler Isotope in rezenten Foraminiferen vor Nordwest-Afrika. "Meteor" Forschungsergebnisse Herausgegeben von der Deutschen Forschungsgemeinschaft, C(37): 1-46.
- Ganssen, G. et al., 2011. Quantifying sea surface temperature ranges of the Arabian Sea for the past 20,000 years. *Climate of the Past*, 7: 1337-2686.
- Ganssen, G. and Sarnthein, M., 1983. Stable-isotope composition of foraminifers: The surface and bottom water record of coastal upwelling. In: E. Suess and J. Thiede (Editors), *Coastal Upwelling its sediment record Part A: Responses of the Sedimentary Regime to Present Coastal Upwelling*. NATO Conference Series. Plenum Press and NATO Scientific Affairs Division, New York and London, pp. 99-121.
- Ganssen, G. and Shipboard-Party, 1990. Shipboard Report.
- Ganssen, G.M., Brummer, G.J.A., Jung, S.J.A., Kroon, D. and Peeters, F.J.C., 2005. The oxygen isotope composition in planktic foraminifera shells as recorder of maximum seasonal SST variation. *Geophysical Research Abstracts*, pp. 01775.
- Ganssen, G.M. and Kroon, D., 2000. The isotopic signature of planktonic foraminifera from NE Atlantic surface sediments: implications for the reconstruction of past oceanic conditions. *Journal of the Geological Society*, 157(3): 693-699.
- Gonzalez-Mora, B., Sierro, F.J. and Flores, J.A., 2008. Controls of shell calcification in planktonic foraminifers. *Quaternary Science Reviews*, 27(9-10): 956-961.
- Greaves, M., Barker, S., Daunt, C. and Elderfield, H., 2005. Accuracy, standardization, and interlaboratory calibration standards for foraminiferal Mg/Ca thermometry. *Geochem. Geophys. Geosyst.*, 6(2): Q02D13.
- Greaves, M., Elderfield, H. and Dawber, D.F., 2010. Planktonic foraminiferal shell weight: comparisons of *G. bulloides* and *G. inflata* records, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- Groeneveld, J. and Chiessi, C.M., 2011. Mg/Ca of *Globorotalia inflata* as a recorder of permanent thermocline temperatures in the South Atlantic. *Paleoceanography*, 26(2): PA2203.
- Guinasso, N.L. and Schink, D.R., 1975. Quantitative estimates of biological mixing rates in abyssal sediments. *Journal of Geophysical Research*, 80(21): 3032-3043.
- Hamilton, C.P., Spero, H.J., Bijma, J. and Lea, D.W., 2008. Geochemical investigation of gametogenic calcite addition in the planktonic foraminifera *Orbulina universa*. *Marine Micropaleontology*, 68(3-4): 256-267.
- Hammer, Ø., 2012. PAST: Paleontological Statistics Reference manual.
- Hammer, Ø., Harper, D.A.T. and Ryan, P.D., 2001. PAST: Paleontological Statistics software package for education and data analysis. *Palaeontologica Electronica*, 4(1): 9.
- Hart, M.B., 1980. A water depth model for the evolution of the planktonic Foraminiferida. *Nature*, 286(5770): 252-254.
- Hay, W.W. and Sandberg, P.A., 1967. The scanning electron microscope, a major break-through for micropaleontology. *Micropaleontology*, 13(4): 407-418.
- Healy-Williams, N., 1984. Quantitative image analysis: Application to planktonic foraminiferal paleoecology and evolution. *Geobios, Mem. Special*, 8: 425-432.
- Heath, G.R. and Culberson, C., 1970. Calcite: Degree of saturation, rate of dissolution, and the compensation depth in the deep oceans. *Geological Society of America Bulletin*, 81: 3157-3160.
- Hemleben, C., Bé, A.W.H., Anderson, O.R. and Tuntivate, C.S., 1977. Test morphology, organic layers and chamber formation of the planktonic foraminifer *Globorotalia menardii* (d'Orbigny). *Journal of Foraminiferal Research*, 7(1): 1-25.
- Hemleben, C., Bé, A.W.H., Spindler, M. and Anderson, O.R., 1979. "Dissolution" effects induced by shell

- resorption during gametogenesis in *Hastigerina pelagica* (d'Orbigny). *Journal of Foraminiferal Research*, 9(2): 118-124.
- Hemleben, C. and Spindler, M., 1983. Recent advances in research on living planktonic foraminifera. In: J.E. Meulenkamp (Editor), *Reconstruction of marine Paleoenvironments*. Utrecht Micropaleontological Bulletins, pp. 141-170.
- Hemleben, C., Spindler, M. and Anderson, O.R., 1989. *Modern Planktonic Foraminifera*. Springer-Verlag, New York, 363 pp.
- Hemleben, C., Spindler, M., Breiting, I. and Deuser, W.G., 1985. Field and laboratory studies on the ontogeny and ecology of some globorotaliid species from the Sargasso Sea off Bermuda. *The Journal of Foraminiferal Research*, 15(4): 254-272.
- Hemlke, J.P. and Bauch, H.A., 2002. Glacial-interglacial carbonate preservation records in the Nordic Seas. *Global and Planetary Change*, 33: 15-28.
- Henderiks, J. et al., 2002. Glacial-interglacial variability of particle accumulation in the Canary Basin: a time-slice approach. *Deep Sea Research Part II: Topical Studies in Oceanography*, 49(17): 3675-3705.
- Hilbrecht, H. and Thierstein, H.R., 1996. Benthic behavior of planktic foraminifera. *Geology*, 24(3): 200-202.
- Hodell, D.A., Channell, J.E.T., Curtis, J.H., Romero, O.E. and Röhl, U., 2008. Onset of "Hudson Strait" Heinrich events in the eastern North Atlantic at the end of the middle Pleistocene transition (≈ 640 ka)? *Paleoceanography*, 23(4): PA4218.
- Hodell, D.A. and Curtis, J.H., 2008. Oxygen and carbon isotopes of detrital carbonate in North Atlantic Heinrich Events. *Marine Geology*, 256(1-4): 30-35.
- Hönisch, B., 2002. Stable isotope and trace element composition of foraminiferal calcite - from incorporation to dissolution. Dissertation Thesis, Universität Bremen, Bremen.
- Hönisch, B., Bickert, T. and Hemming, N.G., 2008. Modern and Pleistocene boron isotope composition of the benthic foraminifer *Cibicidoides wuellerstorfi*. *Earth and Planetary Science Letters*, 272: 309-318.
- Hönisch, B. et al., 2003. The influence of symbiont photosynthesis on the boron isotopic composition of foraminifera shells. *Marine Micropalaeontology*, 49: 87-96.
- Hönisch, B. and Hemming, N.G., 2004. Ground-truthing the boron isotope-paleo-pH proxy in planktonic foraminifera shells: Partial dissolution and shell size effects. *Paleoceanography*, 19(PA4010).
- Hönisch, B. and Hemming, N.G., 2005. Surface ocean pH response to variations in $p\text{CO}_2$ through two full glacial cycles. *Earth and Planetary Science Letters*, 236(1-2): 305-314.
- Hönisch, B., Hemming, N.G., Archer, D., Siddall, M. and McManus, J.F., 2009. Atmospheric Carbon Dioxide Concentration Across the Mid-Pleistocene Transition. *Science*, 324(5934): 1551-1554.
- Hönisch, B. et al., 2012. The Geological Record of Ocean Acidification. *Science*, 335(6072): 1058-1063.
- Honjo, S. and Berggren, W.A., 1967. Scanning electron microscope studies of planktonic foraminifera. *Micropaleontology*, 13(4): 393-406.
- Huber, B.T., Bijma, B. and K., D., 1997. Cryptic speciation in the living planktonic foraminifer *Globigerinella siphonifera* (d'Orbigny). *Paleobiology*, 23(1): 33-62.
- Hut, G., 1987. Stable isotope reference samples for geochemical and hydrological investigations, Consultants Group Meeting. International Atomic Energy Agency (I.A.E.A.), Vienna, Austria.
- Hutson, W.H., 1980. Bioturbation of deep-sea sediments: Oxygen isotopes and stratigraphic uncertainty. *Geology*, 8: 127-130.
- Ishimura, T., Tsunogai, U. and Nakagawa, F., 2008. Grain-scale heterogeneities in the stable carbon and oxygen isotopic compositions of the international standard calcite materials (NBS 19, NBS 18, IAEA-CO-1, and IAEA-CO-8). *Rapid Communications in Mass Spectrometry*, 22: 1925-1932.
- Ivanochko, T.S. et al., 2005. Variations in tropical convection as an amplifier of global climate change at the millennial scale. *Earth and Planetary Science Letters*, 235: 302-314.
- Ivanova, E., 2000. Late Quaternary monsoon history and paleoproductivity of the western Arabian Sea. *Academisch Proefschrift Thesis*, VU University Amsterdam, Amsterdam, 172 pp.
- Jansen, J.H.F., Van der Gaast, S.J., Koster, B. and Vaars, A.J., 1998. CORTEX, a shipboard XRF-scanner for element analyses in split sediment cores. *Marine Geology*, 151: 143-153.
- Johnstone, H.J.H., Schulz, M., Barker, S. and Elderfield, H., 2010. Inside story: An X-ray computed tomography method for assessing dissolution in the tests of planktonic foraminifera. *Marine Micro-*

- paleontology, 77(1&2): 58-70.
- Joos, F., Frölicher, T.L., Steinacher, M. and Plattner, G.-K., 2011. Impact of climate change mitigation on ocean acidification projections. In: J.P. Gattuso and L. Hansson (Editors), *Ocean Acidification*. Oxford University Press, Oxford, pp. 272-290.
- Jung, S.J.A., Davies, G.R., Ganssen, G.M. and Kroon, D., 2004. Synchronous Holocene sea surface temperature and rainfall variations in the Asian monsoon system. *Quaternary Science Reviews*, 23: 2207-2218.
- Jung, S.J.A. et al., 2002. Centennial-millennial-scale monsoon variations off Somalia over the last 35 ka. In: P. Clift, D. Kroon, C. Gaedicke and J. Craig (Editors), *The tectonic and climatic evolution of the Arabian Sea region*. Special Publications. Geological Society London, London, pp. 341-352.
- Jung, S.J.A., Kroon, D., Ganssen, G.M., Peeters, F.J.C. and Ganeshram, R., 2009. Enhanced Arabian Sea intermediate water flow during glacial North Atlantic cold phases. *Earth and Planetary Science Letters*, 280: 220-228.
- Jung, S.J.A. and Kroon D., 2011. Quantifying rates of change in ocean conditions with implications for timing of sea level change. *Global and Planetary Change*, 79: 204-213.
- Kahn, M.L., 1979. Non-equilibrium oxygen and carbon isotopic fractionation in tests of living planktonic foraminifera. *Oceanologica Acta*, 2: 195-208.
- Käse, R.H., Price, J.F., Richardson, P.L. and Zenk, W., 1986. A Quasi-Synoptic Survey of the Thermocline Circulation and Water Mass Distribution within the Canary Basin. *Journal of Geophysical Research*, 91(c8): 9739-9748.
- Käse, R.H. and Siedler, G., 1982. Meandering of the subtropical front southeast of the Azores. *Nature*, 300: 245-246.
- Katz, M.E. et al., 2010. Traditional and emerging geochemical proxies in foraminifera. *The Journal of Foraminiferal Research*, 40(2): 165-192.
- Kennett, J.P., 1976. Phenotypic variation in some recent and late Cenozoic Planktonic Foraminifera. In: R.H. Hedley and C.G. Adams (Editors), *Foraminifera*. Academic Press, New York, pp. 111-170.
- Kennett, J.P. and Srinivasan, M.S., 1983. *Neogene planktonic foraminifera: A phylogenetic atlas*. Hutchinson Ross Publishing Company, Stroudsburg, Pennsylvania (USA), 263 pp.
- Kier, R.S., 1980. The dissolution kinetics of biogenic calcium carbonates in seawater. *Geochimica et Cosmochimica Acta*, 44: 241-252.
- Killingley, J.S., Johnson, R.F. and Berger, W.H., 1981. Oxygen and carbon isotopes of individual shells of planktonic foraminifera from Ontong-Java plateau, equatorial Pacific. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 33(1-3): 193-204.
- Kim, S.-T. and O'Neil, J.R., 1997. Equilibrium and nonequilibrium oxygen isotope effects in synthetic carbonates. *Geochimica et Cosmochimica Acta*, 61(16): 3461-3475.
- Kobashi, T., Severinghaus, J., Brook, E.J., Barnola, J.M. and Grachev, A., 2007. Precise timing and characterization of abrupt climate change 8,200 years ago from air trapped in polar ice. *Quaternary Science Reviews*, 26: 1212-1222.
- Koutavas, A., deMenocal, P.B., Olive Col, G.C. and Lynch-Stieglitz, J., 2006. Mid-Holocene El Niño-Southern Oscillation (ENSO) attenuation revealed by individual foraminifera in eastern tropical Pacific sediments. *Geology*, 34: 993-996.
- Kozdon, R., Ushikubo, T., Kita, N.T., Spicuzza, M. and Valley, J.W., 2009. Intratest oxygen isotope variability in the planktonic foraminifer *N. pachyderma*: Real vs. apparent vital effects by ion microprobe. *Chemical Geology*, 258(3-4): 327-337.
- Krauss, W. and Käse, R.H., 1984. Mean circulation and eddy kinetic energy in the Eastern North Atlantic. *Journal of Geophysical Research*, 89(c3): 3407-3415.
- Krinsley, D., 1960. Trace elements in the tests of planktonic foraminifera. *Micropaleontology*, 6(3): 297-300.
- Kroon, D. and Darling, K., 1995. Size and upwelling control of the stable isotope composition of *Neoglobobulimina dutertrei* (D'Orbigny), *Globigerinoides ruber* (D'Orbigny) and *Globigerina bulloides* D'Orbigny: Examples from the Panama Basin and Arabian Sea. *Journal of Foraminiferal Research*, 25(1): 39-52.
- Kroon, D. and Ganssen, G., 1989. Northern Indian Ocean upwelling cells and the stable isotope composition of living planktonic foraminifera. *Deep Sea Research*, 36: 1219-1236.
- Kucera, M., 2007. Planktonic Foraminifera as Tracers of Past Oceanic Environments. In: C. Hillaire-

- Marcel, and De Vernal, Anne (Editor), *Developments in Marine Geology*. Elsevier, pp. 213-262.
- Kucera, M. and Darling, K.F., 2002. Cryptic species of planktonic foraminifera: their effect on palaeoceanographic reconstructions. *Philosophical Transactions of the Royal Society of London. Series A: Mathematical, Physical and Engineering Sciences*, 360(1793): 695-718.
- Kump, L.R., Bralower, T.J. and Ridgwell, A., 2009. Ocean Acidification in Deep Time. *Oceanography*, 22(4): 94-107.
- Kuroyanagi, A., Tsuchiya, M., Kawahata, H. and Kitazato, H., 2008. The occurrence of two genotypes of the planktonic foraminifer *Globigerinoides ruber* (white) and paleo-environmental implications. *Marine Micropaleontology*, 68(3-4): 236-243.
- Langdon, C. et al., 2000. Effect of calcium carbonate saturation state on the calcification rate of an experimental coral reef. *Global Biogeochemical Cycles*, 14: 639-654.
- Le, J. and Shackleton, N.J., 1992. Carbonate Dissolution Fluctuations in the Western Equatorial Pacific During the Late Quaternary. *Paleoceanography*, 7(1): 21-42.
- Lea, D.W., 1999. Trace elements in foraminiferal calcite. In: B.K. Sen Gupta (Editor), *Modern Foraminifera*. Kluwer Academic Publishers, UK, pp. 259-277.
- Lea, D.W., Bijma, J., Spero, H. and Archer, D., 1999a. Implications of a Carbonate Ion Effect on Shell Carbon and Oxygen Isotopes for Glacial ocean conditions. In: G. Fischer and G. Wefer (Editors), *Uses of Proxies in Paleoceanography: Examples from the South Atlantic*. Springer-Verlag, Berlin Heidelberg, pp. 513-522.
- Lea, D.W., Mashiotta, T.A. and Spero, H.J., 1999b. Controls on magnesium and strontium uptake in planktonic foraminifera determined by live culturing. *Geochimica et Cosmochimica Acta*, 63: 2369-2379.
- Leduc, G., Vidal, L., Cartapanis, O. and Bard, E., 2009. Modes of eastern equatorial Pacific thermocline variability: Implications for ENSO dynamics over the last glacial period. *Paleoceanography*, 24.
- Lee, J.L. et al., 2000. Phylum *Granuloreticulosa*. In: J.L. Lee, G.F. Leedale and P. Bradbury (Editors), *An Illustrated Guide to the Protozoa (2nd Edition)*. Society of Protozoologists, Lawrence, Kansas, pp. 1432.
- LeGrande, A.N. and Schmidt, G.A., 2006. Global gridded data set of the oxygen isotopic composition in seawater. *Geophysical Research Letters*, 33(12): L12604.
- Lewis, S.C., LeGrande, A.N., Kelley, M. and Schmidt, G.A., 2010. Water vapour source impacts on oxygen isotope variability in tropical precipitation during Heinrich events. *Climate of the Past*, 6: 325-343.
- Lidz, L., 1966. Planktonic foraminifera in the water column of the mainland shelf off Newport Beach, California. *Limnology and Oceanography*, 11(2): 257-263.
- Lipps, J.H., 1979. *The Ecology and Paleocology of Planktic Foraminifera*, SEPM Short Course: Foraminiferal Ecology and Paleocology. SEPM, Houston, pp. 62-104.
- Lohmann, G.P., 1992. Increasing seasonal upwelling in the subtropical South Atlantic over the past 700,000 yrs: Evidence from deep-living planktonic foraminifera. *Marine Micropaleontology*, 19(1&2): 1-12.
- Lohmann, G.P., 1995. A Model for Variation in the Chemistry of Planktonic Foraminifera Due to Secondary Calcification and Selective Dissolution. *Paleoceanography*, 10(3): 445-457.
- Lohmann, G.P. and Schweitzer, P.N., 1990. *Globorotalia truncatulinoides*' Growth and chemistry as probes of the past thermocline: 1. Shell size. *Paleoceanography*, 5(1): 55-75.
- Lombard, F., da Rocha, R.E., Bijma, J. and Gattuso, J.P., 2010. Effect of carbonate ion concentration and irradiance on calcification in planktonic foraminifera. *Biogeosciences*, 7(1): 247-255.
- Lončarić, N., Brummer, G.-J.A. and Kroon, D., 2005. Lunar cycles and seasonal variations in deposition fluxes of planktic foraminiferal shell carbonate to the deep South Atlantic. *Deep Sea Research Part I: Oceanographic Research Papers*, 52: 1175-1186.
- Lončarić, N., Peeters, F.J.C., Kroon, D. and Brummer, G.-J.A., 2006. Oxygen isotope ecology of recent planktic foraminifera at the central Walvis Ridge (SE Atlantic). *Paleoceanography*, 21(3): PA3009.
- Lototskaya, A. and Ganssen, G.M., 1999. The structure of Termination II (penultimate deglaciation and Eemian) in the North Atlantic. *Quaternary Science Reviews*, 18(14): 1641-1654.
- Lototskaya, A., Ziveri, P., Ganssen, G.M. and van Hinte, J.E., 1998. Calcareous nannofloral response to Termination II at 45°N, 25°W (northeast Atlantic). *Marine Micropaleontology*, 34(1-2): 47-70.
- Löwemark, L., 2007. Importance and Usefulness of Trace fossils and Bioturbation in Paleoceanography. In: W. Miller (Editor), *Trace Fossils: Concepts, Problems, Prospects*. Elsevier, Amsterdam, pp. 413-427.

References

- L wemark, L. and Grootes, P.M., 2004. Large age differences between planktic foraminifers caused by abundance variations and *Zoophycos* bioturbation. *Paleoceanography*, 19: PA2001.
- L wemark, L., Konstantinou, K.I. and Steinke, S., 2008. Bias in foraminiferal multispecies reconstructions of paleohydrographic conditions caused by foraminiferal abundance variations and bioturbational mixing: A model approach. *Marine Geology*, 256: 101-106.
- Macdonald, R.W., Paton, D.W., Carmack, E.C. and Omstedt, A., 1995. The freshwater budget and under-ice spreading of Mackenzie River water in the canadian Beaufort Sea based on salinity and ¹⁸O/¹⁶O measurements in water and ice. *Journal of Geophysical Research*, 100(C1): 895-919.
- Mackenzie, F.T. and Morse, J.W., 1992. Sedimentary carbonates through Phanerozoic time. *Geochimica et Cosmochimica Acta*, 56: 3281-3295.
- Mahlstein, I., Daniel, J.S. and Solomon, S., Pace of shifts in climate regions increases with global temperature. *Nature Clim. Change*, advance online publication.
- Manno, C., Morata, N. and Bellerby, R., 2012. Effect of ocean acidification and temperature increase on the planktonic foraminifer *Neogloboquadrina pachyderma* (sinistral). *Polar Biology*, 35(9): 1311-1319.
- Marszalek, D.S., 1973. Buoyancy regulation and vertical migration in planktonic foraminifera. *Florida Scientist*, 38(Supplement): 22.
- Martin, R.E., 1995. Cyclic and secular variation in microfossil biomineralization: clues to the biogeochemical evolution of Phanerozoic oceans. *Global and Planetary Change*, 11(1 2): 1-23.
- Martin, W. and Sayles, F., 1999. Benthic cycling of biogenic components of the particulate flux to the seafloor in the southern ocean in March and April, 1998. *EOS Transactions*, 80: 241.
- McCrea, J.M., 1950. On the Isotopic Chemistry of Carbonates and a Paleotemperature Scale. *The Journal of Chemical Physics*, 18(6): 849-857.
- McKenna, V.S. and Prell, W.L., 2004. Calibration of the Mg/Ca of *Globorotalia truncatulinoides* (R) for the reconstruction of marine temperature gradients. *Paleoceanography*, 19(2): PA2006.
- McKinney, C.R., McCrea, J.M., Epstein, S., Allen, H.A. and Urey, H.C., 1950. Improvements in mass spectrometers for the measurement of small differences in isotopic abundance ratios. *Review of Scientific Instruments*, 21(8): 724-730.
- Mekik, F. and Fran ois, R., 2006. Tracing deep-sea calcite dissolution: Agreement between the *Globorotalia menardii* fragmentation index and elemental ratios (Mg/Ca and Mg/Sr) in planktonic foraminifers. *Paleoceanography*, 21(4): PA4219.
- Metcalfe, B. and Ganssen, G., 2010. The Impact of Anthropogenic Carbon Dioxide on Planktonic Foraminifera, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- Milliman, J.D., 1993. Production and accumulation of calcium carbonate in the ocean: budget of a non-steady state. *Global Biogeochemical Cycles*, 7: 927-957.
- Milliman, J.D., 1977. Dissolution of Calcium carbonate in the Sargasso Sea. In: N.R. Anderson and A. Malahoff (Editors), *The fate of fossil fuel CO₂ in the Oceans*. Marine Science. Plenum Press, New York, pp. 641-654.
- Millo, C., Sarnthein, M., Erlenkeuser, H. and Frederichs, T., 2005. Methane-driven late Pleistocene $\delta^{13}C$ minima and overflow reversals in the southwestern Greenland Sea. *Geology*, 33(11): 873-876.
- Misra, S. and Froelich, P.N., 2012. Lithium Isotope History of Cenozoic Seawater: Changes in Silicate Weathering and Reverse Weathering. *Science*, 335(6070): 818-823.
- Mix, A.C., 1987. The oxygen-isotope record of glaciation. In: W.F. Ruddiman and H.E.J. Wright (Editors), *North America and adjacent oceans during the last deglaciation*. The Geology of North America. Geological Society of America, Boulder, Colorado, pp. 111-135.
- Morard, R. et al., 2011. Worldwide Genotyping in the Planktonic Foraminifer *Globoconella inflata*: Implications for Life History and Paleoceanography. *PLoS ONE*, 6(10): e26665.
- Morard, R. et al., 2009. Morphological recognition of cryptic species in the planktonic foraminifer *Orbulina universa*. *Marine Micropaleontology*, 71(3-4): 148-165.
- Morse, J.W. and Mackenzie, F.T., 1990. *Geochemistry of sedimentary carbonates*. Developments in Sedimentology, 48. Elsevier, Amsterdam, 707 pp.
- Mortyn, P.G. and Charles, C.D., 2003. Planktonic foraminiferal depth habitat and ¹⁸O calibrations: Plankton tow results from the Atlantic Sector of the Southern Ocean. *Paleoceanography*, 18(2): 1037.
- Moy, A.D., Howard, W.R., Bray, S.G. and Trull, T.W., 2009. Reduced calcification in modern Southern Ocean planktonic foraminifera. *Nature Geoscience*, 2(4): 276-280.

- Mulitza, S., Arz, H., Kemle-von Mücke, S. and Moos, C., 1999. The South Atlantic Carbon Isotope Record of Planktic Foraminifera. In: G. Fischer and G. Wefer (Editors), *Uses of Proxies in Paleoceanography*. Springer-Verlag, Berlin Heidelberg, pp. 427-445.
- Mulitza, S., Dürkoop, A., Hale, W., Wefer, G. and Stefan Niebler, H., 1997. Planktonic foraminifera as recorders of past surface-water stratification. *Geology*, 25(4): 335-338.
- Murray, J., 1897. On the distribution of the pelagic foraminifera at the surface and on the floor of the ocean. *Natural Science (Ecology)*, 11: 17-27.
- Myers, C.E., MacKenzie, R.A. and Lieberman, B.S., Greenhouse biogeography: the relationship of geographic range to invasion and extinction in the Cretaceous Western Interior Seaway. *Paleobiology*, 39(1): 135-148.
- Nagtegaal, R. et al., 2012. Spectral luminescence and geochemistry of coral aragonite: Effects of whole-core treatment. *Chemical Geology*, 318-319(6-15).
- Ni, Y. et al., 2007. A core top assessment of proxies for the ocean carbonate system in surface-dwelling foraminifers. *Paleoceanography*, 22(PA3212).
- Nier, A.O., 1940. A mass spectrometer for routine isotope abundance measurements. *Review of Scientific Instruments*, 11(7): 212-216.
- Nier, A.O., 1947. A mass spectrometer for isotope and gas analysis. 18(6): 398-411.
- Nürnberg, D., Bijma, J. and Hemleben, C., 1996a. Assessing the reliability of magnesium in foraminiferal calcite as a proxy for water mass temperatures. *Geochimica et Cosmochimica Acta*, 60(5): 803-814.
- Nürnberg, D., Bijma, J. and Hemleben, C., 1996b. Erratum. *Geochimica et Cosmochimica Acta*, 60(13): 2483-2484.
- Nürnberg, D., Müller, A. and Schneider, R.R., 2000. Paleo-sea surface temperature calculations in the equatorial Atlantic from Mg/Ca ratios in planktic foraminifera: A comparison to sea surface temperature estimates from $U^{K^{37}}$, oxygen isotopes, and foraminiferal transfer function. *Paleoceanography*, 15(1): 124-134.
- O'Neil, J.R., Clayton, R.N. and Mayeda, T.K., 1969. Oxygen Isotope Fractionation in Divalent Metal Carbonates. *The Journal of Chemical Physics*, 51(12): 5547-5558.
- Oba, T., 1990. Paleoceanographic information obtained by the isotopic measurement of individual foraminiferal specimens, *Proceedings First International Conference Asian Marine Geology*. China Ocean Press, Beijing, Shanghai pp. 169-180.
- Oba, T., 1991. Oxygen and carbon isotopic composition of planktonic foraminifera tests collected with sediment traps from the Japan Trench. *La mer – Societe franco-japonaise d'oceanographie*, 29: 190-192.
- Ohlemüller, R., 2011. Running Out of Climate Space. *Science*, 334(6056): 613-614.
- Olafsson, J. et al., 2009. Rate of Iceland Sea acidification from time series measurements. *Biogeosciences*, 6: 2661-2668
- Olsen, A. and Ninnemann, U., 2010. Large $\delta^{13}C$ Gradients in the Preindustrial North Atlantic Revealed. *Science*, 330(6004): 658-659.
- Olsson, R.K., 1973. Paleontological Notes: What is a Kummerform Planktonic Foraminifera? *Journal of Paleontology*, 47(2): 327-329.
- Oppo, D.W. and Curry, W.B., 2012. Deep Atlantic circulation during the last glacial maximum and deglaciation. *Nature Education Knowledge*, 3(10): 1.
- Oppo, D.W., McManus, J.F. and Cullen, J.L., 2003. Deepwater variability in the Holocene epoch. *Nature*, 422: 277-278.
- Orr, J.C., 2011. Recent and future changes in ocean carbonate chemistry. In: J.-P. Gattuso and L. Hansso (Editors), *Ocean Acidification*. Oxford University Press, Oxford.
- Orr, J.C. et al., 2005. Anthropogenic ocean acidification over the twenty-first century and its impact on calcifying organisms. *Nature*, 437(7059): 681-686.
- Ott, R., Bijma, J. and Hemleben, C., 1992. A computer method for estimating volumes and surface areas of complex structures consisting of overlapping spheres. *Mathematical and Computer Modelling*, 16(12): 83-98.
- Ottens, J.J., 1992a. Planktic foraminifera as indicators of ocean environments in the Northeast Atlantic. *Academisch Proefschrift Thesis*, VU University Amsterdam, Amsterdam, 189 pp.
- Ottens, J.J., 1992b. Planktic foraminifera as indicators of ocean environments in the Northeast Atlantic. *Academisch Proefschrift Thesis*, VU University Amsterdam, Amsterdam, 189 pp.

References

- Pagani, M., Lemarchand, D., Spivack, A. and Gaillardet, J., 2005. A critical evaluation of the boron isotope-pH proxy: The accuracy of ancient ocean pH estimates. *Geochemica et Cosmochimica Acta*, 69(4): 953-961.
- Paillard, D. and Parrenin, F.d.r., 2004. The Antarctic ice sheet and the triggering of deglaciations. *Earth and Planetary Science Letters*, 227(3-4): 263-271.
- Palike, H. et al., 2012. A Cenozoic record of the equatorial Pacific carbonate compensation depth. *Nature*, 488(7413): 609-614.
- Park, M.-H., 1998. Abrupt climatic changes induced by ice-rafting events in the eastern North Atlantic during the late Quaternary: stable isotope and X-ray mineralogical analyses. *Geosciences Journal*, 2(2): 59-67.
- Pearson, P.N., 2012. Oxygen isotopes in foraminifera: Overview and Historical review. In: L.C. Ivany and B.T. Huber (Editors), *Reconstructing Earth's Deep-Time Climate—The State of the Art in 2012*,. Paleontological Society Short Course, pp. 1–38.
- Pearson, P.N. and Burgess, C.E., 2008. Foraminifer test preservation and diagenesis: comparison of high latitude Eocene sites. *Geological Society, London, Special Publications*, 303(1): 59-72.
- Pearson, P.N., Ditchfield, P. and Shackleton, N.J., 2002. Palaeoclimatology (Communication arising): Tropical temperatures in greenhouse episodes. *Nature*, 419(6910): 898-898.
- Pearson, P.N. et al., 2001. Warm tropical sea surface temperatures in the Late Cretaceous and Eocene epochs. *Nature*, 413(6855): 481-487.
- Pearson, P.N. et al., 2007. Stable warm tropical climate through the Eocene Epoch. *Geology*, 35(3): 211-214.
- Peeters, F.J.C., 2000. The distribution and stable isotope composition of living planktic foraminifera in relation to seasonal changes in the Arabian Sea. *Academisch Proefschrift Thesis*, VU University Amsterdam, Amsterdam, 184 pp.
- Peeters, F.J.C. and Brummer, G.-J.A., 2002. The seasonal distribution of living planktic foraminifera in the NW Arabian Sea. In: P. Clift, D. Kroon, C. Gaedicke and J. Craig (Editors), *The tectonic and climatic evolution of the Arabian Sea region*. Special Publication. Geological Society London, London, pp. 463-497.
- Peeters, F.J.C., Brummer, G.-J.A. and Ganssen, G.M., 2002. The effect of upwelling on the distribution and stable isotope composition of *Globigerina bulloides* and *Globigerinoides ruber* planktic foraminifera) in modern surface waters of the NW Arabian Sea. *Global and Planetary Change*, 34: 269-291.
- Peeters, F.J.C., Ivanova, E., Conan, S. and Brummer, G.-J., 1999. A size analysis of planktic foraminifera from the Arabian Sea. *Marine Micropaleontology*.
- Pena, L.D., Calvo, E., Cacho, I., Eggins, S. and Pelejero, C., 2005. Identification and removal of Mn-Mg-rich contaminant phases on foraminiferal tests: Implications for Mg/Ca past temperature reconstructions. *Geochem. Geophys. Geosyst.*, 6(9): Q09P02.
- Peters, S.E., Kelly, D.C. and Fraass, A.J., Oceanographic controls on the diversity and extinction of planktonic foraminifera. *Nature*, 493(7432): 398-401.
- Peterson, M.N.A., 1966. Calcite: rates of dissolution in a vertical profile in the central Pacific. *Science*, 154: 1542-1544.
- Petit, J.R. et al., 1999. Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature*, 399(6735): 429-436.
- Pflaumann, U., Duprat, J., Pujol, C. and Labeyrie, L.D., 1996. SIMMAX: A modern analog technique to deduce Atlantic sea surface temperatures from planktonic foraminifera in deep-sea sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 11(1): 15-35.
- Prahl, F.G. and Wakeham, S.G., 1987. Calibration of unsaturation patterns in long-chain ketone compositions for paleotemperature assessment. *Nature*, 330: 367-369.
- Prins, M.A. et al., 2001. The late Quaternary sedimentary record of Reykjanes Ridge, North Atlantic. *Radiocarbon*.
- Prins, M.A. and Weltje, G.J., 1999. End-member modeling of siliciclastic grain-size distributions: the late Quaternary record of eolian and fluvial sediment supply to the Arabian Sea and its paleoclimatic significance. In: J. Harbaugh et al. (Editors), *Numerical Experiments in Stratigraphy: Recent advances in Stratigraphic/Sedimentologic computer simulations*. Special Volume. Society of Economic Palaeontologists and Mineralogists.
- Pytkowicz, R.M. and Connors, D.N., 1964. High pressure solubility of calcium carbonate in seawater. *Sci-*

- ence, 144(1620): 840-841.
- Rae, J.W.B., Foster, G.L., Schmidt, D.N. and Elliott, T., 2011. Boron isotopes and B/Ca in benthic foraminifera: Proxies for the deep ocean carbonate system. *Earth and Planetary Science Letters*.
- Ravelo, A.C. and Fairbanks, R., 1992. Oxygen isotopic composition of multiple species of planktonic foraminifera: recorders of the modern photic zone temperature gradient. *Paleoceanography*, 7(6): 815-831.
- Ravelo, A.C. and Fairbanks, R.G., 1995. Carbon isotopic fractionation in multiple species of planktonic foraminifera from core-tops in the tropical Atlantic. *Journal of Foraminiferal Research*, 25(1): 53-74.
- Raven, J. et al., 2005. Ocean acidification due to increasing atmospheric carbon dioxide., The Royal Society.
- Reiss, Z., 1958. Classification of lamellar Foraminifera. *Micropaleontology*, 4(1): 51-70.
- Renaud, S. and Schmidt, D.N., 2003. Habitat tracking as a response of the planktic foraminifer *Globorotalia truncatulinoides* to environmental fluctuations during the last 140 kyr. *Marine Micropaleontology*, 49(1-2): 97-122.
- Revelle, R. and Suess, H.E., 1957. Carbon Dioxide Exchange Between Atmosphere and Ocean and the Question of an Increase of Atmospheric CO₂ during the Past Decades. *Tellus*, 9(1): 18-27.
- Reynaud, S. et al., 2003. Interacting effects of CO₂ partial pressure and temperature on photosynthesis and calcification in a scleractinian coral. *Global Change Biology*, 9: 1660-1668.
- Reynolds, L.A. and Thunell, R.C., 1985. Seasonal succession of planktonic foraminifera in the subpolar North Pacific. *Journal of Foraminiferal Research*, 15(4): 282-301.
- Rhumbler, L., 1911. Die Foraminiferen (Thalamophoren) der Plankton-Expedition. Erster teil: Die allgemeinen Organisations-Verhältnisse der Foraminiferen. *Ergebnisse der Plankton-Expedition der Humboldt-Stiftung*, 3, (1909), 331 pp.
- Richey, J.N., Poore, R.Z., Flower, B.P. and Hollander, D.J., 2011. Ecological controls on the shell geochemistry of pink and white *Globigerinoides ruber* in the northern Gulf of Mexico: Implications for paleoceanographic reconstruction. *Marine Micropaleontology*.
- Ridgwell, A. and Schmidt, D.N., Past constraints on the vulnerability of marine calcifiers to massive carbon dioxide release. *Nature Geosci*, 3(3): 196-200.
- Ridgwell, A. et al., 2009. From laboratory manipulations to earth system models: predicting pelagic calcification and its consequences. *Biogeosciences Discuss.*, 6(2): 3455-3480.
- Ridgwell, A. and Zeebe R., 2005. The role of the global carbonate cycle in the regulation and evolution of the Earth system. *Earth and Planetary Science Letters*, 234: 299-315.
- Ridgwell, A.J., 2003. An end to the “rain ratio” reign? *Geochem. Geophys. Geosyst.*, 4(6): 1051.
- Riebesell, U., Körtzinger, A. and Oschlies, A., 2009. Sensitivities of marine carbon fluxes to ocean change. *Proceedings of the National Academy of Sciences of the United States of America*, 106: 20602-20609.
- Ries, J.B., 2008. Seeing changes in a changing sea *Nature Geosciences*, 1: 497-498.
- Ries, J.B., 2010. Review: geological and experimental evidence for secular variation in seawater Mg/Ca (calcite-aragonite seas) and its effects on marine biological calcification. *Biogeosciences*, 7: 2795-2849.
- Rohling, E.J. and Bigg, G.R., 1998. Paleosalinity and $\delta^{18}\text{O}$: A critical assessment. *Journal of Geophysical Research: Oceans*, 103(C1): 1307-1318.
- Rosenthal, Y. and Lohmann, G.P., 2002. Accurate estimation of sea surface temperatures using dissolution-corrected calibrations for Mg/Ca paleothermometry. *Paleoceanography*, 17(3): 1044.
- Rosenthal, Y., Lohmann, G.P., Lohmann, K.C. and Sherrell, R.M., 2000. Incorporation and preservation of Mg in *Globigerinoides sacculifer*: implications for reconstructing the temperature and 18O/16O of seawater. *Paleoceanography*, 15(1): 135-145.
- Ruddiman, W.F. and McIntyre, A., 1981. The North Atlantic Ocean during the last deglaciation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 35: 145-214.
- Ruddiman, W.F., Molfino, B., Esmay, A. and Pokras, E., 1990. Evidence bearing on the mechanism of rapid deglaciation. *Climatic Change*, 3(1): 65-87.
- Ruddiman, W.F. and Raymo, M.E., 2003. A methane-based time scale for Vostok ice. *Quaternary Science Reviews*, 22(2–4): 141-155.
- Rutherford, S., d’Hondt, S. and Prell, W., 1999. Environmental controls on the geographic distribution of

References

- zooplankton diversity. *Nature*, 400: 749-753.
- Sabine, C.L. et al., 2004. The Oceanic Sink for Anthropogenic CO₂. *Science*, 305(5682): 367-371.
- Sadekov, A.Y., Eggins, S.M. and De Deckker, P., 2005. Characterization of Mg/Ca distributions in planktonic foraminifera species by electron microprobe mapping. *Geochemistry, Geophysics, Geosystems*, 6(12): Q12P06.
- Saher, M., Jung, S.J.A., Elderfield, H., Greaves, M. and Kroon, D., 2007. Western Arabian Sea SSTs during the last deglaciation. *Paleoceanography*, 22: PA2208.
- Saito, T., Thompson, P.R. and Breger, D., 1981. Systematic index of Recent and Pleistocene planktonic foraminifera. University of Tokyo Press, Tokyo, 190 pp.
- Sandel, B. et al., 2011. The Influence of Late Quaternary Climate-Change Velocity on Species Endemism. *Science*, 334(6056): 660-664.
- Sanyal, A., Hemming, N.G., Hanson, G.N. and Broecker, W.S., 1995. Evidence for a higher pH in the glacial ocean from boron isotopes in foraminifera. *Nature*, 373: 234-236
- Sarnthein, M., 1971. Oberflächensedimente im Persischen Golf und Golf von Oman II. Quantitative Komponentenanalyse der Grobfraction. "Meteor" Forschungsergebnisse Herausgegeben von der Deutschen Forschungsgemeinschaft, C(5): 1-113.
- Sautter, L.R. and Thunell, R., 1989. Seasonal succession of planktonic foraminifera: results from a four-year time-series sediment trap experiment in the Northeast Pacific. *Journal of Foraminiferal Research*, 19(4): 253-267.
- Sautter, L.R. and Thunell, R., 1991a. Planktonic foraminiferal response to upwelling and seasonal hydrographic conditions: Sediment trap results from San Pedro Basin, South California Bight. *Journal of Foraminiferal Research*, 21(4): 347-363.
- Sautter, L.R. and Thunell, R.C., 1991b. Seasonal variability in the $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ of planktonic foraminifera from an upwelling environment: Sediment trap results from the San Pedro Basin, Southern California Bight. *Paleoceanography*, 6(3): 307-334.
- Savin, S.M. and Douglas, R.G., 1973. Stable isotope and magnesium geochemistry of recent planktonic foraminifera from the South Pacific. *Geological Society of America Bulletin*, 84: 2327-2342.
- Schiebel, R., Barker, S., Lendt, R., Thomas, H. and Bollmann, J., 2007. Planktic foraminiferal dissolution in the twilight zone. *Deep Sea Research Part II: Topical Studies in Oceanography*, 54(5): 676-686.
- Schiebel, R., Bijma, J. and Hemleben, C., 1997. Population dynamics of the planktic foraminifer *Globigerina bulloides* from the eastern North Atlantic. *Deep-Sea Research Part 1*, 44(9-10): 1701-1713.
- Schiebel, R. and Hemleben, C., 2005. Modern planktic foraminifera. *Paläontologische Zeitschrift*, 79(1): 135-148.
- Schiffelbein, P. and Hills, S., 1984. Direct assessment of stable isotope variability in planktonic foraminifera populations. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 48(2): 197-213.
- Schink, D.R. and Guinasso, N.L., 1977. Modelling the influence of bioturbation and other processes on calcium carbonate dissolution at the seafloor. In: N.R. Anderson and A. Malahoff (Editors), *The fate of fossil fuel CO₂ in the Oceans*. Marine Science. Plenum Press New York, pp. 375-400.
- Schmidt, D.N., Elliott, T. and Kasemann, S.A., 2008. The influences of growth rates on planktic foraminifera as proxies for palaeostudies a review. *Geological Society, London, Special Publications*, 303(1): 73-85.
- Schmidt, D.N., Lazarus, D., Young, J.R. and Kucera, M., 2006. Biogeography and evolution of body size in marine plankton. *Earth-Science Reviews*, 78(3-4): 239-266.
- Schmidt, D.N., Thierstein, H.R., Bollmann, J. and Schiebel, R., 2004. Abiotic Forcing of Plankton Evolution in the Cenozoic. *Science*, 303(5655): 207-210.
- Schouten, S., Hopmans, E.C. and Sinninghe Damste, J.S., 2002. Distributional variations in marine crenarchaeotal membrane lipids: A new organic proxy for reconstructing ancient sea water temperatures? *Earth and Planetary Science Letters*, 204: 265-274.
- Schulz, H., von Rad, U. and Erlenkeuser, H., 1998. Correlation between Arabian Sea and Greenland climate oscillation of the past 110,000 years. *Nature*, 393: 54-57.
- Scott, G.H., 1974a. Biometry of the Foraminiferal Shell. In: R.H. Hedley and C.G. Adams (Editors), *Foraminifera*. Academic Press, New York, pp. 55-151.
- Scott, G.H., 1974b. Pustulose and Honeycomb Topography in *Globigerinoides trilobus*. *Micropaleontology*, 20(4): 466-472.

- Scussolini, P. and van Sebille, E., 2013. Paleo Agulhas rings enter the subtropical gyre during the penultimate deglaciation. *Clim. Past Discuss.*, 9(2): 2095-2114.
- Sexton, P.F., Wilson, P.A. and Pearson, P.N., 2006. Microstructural and geochemical perspectives on planktic foraminiferal preservation: “Glassy” versus “Frosty”. *Geochemistry, Geophysics, Geosystems*, 7(12): Q12P19.
- Shackleton, N., 1967. Oxygen Isotope Analyses and Pleistocene Temperatures Re-assessed. *Nature*, 215(5096): 15-17.
- Shackleton, N.J., 1965. The high-precision isotopic analysis of oxygen and carbon in carbon dioxide. *Journal of Scientific Instruments*, 42: 689-692.
- Shackleton, N.J., 1977. Tropical rainforest history and the equatorial Pacific carbonate dissolution cycles. In: N.R. Andersen and A. Malahoff (Editors), *The Fate of Fossil Fuel CO₂ in the Oceans*. Plenum, New York, pp. 401–428.
- Shackleton, N.J., 1987. Oxygen isotopes, ice volume and sea level. *Quaternary Science Reviews*, 6(3-4): 183-190.
- Shackleton, N.J., 2000. The 100,000-Year Ice-Age Cycle Identified and Found to Lag Temperature, Carbon Dioxide, and Orbital Eccentricity. *Science*, 289(5486): 1897-1902.
- Shackleton, N.J. and Opdyke, N.D., 1973. Oxygen isotope and palaeomagnetic stratigraphy of Equatorial Pacific core V28-238: Oxygen isotope temperatures and ice volumes on a 105 year and 106 year scale. *Quaternary Research*, 3(1): 39-55.
- Shackleton, N.J. and Vincent, E., 1978. Oxygen and carbon isotope studies in recent foraminifera from the southwest Indian Ocean. *Marine Micropaleontology*, 3: 1-13.
- Shakun, J.D., Burns, S.J., Fleitmann, D. and Kramers, J., 2007. A high-resolution, absolute-dated deglacial speleothem record of Indian Ocean climate from Socotra Island, Yemen. *Earth and Planetary Science Letters*, 259: 442-456.
- Shakun, J.D. et al., 2012. Global warming preceded by increasing carbon dioxide concentrations during the last deglaciation. *Nature*, 484(7392): 49-54.
- Siccha, M., Trommer, G., Schulz, H., Hemleben, C. and Kucera, M., 2009. Factors controlling the distribution of planktonic foraminifera in the Red Sea and implications for the development of transfer functions. *Marine Micropaleontology*, 72(3-4): 146-156.
- Siegenthaler, U. et al., 2005. Stable Carbon Cycle–Climate Relationship During the Late Pleistocene. *Science*, 310(5752): 1313-1317.
- Signes, M., Bijma, J., Hemleben, C. and Ott, R., 1993. A Model for Planktic Foraminiferal Shell Growth. *Paleobiology*, 19(1): 71-91.
- Sillén, L.G., 1967. The ocean as a chemical system. *Science*, 156: 1189-1197.
- Simstich, J., Sarnthein, M. and Erlenkeuser, H., 2003. Paired $\delta^{18}\text{O}$ signals of *Neogloboquadrina pachyderma* (s) and *Turborotalita quinqueloba* show thermal stratification structure in Nordic Seas. *Marine Micropaleontology* 48, : 107-125.
- Singh, A.D. et al., 2011. Productivity collapses in the Arabian Sea during glacial cold phases. *Paleoceanography*, 26: PA3210.
- Solomon, S., Plattner, G.-K., Knutti, R. and Friedlingstein, P., 2009. Irreversible climate change due to carbon dioxide emissions. *Proceedings of the National Academy of Sciences*.
- Spear, J.W., Poore, R.Z. and Quinn, T.M., 2011. Globorotalia truncatulinoides (dextral) Mg/Ca as a proxy for Gulf of Mexico winter mixed-layer temperature: Evidence from a sediment trap in the northern Gulf of Mexico. *Marine Micropaleontology*, 80(3-4): 53-61.
- Speijer, R.P. et al., 2008. Quantifying foraminiferal growth with high-resolution X-ray computed tomography: New opportunities in foraminiferal ontogeny, phylogeny, and paleoceanographic applications. *Geosphere*, 4(4): 760-763.
- Spero, H.J., 1988. Ultrastructural examination of chamber morphogenesis and biomineralization in the planktonic foraminifer *Orbulina universa*. *Marine Biology*, 99(1): 9-20.
- Spero, H.J., 1998. Life History and Stable Isotope Geochemistry of Planktonic Foraminifera In: R.D. Norris and R.M. Corfield (Editors), *Isotope Paleobiology and Paleoecology*. Paleontological Society Papers Special Publication.
- Spero, H.J., Bijma, J., Lea, D.W. and Bemis, B.E., 1997. Effect of seawater carbonate concentration on foraminiferal carbon and oxygen isotopes. *Nature*, 390: 497-500.
- Spero, H.J. and Lea, D.W., 1993. Intraspecific stable isotope variability in the planktic foraminifera Glo-

References

- bigerinoides sacculifer: Results from laboratory experiments. *Marine Micropaleontology*, 22: 221-234.
- Spero, H.J. and Lea, D.W., 1996. Experimental determination of stable isotope variability in *Globigerina bulloides*: implications for paleoceanographic reconstructions. *Marine Micropalaeontology*, 28: 231-246.
- Spero, H.J., Lerche, I. and Williams, D.F., 1991. Opening the carbon isotope "vital effect" black box, 2, Quantitative model for interpreting foraminiferal carbon isotope data. *Paleoceanography*, 6(6): 639-655.
- Spero, H.J. and Parker, S.L., 1985. Photosynthesis in the symbiotic planktonic foraminifera *Orbulina universa*, and its potential contribution to oceanic primary productivity. *Journal of Foraminiferal Research*, 15(4): 273-281.
- Spero, H.J. and Williams, D.F., 1989. Opening the carbon isotope "vital effect" black box 1. Seasonal temperatures in the euphotic zone. *Paleoceanography*, 4(6): 593-601.
- Spero, H.J. and Williams, D.F., 1990. Evidence for low salinity surface waters in the Gulf of Mexico over the last 16,000 years. *Paleoceanography*, 5: 963-975.
- Spindler, M. and Dieckmann, G.S., 1984. Distribution and abundance of the planktic foraminifer *Neogloboquadrina pachyderma* in sea ice of the Weddell Sea (Antarctica). *Polar Biology*, 5: 185-191.
- Spindler, M., Hemleben C., Bayer, U., Be, A.W.H. and O.R., A., 1979. Lunar periodicity of reproduction in the Planktonic foraminifer *Hastigerina pelagica*. *Marine Ecology - Progress Series*, 1: 61-64.
- Spindler, M., O.R., A., C., H. and Be, A.W.H., 1978. Light and electron microscopic observations of gametogenesis in *Hastigerina pelagica* (Foraminifera). *Journal of Protozoology*, 25(4): 427-433.
- Spötl, C. and Vennemann, T.W., 2003. Continuous-flow isotope ratio mass spectrometric analysis of carbonate minerals. *Rapid Communications in Mass Spectrometry*, 17(9): 1004-1006.
- Stainforth, R.M., Lamb, J.L., Luterbacher, H., Beard, J.H. and Jeffords, R.M., 1975. Cenozoic Planktonic foraminiferal zonation and characteristics of index forms. *The University of Kansas Paleontological Contributions: Harold Norman Fisk Memorial Papers, Article 62*: p 425.
- Stanley, S.M. and Hardie, L.A., 1998. Secular oscillations in the carbonate mineralogy of reef-building and sediment-producing organisms driven by tectonically forced shifts in seawater chemistry. *Palaeogeography, Palaeoclimatology, Palaeoecology* 144 3-19.
- Stanley, S.M. and Hardie, L.A., 1999. Hypercalcification: Paleontology links plate tectonics and geochemistry to sedimentology: . *GSA Today*, 9: 1-7.
- Steineck, P.L. and Fleisher, R.L., 1978. Towards the classical evolutionary reclassification of Cenozoic *Globigerinacea* (Foraminiferida). *Journal of Paleontology*, 52(3): 618-635.
- Stephens, B.B. and Keeling, R.F., 2000. The influence of Antarctic sea ice on glacial-interglacial CO₂ variations. *Nature*, 404(6774): 171-174.
- Stott, L.D. and Tang, C.M., 1996. Reassessment of Tropical sea surface $\delta^{18}\text{O}$ paleotemperatures. *Paleoceanography*, 11: 37-56.
- Strain, P.M. and Tan, F.C., 1993. Seasonal evolution of oxygen isotope-salinity relationships in high-latitude surface waters. *Journal of Geophysical Research*, 98(C8): 14589-14598.
- Stuiver, M., Reimer, P.J. and Braziunas, T.F., 1998. High-precision radiocarbon age calibration for terrestrial and marine samples. *Radiocarbon*, 40: 1127-1151.
- Stuut, J.-B.W., Prins, M.A. and Jansen, J.H.F., 2002. Fast reconnaissance of carbonate dissolution based on the size distribution of calcareous ooze on Walvis Ridge, SE Atlantic Ocean. *Marine Geology*, 190(3-4): 581-589.
- Sverdløve, M.S. and Be, A.W.H., 1985. Taxonomic and ecological significance of embryonic and juvenile planktonic foraminifera. *The Journal of Foraminiferal Research*, 15(4): 235-241.
- Sverdrup, H.U., Johnson, M.W. and Fleming, R.H., 1942. *The Oceans their physics, chemistry and general biology* Prentice-Hall Inc., Englewood Cliffs, N.J., USA.
- Swallow, J.C. and Bruce, J.G., 1966. Current measurements off the Somali coast during the southwest monsoon of 1964. *Deep Sea Research*, 13: 861-888.
- Takahashi, T. and Bé, A.W.H., 1984. Planktonic foraminifera: factors controlling sinking speeds. *Deep Sea Research*, 31: 1477-1500.
- Tang, C.M. and Stott, L.D., 1993. Seasonal salinity changes during Mediterranean sapropel deposition 9,000 years B.P.: Evidence from isotopic analyses of individual planktonic foraminifera. *Paleoceanography*, 8: 473-494.

- Tappan, H. and Loeblich Jr, A.R., 1973. Evolution of the oceanic plankton. *Earth-Science Reviews*, 9(3): 207-240.
- Thiede, J., 1971. Planktonische Foraminiferen in sedimenten vom iber-marokkanischen Kontinentalrand. *Meteor Forschungsergebnisse C(7)*: 15-102.
- Thiede, J., 1975. Shell- and skeleton-producing plankton and nekton in the eastern North Atlantic Ocean. "Meteor" *Forschungsergebnisse Herausgegeben von der Deutschen Forschungsgemeinschaft*, C(20): 33-79.
- Thornalley, D.J.R., Elderfield, H. and McCave, I.N., 2011. Reconstructing North Atlantic deglacial surface hydrography and its link to the Atlantic overturning circulation. *Global and Planetary Change*, 79(3-4): 163-175.
- Thunell, R.C., 1982. Carbonate dissolution and abyssal hydrography in the Atlantic Ocean. *Marine Geology*, 47: 165-180.
- Thunell, R.C. and Honjo, S., 1987. Seasonal and interannual changes in planktonic foraminiferal production in the North Pacific. *Nature*, 328: 335-337.
- Tolderlund, D.S. and Be, A.W.H., 1971. Seasonal distribution of planktonic foraminifera in the western North Atlantic. *Micropaleontology*, 17(3): 297-329.
- Troelstra, S.R. et al., 1987. Late Quarternary stratigraphy and sedimentology of the central North Atlantic: A progress report. *Nuclear Instruments and Methods in Physics Research*, B29: 317-321.
- Tyszka, J., 2006. Morphospace of foraminiferal shells: results from the moving reference model. *Lethaia*, 39(1): 1-12.
- Tyszka, J., Topa, P. and Saczka, K., 2005. State-of-the-art in modelling of foraminiferal shells: searching for an emergent model. *Studia Geologica Polonica*, 124: 143-157.
- Ujjié, Y. et al., 2012. Longitudinal differentiation among pelagic populations in a planktic foraminifer. *Ecology and Evolution*, 2(7): 1725-1737.
- Ujjié, Y., de Garidel-Thoron, T., Watanabe, S., Wiebe, P. and de Vargas, C., 2010. Coiling dimorphism within a genetic type of the planktonic foraminifer *Globorotalia truncatulinoides*. *Marine Micropaleontology*, 77(3-4): 145-153.
- Urey, H.C., 1947. The thermodynamic properties of isotopic substances. *Journal of Chemical Society*: 562-581.
- Urey, H.C., 1948. Oxygen Isotopes in Nature and in the Laboratory. *Science*, 108: 489-496.
- van Donk, J., 1977. O¹⁸ as a Tool for Micropalaeontologists. In: A.T.S. Ramsay (Editor), *Oceanic Micropalaeontology*. Academic Press, London, pp. 1345-1370.
- van Kreveld-Alfane, S.A., 1996. Late Quarternary sediment records of mid-Latitude Northeast Atlantic calcium carbonate production and dissolution. *Academisch Proefschrift Thesis*, VU University Amsterdam, Amsterdam, 212 pp.
- van Kreveld, S.A. et al., 1996. A method for quantifying deep-sea carbonate dissolution using ¹⁴C dating. In: G.T. Cook, D.D. Harkness, B.F. Miller and E.M. Scott (Editors), *Proceedings of the 15th International ¹⁴C Conference*. *Radiocarbon*, pp. 585-592.
- van Raden, U.J., Groeneveld, J., Raitzsch, M. and Kucera, M., 2011. Mg/Ca in the planktonic foraminifera *Globorotalia inflata* and *Globigerina bulloides* from Western Mediterranean plankton tow and core top samples. *Marine Micropalaeontology*, 78: 101-112.
- Veizer, J., Godderis, Y. and François, L.M., 2000. Evidence for decoupling of atmospheric CO₂ and global climate during the Phanerozoic eon. *Nature*, 408: 698-701.
- Vergnaud Grazzini, C., 1976. Non-equilibrium isotopic compositions of shells of planktonic foraminifera in the Mediteranean Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 20(4): 263-276.
- Vetter, L. et al., 2013. Micron-scale intrashell oxygen isotope variation in cultured planktic foraminifers. *Geochimica et Cosmochimica Acta*, 107(0): 267-278.
- Vogels, S., Ganssen, G. and Metcalfe, B., 2010. Planktonic foraminiferal shell thinning due to anthropogenic CO₂ emissions?, EPOCA, BIOACID and UKOARP annual meeting, Bremerhaven, Germany.
- Waelbroeck, C. et al., 2005a. A global compilation of late Holocene planktonic foraminiferal ¹⁸O: relationship between surface water temperature and ¹⁸O. *Quaternary Science Reviews*, 24(7&€9): 853-868.
- Waelbroeck, C. et al., 2005b. A global compilation of late Holocene planktonic $\delta^{18}\text{O}$: relationship between surface water and $\delta^{18}\text{O}$.
- Walter, L.M. and Moorse, J.W., 1984. Reactive surface area of skeletal carbonates during dissolution: ef-

- fects of grain size. *Journal of Sedimentary Petrology*, 54: 1081-1090.
- Watson, A.J. et al., 2009. Tracking the Variable North Atlantic Sink for Atmospheric CO₂. *Science*, 326(5958): 1391-1393.
- Weiner, S., 1975. The carbon isotopic composition of the eastern Mediterranean planktonic foraminifera *Orbulina universa* and the phenotypes of *Globigerinoides ruber*. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 17: 149-156.
- Weyl, P.K., 1978. Micropaleontology and Ocean Surface Climate. *Science*, 202(4367): 475-481.
- Wiersma, A.P. and Renssen, H., 2006. Model-data comparison for the 8.2 ka BP event: confirmation of a forcing mechanism by catastrophic drainage of Laurentide Lakes. *Quaternary Science Reviews*, 25: 63-88.
- Wierzbowski, H., 2007. Effects of pre-treatments and organic matter on oxygen and carbon isotope analyses of skeletal and inorganic calcium carbonate. *International Journal of Mass Spectrometry*, 268(1): 16-29.
- Wilke, I., Bickert, T. and Peeters, F.J.C., 2006. The influence of seawater carbonate ion concentration [CO₃²⁻] on the stable carbon isotope composition of the planktic foraminifera species *Globorotalia inflata*. *Marine Micropaleontology*, 58(4): 243-258.
- Wilkinson, B.H. and Algeo, T.J., 1989. Sedimentary carbonate record of calcium–magnesium cycling. *American Journal of Science*, 289 1158–1194.
- Williams, D.F., Bé, A.W.H. and Fairbanks, R., 1981. Seasonal stable isotopic variations in living planktonic foraminifera from Bermuda plankton tows. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 33: 71-102.
- Williams, D.F., Ehrlich, R., Spero, H.J., Healy-Williams, N. and Gray, A.C., 1988. Shape and isotopic differences between conspecific foraminiferal morphotypes and resolution of paleoceanographic events. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 64: 153-162.
- Williams, M. et al., 2005. Evaluating the efficacy of planktonic foraminifer calcite δ¹⁸O data for sea surface temperature reconstruction for the Late Miocene. *Geobios*, 38(6): 843-863.
- Wit, J.C., Reichart, G.-J., Jung, S.J.A. and Kroon, D., 2010. Approaches to unravel seasonality in sea surface temperatures using paired single-specimen foraminiferal δ¹⁸O and Mg/Ca analyses. *Paleoceanography*, 25.
- Wit, J.C., Reichart, G.J. and Ganssen, G.M., 2013. Unmixing of stable isotope signals using single specimen δ¹⁸O analyses. *Geochemistry, Geophysics, Geosystems*: n/a-n/a.
- Wolf-Gladrow, D.A., Bijma, J. and Zeebe, R.E., 1999a. Model simulation of the carbonate chemistry in the microenvironment of symbiont bearing foraminifera. *Marine Chemistry*, 64: 181-198
- Wolf-Gladrow, D.A., Riebesell, U., Burkhardt, S. and Bijma, J., 1999b. Direct effects of CO₂ concentration on growth and isotopic composition of marine plankton *Tellus*, 51B: 461-476.
- Wolfteich, C.M., 1994. Satellite-derived sea surface temperature, mesoscale variability, and foraminiferal production in the North Atlantic. M.Sc., Massachusetts Institute of Technology/Woodshole Oceanographic Institution: 80pp.
- Wu, G. and Berger, W.H., 1989. Planktonic foraminifera: Differential dissolution and the Quaternary stable isotope record in the West Equatorial Pacific. *Paleoceanography*, 4(2): 181-198.
- Yamamoto-Kawai, M., McLaughlin, F.A., Carmack, E.C., Nishino, S. and Shimada, K., 2009 Aragonite undersaturation in the Arctic Ocean: effects of ocean acidification and sea ice melt. *Science*, 326: 1098-1100.
- Yu, J., Elderfield, H. and Hönisch, B., 2007. B/Ca in planktonic foraminifera as a proxy for surface seawater pH. *Paleoceanography*, 22(PA2202).
- YunYan, N.I., 2010. A comparative study of boron isotopes and trace elements of the marine foraminifers during the last glacial maximum and Holocene. *Science China Earth Sciences*, 52(1): 91-100.
- Zachos, J., Pagani, M., Sloan, L., Thomas, E. and Billups, K., 2001. Trends, Rhythms, and Aberrations in Global Climate 65 Ma to Present. *Science*, 292(5517): 686-693.
- Zeebe, R.E. and Wolf-Gladrow, D.A., 2001. CO₂ in seawater: Equilibrium, Kinetics, Isotopes. Elsevier Oceanography Series, 65. Elsevier, Amsterdam, 346 pp.
- Ziveri, P., Broerse, A.T.C., Van Hinte, J.E., Westbroek, P. and Honjo, S., 2000. The fate of coccoliths at 48°N 21°W, Northeastern Atlantic. *Deep-Sea Research II*, 47(9-11): 1853-1875.

