

VU Research Portal

Molecular radicals in the search for drifting constants

de Nijs, A.J.

2014

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

de Nijs, A. J. (2014). *Molecular radicals in the search for drifting constants*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Chapter 1: Introduction | 1 |
| 1.1 Astrophysical measurements | 3 |
| 1.2 α variation | 4 |
| 1.3 μ variation | 5 |
| 1.4 Near degeneracies | 5 |
| 1.5 Metastable CO as a probe for a variation of μ | 6 |
| 1.6 Outline of this thesis | 8 |
| Chapter 2: UV frequency metrology on CO ($a^3\Pi$) | 11 |
| 2.1 Introduction | 11 |
| 2.2 Level structure of CO | 12 |
| 2.3 Experimental setup | 13 |
| 2.4 Experimental results | 17 |
| 2.5 Measurement uncertainties | 22 |
| 2.5.1 Zeeman effect | 23 |
| 2.5.2 Stark effect | 24 |
| 2.5.3 AC-Stark effect | 25 |
| 2.5.4 Uncertainty in absolute frequency determination | 25 |
| 2.5.5 Doppler effect | 25 |
| 2.5.6 Uncertainty in peak determination | 27 |
| 2.5.7 Frequency chirp in the pulsed laser system | 27 |
| 2.6 Analysis | 28 |
| 2.6.1 Effective Hamiltonian and least square fitting for $^{12}\text{C}^{16}\text{O}$ and $^{13}\text{C}^{16}\text{O}$ | 28 |
| 2.6.2 Mass scaling | 32 |
| 2.6.3 CO ($a^3\Pi$) as a target system for probing $\partial\mu/\partial t$ | 37 |
| 2.7 Conclusion | 38 |
| Chapter 3: Testing the mass-scaling relations in the ($a^3\Pi$) state of $^{12}\text{C}^{18}\text{O}$ and $^{13}\text{C}^{16}\text{O}$ | 39 |
| 3.1 Introduction | 39 |
| 3.2 Experimental setup | 40 |
| 3.3 Results and discussion | 41 |
| Chapter 4: On deflection fields, weak-focusing and strong-focusing storage rings for polar molecules | 45 |
| 4.1 Introduction | 45 |
| 4.2 Force on a polar molecule in a deflection field | 47 |
| 4.3 A weak-focusing storage ring for polar molecules | 53 |

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------|
| 4.4 | AG ring | 56 |
| 4.5 | Conclusion | 57 |
| Chapter 5: Ramsey-type microwave spectroscopy on CO ($a^3\Pi$) | | 61 |
| 5.1 | Introduction | 61 |
| 5.2 | Energy level diagram | 62 |
| 5.3 | Experimental setup | 64 |
| 5.4 | Experimental results | 67 |
| 5.4.1 | Linear and quadratic Zeeman shift | 73 |
| 5.4.2 | Magnetic field instabilities | 73 |
| 5.4.3 | Phase offsets | 75 |
| 5.4.4 | 2nd order Doppler shift and motional Stark effect | 76 |
| 5.4.5 | DC-Stark shift | 77 |
| 5.4.6 | AC-Stark shift | 77 |
| 5.4.7 | Absolute frequency determination | 77 |
| 5.5 | Conclusion | 77 |
| Chapter 6: Sensitivity of rotational transitions in CH and CD to a possible variation of fundamental constants | | 79 |
| 6.1 | Introduction | 79 |
| 6.2 | Energy level structure of a $^2\Pi$ state | 80 |
| 6.3 | Transition strengths | 85 |
| 6.4 | Relevance for tests over cosmological time scales | 86 |
| 6.5 | Conclusion | 87 |
| Chapter 7: Progress towards using CO ($a^3\Pi$) as a probe into the possible time variation of μ | | 93 |
| 7.1 | Introduction | 93 |
| 7.2 | Transition strength | 95 |
| 7.3 | Microwave cavity | 96 |
| 7.4 | Laser excitation | 98 |
| 7.5 | Current status and outlook | 101 |
| 7.6 | Conclusion | 104 |
| Cavity modes of the pulsed Titanium:Sapphire oscillator | | 105 |
| Samenvatting | | 107 |
| B.1 | Hoge gevoeligheid | 107 |
| B.2 | Zoekmethodes | 108 |
| B.3 | Moleculaire radicalen in de zoektocht naar veranderende constanten | 109 |
| Dankwoord | | 123 |
| Publications | | 125 |