

VU Research Portal

Decentralized k-Clique Matching

Chmielowiec, A.

2014

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Chmielowiec, A. (2014). *Decentralized k-Clique Matching*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

CONTENTS

ACKNOWLEDGEMENTS	xvii
1 INTRODUCTION	1
1.1 Problem Definition	1
1.2 Research Goals	4
1.3 Research Methodology	7
1.4 Outline and Contribution	7
2 WEIGHTED K-CLIQUE MATCHING ALGORITHM	9
2.1 Model Outline	9
2.1.1 k -Clique Matching Problem Formalization	10
2.2 The Algorithm	11
2.2.1 Weighted 2-Clique Matching	11
2.2.2 Weighted k -Clique Matching	12
2.3 Algorithm Properties with Proofs	18
2.3.1 Short Introduction to Self-Stabilization	18
2.3.2 The Proof	18
2.3.3 Discussion	27
2.4 Experimental Evaluation	29
2.4.1 Simulation Setup	29
2.4.2 Performance of k -Clique Matching Protocol	29
2.5 Related Work	32
2.6 Concluding Remarks	35
3 EXTENSIONS OF K-CLIQUE MATCHING ALGORITHM	37
3.1 Bounded Variable-Sized Clique Matching	37
3.1.1 The Algorithm	37
3.1.2 Algorithm Properties	39
3.1.3 Experimental Evaluation	41
3.2 Multiple Cliques per Node Matching	43
3.2.1 The Algorithm	43

3.2.2	Algorithm Properties	47
3.2.3	Experimental Evaluation	51
3.3	Combining Both Extensions into One Algorithm	54
3.4	Related Work	54
3.4.1	\mathcal{G} -Packings	54
3.4.2	b -Matchings	57
3.4.3	K -clique b -Matchings	59
3.5	Concluding Remarks	60
4	HEURISTICS, PRUNING, AND GOSSIPING	63
4.1	Heuristics for Finding a k -Clique	64
4.1.1	Algorithm Preparation	64
4.1.2	Attractiveness-Maximizing Deterministic Heuristics	72
4.1.3	Randomized Heuristics	74
4.1.4	Experimental Results	78
4.2	Formed Cliques Leaving the System	89
4.2.1	Experimental Results	90
4.3	Pruning	95
4.3.1	Experimental Results	96
4.4	Partial Views	100
4.4.1	Experimental Results	101
4.5	Gossiping Updates	108
4.5.1	Experimental Results	109
4.6	Concluding Remarks	113
5	DECENTRALIZED BRAND ALLIANCE FORMATION	117
5.1	Background	117
5.2	System Model	121
5.2.1	Node Profile Model	122
5.2.2	Co-Branding Potential Functions	124
5.2.3	Protocol's Layered Architecture	125
5.3	Evaluation	128
5.3.1	Experimental Data Acquisition	129
5.3.2	Node Profile	129
5.3.3	Protocols Comparison Setup	129
5.3.4	Convergence Analysis	131
5.3.5	Partial Views Performance	135
5.3.6	Clique-Weight Distribution Performance	136
5.4	Conclusions	140

6	CONCLUSIONS	141
6.1	Discussion	141
6.1.1	Scalability and Computational Costs	143
6.1.2	Scalability and Communication Costs	144
6.1.3	Multitasking Gossiping Protocols	145
6.1.4	Decentralized vs. Centralized Solution	146
6.1.5	Discussion Summary and Conclusions	148
6.2	Future Directions	150
A	VARIOUS EDGE WEIGHT DISTRIBUTIONS	153
A.1	Choice of Weight Distributions	153
A.2	Experimental Evaluation	154
A.2.1	Similarity Test Case	154
A.2.2	Dissimilarity Test Case	157
A.2.3	Analysis of Two Cases	157
B	ARITHMETIC MEAN OF CLIQUE EDGES WEIGHTS	161
	SUMMARY	163
	SAMENVATTING	165
	BIBLIOGRAPHY	169