

VU Research Portal

Isotopic Fingerprints of Organic Pollutants

Lutz, S.R.

2015

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Lutz, S. R. (2015). *Isotopic Fingerprints of Organic Pollutants: Quantifying Sources and Sinks of Organic Pollutants with Isotope Analysis from Aquifer to Catchment Scale*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

Samenvatting	1
Zusammenfassung	5
1 General Introduction	9
1.1 Background	10
1.1.1 Organic contaminants: isotope-based assessment of sources and sinks	10
1.1.2 Sources and sinks of pesticides at catchment scale	12
1.1.3 Modeling of sources and sinks of organic water pollutants . .	14
1.2 Thesis objectives	15
1.3 Thesis outline	15
2 A stable isotope model for combined source apportionment and degradation quantification of organic pollutants: model derivation	17
2.1 Introduction	18
2.2 Theoretical background	19
2.2.1 The Rayleigh equation: calculation of pollutant degradation .	19
2.2.2 Stable isotope mixing model: source apportionment	20
2.3 Results and Discussion	21
2.3.1 Derivation of the Stable Isotope Sources and Sinks Model . .	21
2.3.2 Degradation follows mixing: single-element CSIA	22
2.3.3 Degradation follows mixing: dual-element CSIA	23
2.3.4 Mixing follows degradation: dual-element CSIA	25
2.3.5 Unequivocal source apportionment with dual-element CSIA .	29
2.4 Conclusions	31
Supplementary information	32
3 A stable isotope model for combined source apportionment and degradation quantification of organic pollutants: model valida- tion and application	45
3.1 Introduction	46
3.2 Methods	47
3.2.1 Summary of the SISS model	47

3.2.2	Reactive transport model setup	48
3.3	Results and Discussion	49
3.3.1	Model validation: virtual data set	49
3.3.2	Model validation: extent of degradation	49
3.3.3	Model validation: source apportionment	51
3.3.4	Model application: description of the case study	52
3.3.5	Model application: preliminary qualitative analysis	52
3.3.6	Model application: SA and QED in the mixing zone	55
3.3.7	Uncertainties and complications in the use of the SISS model	58
3.4	Conclusions	59
	Supplementary information	61
4	A model-based assessment of the potential use of CSIA in the analysis of diffuse pesticide pollution	67
4.1	Introduction	68
4.2	Methods	70
4.2.1	Model code description: HydroGeoSphere	70
4.2.2	Hillslope geometry and model grid	70
4.2.3	Hydraulic properties and flow simulation	71
4.2.4	Reactive solute transport	72
4.2.5	Simulation of isotope fractionation effects	73
4.2.6	Simulated scenarios	75
4.2.7	Post-model calculations	77
4.3	Results	78
4.3.1	Scenario 1: steady-state flow conditions	78
4.3.2	Scenario 2: extreme rainfall event	80
4.3.3	Scenario 3: transient simulation for water flow and solute input	81
4.4	Discussion	83
4.4.1	Pesticide movement through the hillslope	83
4.4.2	Carbon and hydrogen isotope ratios	84
4.4.3	Responses to rainfall events	86
4.4.4	Validity of model assumptions	88
4.4.5	Implications for the applicability of CSIA to assess pesticide transport and transformation	89
4.5	Conclusions	92
5	CSIA of pesticides: a combined monitoring and modeling approach to assess pesticide fate and degradation at catchment scale	95
5.1	Introduction	96
5.2	Methods	97
5.2.1	Field measurements	97
5.2.2	Hydrological model	101
5.2.3	Pesticide model	102
5.2.4	Input data and calibration	104
5.3	Results and Discussion	106

5.3.1	Monitoring results	106
5.3.2	Modeling results	111
5.4	Conclusions	119
	Supplementary information	121
6	Synthesis	125
6.1	Summary	126
6.2	Implications and Outlook	128
6.2.1	Assessment of contaminant sources and sinks with the SISS model	128
6.2.2	Applicability of CSIA for diffuse pollutants	129
6.2.3	Recommendations for modeling of CSIA of diffuse pollutants	130
	Acknowledgments	133