

VU Research Portal

Beyond the average

Aarts, E.

2016

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Aarts, E. (2016). *Beyond the average: Choosing and improving statistical methods to optimize inference from complex neuroscience data*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

1 General introduction	1
1.1.1 Optimal description of nested data	3
1.1.2 Optimal exploitation of experimental advances	5
1.1.3 Aims and outline of this thesis	9
2 A solution to dependency	13
2.1.1 The problem of nesting	15
2.1.2 The prevalence of nesting in Neuroscience studies	21
2.1.3 Multilevel analysis	22
2.1.4 Power up: determining the optimal study design	24
2.1.5 Discussion	28
2.2 Supplement	30
2.2.1 Generation and analysis of simulated data	30
2.2.2 Analysis results of 18 neuroscience datasets containing nesting	33
2.2.3 A worked example of the analysis of nested data	37
3 ML analysis quantifies variation in the experimental effect	45
3.1 Background	47
3.1.1 Research design A	49

3.1.2	Research design B	52
3.2	Methods	57
3.3	Results and discussion	59
3.3.1	Ignoring cluster-related variation	59
3.3.2	Ignoring variation in the intercept in design B data	59
3.3.3	Ignoring variation in the experimental effect	62
3.3.4	Explaining part of the variation in the experimental effect	63
3.3.5	Maximizing power by optimally allocating sample sizes	66
3.4	Conclusions	68
3.5	Supplement	69
3.5.1	A worked example of the analysis of nested data, design B	69
3.5.2	Optimal allocation of samples and estimating statistical power	78
4	The light spot test	83
4.1	Introduction	85
4.2	Materials and methods	86
4.3	Results	90
4.3.1	Experiment 1	91
4.3.2	Experiment 2	92
4.3.3	Experiment 3	93
4.4	Discussion	95
4.5	Supplement	98
4.5.1	Supplementary methods	98
4.5.2	Supplementary figures	99

5 Using Markov models to analyze behavioral data of mice	105
5.1 Description of the longitudinal mouse data	108
5.2 Background and notation	114
5.2.1 Markov chain model	114
5.2.2 Continuous time Markov chain model	115
5.2.3 Modeling latent states rather than observed acts	119
5.2.4 Hidden Markov models	120
5.2.5 Hidden semi Markov models	125
5.3 The final model: Hierarchical hidden semi Markov model	132
5.3.1 Simulation study	134
5.3.2 Comparing the behavior of young adult and aged mice	147
5.4 Conclusions and future directions	160
5.5 Supplement	170
5.5.1 Supplementary tables	170
5.5.2 Parameter estimation	182
5.5.3 MCMC algorithms	199
5.5.4 Description of the young adult and aged mice	211
6 Summary, discussion, and future directions	215
6.1.1 Challenges and opportunities when collecting multiple observations from each research object	218
6.1.2 Validity of automated home-cage systems and recommended developments	223
6.1.3 Added value and future directions of the developed hierarchical hidden semi Markov model	226
6.1.4 Final remarks	228

Reference list	231
Nederlandse samenvatting	247
Dankwoord	253
About the author	257
Peer-reviewed publications	259