

VU Research Portal

Kinetic models for synaptic vesicle release

Schotten, S.

2016

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Schotten, S. (2016). *Kinetic models for synaptic vesicle release*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Bibliography

- [1] John Von Neumann. *The computer and the brain*. Mrs. Hepsa Ely Silliman memorial lectures. Yale University Press, New Haven, 1958.
- [2] A. Goldental et al. A computational paradigm for dynamic logic-gates in neuronal activity. *Front Comput Neurosci*, 8:52, 2014.
- [3] Terrence J. Sejnowski. The computer and the brain revisited. *IEEE Ann. Hist. Comput.*, 11(3):197–201, 1989.
- [4] D. A. Drachman. Do we have brain to spare? *Neurology*, 64(12):2004–5, 2005.
- [5] V. Mnih et al. Human-level control through deep reinforcement learning. *Nature*, 518(7540):529–33, 2015.
- [6] P. A. Merolla et al. Artificial brains. a million spiking-neuron integrated circuit with a scalable communication network and interface. *Science*, 345(6197):668–73, 2014.
- [7] A. M. Zador. The basic unit of computation. *Nat Neurosci*, 3 Suppl:1167, 2000.
- [8] W. S. McCulloch and W. Pitts. A logical calculus of the ideas immanent in nervous activity. 1943. *Bull Math Biol*, 52(1-2):99–115; discussion 73–97, 1990.
- [9] L. F. Abbott and W. G. Regehr. Synaptic computation. *Nature*, 431(7010):796–803, 2004.

- [10] T. Branco and K. Staras. The probability of neurotransmitter release: variability and feedback control at single synapses. *Nat Rev Neurosci*, 10(5):373–83, 2009.
- [11] J. J. Torres and H. J. Kappen. Emerging phenomena in neural networks with dynamic synapses and their computational implications. *Front Comput Neurosci*, 7:30, 2013.
- [12] T. Schikorski and C. F. Stevens. Morphological correlates of functionally defined synaptic vesicle populations. *Nat Neurosci*, 4(4):391–5, 2001.
- [13] E. D. Gundelfinger and A. Fejtova. Molecular organization and plasticity of the cytomatrix at the active zone. *Curr Opin Neurobiol*, 22(3):423–30, 2012.
- [14] C. Imig et al. The morphological and molecular nature of synaptic vesicle priming at presynaptic active zones. *Neuron*, 84(2):416–31, 2014.
- [15] T. C. Sudhof. The synaptic vesicle cycle. *Annu Rev Neurosci*, 27:509–47, 2004.
- [16] C. Ribault et al. From the stochasticity of molecular processes to the variability of synaptic transmission. *Nat Rev Neurosci*, 12(7):375–87, 2011.
- [17] R. G. Morris. Long-term potentiation and memory. *Philos Trans R Soc Lond B Biol Sci*, 358(1432):643–7, 2003.
- [18] P. Y. Deng and V. A. Klyachko. The diverse functions of short-term plasticity components in synaptic computations. *Commun Integr Biol*, 4(5):543–8, 2011.
- [19] L. F. Abbott et al. Synaptic depression and cortical gain control. *Science*, 275(5297):220–4, 1997.
- [20] M. V. Tsodyks and H. Markram. The neural code between neocortical pyramidal neurons depends on neurotransmitter release probability. *Proc Natl Acad Sci U S A*, 94(2):719–23, 1997.
- [21] J. S. Liaw and T. W. Berger. Dynamic synapse: a new concept of neural representation and computation. *Hippocampus*, 6(6):591–600, 1996.
- [22] M. Tsodyks et al. Neural networks with dynamic synapses. *Neural Comput*, 10(4):821–35, 1998.
- [23] J. S. Rothman. Synaptic depression enables neuronal gain control. *Nature*, 457(7232):1015–8, 2008.

-
- [24] G. Mongillo et al. Synaptic theory of working memory. *Science*, 319(5869):1543–6, 2008.
- [25] D. L. Cook et al. Synaptic depression in the localization of sound. *Nature*, 421(6918):66–70, 2003.
- [26] H. Kuba et al. Synaptic depression improves coincidence detection in the nucleus laminaris in brainstem slices of the chick embryo. *Eur J Neurosci*, 15(6):984–90, 2002.
- [27] K. M. MacLeod. Short-term synaptic plasticity and intensity coding. *Hear Res*, 279(1-2):13–21, 2011.
- [28] J. Rizo and C. Rosenmund. Synaptic vesicle fusion. *Nat Struct Mol Biol*, 15(7):665–74, 2008.
- [29] R. Mohrmann and J. B. Sorensen. Snare requirements en route to exocytosis: from many to few. *J Mol Neurosci*, 48(2):387–94, 2012.
- [30] T. C. Sudhof. Neurotransmitter release: the last millisecond in the life of a synaptic vesicle. *Neuron*, 80(3):675–90, 2013.
- [31] T. C. Sudhof and J. E. Rothman. Membrane fusion: grappling with snare and sm proteins. *Science*, 323(5913):474–7, 2009.
- [32] R. Mohrmann et al. Fast vesicle fusion in living cells requires at least three snare complexes. *Science*, 330(6003):502–5, 2010.
- [33] H. J. Risselada et al. Caught in the act: visualization of snare-mediated fusion events in molecular detail. *Chembiochem*, 12(7):1049–55, 2011.
- [34] R. Sinha et al. Two synaptobrevin molecules are sufficient for vesicle fusion in central nervous system synapses. *Proc Natl Acad Sci U S A*, 108(34):14318–23, 2011.
- [35] G. van den Bogaart et al. One snare complex is sufficient for membrane fusion. *Nat Struct Mol Biol*, 17(3):358–64, 2010.
- [36] M. Geppert et al. Synaptotagmin i: a major ca^{2+} sensor for transmitter release at a central synapse. *Cell*, 79(4):717–27, 1994.
- [37] O. Kochubey and R. Schneggenburger. Synaptotagmin increases the dynamic range of synapses by driving $ca^{(2)+}$ -evoked release and by clamping a near-linear remaining $ca^{(2)+}$ sensor. *Neuron*, 69(4):736–48, 2011.
- [38] T. Bacaj et al. Synaptotagmin-1 and synaptotagmin-7 trigger synchronous and asynchronous phases of neurotransmitter release. *Neuron*, 80(4):947–59, 2013.

- [39] A. J. Groffen et al. Doc2b is a high-affinity ca^{2+} sensor for spontaneous neurotransmitter release. *Science*, 327(5973):1614–8, 2010.
- [40] S. Martens et al. How synaptotagmin promotes membrane fusion. *Science*, 316(5828):1205–8, 2007.
- [41] T. C. Sudhof. The presynaptic active zone. *Neuron*, 75(1):11–25, 2012.
- [42] C. Ma et al. Munc13 mediates the transition from the closed syntaxin-munc18 complex to the snare complex. *Nat Struct Mol Biol*, 18(5):542–9, 2011.
- [43] A. Betz et al. Munc13-1 is a presynaptic phorbol ester receptor that enhances neurotransmitter release. *Neuron*, 21(1):123–36, 1998.
- [44] H. J. Junge et al. Calmodulin and munc13 form a ca^{2+} sensor/effector complex that controls short-term synaptic plasticity. *Cell*, 118(3):389–401, 2004.
- [45] O. H. Shin et al. Munc13 c2b domain is an activity-dependent ca^{2+} regulator of synaptic exocytosis. *Nat Struct Mol Biol*, 17(3):280–8, 2010.
- [46] R. S. Zucker and W. G. Regehr. Short-term synaptic plasticity. *Annu Rev Physiol*, 64:355–405, 2002.
- [47] D. Fioravante and W. G. Regehr. Short-term forms of presynaptic plasticity. *Curr Opin Neurobiol*, 21(2):269–74, 2011.
- [48] E. Neher and T. Sakaba. Multiple roles of calcium ions in the regulation of neurotransmitter release. *Neuron*, 59(6):861–72, 2008.
- [49] T. Sakaba and E. Neher. Calmodulin mediates rapid recruitment of fast-releasing synaptic vesicles at a calyx-type synapse. *Neuron*, 32(6):1119–31, 2001.
- [50] N. Hosoi et al. Calcium dependence of exo- and endocytotic coupling at a glutamatergic synapse. *Neuron*, 63(2):216–29, 2009.
- [51] E. Neher. What is rate-limiting during sustained synaptic activity: Vesicle supply or the availability of release sites. *Front Synaptic Neurosci*, 2:144, 2010.
- [52] S. M. Wojcik and N. Brose. Regulation of membrane fusion in synaptic excitation-secretion coupling: speed and accuracy matter. *Neuron*, 55(1):11–24, 2007.

-
- [53] I. D. Forsythe et al. Inactivation of presynaptic calcium current contributes to synaptic depression at a fast central synapse. *Neuron*, 20(4):797–807, 1998.
- [54] S. Mochida et al. Regulation of presynaptic $Ca_v2.1$ channels by Ca^{2+} sensor proteins mediates short-term synaptic plasticity. *Neuron*, 57(2):210–6, 2008.
- [55] C. F. Stevens and J. F. Wesseling. Augmentation is a potentiation of the exocytotic process. *Neuron*, 22(1):139–46, 1999.
- [56] E. Garcia-Perez and J. F. Wesseling. Augmentation controls the fast rebound from depression at excitatory hippocampal synapses. *J Neurophysiol*, 99(4):1770–86, 2008.
- [57] A. P. de Jong and M. Verhage. Presynaptic signal transduction pathways that modulate synaptic transmission. *Curr Opin Neurobiol*, 19(3):245–53, 2009.
- [58] S. O. Rizzoli and W. J. Betz. Synaptic vesicle pools. *Nat Rev Neurosci*, 6(1):57–69, 2005.
- [59] M. Naraghi et al. Two-dimensional determination of the cellular Ca^{2+} binding in bovine chromaffin cells. *Biophys J*, 75(4):1635–47, 1998.
- [60] R. Schneggenburger et al. Released fraction and total size of a pool of immediately available transmitter quanta at a calyx synapse. *Neuron*, 23(2):399–409, 1999.
- [61] A. Burgalossi et al. Analysis of neurotransmitter release mechanisms by photolysis of caged Ca^{2+} in an autaptic neuron culture system. *Nat Protoc*, 7(7):1351–65, 2012.
- [62] A. Burgalossi et al. Snare protein recycling by α snap and β snap supports synaptic vesicle priming. *Neuron*, 68(3):473–87, 2010.
- [63] E. Neher. A comparison between exocytic control mechanisms in adrenal chromaffin cells and a glutamatergic synapse. *Pflugers Arch*, 453(3):261–8, 2006.
- [64] K. L. Moulder and S. Mennerick. Reluctant vesicles contribute to the total readily releasable pool in glutamatergic hippocampal neurons. *J Neurosci*, 25(15):3842–50, 2005.
- [65] X. Lou et al. Phorbol esters modulate spontaneous and Ca^{2+} -evoked transmitter release via acting on both munc13 and protein kinase c. *J Neurosci*, 28(33):8257–67, 2008.

- [66] J. M. Bekkers and C. F. Stevens. Excitatory and inhibitory autaptic currents in isolated hippocampal neurons maintained in cell culture. *Proc Natl Acad Sci U S A*, 88(17):7834–8, 1991.
- [67] M. Geppert et al. The small gtp-binding protein rab3a regulates a late step in synaptic vesicle fusion. *Nature*, 387(6635):810–4, 1997.
- [68] C. Rosenmund and C. F. Stevens. Definition of the readily releasable pool of vesicles at hippocampal synapses. *Neuron*, 16(6):1197–207, 1996.
- [69] C. F. Stevens and T. Tsujimoto. Estimates for the pool size of releasable quanta at a single central synapse and for the time required to refill the pool. *Proc Natl Acad Sci U S A*, 92(3):846–9, 1995.
- [70] C. F. Stevens and J. H. Williams. Discharge of the readily releasable pool with action potentials at hippocampal synapses. *J Neurophysiol*, 98(6):3221–9, 2007.
- [71] M. G. Mozhayeva et al. Development of vesicle pools during maturation of hippocampal synapses. *J Neurosci*, 22(3):654–65, 2002.
- [72] J. D. Clements and R. A. Silver. Unveiling synaptic plasticity: a new graphical and analytical approach. *Trends Neurosci*, 23(3):105–13, 2000.
- [73] K. Ikeda et al. Distinctive quantal properties of neurotransmission at excitatory and inhibitory autapses revealed using variance-mean analysis. *J Neurosci*, 28(50):13563–73, 2008.
- [74] P. Ariel and T. A. Ryan. Optical mapping of release properties in synapses. *Front Neural Circuits*, 4, 2010.
- [75] P. Ariel and T. A. Ryan. New insights into molecular players involved in neurotransmitter release. *Physiology (Bethesda)*, 27(1):15–24, 2012.
- [76] X. Lou et al. Allosteric modulation of the presynaptic ca²⁺ sensor for vesicle fusion. *Nature*, 435(7041):497–501, 2005.
- [77] E. Eggermann et al. Nanodomain coupling between ca(2)(+) channels and sensors of exocytosis at fast mammalian synapses. *Nat Rev Neurosci*, 13(1):7–21, 2012.
- [78] B. Katz and R. Miledi. The role of calcium in neuromuscular facilitation. *J Physiol*, 195(2):481–92, 1968.
- [79] W. G. Regehr. Short-term presynaptic plasticity. *Cold Spring Harb Perspect Biol*, 4(7):a005702, 2012.

-
- [80] A. Rozov et al. Transmitter release modulation by intracellular ca^{2+} buffers in facilitating and depressing nerve terminals of pyramidal cells in layer 2/3 of the rat neocortex indicates a target cell-specific difference in presynaptic calcium dynamics. *J Physiol*, 531(Pt 3):807–26, 2001.
- [81] F. Felmy et al. Probing the intracellular calcium sensitivity of transmitter release during synaptic facilitation. *Neuron*, 37(5):801–11, 2003.
- [82] J. Xu and L. G. Wu. The decrease in the presynaptic calcium current is a major cause of short-term depression at a calyx-type synapse. *Neuron*, 46(4):633–45, 2005.
- [83] W. A. Catterall and A. P. Few. Calcium channel regulation and presynaptic plasticity. *Neuron*, 59(6):882–901, 2008.
- [84] K. D. Wierda et al. Interdependence of pkc-dependent and pkc-independent pathways for presynaptic plasticity. *Neuron*, 54(2):275–90, 2007.
- [85] M. Barnes-Davies and I. D. Forsythe. Pre- and postsynaptic glutamate receptors at a giant excitatory synapse in rat auditory brainstem slices. *J Physiol*, 488 (Pt 2):387–406, 1995.
- [86] J. G. Borst and B. Sakmann. Effect of changes in action potential shape on calcium currents and transmitter release in a calyx-type synapse of the rat auditory brainstem. *Philos Trans R Soc Lond B Biol Sci*, 354(1381):347–55, 1999.
- [87] J. Basu et al. Munc13-1 c1 domain activation lowers the energy barrier for synaptic vesicle fusion. *J Neurosci*, 27(5):1200–10, 2007.
- [88] J. S. Rhee et al. Beta phorbol ester- and diacylglycerol-induced augmentation of transmitter release is mediated by munc13s and not by pkcs. *Cell*, 108(1):121–33, 2002.
- [89] C. Rosenmund et al. Differential control of vesicle priming and short-term plasticity by munc13 isoforms. *Neuron*, 33(3):411–24, 2002.
- [90] S. A. Fisher et al. Multiple overlapping processes underlying short-term synaptic enhancement. *Trends Neurosci*, 20(4):170–7, 1997.
- [91] J. B. Sorensen. Conflicting views on the membrane fusion machinery and the fusion pore. *Annu Rev Cell Dev Biol*, 25:513–37, 2009.
- [92] L. V. Chernomordik and M. M. Kozlov. Mechanics of membrane fusion. *Nat Struct Mol Biol*, 15(7):675–83, 2008.

- [93] M. M. Kozlov and V. S. Markin. [possible mechanism of membrane fusion]. *Biofizika*, 28(2):242–7, 1983.
- [94] L. V. Chernomordik and M. M. Kozlov. Protein-lipid interplay in fusion and fission of biological membranes. *Annu Rev Biochem*, 72:175–207, 2003.
- [95] Y. Zhu and C. F. Stevens. Probing synaptic vesicle fusion by altering mechanical properties of the neuronal surface membrane. *Proc Natl Acad Sci U S A*, 105(46):18018–22, 2008.
- [96] D. Leckband and J. Israelachvili. Intermolecular forces in biology. *Q Rev Biophys*, 34(2):105–267, 2001.
- [97] F. S. Cohen and G. B. Melikyan. The energetics of membrane fusion from binding, through hemifusion, pore formation, and pore enlargement. *J Membr Biol*, 199(1):1–14, 2004.
- [98] R. Jahn and H. Grubmuller. Membrane fusion. *Curr Opin Cell Biol*, 14(4):488–95, 2002.
- [99] Y. Kozlovsky and M. M. Kozlov. Stalk model of membrane fusion: solution of energy crisis. *Biophys J*, 82(2):882–95, 2002.
- [100] P. I. Kuzmin and others. A quantitative model for membrane fusion based on low-energy intermediates. *Proc Natl Acad Sci U S A*, 98(13):7235–40, 2001.
- [101] V. S. Markin and J. P. Albanesi. Membrane fusion: stalk model revisited. *Biophys J*, 82(2):693–712, 2002.
- [102] S. L. Leikin et al. Membrane fusion: overcoming of the hydration barrier and local restructuring. *J Theor Biol*, 129(4):411–25, 1987.
- [103] T. Weber et al. Snarepins: minimal machinery for membrane fusion. *Cell*, 92(6):759–72, 1998.
- [104] F. Li et al. Energetics and dynamics of snarepin folding across lipid bilayers. *Nat Struct Mol Biol*, 14(10):890–6, 2007.
- [105] W. Liu et al. Single molecule measurements of interaction free energies between the proteins within binary and ternary snare complexes. *J Nanoneurosci*, 1(2):120–129, 2009.
- [106] K. Wiederhold and D. Fasshauer. Is assembly of the snare complex enough to fuel membrane fusion? *J Biol Chem*, 284(19):13143–52, 2009.

-
- [107] S. Martens and H. T. McMahon. Mechanisms of membrane fusion: disparate players and common principles. *Nat Rev Mol Cell Biol*, 9(7):543–56, 2008.
- [108] H. T. McMahon et al. Membrane curvature in synaptic vesicle fusion and beyond. *Cell*, 140(5):601–5, 2010.
- [109] M. Xue et al. Binding of the complexin n terminus to the snare complex potentiates synaptic-vesicle fusogenicity. *Nat Struct Mol Biol*, 17(5):568–75, 2010.
- [110] S. H. Gerber et al. Conformational switch of syntaxin-1 controls synaptic vesicle fusion. *Science*, 321(5895):1507–10, 2008.
- [111] C. Acuna et al. Microsecond dissection of neurotransmitter release: Snare-complex assembly dictates speed and Ca^{2+} sensitivity. *Neuron*, 82(5):1088–100, 2014.
- [112] T. Sakaba et al. Distinct kinetic changes in neurotransmitter release after snare protein cleavage. *Science*, 309(5733):491–4, 2005.
- [113] G. Lonart et al. Phosphorylation of rim1alpha by pka triggers presynaptic long-term potentiation at cerebellar parallel fiber synapses. *Cell*, 115(1):49–60, 2003.
- [114] A. Maximov et al. Synaptotagmin-12, a synaptic vesicle phosphoprotein that modulates spontaneous neurotransmitter release. *J Cell Biol*, 176(1):113–24, 2007.
- [115] T. Sakaba and E. Neher. Preferential potentiation of fast-releasing synaptic vesicles by camp at the calyx of held. *Proc Natl Acad Sci U S A*, 98(1):331–6, 2001.
- [116] M. Wolfel et al. A mechanism intrinsic to the vesicle fusion machinery determines fast and slow transmitter release at a large cns synapse. *J Neurosci*, 27(12):3198–210, 2007.
- [117] M. H. Hennig. Theoretical models of synaptic short term plasticity. *Front Comput Neurosci*, 7:154, 2013.
- [118] H. J. Berendsen. Bioinformatics. reality simulation–observe while it happens. *Science*, 294(5550):2304–5, 2001.
- [119] S. Hallermann et al. Mechanisms of short-term plasticity at neuromuscular active zones of drosophila. *HFSP J*, 4(2):72–84, 2010.

- [120] M. H. Hennig et al. Interactions between multiple sources of short-term plasticity during evoked and spontaneous activity at the rat calyx of held. *J Physiol*, 586(13):3129–46, 2008.
- [121] C. C. Lee et al. A kinetic model unifying presynaptic short-term facilitation and depression. *J Comput Neurosci*, 26(3):459–73, 2009.
- [122] V. Matveev et al. Residual bound ca^{2+} can account for the effects of ca^{2+} buffers on synaptic facilitation. *J Neurophysiol*, 96(6):3389–97, 2006.
- [123] A. Mezer et al. A new platform to study the molecular mechanisms of exocytosis. *J Neurosci*, 24(40):8838–46, 2004.
- [124] S. Nadkarni et al. Modelling vesicular release at hippocampal synapses. *PLoS Comput Biol*, 6(11):e1000983, 2010.
- [125] Y. Otsu et al. Competition between phasic and asynchronous release for recovered synaptic vesicles at developing hippocampal autaptic synapses. *J Neurosci*, 24(2):420–33, 2004.
- [126] B. Pan and R. S. Zucker. A general model of synaptic transmission and short-term plasticity. *Neuron*, 62(4):539–54, 2009.
- [127] J. Trommershauser et al. Heterogeneous presynaptic release probabilities: functional relevance for short-term plasticity. *Biophys J*, 84(3):1563–79, 2003.
- [128] A. M. Walter et al. A sequential vesicle pool model with a single release sensor and a ca^{2+} -dependent priming catalyst effectively explains ca^{2+} -dependent properties of neurosecretion. *PLoS Comput Biol*, 9(12):e1003362, 2013.
- [129] S. Weis et al. Properties of a model of ca^{++} -dependent vesicle pool dynamics and short term synaptic depression. *Biophys J*, 77(5):2418–29, 1999.
- [130] J. S. Dittman et al. Interplay between facilitation, depression, and residual calcium at three presynaptic terminals. *J Neurosci*, 20(4):1374–85, 2000.
- [131] N. Hosoi et al. Quantitative analysis of calcium-dependent vesicle recruitment and its functional role at the calyx of held synapse. *J Neurosci*, 27(52):14286–98, 2007.
- [132] R. Schneggenburger and E. Neher. Intracellular calcium dependence of transmitter release rates at a fast central synapse. *Nature*, 406(6798):889–93, 2000.

-
- [133] J. Sun et al. A dual- Ca^{2+} -sensor model for neurotransmitter release in a central synapse. *Nature*, 450(7170):676–82, 2007.
- [134] T. Voets. Dissection of three Ca^{2+} -dependent steps leading to secretion in chromaffin cells from mouse adrenal slices. *Neuron*, 28(2):537–45, 2000.
- [135] N. Babai et al. An alien divalent ion reveals a major role for Ca^{2+} buffering in controlling slow transmitter release. *J Neurosci*, 34(38):12622–35, 2014.
- [136] Jr. Dodge, F. A. and R. Rahamimoff. Co-operative action a calcium ions in transmitter release at the neuromuscular junction. *J Physiol*, 193(2):419–32, 1967.
- [137] S.A Arrhenius. Über die dissociationswärme und den einfluß der temperatur auf den dissociationsgrad der elektrolyte. *Z. Physik. Chem.*, 4:96–116, 1889.
- [138] S.A Arrhenius. Über die reaktionsgeschwindigkeit bei der inversion von rohrzucker durch säuren. *ibid*, 4:226248., 1889.
- [139] R. Jahn and D. Fasshauer. Molecular machines governing exocytosis of synaptic vesicles. *Nature*, 490(7419):201–7, 2012.
- [140] J. S. Rhee et al. Augmenting neurotransmitter release by enhancing the apparent Ca^{2+} affinity of synaptotagmin 1. *Proc Natl Acad Sci U S A*, 102(51):18664–9, 2005.
- [141] J. Xu et al. Synaptotagmin-1, -2, and -9: Ca^{2+} sensors for fast release that specify distinct presynaptic properties in subsets of neurons. *Neuron*, 54(4):567–81, 2007.
- [142] A. M. Walter et al. Synaptobrevin n-terminally bound to syntaxin-snap-25 defines the primed vesicle state in regulated exocytosis. *J Cell Biol*, 188(3):401–13, 2010.
- [143] J. P. Weber et al. Opposing functions of two sub-domains of the snare-complex in neurotransmission. *EMBO J*, 29(15):2477–90, 2010.
- [144] M. Arancillo et al. Titration of syntaxin1 in mammalian synapses reveals multiple roles in vesicle docking, priming, and release probability. *J Neurosci*, 33(42):16698–714, 2013.
- [145] N. Korogod et al. Posttetanic potentiation critically depends on an enhanced Ca^{2+} sensitivity of vesicle fusion mediated by presynaptic pkc. *Proc Natl Acad Sci U S A*, 104(40):15923–8, 2007.

- [146] P. Fatt and B. Katz. Spontaneous subthreshold activity at motor nerve endings. *J Physiol*, 117(1):109–28, 1952.
- [147] J. Xu et al. Synaptotagmin-1 functions as a ca^{2+} sensor for spontaneous release. *Nat Neurosci*, 12(6):759–66, 2009.
- [148] Y. S. Ermolyuk et al. Differential triggering of spontaneous glutamate release by p/q-, n- and r-type ca^{2+} channels. *Nat Neurosci*, 16(12):1754–63, 2013.
- [149] S. J. Pyott and C. Rosenmund. The effects of temperature on vesicular supply and release in autaptic cultures of rat and mouse hippocampal neurons. *J Physiol*, 539(Pt 2):523–35, 2002.
- [150] R. F. Toonen et al. Munc18-1 expression levels control synapse recovery by regulating readily releasable pool size. *Proc Natl Acad Sci U S A*, 103(48):18332–7, 2006.
- [151] W. D. Altmann et al. Functional inactivation of a fraction of excitatory synapses in mice deficient for the active zone protein bassoon. *Neuron*, 37(5):787–800, 2003.
- [152] I. Augustin et al. Munc13-1 is essential for fusion competence of glutamatergic synaptic vesicles. *Nature*, 400(6743):457–61, 1999.
- [153] C. Priller et al. Synapse formation and function is modulated by the amyloid precursor protein. *J Neurosci*, 26(27):7212–21, 2006.
- [154] C. Priller et al. Mutant presenilin 1 alters synaptic transmission in cultured hippocampal neurons. *J Biol Chem*, 282(2):1119–27, 2007.
- [155] C. Priller et al. Excitatory synaptic transmission is depressed in cultured hippocampal neurons of app/ps1 mice. *Neurobiol Aging*, 30(8):1227–37, 2009.
- [156] K. Reim et al. Complexins regulate a late step in ca^{2+} -dependent neurotransmitter release. *Cell*, 104(1):71–81, 2001.
- [157] K. Ikeda and J. M. Bekkers. Counting the number of releasable synaptic vesicles in a presynaptic terminal. *Proc Natl Acad Sci U S A*, 106(8):2945–50, 2009.
- [158] S. P. Goswami et al. Miniature ipscs in hippocampal granule cells are triggered by voltage-gated ca^{2+} channels via microdomain coupling. *J Neurosci*, 32(41):14294–304, 2012.

-
- [159] N. J. Emptage et al. Calcium stores in hippocampal synaptic boutons mediate short-term plasticity, store-operated ca^{2+} entry, and spontaneous transmitter release. *Neuron*, 29(1):197–208, 2001.
- [160] A. Miermont et al. Severe osmotic compression triggers a slowdown of intracellular signaling, which can be explained by molecular crowding. *Proc Natl Acad Sci U S A*, 110(14):5725–30, 2013.
- [161] B. R. Rost et al. Activation of metabotropic gaba receptors increases the energy barrier for vesicle fusion. *J Cell Sci*, 124(Pt 18):3066–73, 2011.
- [162] T. J. Searl and E. M. Silinsky. Increases in acetylcholine release produced by phorbol esters are not mediated by protein kinase c at motor nerve endings. *Journal of Pharmacology and Experimental Therapeutics*, 285(1):247–251, 1998.
- [163] X. Yang et al. Complexin clamps asynchronous release by blocking a secondary ca^{2+} sensor via its accessory alpha helix. *Neuron*, 68(5):907–20, 2010.
- [164] B. G. Wilhelm et al. Composition of isolated synaptic boutons reveals the amounts of vesicle trafficking proteins. *Science*, 344(6187):1023–8, 2014.
- [165] V. S. Malinin and B. R. Lentz. Energetics of vesicle fusion intermediates: comparison of calculations with observed effects of osmotic and curvature stresses. *Biophys J*, 86(5):2951–64, 2004.
- [166] N. Lipstein et al. Dynamic control of synaptic vesicle replenishment and short-term plasticity by ca^{2+} -calmodulin-munc13-1 signaling. *Neuron*, 79(1):82–96, 2013.
- [167] O. Genc et al. Munc18-1 is a dynamically regulated pkc target during short-term enhancement of transmitter release. *Elife*, 3:e01715, 2014.
- [168] H. J. Risselada and H. Grubmuller. How snare molecules mediate membrane fusion: recent insights from molecular simulations. *Curr Opin Struct Biol*, 22(2):187–96, 2012.
- [169] M. Lindau et al. Coarse-grain simulations reveal movement of the synaptobrevin c-terminus in response to piconewton forces. *Biophys J*, 103(5):959–69, 2012.
- [170] F. Li et al. Complexin activates and clamps snarepins by a common mechanism involving an intermediate energetic state. *Nat Struct Mol Biol*, 18(8):941–6, 2011.

- [171] F. Seiler et al. A role of complexin-lipid interactions in membrane fusion. *FEBS Lett*, 583(14):2343–8, 2009.
- [172] J. S. Diamond and C. E. Jahr. Asynchronous release of synaptic vesicles determines the time course of the ampa receptor-mediated epsc. *Neuron*, 15(5):1097–107, 1995.
- [173] M. C. Bellingham and B. Walmsley. A novel presynaptic inhibitory mechanism underlies paired pulse depression at a fast central synapse. *Neuron*, 23(1):159–70, 1999.
- [174] T. Ishikawa and T. Takahashi. Mechanisms underlying presynaptic facilitatory effect of cyclothiazide at the calyx of held of juvenile rats. *J Physiol*, 533(Pt 2):423–31, 2001.
- [175] C. Rickman et al. Comparative analysis of tandem c2 domains from the mammalian synaptotagmin family. *Biochem J*, 378(Pt 2):681–6, 2004.
- [176] A. M. Walter et al. Multiple ca²⁺ sensors in secretion: teammates, competitors or autocrats? *Trends Neurosci*, 34(9):487–97, 2011.
- [177] A. Maximov and T. C. Sudhof. Autonomous function of synaptotagmin 1 in triggering synchronous release independent of asynchronous release. *Neuron*, 48(4):547–54, 2005.
- [178] K. Brodie et al. Absence of synaptotagmin disrupts excitation-secretion coupling during synaptic transmission. *Proc Natl Acad Sci U S A*, 91(22):10727–31, 1994.
- [179] M. C. Chicka et al. Synaptotagmin arrests the snare complex before triggering fast, efficient membrane fusion in response to ca²⁺. *Nat Struct Mol Biol*, 15(8):827–35, 2008.
- [180] A. M. Kerr et al. Differential dependence of phasic transmitter release on synaptotagmin 1 at gabaergic and glutamatergic hippocampal synapses. *Proc Natl Acad Sci U S A*, 105(40):15581–6, 2008.
- [181] J. T. Littleton et al. Calcium dependence of neurotransmitter release and rate of spontaneous vesicle fusions are altered in drosophila synaptotagmin mutants. *Proc Natl Acad Sci U S A*, 91(23):10888–92, 1994.
- [182] E. R. Chapman. How does synaptotagmin trigger neurotransmitter release? *Annu Rev Biochem*, 77:615–41, 2008.
- [183] Z. P. Pang and T. C. Sudhof. Cell biology of ca²⁺-triggered exocytosis. *Curr Opin Cell Biol*, 22(4):496–505, 2010.

-
- [184] J. R. Schaub et al. Hemifusion arrest by complexin is relieved by ca^{2+} -synaptotagmin i. *Nat Struct Mol Biol*, 13(8):748–50, 2006.
- [185] G. van den Bogaart et al. Synaptotagmin-1 may be a distance regulator acting upstream of snare nucleation. *Nat Struct Mol Biol*, 18(7):805–12, 2011.
- [186] C. C. Lin et al. Control of membrane gaps by synaptotagmin- ca^{2+} measured with a novel membrane distance ruler. *Nat Commun*, 5:5859, 2014.
- [187] S. Schotten et al. Additive effects on the energy barrier for synaptic vesicle fusion cause supralinear effects on the vesicle fusion rate. *Elife*, 4, 2015.
- [188] H. de Wit et al. Synaptotagmin-1 docks secretory vesicles to syntaxin-1/snap-25 acceptor complexes. *Cell*, 138(5):935–46, 2009.
- [189] N. E. Reist et al. Morphologically docked synaptic vesicles are reduced in synaptotagmin mutants of drosophila. *J Neurosci*, 18(19):7662–73, 1998.
- [190] H. Liu et al. Autapses and networks of hippocampal neurons exhibit distinct synaptic transmission phenotypes in the absence of synaptotagmin i. *J Neurosci*, 29(23):7395–403, 2009.
- [191] O. H. Shin et al. Sr^{2+} binding to the ca^{2+} binding site of the synaptotagmin 1 c2b domain triggers fast exocytosis without stimulating snare interactions. *Neuron*, 37(1):99–108, 2003.
- [192] V. N. Murthy et al. Inactivity produces increases in neurotransmitter release and synapse size. *Neuron*, 32(4):673–82, 2001.
- [193] E. M. Jorgensen et al. Defective recycling of synaptic vesicles in synaptotagmin mutants of *caenorhabditis elegans*. *Nature*, 378(6553):196–9, 1995.
- [194] C. A. Loewen et al. *Drosophila* synaptotagmin i null mutants show severe alterations in vesicle populations but calcium-binding motif mutants do not. *J Comp Neurol*, 496(1):1–12, 2006.
- [195] S. K. Schmitz et al. Automated analysis of neuronal morphology, synapse number and synaptic recruitment. *J Neurosci Methods*, 195(2):185–93, 2011.
- [196] R. Schneggenburger et al. Ca^{2+} channels and transmitter release at the active zone. *Cell Calcium*, 52(3-4):199–207, 2012.
- [197] I. Fernandez, D. Arac, J. Ubach, S. H. Gerber, O. Shin, Y. Gao, R. G. Anderson, T. C. Sudhof, and J. Rizo. Three-dimensional structure of the synaptotagmin 1 c2b-domain: synaptotagmin 1 as a phospholipid binding machine. *Neuron*, 32(6):1057–69, 2001.

- [198] O. Kochubey et al. Regulation of transmitter release by $ca(2+)$ and synaptotagmin: insights from a large cns synapse. *Trends Neurosci*, 34(5):237–46, 2011.
- [199] P. P. Atluri and W. G. Regehr. Delayed release of neurotransmitter from cerebellar granule cells. *J Neurosci*, 18(20):8214–27, 1998.
- [200] Y. Goda and C. F. Stevens. Two components of transmitter release at a central synapse. *Proc Natl Acad Sci U S A*, 91(26):12942–6, 1994.
- [201] D. J. Hagler and Y. Goda. Properties of synchronous and asynchronous release during pulse train depression in cultured hippocampal neurons. *J Neurophysiol*, 85(6):2324–34, 2001.
- [202] K. Wadel et al. The coupling between synaptic vesicles and $ca2+$ channels determines fast neurotransmitter release. *Neuron*, 53(4):563–75, 2007.
- [203] C. Y. Chang and S. Mennerick. Dynamic modulation of phasic and asynchronous glutamate release in hippocampal synapses. *J Neurophysiol*, 103(1):392–401, 2010.
- [204] D. Fioravante et al. Calcium-dependent isoforms of protein kinase c mediate posttetanic potentiation at the calyx of held. *Neuron*, 70(5):1005–19, 2011.
- [205] D. Fioravante et al. Protein kinase c is a calcium sensor for presynaptic short-term plasticity. *Elife*, 3:e03011, 2014.
- [206] Jr. Young, S. M. and E. Neher. Synaptotagmin has an essential function in synaptic vesicle positioning for synchronous release in addition to its role as a calcium sensor. *Neuron*, 63(4):482–96, 2009.
- [207] K. Satzler et al. Three-dimensional reconstruction of a calyx of held and its postsynaptic principal neuron in the medial nucleus of the trapezoid body. *J Neurosci*, 22(24):10567–79, 2002.
- [208] D. Keller et al. An exclusion zone for $ca2+$ channels around docked vesicles explains release control by multiple channels at a cns synapse. *PLoS Comput Biol*, 11(5):e1004253, 2015.
- [209] Y. Nakamura et al. Nanoscale distribution of presynaptic $ca(2+)$ channels and its impact on vesicular release during development. *Neuron*, 85(1):145–58, 2015.
- [210] H. von Gersdorff and J. G. Borst. Short-term plasticity at the calyx of held. *Nat Rev Neurosci*, 3(1):53–64, 2002.

-
- [211] Y. Han et al. Rim determines Ca^{2+} channel density and vesicle docking at the presynaptic active zone. *Neuron*, 69(2):304–16, 2011.
- [212] E. M. Adler et al. Alien intracellular calcium chelators attenuate neurotransmitter release at the squid giant synapse. *J Neurosci*, 11(6):1496–507, 1991.
- [213] M. L. Harlow et al. The architecture of active zone material at the frog’s neuromuscular junction. *Nature*, 409(6819):479–84, 2001.
- [214] H. Schmidt et al. Nanodomain coupling at an excitatory cortical synapse. *Curr Biol*, 23(3):244–9, 2013.
- [215] C. J. Meinrenken et al. Calcium secretion coupling at calyx of held governed by nonuniform channel-vesicle topography. *J Neurosci*, 22(5):1648–67, 2002.
- [216] L. Y. Wang et al. Action potential evoked transmitter release in central synapses: insights from the developing calyx of held. *Mol Brain*, 2:36, 2009.
- [217] I. Bucurenciu et al. Nanodomain coupling between Ca^{2+} channels and Ca^{2+} sensors promotes fast and efficient transmitter release at a cortical gabaergic synapse. *Neuron*, 57(4):536–45, 2008.
- [218] W. J. Cho et al. Size of supramolecular snare complex: membrane-directed self-assembly. *J Am Chem Soc*, 127(29):10156–7, 2005.
- [219] D. T. Gillespie. Stochastic simulation of chemical kinetics. *Annu Rev Phys Chem*, 58:35–55, 2007.
- [220] V. Matveev et al. New and corrected simulations of synaptic facilitation. *Biophys J*, 83(3):1368–73, 2002.
- [221] E. Neher and T. Sakaba. Combining deconvolution and noise analysis for the estimation of transmitter release rates at the calyx of held. *J Neurosci*, 21(2):444–61, 2001.
- [222] O. Kochubey et al. Developmental regulation of the intracellular Ca^{2+} sensitivity of vesicle fusion and Ca^{2+} -secretion coupling at the rat calyx of held. *J Physiol*, 587(Pt 12):3009–23, 2009.
- [223] S. Chib and E. Greenberg. Understanding the metropolis-hastings algorithm. *The American Statistician*, 49(4):327–35, 1995.
- [224] I. Arai and P. Jonas. Nanodomain coupling explains Ca^{2+} independence of transmitter release time course at a fast central synapse. *Elife*, 3, 2014.

- [225] J. G. Borst et al. Pre- and postsynaptic whole-cell recordings in the medial nucleus of the trapezoid body of the rat. *J Physiol*, 489 (Pt 3):825–40, 1995.
- [226] M. Muller et al. A limited contribution of ca_2+ current facilitation to paired-pulse facilitation of transmitter release at the rat calyx of held. *J Physiol*, 586(Pt 22):5503–20, 2008.
- [227] M. J. Fedchyshyn and L. Y. Wang. Developmental transformation of the release modality at the calyx of held synapse. *J Neurosci*, 25(16):4131–40, 2005.
- [228] L. Y. Wang et al. Synaptic vesicles in mature calyx of held synapses sense higher nanodomain calcium concentrations during action potential-evoked glutamate release. *J Neurosci*, 28(53):14450–8, 2008.
- [229] F. Helmchen et al. Calcium dynamics associated with a single action potential in a cns presynaptic terminal. *Biophys J*, 72(3):1458–71, 1997.
- [230] J. S. Lee et al. Superpriming of synaptic vesicles after their recruitment to the readily releasable pool. *Proc Natl Acad Sci U S A*, 110(37):15079–84, 2013.
- [231] S. Nadkarni et al. Short-term plasticity constrains spatial organization of a hippocampal presynaptic terminal. *Proc Natl Acad Sci U S A*, 109(36):14657–62, 2012.
- [232] N. P. Vyleta and P. Jonas. Loose coupling between ca_2+ channels and release sensors at a plastic hippocampal synapse. *Science*, 343(6171):665–70, 2014.
- [233] N. L. Allbritton et al. Range of messenger action of calcium ion and inositol 1,4,5-trisphosphate. *Science*, 258(5089):1812–5, 1992.
- [234] L. Yao and T. Sakaba. $camp$ modulates intracellular ca_2+ sensitivity of fast-releasing synaptic vesicles at the calyx of held synapse. *J Neurophysiol*, 104(6):3250–60, 2010.
- [235] G. van den Bogaart et al. Phosphatidylinositol 4,5-bisphosphate increases ca_2+ affinity of synaptotagmin-1 by 40-fold. *J Biol Chem*, 287(20):16447–53, 2012.
- [236] T. F. Martin. $Pi(4,5)p$ -binding effector proteins for vesicle exocytosis. *Biochim Biophys Acta*, 1851(6):785–793, 2015.
- [237] N. Holderith et al. Release probability of hippocampal glutamatergic terminals scales with the size of the active zone. *Nat Neurosci*, 15(7):988–97, 2012.

- [238] J. R. Stiles et al. Miniature endplate current rise times less than 100 microseconds from improved dual recordings can be modeled with passive acetylcholine diffusion from a synaptic vesicle. *Proc Natl Acad Sci U S A*, 93(12):5747–52, 1996.
- [239] R. A. Kerr et al. Fast monte carlo simulation methods for biological reaction-diffusion systems in solution and on surfaces. *SIAM J Sci Comput*, 30(6):3126, 2008.
- [240] V. Shahrezaei et al. Ca²⁺ from one or two channels controls fusion of a single vesicle at the frog neuromuscular junction. *J Neurosci*, 26(51):13240–9, 2006.
- [241] M. R. Bennett et al. The probability of quantal secretion near a single calcium channel of an active zone. *Biophys J*, 78(5):2201–21, 2000.
- [242] I. Hepburn et al. Steps: efficient simulation of stochastic reaction-diffusion models in realistic morphologies. *BMC Syst Biol*, 6:36, 2012.
- [243] M. Muller et al. Interaction between facilitation and depression at a large cns synapse reveals mechanisms of short-term plasticity. *J Neurosci*, 30(6):2007–16, 2010.