

# VU Research Portal

## High-resolution morpho-tectonic profiling across an orogen

Necea, D.

2010

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Necea, D. (2010). *High-resolution morpho-tectonic profiling across an orogen: tectonic-controlled geomorphology and multiple dating approach in the SE Carpathians*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# Table of contents

<b>Acknowledgements</b>	xi
<b>English summary</b>	xiv
<b>Nederlandse samenvatting</b>	xvii
<b>1. Introduction, scope and outline of the thesis</b>	
1.1. Geological introduction	1
1.2. Scope of the thesis	2
1.3. Outline of the thesis	3
<b>2. Geomorphological constraints on the Late Pliocene-Quaternary tectonics</b>	
2.1. Introduction	5
2.2. Orogen and foredeep evolution	7
2.2.1. External SE Carpathian nappes	7
2.2.2. SE Carpathian foreland	9
2.2.3. Drainage network	11
2.3. Methods of data analysis and river terrace configurations	11
2.4. Reconstruction of Late Pliocene-Holocene geology and geomorphology	15
2.4.1. River drainage system	15
2.4.2. Late Pliocene (Romanian)-Early Pleistocene	15
2.4.3. Middle Pleistocene-Holocene	17
2.5. Discussion	22
2.6. Conclusions	25
<b>3. Multiple dating approach: Infrared Stimulated Luminescence (IRSL), Apatite (U-Th)/He and Apatite Fission Track (AFT)</b>	
3.1. Introduction	27
3.2. Infrared stimulated luminescence (IRSL) method	28
3.2.1. Luminescence mechanism	28
3.2.2. Resetting and anomalous fading	29
3.2.3. Determination of equivalent-dose or paleodose ( $D_e$ )	29
3.2.4. Determination of dose-rate (annual dose)	33
3.3. (U-Th)/He method	35
3.3.1. Principle of method and He-ingrowth	35
3.3.2. Alpha-ejection correction and analytical errors	36
3.3.3. He diffusion in apatite	37
3.3.4. Inclusions	39

3.3.5. He ages from Durango apatite used for calibration	41
3.3.6. Sample preparation procedure	41
3.3.7. Mass spectrometry	43
3.3.8. Morphologies and surface textures of apatite grains	45
3.3.9. Probability density distribution (PDD) diagrams	45
3.4. Apatite Fission-Track (AFT) method	49
3.4.1. Fission-track formation	49
3.4.2. Fission-track annealing and controlling factors	49
3.4.3. Sample preparation and analytical dating procedure	51
3.4.4. Age calculation	52
3.5. Thermal modelling for apatite fission-track and (U-Th)/He methods	56
<b>4. Tectonic and climatic controls on river incision and terrace formation</b>	
4.1. Introduction	59
4.2. Neogene and Quaternary geological setting of the SE Carpathians	61
4.2.1. Focşani foreland basin	61
4.2.2. Braşov intramontane basin	63
4.3. Quantification of geomorphological data	67
4.3.1. Bedrock elevations, chrono-stratigraphy and ages of river terraces (new, derived and traditional data)	67
4.3.2. Loess-paleosol sequences in Romania	69
4.4. Processes controlling fluvial incision, terrace formation and loess deposition	70
4.4.1. River analysis as an indicator of tectonic activity	70
4.4.2. Climate and sea level changes	72
4.5. Sampling scheme and age determination	74
4.5.1. Sample locations	74
4.5.2. Determination of loess deposition rates, terrace ages and river incision rates	75
4.6. Results and interpretations	79
4.6.1. External Carpathian orogen and foreland basin	79
4.6.2. Internal Carpathian orogen and intramontane basin	83
4.7. Consequences from terrace ages and incision rates on vertical movements and periods of terrace formation	86
4.7.1. Early Pleistocene	86
4.7.2. Middle Pleistocene	87
4.7.3. Late Pleistocene-Holocene	87
4.8. Conclusions	89
<b>5. Cretaceous to Quaternary thermo-tectonic evolution revealed by low-T thermochronology</b>	
5.1. Introduction	91
5.2. Tectonic units across the orogen and deformation time	92
5.2.1. Neotethys and Alpine Tethys oceanic spreading in the Carpathians	92
5.2.2. Bucovinian/Getic nappe stack and Transylvanides	92
5.2.3. Ceahlău-Severin ocean	93
5.2.4. Convolute Flysch/Audia/Macla nappe system	95
5.2.5. Tarcău/Marginal Folds/Subcarpathian nappes	96

5.2.6. Regional context to Paleogene evolution: quiescence or potential shortening in the SE Carpathians?	96
5.2.7. Post-collisional deformations across the SE Carpathians	97
5.3. Low-temperature thermochronology	99
5.4. Thermal modelling approach	101
5.4.1. Geological constraints (boxes) and their limitations	101
5.4.2. Revealing the burial and cooling amounts, rates and error bars	108
5.5. Results and interpretations	113
5.5.1. Bucovinian/Baraolt/Ceahlău nappes	113
5.5.2. Tarcău/Marginal Folds/Subcarpathian nappes	115
5.5.3. Western flank of Focșani foreland basin	117
5.6. Reconstructing the source to sink setting and regional tectonic implications	117
5.6.1. Hauterivian-Cenomanian (~136-93 Ma): emplacement of internal nappes and subsequent subsidence	118
5.6.2. Turonian-Earliest Chattian (93-28 Ma): slow exhumation in the internal nappes and subsequent subsidence in the east	118
5.6.3. Early Chattian-Early Burdigalian (28-20 Ma): gradual exhumation of internal nappes and on-going subsidence in the foreland	121
5.6.4. Early Burdigalian-Late Sarmatian (20-11 Ma): emplacement of external units and exhumation	122
5.6.5. Late Sarmatian-Early Dacian (11-5 Ma): collision, post-collisional exhumation and foreland subsidence	122
5.6.6. Early Dacian-Early Pleistocene (5-1.5 Ma): overall subsidence and subsequent eastward exhumation	123
5.6.7. Late Early Pleistocene-Holocene (1.5-0 Ma): overall exhumation	124
5.7. Conclusions	124
<b>6. Synthesis “Orogenic stages and driving mechanisms”</b>	
6.1. Hauterivian?-Earliest Chattian subduction stage (136-28 Ma)	128
6.2. Earliest Chattian-Late Sarmatian subduction to collision stage (28-11 Ma)	130
6.3. Late Sarmatian-Holocene post-collision stage (11-0 Ma)	130
<b>References</b>	<b>137</b>

