

VU Research Portal

New Insights in Morphology and Pathophysiology of Hypertrophic Cardiomyopathy by Magnetic Resonance Imaging

Germans, T.

2008

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Germans, T. (2008). *New Insights in Morphology and Pathophysiology of Hypertrophic Cardiomyopathy by Magnetic Resonance Imaging*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

VRIJE UNIVERSITEIT

New Insights in Morphology and Pathophysiology
of Hypertrophic Cardiomyopathy by
Magnetic Resonance Imaging

ACADEMISCH PROEFSCHRIFT

ter verkrijging van de graad Doctor aan
de Vrije Universiteit Amsterdam,
op gezag van de rector magnificus
prof.dr. L.M. Bouter,
in het openbaar te verdedigen
ten overstaan van de promotiecommissie
van de faculteit der Geneeskunde
op donderdag 5 juni 2008 om 13.45 uur
in de aula van de universiteit,
De Boelelaan 1105

door

Tjeerd Germans
geboren te Amsterdam

promotor: prof. dr. A.C. van Rossum
copromotor: dr. M.J.W. Götte

Financial Support by the Netherlands Heart Foundation and the Interuniversity Cardiology institute of the Netherlands (ICIN) for the publication of this thesis is gratefully acknowledged. Part of the study described in this thesis was supported by a grant from the Netherlands Heart Foundation (grant 2006B213).