

VU Research Portal

The effect of pre-cooling on cooling efficiency and exercise performance

Bogerd, N.

2011

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Bogerd, N. (2011). *The effect of pre-cooling on cooling efficiency and exercise performance*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Chapter 1

General introduction

Endurance exercise performance is reduced in hot environments (Maughan & Shirreffs, 2004). The decrease in exercise performance is related to high ambient temperature, relative humidity, radiation and low wind speed. In addition, exercise performance is decreased by high metabolic heat production. For instance, competitive marathon runners who will typically maintain a pace corresponding to 70–90% maximal aerobic capacity for more than two hours show a considerable decrease in exercise performance when the wet bulb globe temperature is higher than 5 °C (Ely *et al.*, 2007; Davies & Thompson, 1979).

In general, i) a high body core temperature prior to exercise, ii) a rapid increase in core temperature during exercise, and iii) an end core temperature contribute to the decreased performance in the heat (McLellan & Daanen, *submitted*). While the tolerance of high end body core temperature is related to training (Cheung & McLellan, 1998), the body heat storage either prior to or during the exercise may be manipulated by technical means. To decrease the body heat storage prior to the exercise, cooling (Marino, 2002), acclimation (Taylor, 2000) and hydration (Sawka *et al.*, 2001) can be applied. In addition to these methods, clothing (Armstrong, 2000) and adjusting the pacing strategy (Tucker *et al.*, 2004) can reduce the increase in body heat storage during the exercise.

The work described in this thesis focuses on cooling, with particular interest in cooling prior to the exercise, i.e. pre-cooling. Pre-cooling has been shown to decrease initial body heat storage, reflected in reduced skin temperature and in some instances also body core temperatures (e.g. Gonzalez-Alonso *et al.*, 1999). This results in relieved heat strain during the exercise and in increased exercise performance (e.g. Arngrimsson *et al.*, 2004). Increased exercise performance is reflected in increased time to exhaustion, in total maximum work performed in a fixed time, or in a self-paced distance run or cycled in a fixed time (Marino, 2002). In laboratory settings, pre-cooling has been mainly provided using cold air exposure (Hessemer *et al.*, 1984; Schmidt & Bruck, 1981), water immersion (Bolster *et al.*, 1999; Booth *et al.*, 1997) and water perfused garments (Daanen *et al.*, 2006). In field settings, pre-cooling has been mainly provided with cooling vests (Hunter *et al.*, 2006). The functioning of cooling vests is based on ice-packs or frozen gels embedded in different garments. The intensity of cooling (cooling power) provided by a cooling vest has only been rarely addressed. Thus, the cooling power of such systems and the influence of its particular cooling power on the human body remain essentially unknown. Furthermore, only rarely have attempts been made to investigate ways to improve the cooling efficiency of such systems. As suggested by some authors (Cheuvront *et al.*, 2003; Young *et al.*, 1987; Shvartz, 1970), cooling efficiency might be improved by avoiding a vasoconstrictor response. Another limitation in the pre-cooling literature is that the effects of pre-cooling with a cooling vest have been investigated almost exclusively for running and cycling. For instance, Nadel *et al.* (1974) showed that increased body core temperature can also limit swimming performance. Thus, swimming may be another potential sport for the application

of pre-cooling. To answer the mentioned unknowns and to fill the gaps in the existing knowledge on the interaction between personal cooling-systems, humans and the endurance exercise performance, the work presented in this thesis is reported and discussed as follows:

Chapter 2: This chapter provides a general overview on heat strain and cooling. A detailed overview of the effect of pre-cooling on exercise performance is given. **Chapter 3:** The thermal effects of personal cooling-systems are nowadays increasingly assessed with the use of thermal manikins. However, it is unknown if the results obtained with the thermal manikin are transferable to humans. This is of concern, since thermal manikins do not possess thermophysiological responses, such as skin vasoconstriction. This mechanism can, however, be simulated when the thermal manikin is coupled with the thermophysiological human simulator. In this chapter, we investigated the cooling power of two cooling-systems on humans, thermal manikin and a thermophysiological human simulator. Furthermore, thermophysiological responses, such as body core and skin temperature measured in humans, were compared with those predicted with a thermophysiological human simulator. **Chapter 4:** Although pre-cooling is known to enhance endurance exercise performance, the optimal cooling intensity is essentially unknown. The initiation of skin vasoconstriction is shown to decrease the heat transfer between the skin surface and the inner layer of the cooling-system. In the study presented, it was hypothesized that mild cooling, as opposed to strong cooling, will circumvent skin vasoconstriction and thermogenesis, and thus improve cooling efficiency reflected in improved time to exhaustion. **Chapter 5:** In an effort to improve the efficiency of pre-cooling, a different approach than the one described in Chapter 4 was chosen. Repeated cold exposures have been shown to lead to minor acclimation effects, including hypothermic adaptation. Specifically, repeated cold exposures were shown to reduce the vasoconstrictor response and to decrease body core temperature. Thus, it was hypothesized that repetitive cold exposure would potentially improve pre-cooling efficiency, reflected in improved time to exhaustion. **Chapter 6:** The limiting effect of increased body core temperature on endurance exercise performance is mainly shown for running and cycling. However, increased body core temperature can also limit swimming performance. The study described aimed at continuously measuring the body core temperature during all-out 1500 m swimming. Since an increase in body core temperature to the levels potentially causing heat strain was observed, it was hypothesized that pre-cooling might improve thermoregulatory state and exercise performance during swimming. Finally in **Chapter 7**, the main findings of the studies described are summarized and discussed. In addition, practical applications of the work presented in this thesis are given.

References

- Armstrong LE (2000) Heat and humidity In: *Performing in extreme environments*. Human Kinetics, Champaign, USA, pp. 15-70
- Arngrimsson SA, Petitt DS, Stueck MG, Jorgensen DK & Cureton KJ (2004) Cooling vest worn during active warm-up improves 5-km run performance in the heat. *J Appl Physiol* 96: 1867-1874
- Bolster DR, Trappe SW, Short KR, Scheffield-Moore M, Parcell AC, Schulze KM & Costill DL (1999) Effects of precooling on thermoregulation during subsequent exercise. *Med Sci Sports Exerc* 31: 251-257
- Booth J, Marino F & Ward JJ (1997) Improved running performance in hot humid conditions following whole body precooling. *Med Sci Sports Exerc* 29: 943-949
- Cheung SS & McLellan TM (1998) Heat acclimation, aerobic fitness, and hydration effects on tolerance during uncompensable heat stress. *J Appl Physiol* 84:1731-1739
- Cheuvront SN, Kolka MA, Cadarette BS, Montain SJ & Sawka MN (2003) Efficacy of intermittent, regional microclimate cooling. *J Appl Physiol* 94: 1841-1848
- Daanen HAM, van Es E & de Graaf J (2006) Heat Strain and gross efficiency during endurance exercise after lower, upper or whole body precooling in the heat. *Int J Sports Med* 26: 1-10
- Davies C & Thompson M (1979) Aerobic performance of female marathon and male ultramarathon athletes. *Eur J Appl Physiol Occup Physiol* 41: 233-245
- Ely MR, Cheuvront SN, Roberts WO & Montain SJ (2007) Impact of weather on marathon-running performance. *Med Sci Sports Exerc* 39: 487-493
- Gonzalez-Alonso J, Teller C, Andersen SL, Jensen FB, Hyldig T & Nielsen B (1999) Influence of body temperature on the development of fatigue during prolonged exercise in the heat. *J Appl Physiol* 86: 1032-1039
- Hessemer V, Langusch D, Bruck LK, Bodeker RH & Breidenbach T (1984) Effect of slightly lowered body temperatures on endurance performance in humans. *J Appl Physiol* 57: 1731-1737
- Hunter I, Hopkins JT & Casa DJ (2006) Warming up with an ice-vest: core body temperature before and after cross-country racing. *J Athl Train* 41: 371-374
- Marino FE (2002) Methods, advantages, and limitations of body cooling for exercise performance. *Br J Sports Med* 36: 89-94
- Maughan R & Shirreffs S (2004) Exercise in the heat: challenges and opportunities. *J Sports Sci* 22: 917-927
- McLellan TM & Daanen HAM (submitted) Heat strain in personal protective clothing: challenges and opportunities.

- Nadel ER, Holmer I, Bergh U, Astrand PO & Stolwijk JA (1974) Energy exchanges of swimming man. *J Appl Physiol* 36: 465-471
- Sawka MN, Montain SJ & Latzka WA (2001) Hydration effects on thermoregulation and performance in the heat. *Comp Biochem Physiol A Mol Integr Physiol* 128: 679-690
- Schmidt V & Bruck K (1981) Effect of a precooling maneuver on body temperature and exercise performance. *J Appl Physiol* 50: 772-778
- Shvartz E (1970) Effect of a cooling hood on physiological responses to work in a hot environment. *J Appl Physiol* 29: 36-39
- Taylor NAS (2000) Principles and practices of heat adaptation. *J Human Environ Syst* 4: 11-22
- Tucker R, Rauch L, Harley YX & Noakes TD (2004) Impaired exercise performance in the heat is associated with an anticipatory reduction in skeletal muscle recruitment. *Pflugers Arch* 448: 422-430
- Young AJ, Sawka MN, Epstein Y, Decristofano B & Pandolf KB (1987) Cooling different body surfaces during upper and lower body exercise. *J Appl Physiol* 63: 1218-1223