

VU Research Portal

Thermo-tectonic evolution of a convergent orogen with low topographic build-up

Merten, S.

2011

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Merten, S. (2011). *Thermo-tectonic evolution of a convergent orogen with low topographic build-up: Exhumation and kinematic patterns in the Romanian Carpathians derived from thermochronology*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

References

- Airy, G.B., 1855. On the computation of the effect of the attraction of mountain masses as disturbing the apparent astronomical latitude of stations of geodetic surveys. *Philosophical Transactions of the Royal Society of London*, 145, 101–104.
- Andreescu, M., Nielsen, S.B., Polonic, G., Demetrescu, C., 2002. Thermal budget of the Transylvanian lithosphere. Reasons for a low surface heat-flux anomaly in a Neogene intra-Carpathian basin. *Geophys. J. Int.*, 150(2), 494–505.
- Angelier, J., 1994. Fault slip analysis and palaeostress reconstruction (Chapter 4). In: Hancock, P.L. (Ed.), *Continental Deformation*, Pergamon Press, Oxford, pp. 53–100.
- Armstrong, P.A., Ehlers, T.A., Chapman, D.S., Farley, K.A., Kamp, P.J.J., 2003. Exhumation of the central Wasatch Mountains, Utah: 1. Patterns and timing of exhumation deduced from low-temperature thermochronology data. *J. Geophys. Res.*, 108(B3), 2172.
- Avouac, J.P., Burov, E.B., 1996. Erosion as a driving mechanism of intracontinental mountain growth. *J. Geophys. Res.*, 110, 17747–17769.
- Balestrieri, M.L., Bernet, M., Brandon, M.T., Picotti, V., Reiners, P., Zattin, M., 2003. Pliocene and Pleistocene exhumation and uplift of two key areas of the Northern Apennines. *Quat. Int.*, 101–102, 67–73.
- Balestrieri, M.L., Stuart, F.M., Persano, C., Abbate, E., Bigazzi, G., 2005. Geomorphic development of the escarpment of the Eritrean margin, southern Red Sea from combined apatite fission-track and (U-Th)/He thermochronometry. *Earth Planet. Sci. Lett.*, 231, 97–110.
- Balintoni, I., 1994. Structure of the Apuseni Mountains. In: Berza, T. (Ed.), *Geological evolution of the Alpine-Carpathian-Pannonian system, ALCAPA II Field Guidebook, Rom. J. Tect. Reg. Geol.*, 75(Suppl. 2), pp. 51–58.
- Balintoni I., Vlad, Ș., 1998. Tertiary magmatism in the Apuseni Mountains and related tectonic setting. *Stud. Univ. Babeş-Bol. Geol.*, 9, 1–11.
- Balla, Z., 1987. Tertiary paleomagnetic data for the Carpatho-Pannonian region in the light of Miocene rotation kinematics. *Tectonophysics*, 139, 67–98.
- Barbarand, J., Pagel, M., 2001. Contrôle de la cicatrisation des traces de fission dans les cristaux d'apatite: le rôle de la composition chimique; importance of the chemistry to characterise apatite fission track annealing. *C. R. Acad. Sci., Ser. IIa Earth Planet. Sci.*, 332, 259–265.
- Barbarand, J., Hurford, T., Carter, A., 2003a. Variation in apatite fission-track length measurement: implications for thermal history modelling. *Chem. Geol.*, 198, 77–106.

- Barbarand, J., Carter, A., Wood, I., Hurford, and A.J., 2003b. Compositional and structural control of fission-track annealing in apatite. *Chem. Geol.*, 198, 107–137.
- Batt, G.E., Brandon, M.T., 2002. Lateral thinking: 2-D interpretation of thermochronology in convergent orogenic settings. *Tectonophysics*, 349, 185–201.
- Beaumont, C., 1981. Foreland basins. *Geophys. J. R. Astron. Soc.*, 56, 291–329.
- Beaumont, C., Fullsack, P., Hamilton, J., 1992. Erosional control of active compressional orogens. In: McClay, K.R. (Ed.), *Thrust Tectonics*, Chapman and Hall, London, pp. 419–433.
- Beaumont, C., Fullsack, P.H., Hamilton, J., 1994. Styles of crustal deformation in compressional orogens caused by subduction of the underlying lithosphere. *Tectonophysics*, 232, 119–132.
- Beaumont, C., Ellis, S., Hamilton, J., Fullsack, P., 1996. Mechanical model for subduction-collision tectonics of Alpine-type compressional orogens. *Geology*, 24 (8), 675–678.
- Belton, D.X., Kohn, B.P., Gleadow, A.J.W., 2004. Quantifying “excess helium”: some of the issues and assumptions in combined (U-Th)/He and fission track analysis. *Abstract Volume of the 10th International Conference on Fission Track Dating and Thermochronology*, Amsterdam, p. 18.
- Bennett, R.A., Hreinsdóttir, S., Buble, G., Bašić, T., Bačić, Ž., Marjanović, M., Casale, G., Gendaszek, A., Cowan, D., 2008. Eocene to present subduction of southern Adria mantle lithosphere beneath the Dinarides. *Geology*, 36(1), 3–6.
- Berger, A.L., Gulick, S.P.S., Spotila, J.A., Upton, P., Jaeger, J.M., Chapman, J.B., Worthington, L.A., Pavlis, T.L., Ridgway, K.D., Willems, B.A., McAleer, R.J., 2008. Quaternary tectonic response to intensified glacial erosion in an orogenic wedge. *Nat. Geosci.*, 1, 793–799.
- Bernet, M., Zattin, M., Garver, J.I., Brandon, M.T., Vance, J.A., 2001. Steady-state exhumation of the European Alps. *Geology*, 29(1), 35–38.
- Bertel, E., Märk, T.D., Pahl, M., 1977. A new method for the measurement of the mean etchable fission track length and of extremely high fission track densities in minerals. *Nucl. Track Detection*, 1(2), 123–126.
- Bertotti, G., Matenco, L., Cloetingh, S., 2003. Vertical movements in and around the south-east Carpathian foredeep: Lithospheric memory and stress field control. *Terra Nova*, 15, 299–305.
- Bertotti, G., Mosca, P., Juez, J., Polino, R., Dunai, T., 2006. Oligocene to Present kilometres scale subsidence and exhumation of the Ligurian Alps and the Tertiary Piedmont Basin (NW Italy) revealed by apatite (U-Th)/He thermochronology: correlation with regional tectonics. *Terra Nova*, 18, 18–25.
- Berza, T., 1994. South Carpathians. In: Berza, T. (Ed.), *Geological evolution of the Alpine-Carpathian-Pannonian system, ALCAPA II Field Guidebook, Rom. J. Tect. Reg. Geol.*, 75, pp. 37–49.
- Berza, T., Drăgănescu, A., 1988. The Cerna-Jiu fault system (South Carpathians, Romania), a major Tertiary transcurrent lineament. *Dari Seama Sedimentelor Inst. Geol. Geofiz.*, 72-73, 43–57.
- Berza, T., Constantinescu, E., Vlad, S., 1998. Upper Cretaceous magmatic series and associated mineralisation in the Carpathian-Balkan orogen. *Resour. Geol.*, 48(4), 291–306.
- Bigazzi, G., 1981. The problem of the decay constant of λ_f of ^{238}U . *Nucl. Tracks*, 5(1-2), 35–44.
- Bishop, P., 2007. Long-term landscape evolution: linking tectonics and surface processes. *Earth Surf. Process. Landforms*, 32, 329–365.
- Bleahu, M., Lupu, M., Patrușiu, D., Bordea, S., Ștefan, A., Panin, S., 1981. The structure of the Apuseni Mountains. *Guide to Excursion B3, Carpatho-Balkan Geological*

- Association 12th Congress*, Institute of Geology and Geophysics, Bucharest, 107 pp.
- Boccaletti, M., Manetti, P., Peccerillo, A., 1974. Hypothesis on the plate tectonic evolution of the Carpatho-Balkan arcs. *Earth Planet. Sci. Lett.*, 23(2), 193–198.
- Bocin, A., Stephenson, R., Tryggvason, A., Panea, I., Mocanu, V., Hauser, F., Matenco, L., 2005. 2.5D seismic velocity modelling in the southeastern Romanian Carpathians Orogen and its foreland. *Tectonophysics*, 410, 273–291.
- Bocin, A., Stephenson, R., Mocanu, V., Matenco, L., 2009. Architecture of the southeastern Carpathians nappes and Focșani Basin (Romania) from 2D ray tracing of densely-spaced refraction data. *Tectonophysics*, 476, 512–527.
- Bojar, A.-V., Neubauer, F., Fritz, H., 1998. Jurassic to Cenozoic thermal evolution of the southwestern South Carpathians: evidence from fission-track thermochronology. *Tectonophysics*, 297, 229–249.
- Bojar, A.V., Bojar, H.-P., Ottner, F., Grigorescu, D., 2010. Heavy mineral distributions of Maastrichtian deposits from the Hațeg basin, South Carpathians: Tectonic and palaeogeographic implications. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 293, 319–328.
- Boyce, J.W., Hodges, K.V., King, D., Crowley, J.L., Jercinovic, M., Chatterjee, N., Bowring, S.A., Searle, M., 2009. Improved confidence in (U-Th)/He thermochronology using the laser microprobe: An example from a Pleistocene leucogranite, Nanga Parbat, Pakistan. *Geochem. Geophys. Geosyst.*, 10, Q0AA01.
- Brandon, M.T., 1992. Decomposition of fission-track grain-age distributions. *Am. J. Sci.*, 292, 535–564.
- Brandon, M.T., 2002. Decomposition of mixed grain-age distributions using BINOM-FIT. *On Track*, 24, 13–18.
- Brandon, M.T., Vance, J.A., 1992. Tectonic evolution of the Cenozoic Olympic Subduction Complex, Washington State, as deduced from fission-track ages for detrital zircons. *Am. J. Sci.*, 292, 565–636.
- Brandon, M.T., Roden-Tice, M.K., Garver, J.I., 1998. Late Cenozoic exhumation of the Cascadia accretionary wedge in the Olympic Mountains, NW Washington State. *Geol. Soc. Am. Bull.*, 110, 985–1009.
- Braun, J., Van der Beek, P., Batt, G., 2006. *Quantitative Thermochronology: Numerical Methods for the Interpretation of Thermochronological Data*. Cambridge University Press, Cambridge, 270 pp.
- Briggs, I.C., 1974. Machine contouring using minimum curvature. *Geophys.*, 39, 39–48.
- Brown, R.W., Summerfield, M.A., Gleadow, A.J.W., 1994. Apatite fission track analysis: its potential for the estimation of denudation rates and implications for models of long term landscape development. In: Kirkby, M.J. (Ed.), *Process Models and Theoretical Geomorphology*, Wiley, Chichester, pp. 23–53.
- Brun, J.-P., Faccenna, C., 2008. Exhumation of high-pressure rocks driven by slab rollback. *Earth Planet. Sci. Lett.*, 272(1-2), 1–7.
- Burbank, D.W., 2002. Rates of erosion and their implications for exhumation. *Mineral. Mag.*, 66(1), 25–52.
- Burbank, D.W., Blythe, A.E., Putkonen, J., Pratt-Sitaula, B., Gabet, E., Oskin, M., Barros, A., Ojha, T.P., 2003. Decoupling of erosion and precipitation in the Himalayas. *Nature*, 426, 652–655.
- Burtner, R.L., Nigrini, A., Donelick, R.A., 1994. Thermochronology of Lower Cretaceous source rocks in the Idaho-Wyoming thrust belt. *Am. Assoc. Petrol. Geol. Bull.*, 78(10), 1613–1636.
- Carlson, W.D., 1990. Mechanisms and kinetics of apatite fission-track annealing. *Am. Mineral.*, 75, 1120–1139.

- Carlson, W.D., Donelick, R.A., Ketchum, R.A., 1999. Variability of apatite fission-track annealing kinetics: I. Experimental results. *Am. Mineral.*, *84*, 1213–1223.
- Carpéna, J., 1998. Uranium-235 fission track annealing in minerals of the apatite group: an experimental study. In: Van den Haute, P., De Corte, F. (Eds.), *Advances in Fission Track Geochronology*, Kluwer Academic Publishers, Dordrecht, pp. 81–92.
- Cederbom, C.E., Sinclair, H.D., Schlunegger, F., Rahn, M.K., 2004. Climate-induced rebound and exhumation of the European Alps. *Geology*, *32*, 709–712.
- Chadderton, L.T., 1988. On the anatomy of a fission fragment track. *Nucl. Tracks Radiat. Meas.*, *15*(1-4), 11–29.
- Chadderton, L.T., 2003. Nuclear tracks in solids: registration physics and the compound spike. *Radiat. Meas.*, *36*, 13–34.
- Chalot-Prat, F., Gîrbacea, R., 2000. Partial delamination of continental mantle lithosphere, uplift-related crust-mantle decoupling, volcanism and basin formation: a new model for the Pliocene–Quaternary evolution of the southern East Carpathians, Romania. *Tectonophysics*, *327*, 83–107.
- Champagnac, J.-D., Molnar, P., Anderson, R.S., Sue, C., Delacou, B., 2007. Quaternary erosion-induced isostatic rebound in the Western Alps. *Geology*, *35*, 195–198.
- Champagnac, J.-D., Van der Beek, P., Diraison, G., Dauphin, S., 2008. Flexural isostatic response of the Alps to increased Quaternary erosion recorded by foreland basin remnants, SE France. *Terra Nova*, *20*(3), 213–220.
- Chaumont, J., Soulet, S., Krupa, J.C., Carpena, J., 2002. Competition between disorder creation and annealing in flourapatite nuclear waste forms. *J. Nucl. Mater.*, *301*, 122–128.
- Cherniak, D.J., Watson, E.B., 2001. Pb diffusion in zircon. *Chem. Geol.*, *172*, 5–24.
- Ciulavu, D., 1999. *Tertiary tectonics of the Transylvanian Basin*. PhD Thesis, Vrije Universiteit Amsterdam, 152 pp.
- Ciulavu, D., Dinu, C., Szakacs, A., Dordea, D., 2000. Neogene kinematics of the Transylvanian Basin (Romania). *Am. Assoc. Petrol. Geol. Bull.*, *84*(10), 1589–1615.
- Ciulavu, D., Dinu, C., Cloetingh, S.A.P.L., 2002. Late Cenozoic tectonic evolution of the Transylvanian Basin and northeastern part of the Pannonian Basin (Romania): Constraints from seismic profiling and numerical modelling. In: Cloetingh, S.A.P.L., Horváth, F., Bada, G., Lankreijer, A.C. (Eds.), *Neotectonics and Surface Processes: the Pannonian Basin and Alpine-Carpathian System*, EGU Stephan Mueller Special Publication Series, *3*, 105–120.
- Clauzon, G., Suc, J.-P., Gautier, F., Berger, A., Loutre, M.-F., 1996. Alternate interpretation of the Messinian salinity crisis: controversy resolved? *Geology*, *24*, 363–366.
- Cloetingh, S., Burov, E.B., 1996. Thermomechanical structure of European continental lithosphere: constraints from rheological profiles and EET estimates. *Geophys. J. Int.*, *124*, 695–723.
- Cloetingh, S., Burov, E., Poliakov, A., 1999. Lithosphere folding: Primary response to compression? (from central Asia to Paris basin). *Tectonics*, *18*, 1064–1083.
- Cloetingh, S., Burov, E., Matenco, L., Toussaint, G., Bertotti, G., Andriessen, P.A.M., Wortel, M.J.R., Spakman, W., 2004. Thermo-mechanical controls on the mode of continental collision in the SE Carpathians (Romania). *Earth Planet. Sci. Lett.*, *218*(1-2), 57–76.
- Cloetingh, S., Bada, G., Matenco, L., Lankreijer, A., Horváth, F., Dinu, C., 2006. Thermo-mechanical modelling of the Pannonian–Carpathian system: modes of tectonic deformation, lithospheric strength and vertical motions. In: Gee, D.G., Stephenson, R. (Eds.), *European Lithosphere Dynamics*, *Geol. Soc. London Mem.*, *32*, 207–221.

- Corrigan, J.D., 1993. Apatite fission-track analysis of Oligocene strata in South Texas, U.S.A.: Testing annealing models. *Chem. Geol.*, 104, 227–249.
- Crowley, K.D., Cameron, M., McPherson, B.J., 1990. Annealing of etchable fission-track damage in F-, OH-, Cl- and Sr-apatite: 1. Systematics and preliminary interpretations. *Nucl. Tracks Radiat. Meas.*, 17, 409–410.
- Crowley, K.D., Cameron, M., Schaefer, R.L., 1991. Experimental studies of annealing of etched fission tracks in fluorapatite. *Geochim. Cosmochim. Acta*, 55, 1449–1465.
- Crowley, P.D., Reiners, P.W., Reuter, J.M., Kaye, G.D., 2002. Laramide exhumation of the Bighorn Mountains, Wyoming: An apatite (U-Th)/He thermochronology study. *Geology*, 30, 27–30.
- Csontos, L., 1995. Tertiary tectonic evolution of the Intra-Carpathian area: a review. In: Downes, H., Vaselli, O. (Eds.), Neogene and related magmatism in the Carpatho-Pannonian region, *Acta Vulcan.*, 7(2), 1–13.
- Csontos, L., Vörös, A., 2004. Mesozoic plate tectonic reconstruction of the Carpathian region. *Paleogeogr. Paleoclimatol. Paleoecol.*, 210(1), 1–66.
- Csontos L., Márton, E., Worum, G., Benkovics, I., 2002. Geodynamics of SW-Pannonian inselbergs (Mecsek and Villány Mts, SW Hungary): inference from complex structural analysis. In: Cloetingh, S.A.P.L., Horváth, F., Bada, G., Lankreijer, A.C. (Eds.), *Neotectonics and Surface Processes: the Pannonian Basin and Alpine-Carpathian System*, *EGU Stephan Mueller Special Publication Series*, 3, 1–19.
- Dallmeyer, R.D., Pana, D.I., Neubauer, F., Erdmer, P., 1999. Tectonothermal evolution of the Apuseni Mountains, Romania: Resolution of Variscan versus Alpine events with $^{40}\text{Ar}/^{39}\text{Ar}$ ages. *J. Geol.*, 107, 329–352.
- Danišík, M., Pfaff, K., Evans, N.J., Manoloukos, C., Staude, S., McDonald, B.J., Markl, G., 2010. Tectonothermal history of the Schwarzwald Ore District (Germany): An apatite triple dating approach. *Chem. Geol.*, 278, 58–69.
- De Broucker, G., Mellin, A., Duindam, P., 1998. Tectono-stratigraphic evolution of the Transylvanian Basin, pre-salt sequence, Romania. In: Dinu, C., Mocanu, V.H. (Eds.), *Geological Structure and Hydrocarbon Potential of the Romanian Area*, *Bucharest Geoscience Forum*, 1, 36–69.
- Demetrescu, C., Andreescu, M., 1994. On the thermal regime of some tectonic units in a continental collision environment in Romania. *Tectonophysics*, 230, 265–276.
- Demetrescu, C., Nielsen, S.B., Ene, M., Şerban, D.Z., Polonic, G., Andreescu, M., Pop, A., Balling, N., 2001. Lithosphere thermal structure and evolution of the Transylvanian Depression – Insights from new geothermal measurements and modelling results. *Phys. Earth Planet. Inter.*, 126, 249–267.
- Demetrescu, C., Wilhelm, H., Tumanian, M., Nielsen, S.B., Damian, A., Dobrică, V., Ene, M., 2007. Time-dependent thermal state of the lithosphere in the foreland of the Eastern Carpathians bend. Insights from new geothermal measurements and modeling results. *Geophys. J. Int.*, 170, 896–912.
- Dérovová, J., Zeyen, H., Bielik, M., Salman, K., 2006. Application of integrated geophysical modelling for determination of the continental lithospheric thermal structure in the eastern Carpathians. *Tectonics*, 25, TC3009.
- Dimitrijević, M.D., 1997. *Geology of Yugoslavia, 2nd edition*, *Geol. Inst. Gemini, Spec. Publ.*, Belgrade, 187 pp.
- Dinu, C., Calota, C., Mocanu, V., Ciulavu, D., 1991. Geotectonic setting and the particular structural features of the Beius basin, on the basis of geological and geophysical data synthesis. *Rev. Roum. Geophys.*, 35, 77–87.
- Dinu, C., Wong, H.K., Tambrea, D., Matenco, L., 2005. Stratigraphic and structural characteristics of the Romanian Black Sea shelf. *Tectonophysics*, 410, 417–435.

- Dodson, M.H., 1973. Closure temperature in cooling geochronological and petrological systems. *Contr. Mineral. and Petrol.*, 40, 259–274.
- Doglionni, C., Harabaglia, P., Merlini, S., Mongelli, F., Peccerillo, A., Piromallo, C., 1999. Orogens and slabs vs. their direction of subduction. *Earth-Sci. Rev.*, 45, 167–208.
- Doglionni, C., Carminati, E., Cuffaro, M., Scrocca, D., 2007. Subduction kinematics and dynamic constraints. *Earth-Sci. Rev.*, 83(3–4), 125–175.
- Donelick, R.A., 1991. Crystallographic orientation dependence of mean etchable track length in apatite: a physical model and experimental observations. *Am. Mineral.*, 76, 83–91.
- Donelick, R.A., 1993. Apatite etching characteristics versus chemical composition. *Nucl. Tracks Radiat. Meas.*, 21, 604.
- Donelick, R.A., Miller, D.S., 1991. Enhanced TINT fission track densities in low spontaneous track density apatites using ²⁵²Cf-derived fission fragment tracks: a model and experimental observations. *Nucl. Tracks Radiat. Meas.*, 18(3), 301–307.
- Donelick, R.A., Roden, M.K., Mooers, J.D., Carpenter, B.S., Miller, D.S., 1990. Etchable length reduction of induced fission tracks in apatite at room temperature (~23°C): Crystallographic orientation effects and “initialtextquotedblright mean lengths. *Nucl. Tracks Radiat. Meas.*, 17(3), 261–265.
- Donelick, R.A., Ketcham, R.A., Carlson, W.D., 1999. Variability of apatite fission-track annealing kinetics II: Crystallographic orientation effects. *Am. Mineral.*, 84, 1224–1234.
- Donelick, R.A., Farley, K., O’Sullivan, P.B., Asimov, P., 2003. Experimental evidence concerning the pressure dependence of He diffusion and apatite fission-track annealing kinetics in apatite. *On Track*, 13(2), 19–21.
- Donelick R.A., O’Sullivan, P.B., Ketcham, R.A., 2005. Apatite fission-track analysis. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 49–94.
- Dövényi, P., Horváth, F., 1988. A review of temperature, thermal conductivity and heat flow data from the Pannonian Basin. In: Royden, L.H., Horváth F. (Eds.), *The Pannonian Basin: A Study in Basin Evolution*, *Am. Assoc. Petrol. Geol. Mem.*, 45, pp. 195–233.
- Dumitrescu, F., Săndulescu, M., 1968. Problèmes structuraux fondamentaux des Carpates roumaines et de leur Avant-pays. *Ann. Com. Geol. Rom.*, 36, 195–218.
- Dunai, T.J., 2000. Helium diffusion in apatite revisited; is the previously inferred change in high temperature diffusion mechanism an artifact or a reality? *Abstract Volume of the 9th International Conference on Fission Track Dating and Thermochronology*, Sydney, pp. 73–74.
- Dunai, T.J., 2005. Forward modeling and interpretation of (U-Th)/He ages. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 259–274.
- Dunkl, I., 2002. Trackkey: a windows program for calculation and graphical presentation of fission track data. *Comput. Geosc.*, 28, 3–12.
- Ehlers, T.A., Farley, K.A., 2003. Apatite (U-Th)/He thermochronometry: methods and applications to problems in tectonics and surface processes. *Earth Planet. Sci. Lett. Frontiers*, 206, 1–14.
- Ehlers, T.A., Chaudhri, T., Kumar, S., Fuller, C.W., Willett, S.D., Ketcham, R.A., Brandon, M.T., Belton, D.X., Kohn, B.P., Gleadow, A.J.W., Dunai, T.J., Fu, F.Q., 2005. Computational Tools for Low-Temperature Thermochronometer Interpretation. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology:*

- Techniques, Interpretations, and Applications, Rev. Min. Geochem., vol. 58*, Mineral. Soc. of Am., pp. 598–622.
- Ehlers, T.A., Farley, K.A., Rusmore, M.E., Woodsworth, G.J., 2006. Apatite (U-Th)/He signal of large-magnitude accelerated glacial erosion, southwest British Columbia. *Geology*, *34*, 765–768.
- Ellis, S., Beaumont, C., 1999. Models of convergent boundary tectonics: Implications for the interpretation of Lithoprobe data. *Can. J. Earth Sci.*, *36*, 1711–1741.
- England, P., Molnar, P., 1990. Surface uplift, uplift of rocks, and exhumation of rocks. *Geology*, *18*, 1173–1177.
- Faccenna, C., Piromallo, C., Crespo-Blanc, A., Jolivet, L., Rosetti, F., 2004. Lateral slab deformation and the origin of the western Mediterranean arcs. *Tectonics*, *23*, TC1012.
- Farley, K.A., 2000. Helium diffusion from apatite: general behaviour as illustrated by Durango fluorapatite. *J. Geophys. Res.*, *105*(B2), 2903–2914.
- Farley, K.A., 2002. (U-Th)/He dating; techniques, calibrations, and applications. In: Porcelli, D., Ballentine, C.J., Wieler, R. (Eds.), *Noble gases in Geochemistry and Cosmochemistry, Rev. Mineral. Geochem., vol. 47*, Mineral. Soc. of Am., pp. 819–843.
- Farley, K.A., Stockli, D.F., 2002. (U-Th)/He dating of phosphates: apatite, monazite and xenotime. In: Kohn, M., Rakovan, J., Hughes, J.M. (Eds.), *Phosphates – Geochemical, Geobiological and Material Importance, Rev. Mineral. Geochem., vol. 48*, Mineral. Soc. of Am., pp. 557–577.
- Farley, K.A., Wolf, R.A., Silver, L.T., 1996. The effects of long alpha-stopping distances on (U-Th)/He ages. *Geochim. Cosmochim. Acta*, *60*, 4223–4229.
- Fauquette, S., Suc, J.-P., Bertini, A., Popescu, S.-M., Warny, S., Bachiri Taoufiq, N., Perez Villa, M.-J., Chikhi, H., Feddi, N., Subally, D., Clauzon, G., Ferrier, J., 2006. How much did climate force the Messinian salinity crisis? Quantified climatic conditions from pollen records in the Mediterranean region. In: Agustí, J., Oms, O., Meulenkamp, J.E. (Eds.), *Late Miocene to Early Pliocene Environment and Climate Change in the Mediterranean Area, Palaeogeogr., Palaeoclimatol., Palaeoecol.*, *238*(1-4), 281–301.
- Favre, P., Stampfli, G.M., 1992. From rifting to passive margin: the example of the Red Sea, Central Atlantic and Alpine Tethys. *Tectonophysics*, *215*, 69–97.
- Fechtig, H., Kalbitzer, S., 1966. The diffusion of argon in potassium-bearing solids. In: Schaefer, O.A., Zahringer, J. (Eds.), *Potassium-Argon Dating*, Heidelberg, pp. 68–107.
- Filipescu, S., 2001. Cenozoic lithostratigraphic units in Transylvania. In: Bucur, I.I., Filipescu, S., Săsăran, E. (Eds.), *Algae and carbonate platforms in western part of Romania, 4th Regional Meeting of IFAA Cluj-Napoca 2001 – Field Trip Guidebook*, Cluj University Press, Cluj-Napoca, 75–92.
- Fitzgerald, P.G., Muñoz, Coney, P.J., Baldwin, S.L., 1999. Asymmetric exhumation across the Pyrenean orogen: Implications for the tectonic evolution of a collisional orogen. *Earth Planet. Sci. Lett.*, *173*, 157–170.
- Fitzgerald, P.G., Baldwin, S.L., Webb, L.E., O’Sullivan, P.B., 2006. Interpretation of (U-Th)/He single grain ages from slowly cooled crustal terranes: A case study from the Transantarctic Mountains of southern Victoria Land. *Chem. Geol.*, *225*, 91–120.
- Fleischer, R.L., Price, P.B., 1964. Techniques for geological dating of minerals by chemical etching of fission fragment tracks. *Geochim. Cosmochim. Acta*, *28*, 1705–1714.
- Fleischer, R.L., Price, P.B., Walker, R.M., 1965. Effects of temperature, pressure, and ionization of the formation and stability of fission tracks in minerals and glasses. *J. Geophys. Res.*, *70*(6), 1497–1502.

- Fleischer R.L., Price, P.B., Walker, R.M., 1975. *Nuclear Tracks in Solids: Principles and Techniques*. University of California Press, Berkeley, 605 pp.
- Flowers, R.M., Shuster, D.L., Wernicke, B.P., Farley, K.A., 2007. Radiation damage control on apatite (U-Th)/He dates from the Grand Canyon region, Colorado Plateau. *Geology*, 35(5), 447–450.
- Flowers, R.M., Ketcham, R.A., Shuster, D.L., Farley, K.A., 2009. Apatite (U-Th)/He thermochronometry using a radiation damage accumulation and annealing model. *Geochim. Cosmochim. Acta*, 73, 2347–2365.
- Fodor, L., Csontos, L., Bada, G., Györfi, I. and Benkovics, L., 1999. Tertiary tectonic evolution of the Pannonian Basin system and neighbouring orogens: a new synthesis of palaeostress data. In: Durand, B., Jolivet, L., Horváth, F., Séranne, M. (Eds.), *The Mediterranean Basins: Tertiary extension within the Alpine Orogen*, *Geol. Soc. Spec. Publ.*, 156, 295–334.
- Foeken, J.P.T., 2004. *Tectono-morphology of the Ligurian Alps and adjacent basins (NW Italy): An integrated study of their Neogene to Present evolution*. Ph.D. Thesis, VU University, Amsterdam, 192 pp.
- Foeken, J., Dunai, T., Bertotti, G., Andriessen, P., 2003. Late Miocene to Present exhumation in the Ligurian Alps (SW Alps) with evidence for accelerated denudation during the Messinian Salinity Crisis. *Geology*, 31, 797–800.
- Foeken, J.P.T., Stuart, F.M., Dobson, K.J., Persano, C., Vilbert, D., 2006. A diode laser system for heating minerals for (U-Th)/He chronometry. *Geochem. Geophys. Geosyst. (G³)*, 7(4), Q04015.
- Fügenschuh, B., Schmid, S.M., 2005. Age and significance of core complex formation in a very curved orogen: Evidence from fission track studies in the South Carpathians (Romania). *Tectonophysics*, 404(1-2), 33–53.
- Gabris, G., Nador, A., 2007. Long-term fluvial archives in Hungary: response of the Danube and Tisza rivers to tectonic movements and climatic changes during the Quaternary: a review and new synthesis. *Quaternary Sci. Rev.*, 26(22-24), 2758–2782.
- Galbraith, R.F., 1981. On statistical models for fission track counts. *Math. Geol.*, 13(6), 471–478.
- Galbraith, R.F., Green, P.F., 1990. Estimating the component ages in a finite mixture. *Nucl. Tracks Radiat. Meas.*, 17(3), 197–206.
- Galbraith, R.F., Laslett, G.M., 1993. Statistical models for mixed fission track ages. *Nucl. Tracks Radiat. Meas.*, 21(4), 459–470.
- Gallagher, K., Brown, R., Johnson, C., 1998. Fission track analysis and its applications to geological problems. *Annu. Rev. Earth Planet. Sci.*, 26, 519–572.
- Gillet, H., Lericolais, G., Rehault, J.-P., 2007. Messinian event in the black sea: Evidence of a Messinian erosional surface. *Mar. Geol.*, 244(1-4), 142–165.
- Gîrbacea, R., Frisch, W., Linzer, H.-G., 1998. Post-orogenic uplift-induced extension: a kinematic model for the Pliocene to recent tectonic evolution of the Eastern Carpathians (Romania). *Geol. Carpath.*, 49(5), 315–327.
- Gleadow, A.J.W., 1981. Fission track dating methods: What are the real alternatives? *Nucl. Tracks*, 5(1-2), 3–14.
- Gleadow, A.J.W., Duddy, I.R., 1981. A natural long-term annealing experiment for apatite. *Nucl. Tracks Radiat. Meas.*, 5, 169–174.
- Gleadow, A.J.W., Duddy, I.R., Green, P.F., Lovering, J.F., 1986. Confined fission track lengths in apatite: A diagnostic tool for thermal history analysis. *Contrib. Mineral. Petrol.*, 94, 405–415.
- Gleadow, A.J.W., Belton, D.X., Kohn, B.P., Brown, R.W., 2002. Fission track dating of phosphate minerals and the thermochronology of apatite. In: Kohn, M., Rako-

- van, J., Hughes, J.M. (Eds.), *Phosphates – Geochemical, Geobiological and Material Importance*, *Rev. Mineral. Geochem.*, vol. 48, Mineral. Soc. of Am., pp. 579–630.
- Gradstein F.M., Ogg, J.G., 2004. *A Geologic Time Scale 2004*. Cambridge University Press, Cambridge, 589 pp.
- Gradstein, F.M., Ogg, J.G., Smit, A.G., Bleeker, W., Lourens, L.J., 2004. A new geological time scale with special references to Precambrian and Neogene. *Episodes*, 27(2), 83–100.
- Green, P.F., 1980. On the cause of the shortening of spontaneous fission tracks in certain minerals. *Nucl. Tracks*, 4, 91–100.
- Green, P.F., 1981. A new look at statistics in fission-track dating. *Nucl. Tracks*, 5, 77–86.
- Green, P.F., 1985. Comparison of Zeta calibration baselines for fission-track dating of apatite, zircon and sphene. *Chem. Geol.*, 58, 1–22.
- Green, P.F., 1988. The relationship between track shortening and fission track age reduction in apatite: combined influences of inherent instability, annealing anisotropy, length bias and system calibration. *Earth Planet. Sci. Lett.*, 89, 335–352.
- Green, P.F., 1995. AFTA today. *On Track*, 5(2), 8–10.
- Green, P.F., Duddy, I.R., 2006. Interpretation of apatite (U-Th)/He ages and fission track ages from cratons. *Earth Planet. Sci. Lett.*, 244, 541–547.
- Green, P.F., Duddy, I.R., Gleadow, A.J.W., Tingate, P.R., Laslett, G.M., 1985. Fission-track annealing in apatite: track length measurements and the form of the Arrhenius plot. *Nucl. Tracks*, 10(3), 323–328.
- Green, P.F., Duddy, I.R., Gleadow, A.J.W., Tingate, P.R., Laslett, G.M., 1986. Thermal annealing of fission tracks in apatite 1: A qualitative description. *Chem. Geol.*, 59, 237–253.
- Green, P.F., Duddy, I.R., Laslett, G.M., Hegarty, K.A., Gleadow, A.J.W., Lovering, J.F., 1989. Thermal annealing of fission tracks in apatite 4: Quantitative modelling techniques and extension to geological timescales. *Chem. Geol.*, 79, 155–182.
- Green, P.F., Crowhurst, P.V., Duddy, I.R., Japsen, P., Holford, S.P., 2006. Conflicting (U-Th)/He and fission track ages in apatite: Enhanced He retention, not anomalous annealing behaviour. *Earth Planet. Sci. Lett.*, 250, 407–427.
- Grenerczy, G., Sella, G., Stein, S., Kenyeres, A., 2005. Tectonic implications of the GPS velocity field in northern Adriatic region. *Geophys. Res. Lett.*, 32, L16311.
- Gröger H.R., 2006. *Thermal and structural evolution of the East Carpathians in northern Romania: from Cretaceous orogeny to final exhumation during Miocene collision*. Ph.D. thesis, Basel University, Basel, 111 pp.
- Gröger, H.R., Fügenschuh, B., Tischler, M., Schmid, S.M., Foeken, J.P.T., 2008. Tertiary cooling and exhumation history in the Maramures area (internal eastern Carpathians, northern Romania): thermochronology and structural data. In: Siegesmund, S., Fügenschuh, B., Froitzheim, N. (Eds.), *Tectonic Aspects of the Alpine-Dinaride-Carpathian System*, *Geol. Soc. Spec. Publ.*, 298, 169–195.
- Guedes, S., Hadler, J.C., Oliveira, K.M.G., Moreira, P.A.F.P., Iunes, P.J., Tello, C.A., 2006. Kinetic model for the annealing of fission tracks in minerals and its application to apatite. *Radiat. Meas.*, 41, 392–398.
- Guedes, S., Curvo, E.A.C., Tello, C.A., Hadler, J.C., Iunes, P.J., Paulo, S.R., Palissari, R., 2007. On the annealing of fission tracks in randomly oriented grains of apatite. *Nucl. Instrum. Meth. B*, 256, 683–692.
- Guedes, S., Jonckheere, R., Moreira, P.A.F.P., Hielscher, R., 2008. On the calibration of fission-track annealing models. *Chem. Geol.*, 248, 1–13.
- Györfi, I., Csontos, L., Nagymarosy, A., 1999. Early Tertiary structural evolution of the border zone between the Pannonian and Transylvanian Basins. In: Durand, B.,

- Jolivet, L., Horváth, F., Séranne, M. (Eds.), *The Mediterranean Basins: Tertiary extension within the Alpine Orogen*, *Geol. Soc. Spec. Publ.*, 156, 251–267.
- Haas, J., Pero, C., 2004. Mesozoic evolution of the Tisza Mega-unit. *Int. J. Earth Sci. (Geol. Rundsch.)*, 93, 297–313.
- Haq, B., Hardenbol, J., Vail, P., 1987. Chronology of fluctuating sea level since Triassic (250 million years to present). *Science*, 235, 1156–1167.
- Harrison, T.M., 1981. Diffusion of ^{40}Ar in hornblende. *Contrib. Mineral. Petrol.*, 78, 324–331.
- Harrison, T.M., Duncan, I., McDougall, I., 1985. Diffusion of ^{40}Ar in biotite: Temperature, pressure and compositional effects. *Geochim. Cosmochim. Acta*, 49, 2461–2468.
- Hasebe, N., Barbarand, J., Jarvis, K., Carter, A., Hurford, A.J., 2004. Apatite fission-track chronometry using laser ablation ICP-MS. *Chem. Geol.*, 207, 135–145.
- Hasebe, N., Carter, A., Hurford, A.J.W., Arai, S., 2009. The effect of chemical etching on LA ICP-MS analysis in determining uranium concentration for fission-track chronometry. In: Lisker, F., Ventura, B., Glasmacher, U.A. (Eds.), *Thermochronological Methods: From Palaeotemperature Constraints to Landscape Evolution Models*, *Geol. Soc. Spec. Publ.*, 324, 37–46.
- Hauser, F., Raileanu, V., Fielitz, W., Dinu, C., Landes, M., Bala, A., Prodehl, C., 2007. Seismic crustal structure between the Transylvanian Basin and the Black Sea, Romania. *Tectonophysics*, 430, 1–25.
- Hendriks, B.W.H., 2003. *Cooling and denudation of the Norwegian and Barents Sea margins, Northern Scandinavia, constrained by apatite fission track and (U-Th)/He thermochronology*. Ph.D. Thesis, VU University, Amsterdam, 177 pp.
- Hendriks, B.W.H., Redfield, T.F., 2005. Apatite fission track and (U-Th)/He data from Fennoscandia: An example of underestimation of fission track annealing in apatite. *Earth Planet. Sci. Lett.*, 236, 443–458.
- Hendriks, B.W.H., Redfield, T.F., 2006. Reply to: Comment on “Apatite fission track and (U-Th)/He data from Fennoscandia: An example of underestimation of fission track annealing in apatite” by B.W.H. Hendriks and T.F. Redfield. *Earth Planet. Sci. Lett.*, 248, 569–577.
- Hilley, G.E., Strecker, M.R., 2004. Steady state erosion of critical Coulomb wedges with applications to Taiwan and the Himalaya. *J. Geophys. Res.*, 109, B01411.
- Hinderer, M., 2001. Late Quaternary denudation of the Alps, valley and lake fillings and modern river loads. *Geodin. Acta*, 14, 231–263.
- Hippolyte, J.-C., Săndulescu, M., 1996. Paleostress characterization of the “Wallachian”-phase in its type area (southeastern Carpathians, Romania). *Tectonophysics*, 263, 235–248.
- Hodges, K.V., 2000. Tectonics of the Himalaya and southern Tibet from two perspectives. *Geol. Soc. Am. Bull.*, 112(3), 324–350.
- Horváth, F., Cloetingh, S., 1996. Stress-induced late-stage subsidence anomalies in the Pannonian basin. *Tectonophysics*, 266, 287–300.
- Horváth, F., Bada, G., Szafián, P., Tari, G., Adam, A., Cloetingh, S., 2006. Formation and deformation of the Pannonian Basin: constraints from observational data. *Geol. Soc. London Mem.*, 32, 191–206.
- Hosu, A., 1999. *Arhitectura sedimentației depozitelor Eocene din nord-vestul Depresiunii Transilvaniei*. PhD Thesis, Universitară Clujeană, Cluj-Napoca, 224 pp.
- Hourigan, J.K., Reiners, P.W., Brandon, M.T., 2005. U-Th zonation-dependent alpha-ejection in (U-Th)/He chronometry. *Geochim. Cosmochim. Acta*, 69(13), 3349–3365.

- House, M.A., Wernicke, B.P., Farley, K.A., Dumitru, T.A., 1997. Cenozoic thermal evolution of the central Sierra Nevada, California, from (U-Th)/He thermochronometry. *Earth Planet. Sci. Lett.*, 151, 167–179.
- House, M.A., Farley, K.A., Kohn, B.P., 1999. An empirical test of helium diffusion in apatite: borehole data from the Otway basin, Australia. *Earth Planet. Sci. Lett.*, 170, 463–474.
- House, M.A., Farley, K.A., Stockli, D., 2000. Helium chronometry of apatite and titanite using Nd-YAG laser heating. *Earth Planet. Sci. Lett.*, 183, 365–368.
- House, M.A., Kohn, B.P., Farley, K.A., Raza, A., 2002. Evaluating thermal history models for the Otway Basin, southeastern Australia, using (U-Th)/He and fission-track data from borehole apatites. *Tectonophysics*, 349, 277–295.
- Houseman, G.A., Gemmer, L., 2007. Intra-orogenic extension driven by gravitational instability: Carpathian-Pannonian orogeny. *Geology*, 35(12), 1135–1138.
- Huisman, R.S., Bertotti, G., Ciulavu, D., Sanders, C.A.E., Cloetingh, S., Dinu, C., 1997. Structural evolution of the Transylvanian Basin (Romania): a sedimentary basin in the bend of the Carpathians. *Tectonophysics*, 272, 249–268.
- Hurford, A.J., Green, P.F., 1982. A user's guide to fission track dating calibration. *Earth Planet. Sci. Lett.*, 59, 343–354.
- Hurford, A.J., Green, P.F., 1983. The Zeta age calibration of fission-track dating. *Chem. Geol., Isot. Geosci. Sect.*, 1, 285–317.
- Iancu, V., Berza, T., Seghedi, A., Gheuca, I., Hann, H.-P., 2005. Alpine polyphase tectono-metamorphic evolution of the South Carpathians: A new overview. *Tectonophysics*, 410, 337–365.
- Jarosinski, M., Beekman, F., Matenco, L., Cloetingh, S., 2009. Mechanics of basin inversion: Finite element modelling of the Pannonian Basin System. *Tectonophysics*, in Press.
- Jipa, D.C., 1997. Late Neogene-Quaternary evolution of Dacic Basin (Romania). An analysis of sediment thickness pattern. *Geo-Eco-Marina*, 2, 128–134.
- Jipa, D., 2006. *Bazinul Dacic: arhitectură sedimentară, evoluție, factori de control* (translated title: *The Dacic basin: Sedimentary architecture, evolution, controlling factors*), GeoEcoMar, Bucharest, 306 pp.
- Johnson, C., 1997. Resolving denudational histories in orogenic belts with apatite fission-track thermochronology and structural data: An example from southern Spain. *Geology*, 25, 623–626.
- Jolivet, L., Faccenna, C., 2000. Mediterranean extension and the Africa-Eurasia collision. *Tectonics*, 19, 1095–1106.
- Juez-Larré, J., 2003. *Post Late Paleozoic tectonothermal evolution of the northeastern margin of Iberia, assessed by fission-track and (U-Th)/He analysis: A case history from the Catalan Coastal Ranges*. Ph.D. Thesis, VU University, Amsterdam, 200 pp.
- Juhász, G., Pogácsás, G., Magyar, I., and Vakarcz, G., 2007. Tectonic versus climatic control on the evolution of fluvio-deltaic systems in a lake basin, Eastern Pannonian Basin. *Sediment. Geol.*, 202, 72–95.
- Kamp P.J.J., Tippet, J.M., 1993. Dynamic of Pacific Plate crust in the South Island (New Zealand) Zone of oblique continent-continent convergence. *J. Geophys. Res.*, 98, 16105–16118.
- Ketcham, R.A., 2005a. The role of crystallographic angle in characterizing and modelling apatite fission-track length data. *Radiat. Meas.*, 39, 595–601.
- Ketcham, R.A., 2005b. Forward and inverse modelling of low-temperature thermochronology data. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58,

- Mineral. Soc. of Am., pp. 275–314.
- Ketcham, R.A., 2009. Refinements for alpha stopping distances and FT corrections. *On Track*, 16(2).
- Ketcham, R.A., Donelick, R.A., Carlson, W.D., 1999. Variability of apatite fission-track annealing kinetics: III. Extrapolation to geological time scales. *Am. Mineral.*, 84, 1235–1255.
- Ketcham, R.A., Donelick, R.A., Donelick, M.B., 2000. AFTSolve: A program for multi-kinetic modeling of apatite fission-track data. *Geol. Mater. Res.*, 2(1), (electronic).
- Ketcham, R.A., Carter, A., Donelick, R.A., Barbarand, J., Hurford, A.J., 2007a. Improved measurement of fission-track annealing in apatite using c-axis projection. *Am. Mineral.*, 92, 789–798.
- Ketcham, R.A., Carter, A., Donelick, R.A., Barbarand, J., Hurford, A.J., 2007b. Improved modeling of fission-track annealing in apatite. *Am. Mineral.*, 92, 799–810.
- Ketcham, R.A., Donelick, R.A., Belestrieri, M.L., Zattin, M., 2009. Reproducibility of apatite fission-track length data and thermal history reconstruction. *Earth Planet. Sci. Lett.*, 284, 504–515.
- Kirby, S.H., 1985. Rock mechanics observations pertinent to the rheology of the continental lithosphere and the localization of strain along shear zones. *Tectonophysics*, 119, 1–27.
- Kirstein, L.A., Fellin, M.G., Willett, S.D., Carter, A., Chen, Y.G., Garver, J.I., Lee, D.C., 2010. Pliocene onset of rapid exhumation in Taiwan during arc-continent collision: new insights from detrital thermochronometry. *Basin Res.*, 22(3), 270–285.
- Kissling, E., Schmid, S.M., Lippitsch, R., Ansorge, J., Fügenschuh, B., 2006. Lithosphere structure and tectonic evolution of the Alpine arc: new evidence from high-resolution teleseismic tomography. *Geol. Soc. London Mem.*, 32(1), 129–145.
- Knapp, J.H., Knapp, C.C., Raileanu, V., Matenco, L., Mocanu, V., Dinu, C., 2005. Crustal constraints on the origin of mantle seismicity in the Vrancea Zone, Romania: The case for active continental lithospheric delamination. *Tectonophysics*, 410, 311–323.
- Kohlstedt, D.L., Evans, B., Mackwell, S.J., 1995. Strength of the lithosphere: Constraints imposed by laboratory experiments. *J. Geophys. Res.*, 100(B9), 17,587–17,602.
- Kohn, B.P., Gleadow, A.J.W., Brown, R.W., Gallagher, K., O’Sullivan, P.B., Foster, D.A., 2002. Shaping the Australian crust over the last 300 million years: insights from fission track thermotectonic imaging and denudation studies of key terranes. *Austral. J. Earth Sci.* 49, 697–717.
- Kohn, B.P., Belton, D.X., Brown, R.W., Gleadow, A.J.W., Green, P.F., Lovering, J.F., 2003. Comment on “Experimental evidence for the pressure dependence of fission track annealing in apatite” by A.S., Wendt et al. [Earth Planet. Sci. Lett. 201 (2002) 593–607]. *Earth Planet. Sci. Lett.*, 215, 299–306.
- Kohn, B.P., Gleadow, A.J.W., Raza, A., Mavrogenes, J., Raab, M.J., Belton, D.X., Kukkonen, I.T., 2004. Revisiting apatite under pressure: further experimental data on fission track annealing and deep borehole measurements. *Abstract Volume of the 10th International Conference on Fission Track Dating and Thermochronology*, Amsterdam, p. 54.
- Kohn, B.P., Lorencak, M., Gleadow, A.J.W., Kohlmann, F., Raza, A., Osadetz, K.G., Sorjonen-Ward, P., 2009. A reappraisal of low-temperature thermochronology of the eastern Fennoscandia Shield and radiation-enhanced apatite fission-track annealing. In: Lisker, F., Ventura, B., Glasmacher, U.A. (Eds.), *Thermochronological Methods: From Palaeotemperature Constraints to Landscape Evolution Models*, *Geol. Soc.*

- Spec. Publ.*, 324, 193–216.
- Koons, P.O., 1989. The topographic evolution of collisional mountain belts: A numerical look at the Southern Alps, New Zealand. *Am. J. Sci.*, 289, 1041–1069.
- Koons, P.O., 1990. Two-sided orogen: Collision and erosion from the sandbox to the Southern Alps, New Zealand. *Geology*, 18, 679–682.
- Kräutner, H.G., 1980. East Carpathians. In: Zoubek, V. (Ed.), *Precambrian in Younger Fold Belts*, Wiley, London, pp. 625–638.
- Kräutner, H.G., Bindea, G., 2002. Structural units in the pre-Alpine basement of the Eastern Carpathians. *Geologica Carpathica*, 53, 143–146.
- Kräutner, H.G., Krstic, B., 2003. *Geological Map of the Carpatho-Balkanides Between Oravita-Nis and Sofia*, Geoinstitut, Belgrade.
- Krészsek, C., Filipescu, S., 2005. Middle to Late Miocene sequence stratigraphy of the Transylvanian Basin (Romania). *Tectonophysics*, 410(1–4), 437–463.
- Krészsek, C., Bally, A., 2006. The Transylvanian Basin (Romania) and its relation to the Carpathian fold and thrust belt: Insights in gravitational salt tectonics. *Mar. Petrol. Geol.*, 23, 405–442.
- Krészsek, C., Filipescu, S., Silye, L., Matenco, L., Doust, H., 2010. Miocene facies associations and sedimentary evolution of the Southern Transylvanian Basin (Romania): Implications for hydrocarbon exploration. *Mar. Petrol. Geol.*, 27(1), 191–214.
- Krijgsman, W., Hilgen, F.J., Raffi, I., Sierro, F.J., Wilson, D.S., 1999. Chronology, causes and progression of the Messinian salinity crisis. *Nature*, 400(6745), 652–655.
- Lal, D., Rajan, R.S., Tamhane, A.S., 1969. Chemical composition of nuclei of $Z > 22$ in cosmic rays using meteoritic minerals as detectors. *Nature*, 221, 33–37.
- Lam, N.S., 1983. Spatial interpolation methods review. *Am. Cartographer*, 10, 129–149.
- Landes, M., Fielitz, W., Hauser, F., Popa, M., Group, C., 2004. 3-D upper-crustal tomographic structure across the Vrancea Seismic Zone, Romania. *Tectonophysics*, 382, 85–102.
- Larson, S.ØA., Cederbom, C.E., Tullborg, E.-L., Stiberg, J.-P., 2006. Comment on “Apatite fission track and (U-Th)/He data from Fennoscandia: An example of underestimation of fission track annealing in apatite” by Hendriks and Redfield [Earth Planet. Sci. Lett. 236 (443–458)]. *Earth Planet. Sci. Lett.*, 248, 561–568.
- Laslett, G.M., Galbraith, R.F., 1996. Statistical modelling of thermal annealing of fission tracks in apatite. *Geochim. Cosmochim. Acta*, 60(24), 5117–5131.
- Laslett, G.M., Green, P.F., Duddy, I.R., Gleadow, A.J.W., 1987. Thermal annealing of fission tracks in apatite 2: A quantitative analysis. *Chem. Geol.*, 65, 1–13.
- Laubscher, H., 1971. Das Alpen-Dinariden-Problem und die Palinspastik der südlichen Tethys. *Geol. Rundsch.*, 60, 813–833.
- Lăzărescu, V., Popescu, M., 1986. Shallow vs. deep, old vs. recent tectonic movements at the Eastern Carpathians arc bend. *Tectonophysics*, 131, 287–299.
- Leever, K., 2007. *Foreland of the Romanian Carpathians – controls on late orogenic sedimentary basin evolution and Paratethys paleogeography*. Ph.D. thesis, VU University, Amsterdam, 182 pp.
- Leever, K., Matenco, L., Bertotti, G., Cloetingh, S., Drijkoningen, K.G., 2006. Late orogenic vertical movements in the Carpathian bend zone – seismic constraints on the transition zone from orogen to foredeep. *Basin Res.*, 18(4), 521–545.
- Leever, K.A., Matenco, L., Răbăgia, T., Cloetingh, S., Krijgsman, W., Stoica, M., 2010. Messinian sea level fall in the Dacic Basin (Eastern Paratethys): palaeogeographical implications from seismic sequence stratigraphy. *Terra Nova*, 22, 12–17.
- Lenkey, L., 1999. *Geothermics of the Pannonian basin and its bearing on the tectonics of basin evolution*. Ph.D. thesis, VU University, Amsterdam, 215 pp.

- Lippitsch, R., Kissling, E., Ansorge, J., 2003. Upper mantle structure beneath the Alpine orogen from high-resolution teleseismic tomography. *J. Geophys. Res.*, 108(B8), 2376.
- Lippolt, H.J., Leitz, M., Wernicke, R.S., Hagedorn, B., 1994. (Uranium+thorium)/helium dating of apatite: Experience with samples from different geochemical environments. *Chem. Geol.*, 112, 179–191.
- Lisker, F., Ventura, B., Glasmacher, U.A., 2009. Apatite thermochronology in modern geology. In: Lisker, F., Ventura, B., Glasmacher, U.A. (Eds.), *Thermochronological Methods: From Palaeotemperature Constraints to Landscape Evolution Models*, *Geol. Soc. London Spec. Publ.*, 324, 1–23.
- Lupu, M., 1984. Problems of the European continental margin in the Transylvanian-Pannonian area. *Annuaire de l'Institut de Géologie et de Géophysique Bucharest XLV*, 323–332.
- Malavielle, J., 2010. Impact of erosion, sedimentation, and structural heritage on the structure and kinematics of orogenic wedges: Analog models and case studies. *Geol. Soc. Am. Today*, 20(1), 4–10.
- Martin, M., Wenzel, F., CALIXTO Working Group, 2006. High-resolution teleseismic body wave tomography beneath SE-Romania – II: Imaging of a slab detachment scenario. *Geophys. J. Int.*, 164, 579–595.
- Matenco, L., Bertotti, G., 2000. Tertiary tectonic evolution of the external East Carpathians (Romania). *Tectonophysics*, 316, 255–286.
- Matenco, L., Bertotti, G., Cloetingh, S., Dinu, C., 2003. Subsidence analysis and tectonic evolution of the external Carpathian-Moesian Platform region during Neogene times. *Sediment. Geol.*, 156, 71–94.
- Matenco, L., Bertotti, G., Leever, K., Cloetingh, S., Schmid, S.M., Tărăpoancă, M., Dinu, C., 2007. Large-scale deformation in a locked collisional boundary: Interplay between subsidence and uplift, intraplate stress, and inherited lithospheric structure in the late stage of the SE Carpathians evolution. *Tectonics*, 26, TC4011.
- Matenco, L., Krézek, C., Merten, S., Schmid, S., Cloetingh, S., Andriessen, P., 2010. Characteristics of collisional orogens with low topographic build-up: an example from the Carpathians. *Terra Nova*, 22, 155–165.
- McDowell, F.W., Keizer, R.P., 1977. Timing of mid-Tertiary volcanism in the Sierra Madre Occidental between Durango City and Mazatlan, Mexico. *Geol. Soc. Am. Bull.*, 88, 1479–1487.
- McDowell, F.W., McIntosh, W.C., Farley, K.A., 2005. A precise $^{40}\text{Ar}/^{39}\text{Ar}$ reference age for the Durango apatite (U-Th)/He and fission-track dating standard. *Chem. Geol.*, 214, 249–263.
- Meesters, A.G.C.A., Dunai, T.J., 2002a. Solving the production-diffusion equation for finite diffusion domains of various shapes (part I): Implications for low-temperature (U-Th)/He thermochronology. *Chem. Geol.*, 186, 333–344.
- Meesters, A.G.C.A., Dunai, T.J., 2002b. Solving the production-diffusion equation for finite diffusion domains of various shapes (part I): Application to cases with α -ejection and nonhomogeneous distribution of the source. *Chem. Geol.*, 186, 347–363.
- Melinte, M.C., Jipa, D., 2005. Campanian-Maastrichtian marine red beds in Romania: biostratigraphic and genetic significance. *Cretaceous Res.*, 26(1), 49–56.
- Merten, S., Matenco, L., Foeken, J.P.T., Stuart, F.M., Andriessen, P.A.M., 2010. From nappe stacking to out-of-sequence postcollisional deformations: Cretaceous to Quaternary exhumation history of the SE Carpathians assessed by low-temperature thermochronology. *Tectonics*, 29, TC3013.
- Miro, S., Grebille, D., Chateigner, D., Pelloquin, D., Stoquert, J.-P., Grob, J.-J., Costantini, J.-M., Studer, F., 2005. X-ray diffraction study of damage induced by swift

- heavy ion irradiation in fluorapatite. *Nucl. Instrum. Meth. B*, 227, 306–318.
- Molnar, P., 2003. Nature, nurture and landscape. *Nature*, 426, 612–614.
- Molnar, P., 2004. Late Cenozoic increase in accumulation rates of terrestrial sediment: How might climate change have affected erosion rates? *Annu. Rev. Earth Planet. Sci.*, 32, 67–89.
- Molnar, P., England, P., 1990. Late Cenozoic uplift of mountain ranges and global climate change: chicken or egg? *Nature*, 346, 29–34.
- Morley, C.K., 1996. Models for relative motion of crustal blocks within the Carpathian region, based on restorations of the outer Carpathian thrust sheets. *Tectonics*, 15(4), 885–904.
- Morton, A., Allen, M., Simmons, M., Spathopoulos, F., Still, J., Hinds, D., Ismail-Zadeh, A., Kroonenberg, S., 2003. Provenance patterns in a neotectonic basin: Pliocene and Quaternary sediment supply to the South Caspian. *Basin Res.*, 15, 321–337.
- Moser, F., Hann, H.P., Dunkl, I., Frisch, W., 2005. Exhumation and relief history of the Southern Carpathians (Romania) as evaluated from apatite fission track chronology in crystalline basement and intramontane sedimentary rocks. *Int. J. Earth Sci. (Geol. Rundsch.)*, 94, 218–230.
- Murgeanu, G., 1967. *Geological map scale 1:200.000, Rep. 36, Ploiesti*, Com. de Stat al Geol., Inst. Geol., Bucharest.
- Murrell, G.R., 2003. *The long-term thermal evolution of central Fennoscandia revealed by low-temperature thermochronometry*. Ph.D. thesis, VU University, Amsterdam, 219 pp.
- Murrell, G.R., Sobel, E.R., Carrapa, B., Andriessen, P., 2009. Calibration and comparison of etching techniques for apatite fission-track thermochronology. In: Lisker, F., Ventura, B., Glasmacher, U. (Eds.), *Thermochronological Methods: From Palaeotemperature Constraints to Landscape Evolution Models*, *Geol. Soc. Spec. Publ.*, 324, 73–85.
- Naeser, C.W., 1979. Fission-track dating and geologic annealing of fission tracks. In: Jäger, E., Hunziker, J.C. (Eds.), *Lectures in Isotope Geology*. Springer-Verlag, Berlin, pp. 154–169.
- Naeser, C.W., 1981. The fading of fission tracks in the geological environment – data from deep drill holes. *Nucl. Tracks Radiat. Meas.*, 5, 248–250.
- Naeser, C.W., Faul, H., 1969. Fission track annealing in apatite and sphene. *J. Geophys. Res.*, 74, 705–710.
- Naeser, C.W., Fleischer, R.L., 1975. Age of the apatite at Cerro de Mercado, Mexico: A problem for fission track annealing corrections. *Geophys. Res. Lett.*, 2(2), 67–70.
- Naeser, C.W., Forbes, R.B., 1976. Variation of fission track ages with depth in two deep drill holes. EOS, Trans. *Am. Geophys. Union.*, 57(4), 353.
- Nagpaul, K.K., Mehta, P.P., Gupta, M.L., 1974. Annealing studies on radiation damages in biotite, apatite and sphene and corrections to fission track ages. *Pageoph*, 112, 131–139.
- Necea, D., 2010. *High-resolution morpho-tectonic profiling across an orogen: tectonic-controlled geomorphology and multiple dating approach in the SE Carpathians*. Ph.D. Thesis, Vrije Universiteit, Amsterdam, 147 pp.
- Necea, D., Fielitz, W., Matenco, L., 2005. Late Pliocene–Quaternary tectonics in the frontal part of the SE Carpathians: Insights from tectonic geomorphology. *Tectonophysics*, 410, 137–156.
- Olivetti, V., Balestrieri, M.L., Faccenna, C., Stuart, F.M., Vignaroli, G., 2010. Middle Miocene out-of-sequence thrusting and successive exhumation in the Peloritani Mountains, Sicily: Late stage evolution of an orogen unraveled by apatite fission track and (U-Th)/He thermochronometry. *Tectonics*, 29, TC5005.

- Oncescu, M.-C., Bonjer, K.-P., 1997. A note on the depth recurrence and strain release of large Vrancea earthquakes. *Tectonophysics*, 272, 291–302.
- O'Sullivan, P.B., Parrish, R.R., 1995. The importance of apatite composition and single-grain ages when interpreting fission track data from plutonic rocks: A case study from the Coast Ranges, British Columbia. *Earth Planet. Sci. Lett.*, 132, 213–224.
- Oszczypko, N., 2006. Late Jurassic-Miocene evolution of the Outer Carpathian fold-and-thrust belt and its foredeep basin (Western Carpathians, Poland). *Geological Quaterly*, 50, 169–194.
- Ouchani, S., Dran, J.-C., Chaumont, J., 1997. Evidence of ionization annealing upon helium-irradiation of pre-damaged fluorapatite. *Nucl. Instrum. Meth. B*, 132, 447–451.
- Pamić, J., Balen, D., Herak, M., 2002a. Origin and geodynamic evolution of Late Paleogene magmatic associations along the Periadriatic-Sava-Vardar magmatic belt. *Geodin. Acta*, 15(4), 209–231.
- Pamić, J., Tomljenović, B., Balen, D., 2002b. Geodynamic and petrogenetic evolution of Alpine ophiolites from the central and NW Dinarides: an overview. *Lithos*, 65, 113–142.
- Pană, D., Erdmer, P., 1994. Alpine crustal shear zones and pre-Alpine basement terranes in the Romanian Carpathians and Apuseni Mountains. *Geology*, 22, 807–810.
- Panaiotu, C.E., Vasiliev, I., Panaiotu, C.G., Krijgsman, W., Langereis, G.C., 2007. Provenance analysis as a key to orogenic exhumation: a case study from the East Carpathians (Romania). *Terra Nova*, 19(2), 120–126.
- Paraschiv, D., 1979. Romanian Oil and Gas Fields. *Institute of Geology and Geophysics, Technical and Economical Studies, Series A, no. 13*, Bucharest, 382 pp.
- Pătrașcu, S., Bleahu, M., Panaiotu, C., 1990. Tectonic implications of paleomagnetic research into Upper Cretaceous magmatic rocks in the Apuseni Mountains, Romania. *Tectonophysics*, 180, 309–322.
- Pătrașcu, S., Panaiotu, C., Șeclăman, M., Panaiotu, C.E., 1994. Timing of rotational motion of Apuseni Mountains (Romania): paleomagnetic data from Tertiary magmatic rocks. *Tectonophysics*, 233, 163–176.
- Pécskay, Z., Edelstein, O., Seghedi, I., Szakács, A., Leza, J., Kovacs, M., Crihan, M. Bernard, A., 1995. K-Ar datings of Neogene–Quaternary calc-alkaline volcanic rocks in Romania. *Acta Vulcan.*, 7, 53–61.
- Petrescu, I., Drăghici, D., 1964. *Geological map of Romania, scale 1:200,000, Sheet 10, Cluj, L-34-XII*. Geological Institute of Romania, Bucharest.
- Petrescu, I., Grigorescu, C., 1974. *Geological map of Romania, scale 1:50,000, Sheet 41b, Ciucea, L-34-46-B*. Geological Institute of Romania, Bucharest.
- Petrescu, I., Enea, G., Vlad, V., 1975. *Geological map of Romania, scale 1:50,000, Sheet 29b, Jibou, L-34-35-B*. Geological Institute of Romania, Bucharest.
- Picotti, V., Pazzaglia, F.J., 2008. A new active tectonic model for the construction of the Northern Apennines mountain front near Bologna (Italy). *J. Geophys. Res.*, 113, B08412.
- Pinter, N., Grenerczy, G., Weber, J., Stein, S., Medak, D., 2005. *The Adria Microplate: GPS Geodesy, Tectonics and Hazards (Nato Science Series: IV: Earth and Environmental Sciences)*. Springer, New York, 413 pp.
- Popescu, G. 1975. Etudes des foraminifères du Miocène inférieur et moyen du nord-ouest de la Transylvanie. *Memorii Institutul de Geologie și Geofizică*, 23, 5–121.
- Popescu, B.M., 1984. Lithostratigraphy of cyclic continental to marine Eocene deposits in NW Transylvania, Romania. In: Popescu, B.M. (Ed.), *The Transylvanian Paleogene Basin, Arch. Sci.*, 37, Geneva, 37–73.

- Poprawa, P., Malata, T., 2006. Model of late Jurassic to early Miocene tectonic evolution of the Western Outer Carpathians. *Przegląd Geologiczny*, 54, 1066–1080.
- Price, P.B., Walker, R.M., 1962. Chemical etching of charged-particle tracks in solids. *J. Appl. Phys.*, 33, 3407–3412.
- Price, P.B., Walker, R.M., 1963. Fossil tracks of charged particles in mica and the age of minerals. *J. Geophys. Res.*, 68, 4847–4862.
- Proust, J.N., Hosu, A., 1996. Sequence stratigraphy and Paleogene tectonic evolution of the Transylvanian Basin (Romania, eastern Europe). *Sediment. Geol.*, 105, 117–140.
- Răbăgia, T., Matenco, L., 1999. Tertiary tectonic and sedimentological evolution of the South Carpathians foredeep: tectonic versus eustatic control. *Mar. Petrol. Geol.*, 16, 719–740.
- Răbăgia, T., Matenco, L., Cloetingh, S., 2009. The interplay between eustacy, tectonics and surface processes during the growth of a fault-related structure as derived from sequence stratigraphy: the Govora–Ocnele Mari antiform, South Carpathians. *Tectonophysics*, In Press.
- Rabone, J.A.L., Carter, A., Hurford, A.J., De Leeuw, N.H., 2008. Modelling of formation of fission tracks in apatite minerals using molecular dynamics simulations. *Phys. Chem. Minerals.*, 35, 583–596.
- Ranalli, G., Murphy, D.C., 1987. Rheological stratification of the lithosphere. *Tectonophysics*, 132, 281–295.
- Ranalli, G., 1995. *Rheology of the Earth*, 2nd ed. Chapman and Hall, London, 413 pp.
- Ratschbacher, L., Linzer, H.-G., Mozer, R.O., Struziewicz, R.-O., Bedeleian, H., Han, N., Mogos, P.-A., 1993. Cretaceous to Miocene thrusting and wrenching along the Central South Carpathians due to a corner effect during collision and orocline formation. *Tectonics*, 12(4), 855–873.
- Ravenhurst, C.E., Roden, M.V., Willett, S.D., Miller D.S., 1993. Dependence of fission track annealing on apatite crystal chemistry. *Nucl. Tracks Radiat. Meas.* 21, 622.
- Raymo, M.E., Ruddiman, W.F., 1992. Tectonic forcing of late Cenozoic climate. *Nature*, 359, 117–122.
- Reiners, P.W., 2005. Zircon (U-Th)/He thermochronometry. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Mineral. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 151–176.
- Reiners, P.W., Farley, K.A., 2001. Influence of crystal size on apatite (U-Th)/He thermochronology: An example from the Bighorn Mountains, Wyoming. *Earth Planet. Sci. Lett.*, 188, 413–420.
- Reiners, P.W., Brandon, M.T., 2006. Using thermochronology to understand orogenic erosion. *Ann. Rev. Earth Planet. Sci.*, 34, 419–466.
- Reiners, P.W., Zhou, Z., Ehlers, T.A., Xu, C., Brandon, M.T., Donelick, R.A., Nicolescu, S., 2003. Post-orogenic evolution of the Dabie Shan, Eastern China, from (U-Th)/He and fission-track thermochronology. *Am. J. Sci.*, 303, 489–518.
- Reiners, P.W., Ehlers, T.A., Zeitler, P.K., 2005. Past, present, and future of thermochronology. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 1–18.
- Reinhardt, L.J., Dempster, T.J., Shroder Jr., J.F., Persano, C., 2007. Tectonic denudation and topographic development in the Spanish Sierra Nevada. *Tectonics*, 26, TC3001.
- Ricketts, B.D., 2008. Chapter 10 Cordilleran Sedimentary Basins of Western Canada Record 180 Million Years of Terrane Accretion. In: Miall, A.D. (Ed.), *The Sedimentary Basins of the United States and Canada, Sedimentary Basins of the World*, 5, Elsevier, 363–394.

- Ring, U., Brandon, M.T., Willett, S.D., Lister, G.S., 1999. Exhumation processes. In: Ring, U., Brandon, M.T., Lister, G.S., Willett, S.D. (Eds.), *Exhumation Processes: Normal Faulting, Ductile Flow, and Erosion*, *Geol. Soc. Spec. Publ.*, 154, 1–27.
- Robertson A., Karamata, S., Šarić, K., 2009. Overview of ophiolites and related units in the Late Paleozoic–Early Cenozoic magmatic and tectonic development of Tethys in the northern part of the Balkan region. *Lithos*, 108, 1–36.
- Rögl, F., 1996. Stratigraphic correlation of the Paratethys Oligocene and Miocene. In: Decker, K. (Ed.), *Mitt. Gesell. Geol. Bergbaustud. Österr.*, 41, 65–73.
- Rosenberg, C.L., Berger, A., 2009. On the causes and modes of exhumation and lateral growth of the Alps. *Tectonics*, 28, TC6001.
- Roşu, E., Pécskay, Z., Ştefan, A., Popescu, G., Panaiotu, C., Panaiotu, C.E., 1997. The evolution of Neogene volcanism in the Apuseni Mountains (Romania), constraints from new K–Ar data. *Geol. Carpath.*, 48(6), 353–359.
- Roure, F., 2008. Foreland and hinterland basins: what controls their evolution? *Swiss J. Geosci.*, 101, 5–29.
- Roure, F., Brun, J.P., Colletta, B., Vially, R., 1994. Multiphase extensional structures, fault reactivation, and petroleum plays in the Alpine Foreland Basin of Southeastern France. In: Mascle, A. (Ed.), *Hydrocarbon and petroleum geology of France, European Association of Petroleum Geoscientists, Special Publication*, 4, Paris, Springer-Verlag, 245–268.
- Royden, L.H., 1993. The tectonic expression of slab pull at continental convergent boundaries. *Tectonics*, 12, 303–325.
- Royden, L.H., Burchfiel, B.C., 1989. Are systematic variations in thrust belt style related to plate boundary processes (the Western Alps versus the Carpathians). *Tectonics*, 8, 51–61.
- Sacks, P.E., Secor, D.T., 1990. Delamination in collisional orogens. *Geology*, 18, 999–1002.
- Saintot A., Brunet, M.-F., Yakovlev, F., SéBrier, M., Stephenson, R., Ershov, A., Chalot-Prat, F., McCann, T., 2006. The Mesozoic–Cenozoic Tectonic Evolution Of The Greater Caucasus. In: Gee, D.G., Stephenson, R.A. (Eds.), *European Lithosphere Dynamics*, *Geol. Soc. London Mem.*, 32, 277–289.
- Sanders, C.A.E., 1998. *Tectonics and erosion – Competitive forces in a compressive orogen: A fission track study of the Romanian Carpathians*. Ph.D. thesis, VU University, Amsterdam, 204 pp.
- Sanders, C.A.E., Andriessen, P.A.M., Cloetingh, S.A.P.L., 1999. Life cycle of the East Carpathian orogen: Erosion history of a doubly vergent critical wedge assessed by fission-track thermochronology. *J. Geophys. Res.*, 104 (B12), 29,095–29,112.
- Sanders, C.A.E., Huismans, R., Van Wees, J.D., Andriessen, P., 2002. The Neogene history of the Transylvanian Basin in relation to its surrounding mountains. In: Cloetingh, S.A.P.L., Horváth, F., Bada, G., Lankreijer, A.C. (Eds.), *Neotectonics and Surface Processes: the Pannonian Basin and Alpine-Carpathian System*, *EGU Stephan Mueller Special Publication Series*, 3, 121–133.
- Săndulescu, M., 1984. *Geotectonica României (GeoTectonics of Romania)*. Tehnică, Bucharest, 450 pp.
- Săndulescu, M., 1988. Cenozoic tectonic history of the Carpathians. In: Royden, L.H., Horváth, F. (Eds.), *The Pannonian Basin: A Study in Basin Evolution*, *Am. Assoc. Petrol. Geol. Mem.*, 45, 17–25.
- Săndulescu, M., 1994. Overview on Romanian Geology. *Rom. J. Tect. Reg. Geol.*, 75(Suppl. 2), 3–15, Bucureşti.
- Săndulescu, M., Visarion, M., 1978. Considérations sur la structure tectonique du soubassement de la dépression de Transsylvanie. *Dări Seăma Sedintelor Inst. Geol.*

- Geofiz., Tectonică și Geologie Regională*, 64, 153–173.
- Săndulescu, M., Kräutner, H., Borcos, M., Nastaseanu, S., Patrușiu, D., Ștefanescu, M., Ghenea, C., Lupu, M., Savu, H., Bercia, I., Marinescu, F., 1978. *Geological map of Romania, scale 1:1,000,000*, Geological Institute of Romania, Bucharest.
- Săndulescu, M., Ștefănescu, M., Butac, A., Patrut, I., Zaharescu, P., 1981. *Genetical and Structural Relations between Flysch and Molasse (The East Carpathians)*. Geol. Inst. of Rom., Bucharest, 95 pp.
- Schefer, S., 2010. *Tectono-metamorphic and magmatic evolution of the Internal Dinarides (Kopaonik area, southern Serbia) and its significance for the geodynamic evolution of the Balkan Peninsula*. PhD thesis, Universität Basel, Basel, 230 pp.
- Schlunegger, F., Simpson, G., 2002. Possible control on lateral growth of the European Central Alps. *Geology*, 30(10), 907–910.
- Schlunegger, F., Hinderer, M., 2003. Pleistocene/Holocene climate change, re-establishment of fluvial drainage network and increase in relief in the Swiss Alps. *Terra Nova*, 15(2), 88–95.
- Schlunegger, F., Melzer, J., Tucker, G.E., 2001. Climate, exposed source-rock lithologies, crustal uplift and surface erosion: a theoretical analysis calibrated with data from the Alps/North Alpine Foreland Basin system. *Int. J. Earth Sci. (Geol. Rundsch.)*, 90, 484–499.
- Schmid, S.M., Pfiffner, O.A., Froitzheim, N., Schonborn, G., Kissling, E., 1996. Geophysical-geological transect and tectonic evolution of the Swiss-Italian Alps. *Tectonics*, 15(5), 1036–1064.
- Schmid, S.M., Berza, T., Diaconescu, V., Froitzheim, N., Fügenschuh, B., 1998. Orogen-parallel extension in the Southern Carpathians. *Tectonophysics*, 297, 209–228.
- Schmid, S.M., Bernoulli, D., Fügenschuh, B., Matenco, L., Schefer, S., Schuster, R., Tischler, M., Ustaszewski, K., 2008. The Alpine-Carpathian-Dinaridic orogenic system: Correlation and evolution of tectonic units. *Swiss J. Geosci.*, 101(1), 139–183.
- Schuller, V., 2004. *Evolution and geodynamic significance of the Upper Cretaceous Gosau basin in the Apuseni Mountains (Romania)*. PhD Thesis, Tübinger Geowiss. Arb. Reihe A70, Inst. für Geowissenschaften, Univ. Tübingen, 112 pp.
- Schuller, V., Frisch, W., 2006. Heavy mineral provenance and paleocurrent data of the Upper Cretaceous Gosau succession of the Apuseni Mountains (Romania). *Geol. Carpath.*, 57(1), 29–39.
- Schuller, V., Frisch, W., Danišik, M., Dunkl, I., Melinte, M.C., 2009. Upper Cretaceous Gosau deposits of the Apuseni Mountains (Romania) – Similarities and differences to the Eastern Alps. *Aust. J. Earth Sci.*, 102, 133–145.
- Seghedi, I., 2004. Geological evolution of the Apuseni Mountains with emphasis on the Neogene magmatism – A review. In: Cook, N.J., Ciobanu, C.L. (Eds.), *Au-Ag-telluride Deposits of the Golden Quadrilateral, Apuseni Mountains, Romania, Guidebook of the International Field Workshop of IGCP project 486, Alba Iulia, Romania, 31 August – 7 September 2004, IAGOD Guidebook Series, 11*, 5–23.
- Seghedi, I., Downes, H., Szakács, A., Mason, P.R.D., Thirlwall, M.F., Roșu, E., Pécskay, Z., Márton, E., Panaiotu, C., 2004. Neogene–Quaternary magmatism and geodynamics in the Carpathian – Pannonian region: a synthesis. *Lithos*, 72, 117–146.
- Seward D., Mancktelow, N.S., 1994. Neogene kinematics of the central and western Alps: Evidence from fission-track dating. *Geology*, 22, 803–806.
- Shuster, D.L., Farley, K.A., 2003. $^4\text{He}/^3\text{He}$ thermochronometry. *Earth Planet. Sci. Lett.*, 217, 1–17.
- Shuster, D.L., Farley, K.A., 2005. $^4\text{He}/^3\text{He}$ thermochronometry: Theory, practice, and potential complications. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Tempera-*

- ture *Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 181–203.
- Shuster, D.L., Farley, K.A., 2009. The influence of artificial radiation damage and thermal annealing on helium diffusion kinetics in apatite. *Geochim. Cosmochim. Acta*, 73, 183–196.
- Shuster, D.L., Flowers, R.M., Farley, K.A., 2006. The influence of natural radiation damage on helium diffusion kinetics in apatite. *Earth Planet. Sci. Lett.*, 249(3–4), 148–161.
- Silk, E.C.H., Barnes, R.S., 1959. Examination of fission fragment tracks with an electron microscope. *Phil. Mag.*, 4, 970–71.
- Simpson, C., Schmid, S.M., 1983. An evaluation of criteria to deduce the sense of movement in sheared rocks. *Geol. Soc. Am. Bull.*, 94, 1281–1288.
- Song, S., Zhang, L., Niu, Y., Su, L., Song, B., Liu, D., 2006. Evolution from oceanic subduction to continental collision: A case study from the Northern Tibetan Plateau based on geochemical and geochronological data. *J. Petrol.*, 47(3), 435–455.
- Soulet, S., Carpéna, J., Chaumont, J., Kaitasov, O., Ruault, M.-O., Krupa, J.-C., 2001. Simulation of the α -annealing effect in apatite structures by He-ion irradiation: Influence of the silicate/phosphate ratio and of the OH^-/F^- substitution. *Nucl. Instrum. Meth. B*, 184, 383–390.
- Spencer, A.S., Kohn, B.P., Gleadow, A.J.W., Norman, M., Belton, D.X., Carter, T.J., 2004. The importance of residing in a good neighbourhood: Rechecking the rules of the game for apatite (U-Th)/He thermochronology. *Abstract Volume of the 10th International Conference on Fission Track Dating and Thermochronology*, Amsterdam, p. 20.
- Spiegel, C., Kohn, B., Raza, A., Rainer, T., Gleadow, A., 2007. The effect of long-term low-temperature exposure on apatite fission track stability: A natural annealing experiment in the deep ocean. *Geochim. Cosmochim. Acta*, 71, 4512–4537.
- Spiegel, C., Kohn, B., Belton, D., Berner, Z., Gleadow, A., 2009. Apatite (U-Th-Sm)/He thermochronology of rapidly cooled samples: The effect of He implantation. *Earth Planet. Sci. Lett.*, 285, 105–114.
- Stampfli, G.M., Borel, G., 2004. The TRANSMED transects in space and time: constraints on the paleotectonic evolution of the Mediterranean domain. In: Cavazza, W., Roure, F.M., Spakman, W., Stampfli, G.M., Ziegler, P.A. (Eds.), *The TRANSMED Atlas: The Mediterranean Region from Crust to Mantle*, Springer, Berlin and Heidelberg, pp. 53–80.
- Ștefănescu, M., 1976. O nouă imagine a structurii fisului intern din regiunea de curbura a Carpatilor (Translated title: A new image of the internal flysch structure From the Carpathian bend area). *Dari Seama Sedintelor Inst. Geol. Geofiz.*, 62, 257–259.
- Ștefănescu, M., Mărunțeanu, M., 1978. Age of the Doftana Molasse. *Dari Seama Sedintelor Inst. Geol. Geofiz.*, 65, 169–182.
- Ștefănescu, M., and working group, 1988a. *Geological cross section, scale 1:200,000, Nr. 5-B, Section Biharia – Malu Mare*. Geological Institute of Romania, Bucharest.
- Ștefănescu, M., and working-group, 1988b. *Geological cross sections, scale 1:200,000, no. A1-A22*. Geological Institute of Romania, Bucharest.
- Ștefănescu, M., Dicea, O., Tari, G., 2000. Influence of extension and compression on salt diapirism in its type area, East Carpathians bend area, Romania. In: Vendeville, B.C., Mart, Y., Vigneresse, J.-L. (Eds.), *Salt, Shale and Igneous Diapirs in and around Europe*, *Geol. Soc. Spec. Publ.*, 174, 131–147.
- Steiger, R.H., Jäger, E., 1977. Subcommission on geochronology: Convention on the use of decay constants in geo- and cosmochronology. *Earth Planet. Sci. Lett.*, 36, 359–362.

- Stockli, D.F., 2005. Application of low-temperature thermochronometry to extensional tectonic settings. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 411–448.
- Stockli, D.F., Farley, K.A., Dumitru, T.A., 2000. Calibration of the apatite (U-Th)/He thermochronometer on an exhumed fault block, White Mountains, California. *Geology*, 28, 983–986.
- Stockli, D.F., Dumitru, T.A., McWilliams, M.O., Farley, K.A., 2003. Cenozoic tectonic evolution of the White Mountains, California and Nevada. *Geol. Soc. Am. Bull.*, 115, 788–816.
- Stoica, M., Lazar, I., Vasiliev, I., Krijgsman, W., 2007. Mollusc assemblages of the Pontian and Dacian deposits from the Topolog-Argeş area (southern Carpathian foredeep Romania). *Geobios.*, 40, 391–405.
- Stüwe, K., Barr, T.D., 1998. On uplift and exhumation during convergence. *Tectonics*, 17(1), 80–88.
- Szakács, A., Krézsek, C., 2006. Volcano-basement interaction in the Eastern Carpathians: Explaining unusual tectonic features in the Eastern Transylvanian Basin. *Romania. J. Volcanol. Geotherm. Res.*, 158, 6–20.
- Tagami, T., O’Sullivan, P.B., 2005. Fundamentals of fission-track thermochronology. In: Reiners, P.W., Ehlers, T.A. (Eds.), *Low Temperature Thermochronology: Techniques, Interpretations, and Applications*, *Rev. Miner. Geochem.*, vol. 58, Mineral. Soc. of Am., pp. 19–47.
- Tărăpoancă, M., Bertotti, G., Matenco, L., Dinu, C., Cloetingh, S., 2003. Architecture of the Focşani depression: A 13 km deep basin in the Carpathians bend zone (Romania). *Tectonics*, 22(6), 1074.
- Tari, G., Horváth, F., Rumpel, J., 1992. Styles of extension in the Pannonian basin. *Tectonophysics*, 208, 203–219.
- Tari, G., Dövényi, P., Dunkl, I., Horváth, F., Lenkey, L., Ştefănescu, M., Szafian, P., Toth, T., 1999. Lithosphere structure of the Pannonian basin derived from seismic, gravity and geothermal data. In: Durand, B., Jolivet, L., Horváth, F., Séranne, M. (Eds.), *The Mediterranean basins: Tertiary extension within the Alpine orogen*, *Geol. Soc. Spec. Publ.*, 156, 215–250.
- Thiede, R.C., Bookhagen, B., Arrowsmith, J.R., Sobel, E.R., Strecker, M.R., 2004. Climatic control on rapid exhumation along the Southern Himalayan Front. *Earth Planet. Sci. Lett.*, 222, 791–806.
- Tischler, M., Gröger, H.R., Fügenschuh, B., Schmid, S.M., 2007. Miocene tectonics of the Maramures area (Northern Romania): implications for the Mid-Hungarian fault zone. *Int. J. Earth Sci.*, 95, 473–496.
- Ustaszewski, K., Schmid, S., Fügenschuh, B., Tischler, M., Kissling, E., Spakman, W., 2008. A map-view restoration of the Alpine-Carpathian-Dinaridic system for the Early Miocene. *Swiss J. Geosci.*, 101(0), 273–294.
- Van den Haute, P., De Corte, F., Jonckheere, R., Bellemans, F., 1998. The parameters that govern the accuracy of fission-track age determinations: A re-appraisal. In: Van den Haute, P., De Corte, F. (Eds.), *Advances in fission-track geochronology*, Kluwer Academic Publishers, Dordrecht, pp. 33–46.
- Van der Beek, P.A., Valla, P.G., Herman, F., Braun, J., Persano, C., Dobson, K.J., Labrin, E., 2010. Inversion of thermochronological age-elevation profiles to extract independent estimates of denudation and relief history – II: Application to the French Western Alps. *Earth Planet. Sci. Lett.*, 296, 9–22.
- Vasiliev, I., 2006. *A new chronology for the Dacian Basin (Romania): Consequences for the kinematic and paleoenvironmental evolution of the Paratethys region*. Ph.D.

- thesis, Univ. Utrecht, Utrecht, 193 pp.
- Vasiliev, I., Krijgsman, W., Langereis, C.G., Panaiotu, C.E., Matenco, L., Bertotti, G., 2004. Towards an astrochronological framework for the eastern Paratethys Mio-Pliocene sedimentary sequences of the Focșani basin (Romania). *Earth Planet. Sci. Lett.*, 227(1–2), 231–247.
- Veliciu, S., Visarion, M., 1984. Geothermal models for the East Carpathians. In: Čermák, V., Rybach, L., Chapman, D.S. (Eds.), *Terrestrial Heat Flow Studies and the Structure of the Lithosphere, Tectonophysics*, 103, 157–165.
- Vermeesch, P., Seward, D., Latkoczy, C., Wipf, M., Günther, D., Baur, H., 2007. α -emitting mineral inclusions in apatite, their effect on (U-Th)/He ages, and how to reduce it. *Geochim. Cosmochim. Acta*, 71, 1737–1746.
- Vernon, A.J., Van der Beek, P.A., Sinclais, H.D., Rahn, M.K., 2008. Increase in late Neogene denudation of the European Alps confirmed by analysis of a fission-track thermochronology database. *Earth Planet. Sci. Lett.*, 270, 316–329.
- Vidal, O., Wendt, A.S., Chadderton, L.T., 2003. Further discussion on the pressure dependence of fission track annealing in apatite: reply to the critical comment of Kohn et al. *Earth Planet. Sci. Lett.*, 215, 307–316.
- Visarion, M., Veliciu, S., Ștefănescu, M., 1978. Thermal field in the Romanian Carpathians and some aspects of its interpretation. *Studia geoph. and geod.*, 22, 196–199.
- Visarion, M., Săndulescu, M., Stănică, D., Atanasiu, L., 1988. An improved geotectonic model of the East Carpathians. *Rev. Roumania Geol. Geophys. Geogr. Ser. Geophys.*, 32, 43–52.
- Vlad, V., Romanoschi, T., 1987. *Geological map of Romania, scale 1:50,000, Sheet 41d, Răchitele, L-34-46-D*. Geological Institute of Romania, Bucharest.
- Vlad, V., Tușinșchi, A., Stan, A., 1994. *Geological map of Romania, scale 1:50,000, Sheet 29a, Zalău, L-34-35-A*. Geological Institute of Romania, Bucharest.
- Vlaicu-Tătărim, N., 1963. *Stratigrafia Eocenului din Regiunea de la Sud-Vest de Cluj*. Editura Academiei Republicii Populare Române.
- Vrolijk, P., Donelick, R., Queng, J., Cloos, M., 1992. Testing models of fission track annealing in apatite in a simple thermal setting; Site 800, Leg 129. In: Larson, R., Lancelot, Y. (Eds.), *Proc. ODP, Sci. Results*, 129, 169–178.
- Wagner, G.A., 1968. Fission track dating of apatites. *Earth Planet. Sci. Lett.*, 4, 411–415.
- Wagner G.A., Storzer, D., 1970. Die Interpretation von Spaltspurenaltern (fission track ages) am Beispiel von natürlichen Gläsern, Apatiten und Zirkonen. *Eclogae Geol. Helv.*, 63, 335–344.
- Wagner, G.A., Van den Haute, P., 1992. *Fission Track Dating*. Kluwer, Dordrecht, 285 pp.
- Wagner, G.A., Hejl, E., Van den Haute, P., 1994. The KTB fission-track project: Methodological aspects and geological problems. *Radiat. Meas.*, 23, 95–101.
- Warnock, A.C., Zeitler, P.K., Wolf, R.A., Bergman, S.C., 1997. An evaluation of low-temperature apatite U-Th/He thermochronometry. *Geochim. Cosmochim. Acta*, 61, 5371–5377.
- Warny, S.A., Bart, P.J., Suc, J.-P. 2003. Timing and progression of climatic, tectonic and glacioeustatic influences on the Messinian Salinity Crisis. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 202, 59–66.
- Watts, A.B., Burov, E.B., 2003. Lithospheric strength and its relationship to the elastic and seismogenic layer thickness. *Earth Planet. Sci. Lett.*, 213, 113–131.
- Wendt, A.S., Vidal, O., Chadderton, L.T., 2002. Experimental evidence for the pressure dependence of fission track annealing in apatite. *Earth Planet. Sci. Lett.*, 201, 593–607.

- Wendt, A.S., Vidal, O., Chadderton, L.T., 2003. The effect of simultaneous temperature, pressure and stress on the experimental annealing of spontaneous fission tracks in apatite: a brief overview. *Radiat. Meas.*, *36*, 339–342.
- Wenzel, F., Lorenz, F., Sperner, B., Oncescu, M.C., 1999. Seismotectonics of the Romanian Vrancea area. In: Wenzel, F., Lungu, D., Novak, O. (Eds.), *Vrancea Earthquakes: tectonics, Hazard and Risk Mitigation*, Kluwer Academic Publishers, Dordrecht, 15–26.
- Whipple, K.X., Meade, B.J., 2004. Controls on the strength of coupling among climate, erosion, and deformation in two-sided, frictional orogenic wedges at steady state. *J. Geophys. Res.*, *109*, F01011.
- Wiesinger, M., Neubauer, F., Berza, T., Handler, R., Genser, J., 2005. $^{40}\text{Ar}/^{39}\text{Ar}$ amphibole and biotite dating of Romanian Banatites. In: Tomljenović, B., Balen, D., Vlahović, I. (Eds.), *Abstracts Book 7th Workshop on Alpine Geological Studies, 3rd Croatian Geological Congress*, Croatian Geological Survey, pp. 105–106.
- Willenbring, J.K., Von Blanckenburg, F., 2010. Long-term stability of global erosion rates and weathering during late-Cenozoic cooling. *Nature*, *465*, 211–214.
- Willett, S.D., 1999. Orogeny and orography: The effects of erosion on the structure of mountain belts. *J. Geophys. Res.*, *104* (B12), 28,957–28,981.
- Willett, S.D., Brandon, M.T., 2002. On steady states in mountain belts. *Geology*, *30*(2), 175–178.
- Willett, S.D., Beaumont, C., Fullsack, P., 1993. Mechanical model for the tectonics of doubly vergent compressional orogens. *Geology*, *21*, 371–374.
- Willett, S.D., Slingerland, R., Hovius, N., 2001. Uplift, shortening, and steady state topography in active mountain belts. *Am. J. Sci.*, *301*, 455–485.
- Willett, S.D., Schlunegger, F., Picotti, V., 2006. Messinian climate change and erosional destruction of the central European Alps. *Geology*, *34*(8), 613–616.
- Willingshofer, E., 2000. *Extension in collisional orogenic belts: the Late Cretaceous evolution of the Alps and Carpathians*. Ph.D. Thesis, VU University, Amsterdam, 146 pp.
- Willingshofer, E., Neubauer, F., Cloetingh, S., 1999. The significance of Gosau-type basins for the Late Cretaceous tectonic history of the Alpine-Carpathian Belt. *Phys. Chem. Earth*, *24*, 687–695.
- Willingshofer, E., Andriessen, P., Cloetingh, S., Neubauer, F., 2001. Detrital fission track thermochronology of Upper Cretaceous syn-orogenic sediments in the South Carpathians (Romania): inferences on the tectonic evolution of a collisional hinterland. *Basin Res.*, *13*, 379–395.
- Wolf, R.A., Farley, K.A., Silver, L.T., 1996. Helium diffusion and low-temperature thermochronometry of apatite. *Geochim. Cosmochim. Acta*, *60*, 4231–4240.
- Wolf, R.A., Farley, K.A., Silver, L.T., 1997. Assessment of (U-Th)/He thermochronometry: The low-temperature history of the San Jacinto mountains, California. *Geology*, *25*, 65–68.
- Wolf, R.A., Farley, K.A., Kass, D.M., 1998. Modelling of the temperature sensitivity of the apatite (U-Th)/He thermochronometer. *Chem. Geol.*, *148*, 105–114.
- Wortel, M.J.R., Spakman, W., 2000. Subduction and slab detachment in the Mediterranean-Carpathian Region. *Science*, *290*, 1910–1917.
- Young, D.A., 1958. Etching of radiation damage in lithium fluoride. *Nature*, *182*, 375–377.
- Young, E.J., Myers, A.T., Munson, E.L., Conklin, N.M., 1969. Mineralogy and geochemistry of fluorapatite from Cerro de Mercado, Durango, Mexico. *US Geol. Surv. Prof. Paper*, *650-D*, 84–93.

- Zeitler, P.K., Herczeg, A.L., McDougall, I., Honda, M., 1987. U-Th-He dating of apatite: A potential thermochronometer. *Geochim. Cosmochim. Acta*, 51, 2865–2868.
- Zhang, P., Molnar, P., Downs, W.R., 2001. Increased sedimentation rates and grain sizes 2–4 Myr ago due to the influence of climate change on erosion rates. *Nature*, 410, 891–897.
- Ziegler, J.F., 1977. *Helium: Stopping Powers and Ranges in all Elemental Matter*. Pergamon Press, New York, 367 pp.
- Ziegler, P.A., Cloetingh, S., Van Wees, J.-D., 1995. Dynamics of intra-plate compressional deformation: the Alpine Foreland and other examples. *Tectonophysics*, 252, 7–59.
- Ziegler, P.A., Bertotti, G. and Cloetingh, S., 2002. Dynamic processes controlling foreland development - the role of mechanical (de)coupling of orogenic wedges and forelands. In: Bertotti, G., Schulmann, K., Cloetingh, S. (Eds.), *Continental Collision and the Tectono-Sedimentary Evolution of Forelands*. *Europ. Geophys. Soc. Stephan Mueller Special Publication Series*, vol. 1, pp. 17–56.
- Zimmerman, A., Stein, H.J., Hannah, J.L., Koželj, D., Bogdanov, K., Berza, T., 2008. Tectonic configuration of the Apuseni-Banat-Timok-Srednogorie belt, Balkans-South Carpathians, constrained by high precision Re-Os molybdenite ages. *Miner. Deposita*, 43, 1–21.