

VU Research Portal

Orogenesis and Subduction in Analogue Models

Luth, S.W.

2011

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Luth, S. W. (2011). *Orogenesis and Subduction in Analogue Models: Expressions of lateral subduction polarity change below the Alps*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

| | |
|-------------------------------------------------------------------------------|-----------|
| Acknowledgements | ix |
| Samenvatting | xi |
| Summary | xv |
| 1. Introduction | 1 |
| 1.1 Subduction polarity change beneath the Alps | 2 |
| 1.2 Scope of the thesis | 3 |
| 1.2.1 Analogue modelling | 4 |
| 1.2.2 Alpine field study and crustal-scale analogue modelling | 4 |
| 1.3 Thesis outline | 4 |
| 2. Mapping of the post-collisional cooling history of the Eastern Alps | 7 |
| 2.1 Introduction | 7 |
| 2.2 Geological setting | 8 |
| 2.3 Metamorphism in the Eastern Alps | 10 |
| 2.3.1 Austroalpine Units | 10 |
| 2.3.2 Penninic Units | 12 |
| 2.4 Data Compilation | 13 |
| 2.5 Construction of the cooling maps | 13 |
| 2.6 Assumptions, uncertainties and simplifications | 14 |
| 2.7 Cooling maps | 15 |
| 2.7.1 375 °C Isochrone map | 15 |
| 2.7.3 110 °C Isochrone map | 18 |
| 2.8 Temperature maps | 22 |
| 2.9 Discussion | 22 |
| 2.9.1 General conditions at the onset of post-metamorphic cooling | 22 |
| 2.9.2 The thermal Tauern Window | 23 |
| 2.9.3 Cooling trends | 23 |
| 2.9.4 Temporal variations of post-metamorphic cooling | 25 |
| 2.9.5 Cooling rates | 25 |
| 2.9.6 Dome forming mechanisms for the Tauern Window | 26 |
| 2.9.7 From regional to orogen-scale exhumation and cooling | 27 |
| 2.10 Conclusions | 27 |

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 3. Analogue modelling of continental collision: Influence of plate coupling on mantle lithosphere subduction, crustal deformation and surface topography | 31 |
| 3.1 Introduction | 31 |
| 3.2 Modelling of subduction and collision: a concise summary | 32 |
| 3.3 Experimental design | 32 |
| 3.3.1 Analogue materials and model set-up | 32 |
| 3.3.2 Scaling | 34 |
| 3.3.3 Modelling assumptions and simplifications | 34 |
| 3.4 Plate contacts in nature and models | 36 |
| 3.5 Modelling results | 38 |
| 3.5.1 Experiment with a vertical plate boundary | 38 |
| 3.5.2 Experiments with an inclined plate boundary | 38 |
| 3.5.3 Experiments with an inclined plate boundary and a weak lower crust | 42 |
| 3.6 Interpretation and comparison between the experimental results | 44 |
| 3.6.1 Plate boundary deformation and orogenic wedge formation | 44 |
| 3.6.2 Deformation of the plate interior: Influence of plate boundary on crust-mantle decoupling | 46 |
| 3.6.3 Basin formation | 47 |
| 3.7 Discussion | 48 |
| 3.7.1 The role of plate interface rheology on continental collision | 48 |
| 3.7.2 Temporal changes of plate coupling | 48 |
| 3.7.3 The effect of lower crustal rheology on crust-mantle (de)coupling | 49 |
| 3.8 Comparison between experiments and natural analogues | 50 |
| 3.8.1 Pyrenees | 50 |
| 3.8.2 Examples from the Caucasus, Colombian Cordillera, Sierra Pampeanas, and the Alps | 52 |
| 3.9 Conclusions | 54 |
| 4. Plate decoupling and wedge formation | 57 |
| 4.2 Modelling of orogenic wedges | 58 |
| 4.3 Model design and scaling | 59 |
| 4.4 Modelling results | 62 |
| 4.4.1 Experiment with “very weak” limited lower crust | 62 |
| 4.4.2 Experiments with an entire weak lower crust of the lower plate | 64 |
| 4.4.3 Experiments with weak mantle lithosphere | 66 |
| 4.5 Comparison and interpretation of experimental results | 70 |
| 4.5.1 Topography development | 70 |
| 4.5.2 Wedge classification | 72 |
| 4.5.3 Expressions of plate (de)coupling | 74 |
| 4.5.4 Degree of plate coupling and intra-plate deformation | 75 |
| 4.5.5 Plate decoupling and wedge formation | 76 |

| | | |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------|
| 4.5.6 | The role of the mantle lithosphere rheology on plate (de)coupling and wedge formation | 77 |
| 4.6 | Orogenic wedges in models and nature | 78 |
| 4.7 | Natural Analogues | 79 |
| 4.7.1 | The Central Alps | 79 |
| 4.7.2 | The Eastern Alps | 82 |
| 4.8 | Conclusions | 85 |
| 5. Surface expressions of the subduction polarity change in the Alps: Inferences from analogue modelling | | 87 |
| 5.1 | Introduction | 87 |
| 5.2 | Experimental design | 90 |
| 5.3 | Modelling results | 92 |
| 5.3.1 | Decoupled subduction domains | 92 |
| 5.3.2 | Coupled subduction domains | 93 |
| 5.3.3 | Oblique subduction | 98 |
| 5.3.4 | Weak lower crust in upper- and lower plates | 99 |
| 5.3.5 | Weak lower crust in lower plates | 99 |
| 5.4 | Short summary and comparison of modelling results | 106 |
| 5.5 | Interferences between deforming layers | 107 |
| 5.6 | Comparison with natural analogues | 109 |
| 5.6.1 | Deep Alpine structure | 109 |
| 5.6.2 | Alpine Neogene Evolution: Central Alps versus Eastern Alps | 113 |
| 5.6.3 | Consistency between model results and Alps | 119 |
| 5.6.4 | Another natural analogue: New Zealand | 121 |
| 6. Kinematic analysis of the Passeier- and Jaufen faults: Linking the Giudicarie and Brenner lines? | | 125 |
| 6.1 | Introduction | 125 |
| 6.2 | Geological setting | 127 |
| 6.2.1 | The Adriatic Indenter and Giudicarie line | 127 |
| 6.2.2 | The Jaufen-Passeier fault region | 130 |
| 6.3.1 | Ductile fabrics | 132 |
| 6.3.2 | Brittle fabrics and paleostress analysis | 132 |
| 6.3.3 | Summary of field results | 142 |
| 6.4 | Crustal modelling of the Jaufen– Passeier region | 143 |
| 6.4.1 | Experimental set-up | 143 |
| 6.4.3 | Summarized model results | 149 |
| 6.5 | Discussion | 150 |
| 6.5.1 | Indentation and associated strain partitioning | 150 |
| 6.5.2 | Link between the Giudicarie, Passeier, Jaufen and Brenner lines | 152 |
| 6.6 | Conclusions | 154 |

| | |
|-------------------------------------------------------------------------------------------------|------------|
| 7. Synthesis | 157 |
| 7.1 Exhumation history of the Eastern Alps | 158 |
| 7.2 Crust-mantle decoupling and crustal wedge formation | 158 |
| 7.3 Implications of a changing subduction polarity on crustal architecture and vertical motions | 160 |
| 7.4 Kinematic analysis of the Jaufen/Passeier lines | 160 |
| 7.5 Implications on the tectonic evolution of the Alps | 160 |
| 7.6 Outlook | 161 |
| | |
| References | 163 |