

VU Research Portal

Unraveling the genetic components of voluntary exercise behavior in adolescents and young adults

Schutte, N.M.

2017

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Schutte, N. M. (2017). *Unraveling the genetic components of voluntary exercise behavior in adolescents and young adults*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

REFERENCES

- Aadahl M, Kjaer M, Kristensen JH, Mollerup B, & Jorgensen T (2007). Self-reported physical activity compared with maximal oxygen uptake in adults. *Eur. J. Cardiovasc. Prev. Rehabil.* *14*, 422-428.
- Aaltonen S, Kaprio J, Vuoksima E, Huppertz C, Kujala UM, & Silventoinen K (2016). Genetic architecture of motives for leisure-time physical activity: a twin study. *Scand. J. Med. Sci. Sports.*
- Aaltonen S, Ortega-Alonso A, Kujala UM, & Kaprio J (2013). Genetic and environmental influences on longitudinal changes in leisure-time physical activity from adolescence to young adulthood. *Twin. Res. Hum. Genet.* *16*, 535-543.
- Ainsworth BE, Haskell WL, Leon AS, Jacobs DR, Jr., Montoye HJ, Sallis JF, & Paffenbarger RS, Jr. (1993). Compendium of physical activities: classification of energy costs of human physical activities. *Med. Sci. Sports Exerc.* *25*, 71-80.
- Ainsworth BE, Haskell WL, Whitt MC, Irwin ML, Swartz AM, Strath SJ, O'Brien WL, Bassett DR, Jr., Schmitz KH, Emplaincourt PO, Jacobs DR, Jr., & Leon AS (2000). Compendium of physical activities: an update of activity codes and MET intensities. *Med. Sci. Sports Exerc.* *32*, S498-S504.
- Allender S, Cowburn G, & Foster C (2006). Understanding participation in sport and physical activity among children and adults: a review of qualitative studies. *Health Educ. Res.* *21*, 826-835.
- Ament W & Verkerke GJ (2009). Exercise and fatigue. *Sports Med.* *39*, 389-422.
- An P, Perusse L, Rankinen T, Borecki IB, Gagnon J, Leon AS, Skinner JS, Wilmore JH, Bouchard C, & Rao DC (2003). Familial aggregation of exercise heart rate and blood pressure in response to 20 weeks of endurance training: the HERITAGE family study. *Int. J. Sports Med.* *24*, 57-62.
- Anderson E & Shivakumar G (2013). Effects of exercise and physical activity on anxiety. *Front Psychiatry* *4*, 27.
- Åstrand P & Rhyning I (1960). A Nomogram for Calculation of Aerobic Capacity (Physical Fitness) From Pulse Rate During Submaximal Work. *J. Appl. Physiol* *7*, 218-221.

REFERENCES

- Baranowski T, Bouchard C, Bar-Or O, Bricker T, Heath G, Kimm SY, Malina R, Obarzanek E, Pate R, Strong WB, & . (1992). Assessment, prevalence, and cardiovascular benefits of physical activity and fitness in youth. *Med. Sci. Sports Exerc.* *24*, S237-S247.
- Bartels M, van Weegen F, van Beijsterveldt C, Carlier M, Polderman T, Hoekstra R, & Boomsma D (2012a). The five factor model of personality and intelligence: A twin study on the relationship between the two constructs. *Pers. Individ. Dif.* *53*, 368-373.
- Bartels M, de Moor MH, van der Aa N, Boomsma DI, & de Geus EJ (2012b). Regular exercise, subjective wellbeing, and internalizing problems in adolescence: causality or genetic pleiotropy? *Front. Genet.* *3*, 4.
- Bartels M, Van den Berg M, Sluyter F, Boomsma DI, & de Geus EJ (2003). Heritability of cortisol levels: review and simultaneous analysis of twin studies. *Psychoneuroendocrinology* *28*, 121-137.
- Baumeister R, Vohs K, & Tice D (2007). The strength model of self-control. *Curr. Dir. Psychol. Sci.* *16*, 351-355.
- Beaulieu JM & Gainetdinov RR (2011). The physiology, signaling, and pharmacology of dopamine receptors. *Pharmacol. Rev.* *63*, 182-217.
- Becker M (1974). The health belief model and personal health behavior. *Health Educ. Monogr.* *2*, 324-508.
- Bell DR, Guskiewicz KM, Clark MA, & Padua DA (2011). Systematic review of the balance error scoring system. *Sports Health* *3*, 287-295.
- Bergstrom E, Hernell O, & Persson LA (1996). Cardiovascular risk indicators cluster in girls from families of low socio-economic status. *Acta Paediatr.* *85*, 1083-1090.
- Beunen G & Thomis M (1999). Genetic determinants of sports participation and daily physical activity. *Int. J. Obes. Relat Metab Disord.* *23 Suppl 3*, S55-S63.
- Bohannon R, Bubela D, Magasi S, & Gershon R (2011). Relative reliability of three objective tests of limb muscle strength. *Isokinet. Exerc. Sci.* *19*, 77-81.
- Boker S, Neale M, Maes H, Wilde M, Spiegel M, Brick T, Spies J, Estabrook R, Kenny S, Bates T, Mehta P, & Fox J (2011a). OpenMx: An Open Source Extended Structural Equation Modeling Framework. *Psychometrika* *76*, 306-317.
- Bonen A & Shaw SM (1995). Recreational exercise participation and aerobic fitness in men and women: analysis of data from a national survey. *J. Sports Sci.* *13*, 297-303.

- Boomsma DI, de Geus EJ, Vink JM, Stubbe JH, Distel MA, Hottenga JJ, Posthuma D, van Beijsterveldt TC, Hudziak JJ, Bartels M, & Willemsen G (2006). Netherlands Twin Register: from twins to twin families. *Twin. Res. Hum. Genet.* *9*, 849-857.
- Boomsma DI, van den Bree MB, Orlebeke JF, & Molenaar PC (1989). Resemblances of parents and twins in sports participation and heart rate. *Behav. Genet.* *19*, 123-141.
- Borg G (1970). Perceived exertion as an indicator of somatic stress. *Scand. J. Rehabil. Med.* *2*, 92-98.
- Bouchard C, An P, Rice T, Skinner JS, Wilmore JH, Gagnon J, Perusse L, Leon AS, & Rao DC (1999). Familial aggregation of VO₂(max) response to exercise training: results from the HERITAGE Family Study. *J. Appl. Physiol.* *87*, 1003-1008.
- Bouchard C, Daw EW, Rice T, Perusse L, Gagnon J, Province MA, Leon AS, Rao DC, Skinner JS, & Wilmore JH (1998). Familial resemblance for VO₂max in the sedentary state: the HERITAGE family study. *Med. Sci. Sports Exerc.* *30*, 252-258.
- Bouchard C, Leon AS, Rao DC, Skinner JS, Wilmore JH, & Gagnon J (1995). The HERITAGE family study. Aims, design, and measurement protocol. *Med. Sci. Sports Exerc.* *27*, 721-729.
- Bouchard C, Lesage R, Lortie G, Simoneau JA, Hamel P, Boulay MR, Perusse L, Theriault G, & Leblanc C (1986). Aerobic performance in brothers, dizygotic and monozygotic twins. *Med. Sci. Sports Exerc.* *18*, 639-646.
- Bouchard C & Rankinen T (2001). Individual differences in response to regular physical activity. *Med. Sci. Sports Exerc.* *33*, S446-S451.
- Bouchard C, Rankinen T, & Timmons JA (2011a). Genomics and genetics in the biology of adaptation to exercise. *Compr. Physiol* *1*, 1603-1648.
- Bouchard C, Sarzynski MA, Rice TK, Kraus WE, Church TS, Sung YJ, Rao DC, & Rankinen T (2011b). Genomic predictors of the maximal O₂ uptake response to standardized exercise training programs. *J. Appl. Physiol* *110*, 1160-1170.
- Bryan A, Hutchison KE, Seals DR, & Allen DL (2007). A transdisciplinary model integrating genetic, physiological, and psychological correlates of voluntary exercise. *Health Psychol.* *26*, 30-39.
- Butte NF, Cai G, Cole SA, & Comuzzie AG (2006). Viva la Familia Study: genetic and environmental contributions to childhood obesity and its comorbidities in the Hispanic population. *Am. J. Clin. Nutr.* *84*, 646-654.

REFERENCES

- Cai G, Cole SA, Butte N, Bacino C, Diego V, Tan K, Goring HH, O'Rahilly S, Farooqi IS, & Comuzzie AG (2006). A quantitative trait locus on chromosome 18q for physical activity and dietary intake in Hispanic children. *Obesity* *14*, 1596-1604.
- Caldwell Hooper AE, Bryan AD, & Hagger MS (2014). What keeps a body moving? The brain-derived neurotrophic factor val66met polymorphism and intrinsic motivation to exercise in humans. *J. Behav. Med.* *37*, 1180-1192.
- Caspersen CJ, Powell KE, & Christenson GM (1985). Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. *Public Health Rep.* *100*, 126-131.
- Chatterjee S & Chowdhuri BJ (1991). Comparison of grip strength and isometric endurance between the right and left hands of men and their relationship with age and other physical parameters. *J. Hum. Ergol.* *20*, 41-50.
- Chatterjee S & Das N (1995). Physical and motor fitness in twins. *Jpn. J. Physiol* *45*, 519-534.
- Chen CY & Bonham AC (2010). Postexercise hypotension: central mechanisms. *Exerc. Sport Sci. Rev.* *38*, 122-127.
- Chinapaw MJ, Mokkink LB, van Poppel MN, van MW, & Terwee CB (2010). Physical activity questionnaires for youth: a systematic review of measurement properties. *Sports Med.* *40*, 539-563.
- Church TS, Earnest CP, Skinner JS, & Blair SN (2007). Effects of different doses of physical activity on cardiorespiratory fitness among sedentary, overweight or obese postmenopausal women with elevated blood pressure: a randomized controlled trial. *JAMA* *297*, 2081-2091.
- Cink RE & Thomas TR (1981). Validity of the Astrand-Ryhming nomogram for predicting maximal oxygen intake. *Br. J. Sports Med.* *15*, 182-185.
- Claghorn GC, Fonseca IA, Thompson Z, Barber C, & Garland T, Jr. (2016). Serotonin-mediated central fatigue underlies increased endurance capacity in mice from lines selectively bred for high voluntary wheel running. *Physiol Behav.* *161*, 145-154.
- Clarke GM, Anderson CA, Pettersson FH, Cardon LR, Morris AP, & Zondervan KT (2011). Basic statistical analysis in genetic case-control studies. *Nat. Protoc.* *6*, 121-133.
- Cole SA, Butte NF, Voruganti VS, Cai G, Haack K, Kent JW, Jr., Blangero J, Comuzzie AG, McPherson JD, & Gibbs RA (2010). Evidence that multiple genetic variants of MC4R play a functional role in the regulation of energy expenditure and appetite in Hispanic children. *Am. J. Clin. Nutr.* *91*, 191-199.

- Collins M, Posthumus M, & Schwellnus MP (2010). The COL1A1 gene and acute soft tissue ruptures. *Br. J. Sports Med.* *44*, 1063-1064.
- Collins M & Raleigh SM (2009). Genetic risk factors for musculoskeletal soft tissue injuries. *Med. Sport Sci.* *54*, 136-149.
- Courneya K & Hellsten L (1998). Personality correlates of exercise behavior, motives, barriers and preferences: an application of the five-factor model. *Pers. Individ. Dif.* *24*, 625-633.
- Craft L & Landers D (1998). The effect of exercise on clinical depression and depression resulting from mental illness: a meta-analysis. *J. Sport Exerc. Psychol.* *20*, 339-357.
- Davey Smith G & Hemani G (2014). Mendelian randomization: genetic anchors for causal inference in epidemiological studies. *Hum. Mol. Genet.* *23*, R89-R98.
- Davis JM & Bailey SP (1997). Possible mechanisms of central nervous system fatigue during exercise. *Med. Sci. Sports Exerc.* *29*, 45-57.
- De Chaves RN, Baxter-Jones A, Santos D, Gomes TN, dos Santos FK, de Souza MC, Diego VP, & Maia J (2014). Clustering of body composition, blood pressure and physical activity in Portuguese families. *Ann. Hum. Biol.* *41*, 159-167.
- De Geus EJ, Bartels M, Kaprio J, Lightfoot JT, & Thomis M (2014). Genetics of regular exercise and sedentary behaviors. *Twin. Res. Hum. Genet.* *17*, 262-271.
- De Geus EJ, Boomsma DI, & Snieder H (2003). Genetic correlation of exercise with heart rate and respiratory sinus arrhythmia. *Med. Sci. Sports Exerc.* *35*, 1287-1295.
- De Geus EJ, Willemsen GH, Klaver CH, & Van Doornen LJ (1995). Ambulatory measurement of respiratory sinus arrhythmia and respiration rate. *Biol. Psychol.* *41*, 205-227.
- De Geus EJC & de Moor MHM (2008). A genetic perspective on the association between exercise and mental health. *Ment. Health Phys. Act.* *1*, 53-61.
- De Geus E & de Moor M (2011). Genes, exercise, and psychological factors. In: *Genetic and molecular aspects of sport performance*, C.Bouchard and E.Hoffman, eds. (Chichester: Blackwell Publishing), pp. 294-305.
- De Mars G, Thomis MA, Windelinckx A, Van LM, Maes HH, Blimkie CJ, Claessens AL, Vlietinck R, & Beunen G (2007). Covariance of isometric and dynamic arm contractions: multivariate genetic analysis. *Twin. Res. Hum. Genet.* *10*, 180-190.
- De Moor MH, Beem AL, Stubbe JH, Boomsma DI, & de Geus EJ (2006). Regular exercise, anxiety, depression and personality: a population-based study. *Prev. Med.* *42*, 273-279.

REFERENCES

- De Moor MH, Boomsma DI, Stubbe JH, Willemsen G, & de Geus EJ (2008). Testing causality in the association between regular exercise and symptoms of anxiety and depression. *Arch. Gen. Psychiatry* *65*, 897-905.
- De Moor MH, Costa PT, Terracciano A, Krueger RF, de Geus EJ, Toshiko T, Penninx BW, Esko T, Madden PA, Derringer J, Amin N, Willemsen G, Hottenga JJ, Distel MA, Uda M, Sanna S, Spinhoven P, Hartman CA, Sullivan P, Realo A, Allik J, Heath AC, Pergadia ML, Agrawal A, Lin P, Gruzca R, Nutile T, Ciullo M, Rujescu D, Giegling I, Konte B, Widen E, Cousminer DL, Eriksson JG, Palotie A, Peltonen L, Luciano M, Tenesa A, Davies G, Lopez LM, Hansell NK, Medland SE, Ferrucci L, Schlessinger D, Montgomery GW, Wright MJ, Aulchenko YS, Janssens AC, Oostra BA, Metspalu A, Abecasis GR, Deary IJ, Raikonen K, Bierut LJ, Martin NG, van Duijn CM, & Boomsma DI (2012). Meta-analysis of genome-wide association studies for personality. *Mol. Psychiatry* *17*, 337-349.
- De Moor MH, Liu YJ, Boomsma DI, Li J, Hamilton JJ, Hottenga JJ, Levy S, Liu XG, Pei YF, Posthuma D, Recker RR, Sullivan PF, Wang L, Willemsen G, Yan H, de Geus EJ, & Deng HW (2009). Genome-wide association study of exercise behavior in Dutch and American adults. *Med. Sci. Sports Exerc.* *41*, 1887-1895.
- De Moor MH, Posthuma D, Hottenga JJ, Willemsen G, Boomsma DI, & de Geus EJ (2007). Genome-wide linkage scan for exercise participation in Dutch sibling pairs. *Eur. J. Hum. Genet.* *15*, 1252-1259.
- De Moor MH, Willemsen G, Rebollo-Mesa I, Stubbe JH, de Geus EJ, & Boomsma DI (2011). Exercise participation in adolescents and their parents: evidence for genetic and generation specific environmental effects. *Behav. Genet.* *41*, 211-222.
- Den Hoed M., Brage S, Zhao JH, Westgate K, Nessa A, Ekelund U, Spector TD, Wareham NJ, & Loos RJ (2013). Heritability of objectively assessed daily physical activity and sedentary behavior. *Am. J. Clin. Nutr.* *98*, 1317-1325.
- Depue RA & Collins PF (1999). Neurobiology of the structure of personality: dopamine, facilitation of incentive motivation, and extraversion. *Behav. Brain Sci.* *22*, 491-517.
- Dick DM, Agrawal A, Keller MC, Adkins A, Aliev F, Monroe S, Hewitt JK, Kendler KS, & Sher KJ (2015). Candidate gene-environment interaction research: reflections and recommendations. *Perspect. Psychol. Sci.* *10*, 37-59.
- Dishman RK, Jackson AS, & Bray MS (2014). Self-regulation of exercise behavior in the TIGER study. *Ann. Behav. Med.* *48*, 80-91.
- Dishman RK, McIver KL, Dowda M, Saunders RP, & Pate RR (2015). Motivation and Behavioral Regulation of Physical Activity in Middle School Students. *Med. Sci. Sports Exerc.* *47*, 1913-1921.

- Dishman RK, Motl RW, Sallis JF, Dunn AL, Birnbaum AS, Welk GJ, Bedimo-Rung AL, Voorhees CC, & Jobe JB (2005). Self-management strategies mediate self-efficacy and physical activity. *Am. J. Prev. Med.* 29, 10-18.
- Dishman RK, Sallis JF, & Orenstein DR (1985). The determinants of physical activity and exercise. *Public Health Rep.* 100, 158-171.
- Dishman R (1990). Determinants of participation in physical activity. In: Exercise, fitness and health: a consensus of current knowledge, C.Bouchard, R.Shephard, T.Stephens, J.Sutton, and B.McPherson, eds. (Champaign, IL, USA: Human Kinetics), pp. 75-101.
- Distel MA, Trull TJ, Willemsen G, Vink JM, Derom CA, Lynskey M, Martin NG, & Boomsma DI (2009). The five-factor model of personality and borderline personality disorder: a genetic analysis of comorbidity. *Biol. Psychiatry* 66, 1131-1138.
- Drenowatz C, Eisenmann JC, Pfeiffer KA, Welk G, Heelan K, Gentile D, & Walsh D (2010). Influence of socio-economic status on habitual physical activity and sedentary behavior in 8- to 11-year old children. *BMC Public Health* 10, 214.
- DuBois DL & Silverthorn N (2005). Natural mentoring relationships and adolescent health: evidence from a national study. *Am. J. Public Health* 95, 518-524.
- Duncan GE, Goldberg J, Noonan C, Moudon AV, Hurvitz P, & Buchwald D (2008). Unique environmental effects on physical activity participation: a twin study. *PLoS. One.* 3, e2019.
- Dunton GF & Vaughan E (2008). Anticipated affective consequences of physical activity adoption and maintenance. *Health Psychol.* 27, 703-710.
- Ekblom-Bak E, Bjorkman F, Hellenius ML, & Ekblom B (2014). A new submaximal cycle ergometer test for prediction of VO₂max. *Scand. J. Med. Sci. Sports* 24, 319-326.
- Ekelund U, Luan J, Sherar LB, Esliger DW, Griew P, & Cooper A (2012). Moderate to vigorous physical activity and sedentary time and cardiometabolic risk factors in children and adolescents. *JAMA* 307, 704-712.
- Ekkekakis P (2003). Pleasure and displeasure from the body: Perspectives from exercise. *Cognition and Emotion* 17, 213-239.
- Ekkekakis P, Hargreaves E, & Parfitt G (2013). Envisioning the next fifty years of research on the exercise-affect relationship. *Psychol. Sport Exerc.* 14, 751-758.
- Ekkekakis P (2009). Let them roam free? Physiological and psychological evidence for the potential of self-selected exercise intensity in public health. *Sports Med.* 39, 857-888.

- Ekkekakis P, Hall EE, & Petruzzello SJ (2005). Variation and homogeneity in affective responses to physical activity of varying intensities: an alternative perspective on dose-response based on evolutionary considerations. *J. Sports Sci.* *23*, 477-500.
- Ekkekakis P, Hall EE, & Petruzzello SJ (2008). The relationship between exercise intensity and affective responses demystified: to crack the 40-year-old nut, replace the 40-year-old nutcracker! *Ann. Behav. Med.* *35*, 136-149.
- Ekkekakis P, Parfitt G, & Petruzzello SJ (2011). The pleasure and displeasure people feel when they exercise at different intensities: decennial update and progress towards a tripartite rationale for exercise intensity prescription. *Sports Med.* *41*, 641-671.
- Elmqvist JK, Maratos-Flier E, Saper CB, & Flier JS (1998). Unraveling the central nervous system pathways underlying responses to leptin. *Nat. Neurosci.* *1*, 445-450.
- Eysenck HJ, Nias DKB, & Cox DN (1982). Sport and personality. In *Advances in behavior research and therapy*, S.Rachman and T.Wilson, eds. (Oxford: Pergamon Press), pp. 1-56.
- Fagard R, Bielen E, & Amery A (1991). Heritability of aerobic power and anaerobic energy generation during exercise. *J. Appl. Physiol* *70*, 357-362.
- Ferrari AJ, Charlson FJ, Norman RE, Patten SB, Freedman G, Murray CJ, Vos T, & Whiteford HA (2013). Burden of depressive disorders by country, sex, age, and year: findings from the global burden of disease study 2010. *PLoS. Med.* *10*, e1001547.
- Fisher A, van Jaarsveld CH, Llewellyn CH, & Wardle J (2010). Environmental influences on children's physical activity: quantitative estimates using a twin design. *PLoS. One.* *5*, e10110.
- Flint J (2013). GWAS. *Curr. Biol.* *23*, R265-R266.
- Franks PW, Ravussin E, Hanson RL, Harper IT, Allison DB, Knowler WC, Tataranni PA, & Salbe AD (2005). Habitual physical activity in children: the role of genes and the environment. *Am. J. Clin. Nutr.* *82*, 901-908.
- Garcia-Artero E, Ortega FB, Ruiz JR, Mesa JL, Delgado M, Gonzalez-Gross M, Garcia-Fuentes M, Vicente-Rodriguez G, Gutierrez A, & Castillo MJ (2007). [Lipid and metabolic profiles in adolescents are affected more by physical fitness than physical activity (AVENA study)]. *Rev. Esp. Cardiol.* *60*, 581-588.
- Gebel K, Ding D, Chey T, Stamatakis E, Brown WJ, & Bauman AE (2015). Effect of Moderate to Vigorous Physical Activity on All-Cause Mortality in Middle-aged and Older Australians. *JAMA Intern. Med.* *175*, 970-977.

- Gleim GW & McHugh MP (1997). Flexibility and its effects on sports injury and performance. *Sports Med.* 24, 289-299.
- Golimbet VE, Alfimova MV, Gritsenko IK, & Ebstein RP (2007). Relationship between dopamine system genes and extraversion and novelty seeking. *Neurosci. Behav. Physiol* 37, 601-606.
- Grant S, Corbett K, Amjad AM, Wilson J, & Aitchison T (1995). A comparison of methods of predicting maximum oxygen uptake. *Br. J. Sports Med.* 29, 147-152.
- Gray JA & McNaughton N (1983). Comparison between the behavioural effects of septal and hippocampal lesions: a review. *Neurosci. Biobehav. Rev.* 7, 119-188.
- Gray JA & McNaughton N (2000). *The Neuropsychology of Anxiety: An Enquiry into the Functions of the Septo-hippocampal System.* (Oxford: Oxford University Press).
- Haase A, Steptoe A, Sallis JF, & Wardle J (2004). Leisure-time physical activity in university students from 23 countries: associations with health beliefs, risk awareness, and national economic development. *Prev. Med.* 39, 182-190.
- Hagger M, Chatzisarantis N, & Biddle S (2002). A meta-analytic review of the theories of reasoned action and planned behavior in physical activity: predictive validity and the contribution of additional variables. *Journal of Sport and Exercise Psychology* 24, 3-32.
- Hakanen M, Raitakari OT, Lehtimäki T, Peltonen N, Pahkala K, Sillanmäki L, Lagstrom H, Viikari J, Simell O, & Ronnema T (2009). FTO genotype is associated with body mass index after the age of seven years but not with energy intake or leisure-time physical activity. *J. Clin. Endocrinol. Metab* 94, 1281-1287.
- Hall EE, Ekkekakis P, & Petruzzello SJ (2002). The affective beneficence of vigorous exercise revisited. *Br. J. Health Psychol.* 7, 47-66.
- Hall J (1976). *Classical conditioning and instrumental learning: A contemporary approach.* (Philadelphia: Lippincott).
- Hardy C & Rejeski W (1989). Not what, but how one feels: the measurement of affect during exercise. *J. Sport. Exerc. Psychol.* 11, 304-317.
- Heller RF, O'Connell DL, Roberts DC, Allen JR, Knapp JC, Steele PL, & Silove D (1988). Lifestyle factors in monozygotic and dizygotic twins. *Genet. Epidemiol.* 5, 311-321.
- Higgins JP & Thompson SG (2002). Quantifying heterogeneity in a meta-analysis. *Stat. Med.* 21, 1539-1558.

REFERENCES

- Hong Y, Rice T, Gagnon J, Perusse L, Province M, Bouchard C, Leon AS, Skinner JS, Wilmore JH, Rao DC, & Despres JP (2000). Familiality of triglyceride and LPL response to exercise training: the HERITAGE study. *Med. Sci. Sports Exerc.* *32*, 1438-1444.
- Hoyt A, Rhodes R, Hausenblas H, & Giacobbi P (2009). Integrating five-factor model facet-level traits with the theory of planned behavior and exercise. *Psychol. Sport Exerc.* *10*, 565-572.
- Hrysomallis C (2011). Balance ability and athletic performance. *Sports Med.* *41*, 221-232.
- Hsu YC, Tsai SF, Yu L, Chuang JI, Wu FS, Jen CJ, & Kuo YM (2015). Long-term moderate exercise accelerates the recovery of stress-evoked cardiovascular responses. *Stress.* 1-27.
- Huppertz C, Bartels M, de Zeeuw EL, van Beijsterveldt CE, Hudziak JJ, Willemsen G, Boomsma DI, & de Geus EJ (2016). Individual Differences in Exercise Behavior: Stability and Change in Genetic and Environmental Determinants From Age 7 to 18. *Behav. Genet.* *46*, 665-679.
- Huppertz C, Bartels M, Groen-Blokhuis MM, Dolan CV, de Moor MH, Abdellaoui A, van Beijsterveldt CE, Ehli EA, Hottenga JJ, Willemsen G, Xiao X, Scheet P, Davies GE, Boomsma DI, Hudziak JJ, & de Geus EJ (2014a). The dopaminergic reward system and leisure time exercise behavior: a candidate allele study. *Biomed. Res. Int.* *2014*, 591717.
- Huppertz C, Bartels M, Jansen IE, Boomsma DI, Willemsen G, de Moor MH, & de Geus EJ (2014b). A twin-sibling study on the relationship between exercise attitudes and exercise behavior. *Behav. Genet.* *44*, 45-55.
- Huppertz C, Bartels M, van Beijsterveldt CE, Boomsma DI, Hudziak JJ, & de Geus EJ (2012). Effect of shared environmental factors on exercise behavior from age 7 to 12 years. *Med. Sci. Sports Exerc.* *44*, 2025-2032.
- Janssen I & Leblanc AG (2010). Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. *Int. J. Behav. Nutr. Phys. Act.* *7*, 40-55.
- Jette M (1979). A comparison between predicted VO₂ max from the Astrand procedure and the Canadian Home Fitness Test. *Can. J. Appl. Sport Sci.* *4*, 214-218.
- Josefsson T, Lindwall M, & Archer T (2014). Physical exercise intervention in depressive disorders: meta-analysis and systematic review. *Scand. J. Med. Sci. Sports* *24*, 259-272.
- Jozkow P, Slowinska-Lisowska M, Laczanski L, & Medras M (2013). DRD2 C313T and DRD4 48-bp VNTR polymorphisms and physical activity of healthy men in Lower Silesia, Poland (HALS study). *Ann. Hum. Biol.* *40*, 186-190.

- Kaprio J, Koskenvuo M, & Sarna S (1981). Cigarette smoking, use of alcohol, and leisure-time physical activity among same-sexed adult male twins. *Prog. Clin. Biol. Res.* *69 Pt C*, 37-46.
- Karoly HC, Stevens CJ, Magnan RE, Harlaar N, Hutchison KE, & Bryan AD (2012). Genetic Influences on Physiological and Subjective Responses to an Aerobic Exercise Session among Sedentary Adults. *J. Cancer Epidemiol.* *2012*, 540563.
- Kasch F (1984). The validity of the Astrand and Sjöstrand submaximal tests. *Phys. Sportsmed.* *12*, 47-51.
- Kelley AE & Berridge KC (2002). The neuroscience of natural rewards: relevance to addictive drugs. *J. Neurosci.* *22*, 3306-3311.
- Kelly SA, Nehrenberg DL, Peirce JL, Hua K, Steffy BM, Wiltshire T, Pardo-Manuel d, V, Garland T, Jr., & Pomp D (2010). Genetic architecture of voluntary exercise in an advanced intercross line of mice. *Physiol. Genomics* *42*, 190-200.
- Kenney W, Wilmore J, & Costill D (2012). *Physiology of Sport and Exercise*. (Champaign, IL, USA: Human Kinetics).
- Kirby KN & Marakovic NN (1996). Delay-discounting probabilistic rewards: Rates decrease as amounts increase. *Psychon. Bull. Rev.* *3*, 100-104.
- Kirby KN, Petry NM & Bickel WK (1999). Heroin addicts have higher discount rates for delayed rewards than non-drug-using controls. *J Exp Psychol Gen* *128*, 78-87.
- Klein RJ (2007). Power analysis for genome-wide association studies. *BMC. Genet.* *8*, 58.
- Klissouras V (1971). Heritability of adaptive variation. *J. Appl. Physiol* *31*, 338-344.
- Klissouras V, Pirnay F, & Petit JM (1973). Adaptation to maximal effort: genetics and age. *J. Appl. Physiol* *35*, 288-293.
- Knab AM & Lightfoot JT (2010). Does the difference between physically active and couch potato lie in the dopamine system? *Int. J. Biol. Sci.* *6*, 133-150.
- Koopmans J, van Doornen L, & Boomsma D (1994). Smoking and sports participation. In *Genetic Factors in Coronary Heart Disease*, U.Goldbour, U.de Faire, and K.Berg, eds. (Dordrecht, The Netherlands: Springer Science+Business Media), pp. 217-235.
- Kovar R (1976). Genetic analysis of motor performance. *J. Sports Med. Phys. Fitness* *16*, 205-208.
- Krogh J, Nordentoft M, Sterne JA, & Lawlor DA (2011). The effect of exercise in clinically depressed adults: systematic review and meta-analysis of randomized controlled trials. *J. Clin. Psychiatry* *72*, 529-538.

- Kwan BM & Bryan A (2010). In-task and post-task affective response to exercise: translating exercise intentions into behaviour. *Br. J. Health Psychol.* *15*, 115-131.
- Lawlor DA, Harbord RM, Sterne JA, Timpson N, & Davey SG (2008). Mendelian randomization: using genes as instruments for making causal inferences in epidemiology. *Stat. Med.* *27*, 1133-1163.
- Lawlor DA & Hopker SW (2001). The effectiveness of exercise as an intervention in the management of depression: systematic review and meta-regression analysis of randomised controlled trials. *BMJ* *322*, 763-767.
- Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN, & Katzmarzyk PT (2012). Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet* *380*, 219-229.
- Legge BJ & Banister EW (1986). The Astrand-Ryhming nomogram revisited. *J. Appl. Physiol* *61*, 1203-1209.
- Lerman I, Harrison BC, Freeman K, Hewett TE, Allen DL, Robbins J, & Leinwand LA (2002). Genetic variability in forced and voluntary endurance exercise performance in seven inbred mouse strains. *J. Appl. Physiol* *92*, 2245-2255.
- Lesage R, Simoneau JA, Jobin J, Leblanc J, & Bouchard C (1985). Familial resemblance in maximal heart rate, blood lactate and aerobic power. *Hum. Hered.* *35*, 182-189.
- Li MD, Cheng R, Ma JZ, & Swan GE (2003). A meta-analysis of estimated genetic and environmental effects on smoking behavior in male and female adult twins. *Addiction* *98*, 23-31.
- Liang KY & Beaty TH (2000). Statistical designs for familial aggregation. *Stat. Methods Med. Res.* *9*, 543-562.
- Lightfoot JT, Turner MJ, Daves M, Vordermark A, & Kleeberger SR (2004). Genetic influence on daily wheel running activity level. *Physiol Genomics* *19*, 270-276.
- Lightfoot JT, Turner MJ, Pomp D, Kleeberger SR, & Leamy LJ (2008). Quantitative trait loci for physical activity traits in mice. *Physiol. Genomics* *32*, 401-408.
- Liu G, Zhu H, Lagou V, Gutin B, Stallmann-Jorgensen IS, Treiber FA, Dong Y, & Snieder H (2010). FTO variant rs9939609 is associated with body mass index and waist circumference, but not with energy intake or physical activity in European- and African-American youth. *BMC. Med. Genet.* *11*, 57.
- Lorentzon M, Lorentzon R, Lerner UH, & Nordstrom P (2001). Calcium sensing receptor gene polymorphism, circulating calcium concentrations and bone mineral density in healthy adolescent girls. *Eur. J. Endocrinol.* *144*, 257-261.

- Lortie G, Bouchard C, Leblanc C, Tremblay A, Simoneau JA, Theriault G, & Savoie JP (1982). Familial similarity in aerobic power. *Hum. Biol.* *54*, 801-812.
- MacArthur DG & North KN (2011). The ACTN3 Gene and Human Performance. In *Genetic and Molecular Aspects of Sport Performance*, C.Bouchard and E.Hoffman, eds. (West Sussex, UK: Wiley-Blackwell), pp. 204-214.
- MacAuley D, Mc Crum EE, Stott G, Evans AE, Gamble RP, Mc RB, Boreham CA, Trinick TR, & Sweeney K (1998). Levels of physical activity, physical fitness and their relationship in the Northern Ireland Health and Activity Survey. *Int. J. Sports Med.* *19*, 503-511.
- Maes HH, Beunen GP, Vlietinck RF, Neale MC, Thomis M, Vanden Eynde B, Lysens R, Simons J, Derom C, & Derom R (1996). Inheritance of physical fitness in 10-yr-old twins and their parents. *Med. Sci. Sports Exerc.* *28*, 1479-1491.
- Maia JA, Thomis M, & Beunen G (2002). Genetic factors in physical activity levels: a twin study. *Am. J. Prev. Med.* *23*, 87-91.
- Martinez-Gonzalez MA, Martinez JA, Hu FB, Gibney MJ, & Kearney J (1999). Physical inactivity, sedentary lifestyle and obesity in the European Union. *Int. J. Obes. Relat Metab Disord.* *23*, 1192-1201.
- Martinez-Gonzalez MA, Varo JJ, Santos JL, De IJ, Gibney M, Kearney J, & Martinez JA (2001). Prevalence of physical activity during leisure time in the European Union. *Med. Sci. Sports Exerc.* *33*, 1142-1146.
- Matson-Koffman DM, Brownstein JN, Neiner JA, & Greaney ML (2005). A site-specific literature review of policy and environmental interventions that promote physical activity and nutrition for cardiovascular health: what works? *Am. J. Health Promot.* *19*, 167-193.
- Mays RJ, Boer NF, Mealey LM, Kim KH, & Goss FL (2010). A comparison of practical assessment methods to determine treadmill, cycle, and elliptical ergometer VO₂ peak. *J. Strength. Cond. Res.* *24*, 1325-1331.
- McArdle WD & Katch FI (2009). *Exercise Physiology. Nutrition, Energy, and Human Performance*. (Philadelphia, USA: Lippincott Williams & Wilkins).
- McAuley E & Blissmer B (2000). Self-efficacy determinants and consequences of physical activity. *Exerc. Sport Sci. Rev.* *28*, 85-88.
- McCaffery JM, Papandonatos GD, Bond DS, Lyons MJ, & Wing RR (2009). Gene X environment interaction of vigorous exercise and body mass index among male Vietnam-era twins. *Am. J. Clin. Nutr.* *89*, 1011-1018.

REFERENCES

- Montoye HJ & Gayle R (1978). Familial relationships in maximal oxygen uptake. *Hum. Biol.* *50*, 241-249.
- Mustelin L, Joutsu J, Latvala A, Pietilainen KH, Rissanen A, & Kaprio J (2012). Genetic influences on physical activity in young adults: a twin study. *Med. Sci. Sports Exerc.* *44*, 1293-1301.
- Mustelin L, Latvala A, Pietilainen KH, Piirila P, Sovijarvi AR, Kujala UM, Rissanen A, & Kaprio J (2011). Associations between sports participation, cardiorespiratory fitness, and adiposity in young adult twins. *J. Appl. Physiol.* *110*, 681-686.
- Neale M & Cardon L (1992). *Methodology for Genetic Studies of Twins and Families.* (Dordrecht, The Netherlands: Kluwer Academic Publishers).
- Nehrenberg DL, Wang S, Hannon RM, Garland T, Jr., & Pomp D (2010). QTL underlying voluntary exercise in mice: interactions with the "mini muscle" locus and sex. *J. Hered.* *101*, 42-53.
- Neyeloff JL, Fuchs SC, & Moreira LB (2012). Meta-analyses and Forest plots using a microsoft excel spreadsheet: step-by-step guide focusing on descriptive data analysis. *BMC. Res. Notes* *5*, 52.
- Nigg CR (2001). Explaining adolescent exercise behavior change: a longitudinal application of the transtheoretical model. *Ann. Behav. Med.* *23*, 11-20.
- Okuda E, Horii D, & Kano T (2005). Genetic and environmental effects on physical fitness and motor performance. *IJSHS* *3*, 1-9.
- Ortega FB, Ruiz JR, Castillo MJ, & Sjostrom M (2008). Physical fitness in childhood and adolescence: a powerful marker of health. *Int. J. Obes.* *32*, 1-11.
- Parfitt G, Rose EA, & Burgess WM (2006). The psychological and physiological responses of sedentary individuals to prescribed and preferred intensity exercise. *Br. J. Health Psychol.* *11*, 39-53.
- Payne N, Jones F, & Harris PR (2005). The impact of job strain on the predictive validity of the theory of planned behaviour: an investigation of exercise and healthy eating. *Br. J. Health Psychol.* *10*, 115-131.
- Payne VG & Morrow JR, Jr. (1993). Exercise and VO₂ max in children: a meta-analysis. *Res. Q. Exerc. Sport* *64*, 305-313.
- Perusse L, Rice T, Province MA, Gagnon J, Leon AS, Skinner JS, Wilmore JH, Rao DC, & Bouchard C (2000). Familial aggregation of amount and distribution of subcutaneous fat and their responses to exercise training in the HERITAGE family study. *Obes. Res.* *8*, 140-150.

- Perusse L, Tremblay A, Leblanc C, & Bouchard C (1989). Genetic and environmental influences on level of habitual physical activity and exercise participation. *Am. J. Epidemiol.* *129*, 1012-1022.
- Pitsiladis YP, Tanaka M, Eynon N, Bouchard C, North KN, Williams AG, Collins M, Moran CN, Britton SL, Fuku N, Ashley EA, Klissouras V, Lucia A, Ahmetov II, de GE, & Alsayrafi M (2016). Athlome Project Consortium: a concerted effort to discover genomic and other "omic" markers of athletic performance. *Physiol. Genomics* *48*, 183-190.
- Plomin R & Haworth CM (2010). Genetics and Intervention Research. *Perspect. Psychol. Sci.* *5*, 557-563.
- Polderman TJ, Benyamin B, de Leeuw CA, Sullivan PF, van BA, Visscher PM, & Posthuma D (2015). Meta-analysis of the heritability of human traits based on fifty years of twin studies. *Nat. Genet.* *47*, 702-709.
- Posner MI & Rothbart MK (2009). Toward a physical basis of attention and self regulation. *Phys. Life Rev.* *6*, 103-120.
- Posthuma D & Boomsma DI (2000). A note on the statistical power in extended twin designs. *Behav. Genet.* *30*, 147-158.
- Purcell S (2002). Variance components models for gene-environment interaction in twin analysis. *Twin. Res.* *5*, 554-571.
- Raichlen DA, Foster AD, Gerdeman GL, Seillier A, & Giuffrida A (2012). Wired to run: exercise-induced endocannabinoid signaling in humans and cursorial mammals with implications for the 'runner's high'. *J. Exp. Biol.* *215*, 1331-1336.
- Reuter M & Hennig J (2005). Association of the functional catechol-O-methyltransferase VAL158MET polymorphism with the personality trait of extraversion. *Neuroreport* *16*, 1135-1138.
- Rhodes JS, Gammie SC, & Garland T, Jr. (2005). Neurobiology of Mice Selected for High Voluntary Wheel-running Activity. *Integr. Comp Biol.* *45*, 438-455.
- Rhodes RE, Fiala B, & Conner M (2009). A review and meta-analysis of affective judgments and physical activity in adult populations. *Ann. Behav. Med.* *38*, 180-204.
- Rhodes RE & Kates A (2015). Can the Affective Response to Exercise Predict Future Motives and Physical Activity Behavior? A Systematic Review of Published Evidence. *Ann. Behav. Med.* *49*, 715-731.
- Rhodes RE, Martin AD, Taunton JE, Rhodes EC, Donnelly M, & Elliot J (1999). Factors associated with exercise adherence among older adults. An individual perspective. *Sports Med.* *28*, 397-411.

REFERENCES

- Rhodes RE & Smith NE (2006). Personality correlates of physical activity: a review and meta-analysis. *Br. J. Sports Med.* *40*, 958-965.
- Rice T, Despres JP, Perusse L, Hong Y, Province MA, Bergeron J, Gagnon J, Leon AS, Skinner JS, Wilmore JH, Bouchard C, & Rao DC (2002). Familial aggregation of blood lipid response to exercise training in the health, risk factors, exercise training, and genetics (HERITAGE) Family Study. *Circulation* *105*, 1904-1908.
- Richert L, Chevalley T, Manen D, Bonjour JP, Rizzoli R, & Ferrari S (2007). Bone mass in prepubertal boys is associated with a Gln223Arg amino acid substitution in the leptin receptor. *J. Clin. Endocrinol. Metab* *92*, 4380-4386.
- Rico-Sanz J, Rankinen T, Joannis DR, Leon AS, Skinner JS, Wilmore JH, Rao DC, & Bouchard C (2003). Familial resemblance for muscle phenotypes in the HERITAGE Family Study. *Med. Sci. Sports Exerc.* *35*, 1360-1366.
- Rijsdijk FV & Sham PC (2002). Analytic approaches to twin data using structural equation models. *Brief. Bioinform.* *3*, 119-133.
- Rowland TW (1996). *Developmental Exercise Physiology*. (Champaign, IL, USA: Human Kinetics).
- Rowland TW (1998). The biological basis of physical activity. *Med. Sci. Sports Exerc.* *30*, 392-399.
- Ruby MB, Dunn EW, Perrino A, Gillis R, & Viel S (2011). The invisible benefits of exercise. *Health Psychol.* *30*, 67-74.
- Ruiz J, Ortega F, Gutierrez A, Meusel D, Sjöström M, & Castillo M (2006). Health-related fitness assessment in childhood and adolescence: a European approach based on the AVENA, EYHS and HELENA studies. *Journal of Public Health* *14*, 269-277.
- Sallis JF, Prochaska JJ, & Taylor WC (2000). A review of correlates of physical activity of children and adolescents. *Med. Sci. Sports Exerc.* *32*, 963-975.
- Samitz G, Egger M, & Zwahlen M (2011). Domains of physical activity and all-cause mortality: systematic review and dose-response meta-analysis of cohort studies. *Int. J. Epidemiol.* *40*, 1382-1400.
- Sarzynski MA, Loos RJ, Lucia A, Perusse L, Roth SM, Wolfarth B, Rankinen T, & Bouchard C (2016). Advances in Exercise, Fitness, and Performance Genomics in 2015. *Med. Sci. Sports Exerc.* *48*, 1906-1916.
- Saudino KJ & Zapfe JA (2008). Genetic influences on activity level in early childhood: do situations matter? *Child Dev.* *79*, 930-943.

- Saul M, Majdak P, Perez S, Reilly M, Garland T, Jr., & Rhodes JS (2016). High motivation for exercise is associated with altered chromatin regulators of monoamine receptor gene expression in the striatum of selectively bred mice. *Genes Brain Behav.* *16*(3), 328-341.
- Schneider M, Dunn A, & Cooper D (2009). Affective, exercise, and physical activity among healthy adolescents. *J. Sport Exerc. Psychol.* *31*, 706-723.
- Schneider ML & Graham DJ (2009). Personality, physical fitness, and affective response to exercise among adolescents. *Med. Sci. Sports Exerc.* *41*, 947-955.
- Schonbeck Y, Talma H, van DP, Bakker B, Buitendijk SE, Hirasing RA, & Van BS (2011). Increase in prevalence of overweight in Dutch children and adolescents: a comparison of nationwide growth studies in 1980, 1997 and 2009. *PLoS. One.* *6*, e27608.
- Schutte NM, Bartels B, & de Geus EJC (2017a). Genetics of Physical Activity and Physical Fitness. In *Oxford Textbook of Children's Exercise and Medicine*, N.Armstrong and W.van Mechelen, eds. (Oxford: Oxford University Press).
- Schutte N, Nederend I, Hudziak J, Bartels M, & de Geus E (2017b). Heritability of the affective response to exercise and its correlation to exercise behavior. *Psychol. Sport Exerc.* *31*, 139-148.
- Schutte NM, Bartels M, & de Geus EJ (2014). Genetic modification of the effects of exercise behavior on mental health. *Front. Psychiatry* *5*, 64.
- Schutte NM, Nederend I, Hudziak JJ, Bartels M, & de Geus EJ (2016a). Twin-sibling study and meta-analysis on the heritability of maximal oxygen consumption. *Physiol. Genomics* *48*, 210-219.
- Schutte NM, Nederend I, Hudziak JJ, de Geus EJ, & Bartels M (2016b). Differences in Adolescent Physical Fitness: A Multivariate Approach and Meta-analysis. *Behav. Genet.* *46*, 217-227.
- Seabra AF, Mendonca DM, Goring HH, Thomis MA, & Maia JA (2014). Genetic influences of sports participation in Portuguese families. *Eur. J. Sport Sci.* *14*, 510-517.
- Shanmugam C & Maffulli N (2008). Sports injuries in children. *Br. Med. Bull.* *86*, 33-57.
- Siconolfi SF, Cullinane EM, Carleton RA, & Thompson PD (1982). Assessing VO₂max in epidemiologic studies: modification of the Astrand-Rhyming test. *Med. Sci. Sports Exerc.* *14*, 335-338.
- Siconolfi SF, Lasater TM, Snow RC, & Carleton RA (1985). Self-reported physical activity compared with maximal oxygen uptake. *Am. J. Epidemiol.* *122*, 101-105.

REFERENCES

- Silventoinen K, Magnusson PK, Tynelius P, Kaprio J, & Rasmussen F (2008). Heritability of body size and muscle strength in young adulthood: a study of one million Swedish men. *Genet. Epidemiol.* *32*, 341-349.
- Simonen RL, Rankinen T, Perusse L, Leon AS, Skinner JS, Wilmore JH, Rao DC, & Bouchard C (2003). A dopamine D2 receptor gene polymorphism and physical activity in two family studies. *Physiol Behav.* *78*, 751-757.
- Simons J, Beunen G, Ostyn M, Renson R, Swalus P, Van Gerven D, & Willems E (1969). Construction d'une batterie de tests d'aptitude motrice pour garçons de 12 à 19 ans, par la méthode de l'analyse factorielle. *Kinanthropologie* *1*, 323-362.
- Skelton DA & Beyer N (2003). Exercise and injury prevention in older people. *Scand. J. Med. Sci. Sports* *13*, 77-85.
- Skinner JS, Jaskolski A, Jaskolska A, Krasnoff J, Gagnon J, Leon AS, Rao DC, Wilmore JH, & Bouchard C (2001). Age, sex, race, initial fitness, and response to training: the HERITAGE Family Study. *J. Appl. Physiol* *90*, 1770-1776.
- Skipworth JRA, Puhuchearry ZA, Rawal J, & Montgomery HE (2011). The ACE Gene and Performance. In *Genetic and Molecular Aspects of Sport Performance*, C.Bouchard and E.Hoffman, eds. (West Sussex, UK: Wiley-Blackwell), pp. 195-203.
- Smillie LD, Cooper AJ, Proitsi P, Powell JF, & Pickering AD (2010). Variation in DRD2 dopamine gene predicts Extraverted personality. *Neurosci. Lett.* *468*, 234-237.
- Solberg G, Robstad B, Skjonsberg OH, & Borchsenius F (2005). Respiratory gas exchange indices for estimating the anaerobic threshold. *J. Sports. Sci. Med.* *4*, 29-36.
- Solinas M, Yasar S, & Goldberg SR (2007). Endocannabinoid system involvement in brain reward processes related to drug abuse. *Pharmacol. Res.* *56*, 393-405.
- Sparling PB, Giuffrida A, Piomelli D, Roszkopf L, & Dietrich A (2003). Exercise activates the endocannabinoid system. *Neuroreport* *14*, 2209-2211.
- Speakman JR (2015). The 'Fat Mass and Obesity Related' (FTO) gene: Mechanisms of Impact on Obesity and Energy Balance. *Curr. Obes. Rep.* *4*, 73-91.
- Stathopoulou G, Powers M, Berry A, Smits J, & Otto M (2006). Exercise interventions for mental health: a quantitative and qualitative review. *Clin. Psychol. Sci. Pract.* *13*, 179-193.
- Stubbe JH, Boomsma DI, & de Geus EJ (2005). Sports participation during adolescence: a shift from environmental to genetic factors. *Med. Sci. Sports Exerc.* *37*, 563-570.

- Stubbe JH, Boomsma DI, Vink JM, Cornes BK, Martin NG, Skyttthe A, Kyvik KO, Rose RJ, Kujala UM, Kaprio J, Harris JR, Pedersen NL, Hunkin J, Spector TD, & de Geus EJ (2006). Genetic influences on exercise participation in 37,051 twin pairs from seven countries. *PLoS. One.* *1*, e22.
- Stubbe JH, de Moor MH, Boomsma DI, & de Geus EJ (2007). The association between exercise participation and well-being: a co-twin study. *Prev. Med.* *44*, 148-152.
- Stubbe J & de Geus E (2009). Genetics of Exercise Behavior. In *Handbook of Behavior Genetics*, Y.-K. Kim, ed. (New York, NY, USA: Springer Science+Business Media), pp. 343-358.
- Sundet J, Magnus P, & Tambs K (1994). The heritability of maximal aerobic power: a study of Norwegian twins. *Scand. J. Med. Sci. Sports* *4*, 181-185.
- Swallow JG, Carter PA, & Garland T, Jr. (1998). Artificial selection for increased wheel-running behavior in house mice. *Behav. Genet.* *28*, 227-237.
- Talbot LA, Metter EJ, & Fleg JL (2000). Leisure-time physical activities and their relationship to cardiorespiratory fitness in healthy men and women 18-95 years old. *Med. Sci. Sports Exerc.* *32*, 417-425.
- Tanaka H, Monahan KD, & Seals DR (2001). Age-predicted maximal heart rate revisited. *J. Am. Coll. Cardiol.* *37*, 153-156.
- Thayer RE (1986). Activation-Deactivation Adjective Check List: Current overview and structural analysis. *Psychol. Rep.* *58*, 607-614.
- Thomas D (2010). Methods for investigating gene-environment interactions in candidate pathway and genome-wide association studies. *Annu. Rev. Public Health* *31*, 21-36.
- Thomis MA & Aerssens J. (2012). Genetic variation in human muscle strength—opportunities for therapeutic interventions? *Curr. Opin. Pharmacol* *12*, 355-362.
- Tiainen K, Sipilä S, Alen M, Heikkinen E, Kaprio J, Koskenvuo M, Tolvanen A, Pajala S, & Rantanen T (2004). Heritability of maximal isometric muscle strength in older female twins. *J. Appl. Physiol.* *96*, 173-180.
- Tremblay MS, LeBlanc AG, Kho ME, Saunders TJ, Larouche R, Colley RC, Goldfield G, & Connor GS (2011). Systematic review of sedentary behaviour and health indicators in school-aged children and youth. *Int. J. Behav. Nutr. Phys. Act.* *8*, 98.
- Tresch MC (2007). A balanced view of motor control. *Nat. Neurosci.* *10*, 1227-1228.
- Troiano RP, Berrigan D, Dodd KW, Masse LC, Tilert T, & McDowell M (2008). Physical activity in the United States measured by accelerometer. *Med. Sci. Sports Exerc.* *40*, 181-188.

REFERENCES

- Trost SG, Owen N, Bauman AE, Sallis JF, & Brown W (2002). Correlates of adults' participation in physical activity: review and update. *Med. Sci. Sports Exerc.* *34*, 1996-2001.
- Van Beijsterveldt CE, Groen-Blokhuis M, Hottenga JJ, Franic S, Hudziak JJ, Lamb D, Huppertz C, de ZE, Nivard M, Schutte N, Swagerman S, Glasner T, van FM, Brouwer C, Stroet T, Nowotny D, Ehli EA, Davies GE, Scheet P, Orlebeke JF, Kan KJ, Smit D, Dolan CV, Middeldorp CM, de Geus EJ, Bartels M, & Boomsma DI (2013). The Young Netherlands Twin Register (YNTR): longitudinal twin and family studies in over 70,000 children. *Twin. Res. Hum. Genet.* *16*, 252-267.
- Van den Berg SM, de Moor MH, Verweij KJ, Krueger RF, Luciano M, Arias VA, Matteson LK, Derringer J, Esko T, Amin N, Gordon SD, Hansell NK, Hart AB, Seppala I, Huffman JE, Konte B, Lahti J, Lee M, Miller M, Nutile T, Tanaka T, Teumer A, Viktorin A, Wedenoja J, Abdellaoui A, Abecasis GR, Adkins DE, Agrawal A, Allik J, Appel K, Bigdeli TB, Busonero F, Campbell H, Costa PT, Smith GD, Davies G, de WH, Ding J, Engelhardt BE, Eriksson JG, Fedko IO, Ferrucci L, Franke B, Giegling I, Grucza R, Hartmann AM, Heath AC, Heinonen K, Henders AK, Homuth G, Hottenga JJ, Iacono WG, Janzing J, Jokela M, Karlsson R, Kemp JP, Kirkpatrick MG, Latvala A, Lehtimaki T, Liewald DC, Madden PA, Magri C, Magnusson PK, Marten J, Maschio A, Mbarek H, Medland SE, Mihailov E, Milaneschi Y, Montgomery GW, Nauck M, Nivard MG, Ouwens KG, Palotie A, Pettersson E, Polasek O, Qian Y, Pulkki-Raback L, Raitakari OT, Realo A, Rose RJ, Ruggiero D, Schmidt CO, Slutske WS, Sorice R, Starr JM, St PB, Sutin AR, Timpson NJ, Trochet H, Vermeulen S, Vuoksimaa E, Widen E, Wouda J, Wright MJ, Zgaga L, Porteous D, Minelli A, Palmer AA, Rujescu D, Ciullo M, Hayward C, Rudan I, Metspalu A, Kaprio J, Deary IJ, Raikonen K, Wilson JF, Keltikangas-Jarvinen L, Bierut LJ, Hetttema JM, Grabe HJ, Penninx BW, van Duijn CM, Evans DM, Schlessinger D, Pedersen NL, Terracciano A, McGue M, Martin NG, & Boomsma DI (2016). Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. *Behav. Genet.* *46*, 170-182.
- Van der Aa N, de Geus EJ, van Beijsterveldt TC, Boomsma DI, & Bartels M (2010). Genetic Influences on Individual Differences in Exercise Behavior during Adolescence. *Int. J. Pediatr.* *2010*, 138345.
- Van Landuyt L, Ekkekakis P, Hall E, & Petruzzello S (2000). Throwing mountains into the lakes: On the perils of nomothetic conceptions of the exercise-affect relationship. *J. Sport Exerc. Psychol.* *22*, 208-234.
- Vandenberg SG (1962). The Hereditary Abilities Study: Hereditary Components in a Psychological Test Battery. *Am. J. Hum. Genet.* *14*, 220-237.
- Varo JJ, Martinez-Gonzalez MA, De Irala-Estevez J, Kearney J, Gibney M, & Martinez JA (2003). Distribution and determinants of sedentary lifestyles in the European Union. *Int. J. Epidemiol.* *32*, 138-146.

- Vartanian LR & Shaprow JG (2008). Effects of weight stigma on exercise motivation and behavior: a preliminary investigation among college-aged females. *J. Health Psychol.* *13*, 131-138.
- Venerando A & Milani-Comparetti M (1970). Twin studies in sport and physical performance. *Acta Genet. Med. Gemellol.* *19*, 80-82.
- Visscher PM, Brown MA, McCarthy MI, & Yang J (2012). Five years of GWAS discovery. *Am. J. Hum. Genet.* *90*, 7-24.
- Warburton DE, Nicol CW, & Bredin SS (2006). Health benefits of physical activity: the evidence. *CMAJ.* *174*, 801-809.
- Wedderkopp N, Froberg K, Hansen H, Riddoch C, & Andersen L (2003). Cardiovascular Risk Factors Cluster in Children and Adolescents With Low Physical Fitness: The European Youth Heart Study (EYHS). *Pediatr. Exerc. Sci.* *15*, 419-429.
- Welch A, Hulley A, Ferguson C, & Beauchamp M (2007). Affective responses of inactive women to a maximal incremental exercise test: A test of the dual-mode model. *Psychol. Sport Exerc.* *8*, 401-423.
- White E, Slane JD, Klump KL, Burt SA, & Pivarnik J (2014). Sex differences in genetic and environmental influences on percent body fatness and physical activity. *J. Phys. Act. Health* *11*, 1187-1193.
- Wilkinson AV, Gabriel KP, Wang J, Bondy ML, Dong Q, Wu X, Shete S, & Spitz MR (2013). Sensation-seeking genes and physical activity in youth. *Genes Brain Behav.* *12*, 181-188.
- Willemsen G, Vink JM, Abdellaoui A, den BA, van Beek JH, Draisma HH, van DJ, van 't ED, Geels LM, van LR, Ligthart L, Kattenberg M, Mbarek H, de Moor MH, Neijts M, Pool R, Stroo N, Klufft C, Suchiman HE, Slagboom PE, de Geus EJ, & Boomsma DI (2013). The Adult Netherlands Twin Register: twenty-five years of survey and biological data collection. *Twin. Res. Hum. Genet.* *16*, 271-281.
- Williams DM, Dunsiger S, Ciccolo JT, Lewis BA, Albrecht AE, & Marcus BH (2008). Acute Affective Response to a Moderate-intensity Exercise Stimulus Predicts Physical Activity Participation 6 and 12 Months Later. *Psychol. Sport Exerc.* *9*, 231-245.
- Williams DM, Dunsiger S, Emerson JA, Gwaltney CJ, Monti PM, & Miranda R, Jr. (2016). Self-Paced Exercise, Affective Response, and Exercise Adherence: A Preliminary Investigation Using Ecological Momentary Assessment. *J. Sport Exerc. Psychol.* *38*, 282-291.
- Williams DM, Dunsiger S, Jennings EG, & Marcus BH (2012). Does affective valence during and immediately following a 10-min walk predict concurrent and future physical activity? *Ann. Behav. Med.* *44*, 43-51.

REFERENCES

- Williams LR & Gross JB (1980). Heritability of motor skill. *Acta Genet. Med. Gemellol.* 29, 127-136.
- Wilmore JH, Green JS, Stanforth PR, Gagnon J, Rankinen T, Leon AS, Rao DC, Skinner JS, & Bouchard C (2001). Relationship of changes in maximal and submaximal aerobic fitness to changes in cardiovascular disease and non-insulin-dependent diabetes mellitus risk factors with endurance training: the HERITAGE Family Study. *Metabolism* 50, 1255-1263.
- Wilson K & Dishman R (2015). Personality and physical activity: A systematic review and meta-analysis. *Pers. Individ. Dif.* 72, 230-242.
- Winham SJ & Biernacka JM (2013). Gene-environment interactions in genome-wide association studies: current approaches and new directions. *J. Child Psychol. Psychiatry* 54, 1120-1134.
- Wood AC, Rijdsdijk F, Saudino KJ, Asherson P, & Kuntsi J (2008). High heritability for a composite index of children's activity level measures. *Behav. Genet.* 38, 266-276.
- Yancey AK, Grant D, Kurosky S, Kravitz-Wirtz N, & Mistry R (2011). Role modeling, risk, and resilience in California adolescents. *J. Adolesc. Health* 48, 36-43.
- Yang N, MacArthur DG, Gulbin JP, Hahn AG, Beggs AH, Easteal S, & North K (2003). ACTN3 genotype is associated with human elite athletic performance. *Am. J. Hum. Genet.* 73, 627-631.