

VU Research Portal

Third harmonic generation microscopy

Zhang, Z.

2017

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Zhang, Z. (2017). *Third harmonic generation microscopy: Towards automatic diagnosis of brain tumors*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

Chapter 1 Introduction to quantitative third harmonic generation	1
1.1 Third harmonic generation microscopy	2
1.2 Potential clinical applications and brain tumor imaging	3
1.3 The importance of image quantification	3
1.4 Challenges of THG image quantification	3
1.5 Main image processing tools used	5
1.6 PDE-based denoising: a mathematical introduction	5
1.7 Active contour: a mathematical introduction	8
1.8 Thesis outline	11
References	13
Chapter 2 Extracting morphologies from third harmonic generation images of structurally normal human brain tissue	17
2.1 Abstract	18
2.2 Introduction	18
2.3 Methods and algorithms	20
2.3.1 Image sample and acquisition	21
2.3.2 Anisotropic diffusion driven by salient edges	21
2.3.3 Active contour weighted by prior extremes	25
2.3.4 Post-processing	27
2.3.5 SHG/AF segmentation and validation method	27
2.4 Results and validation	29
2.4.1 Parameter settings	29
2.4.2 Segmentation evaluation	29
2.5 Discussion	31
2.6 Conclusion and outlook	32
2.7 Supplementary data	32
2.7.1 Image sample and acquisition	32
2.7.2 Anisotropic diffusion driven by salient edges	33
2.7.3 Active contour weighted by prior extremes	35

2.7.4	Validation method.....	37
2.7.5	Validation results	37
	References.....	39
Chapter 3 Quantitative comparison of 3D third harmonic generation and fluorescence microscopy images		43
3.1	Abstract.....	44
3.2	Introduction.....	44
3.3	Sample preparation and image acquisition	45
3.4	Image processing	47
3.4.1	THG images segmentation.....	47
3.4.2	Fluorescence images segmentation.....	48
3.4.3	Quantitative comparison	49
3.5	Results and discussion	49
3.5.1	Segmentation challenges.....	50
3.5.2	Segmentation results	51
3.5.3	Validation and quantitative comparison.....	53
3.6	Discussion	57
3.7	Conclusion	59
	References.....	59
Chapter 4 Active contour models for microscopic images with global and local intensity inhomogeneities		65
4.1	Abstract.....	66
4.2	Introduction.....	66
4.3	Existing active contour models.....	67
4.3.1	Level set formulation of ACMs	67
4.3.2	CV model	68
4.3.3	LIC model	68
4.3.4	CVPE model	69
4.4	Three-phase active contours weighted by prior extremes.....	69
4.4.1	ACMs weighted by prior extremes	69
4.4.2	Three-phase CVPE model.....	70
4.4.3	Three-phase LBFPE model.....	70
4.4.4	Three-phase LICPE model.....	70
4.4.5	Three-phase RLSFPE model.....	71

4.4.6	Numerical implementation.....	71
4.5	Experimental results.....	71
4.5.1	Intensity inhomogeneities within microscopic images	72
4.5.2	Comparison on two-phase images	73
4.5.3	Robustness to initialization	76
4.5.4	Comparison on three-phase THG images	77
4.6	Conclusion	80
	References.....	80
Chapter 5	Tensor regularized total variation for third harmonic generation brain images	83
5.1	Abstract.....	84
5.2	Introduction.....	84
5.3	Related works.....	85
5.3.1	The ADF model	85
5.3.2	Connection between the ADF and TV models	86
5.3.3	The adaptive TRTV model	86
5.4	The proposed method.....	86
5.4.1	Efficient estimation of the diffusion tensor.....	87
5.4.2	Robust anisotropic regularization	87
5.4.3	A robust TRTV model	88
5.5	Results.....	89
5.6	Conclusion	90
	References.....	90
Chapter 6	Rich histopathological morphology revealed by quantitative third harmonic generation microscopy for detecting human brain tumors	91
6.1	Abstract.....	92
6.2	Introduction.....	92
6.3	Results.....	93
6.3.1	Quantitative THG microscopy	93
6.3.2	Quantification of histopathological morphology	96
6.3.3	Difference of feature density between normal and tumor tissues	97
6.3.4	Low-grade versus high-grade, WM versus GM.....	99
6.3.5	Quantification of infiltrative tumor boundary.....	99
6.3.6	H&E morphologies detected by quantitative THG	99

6.4	Discussion	102
6.5	Materials and methods	104
6.5.1	THG microscopy and tissue preparation.....	104
6.5.2	Quantification workflow	105
	References.....	105
Chapter 7	Discussion and outlook	111
7.1	General discussion	112
7.1.1	Automatic diagnosis of human brain tumor.....	112
7.1.2	Quantitative comparison of THG and other imaging techniques.....	113
7.2	Pushing towards the future: Outlook	114
7.2.1	Applying deep learning to classify THG images directly	115
7.2.2	Applying the developed algorithms to THG images of other tissue types.....	115
7.2.3	Combination of THG with other imaging techniques.....	116
7.2.4	Studying the tumor ecosystem with quantitative THG	117
7.2.5	Towards super-resolution THG	117
	References.....	118
	Index of Abbreviation	121
	Summary	124
	Samenvatting	125
	总结	127
	List of Publications	129
	Acknowledgement	130