

# VU Research Portal

## Asymmetries in mixed beauty decays

de Vries, J.A.

2018

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

de Vries, J. A. (2018). *Asymmetries in mixed beauty decays*.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

---

# Contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	The Standard Model	4
1.1.1	Fundamentals	4
1.1.2	The quark sector	8
1.2	<i>CP</i> violation	11
1.2.1	Sakharov conditions	11
1.2.2	Direct <i>CP</i> violation	13
1.2.3	Neutral-meson mixing	15
1.2.4	Time evolution	17
1.2.5	<i>CP</i> violation in interference	20
1.2.6	Standard Model expectations and beyond	20
1.2.7	History of <i>CP</i> violation in mixing	22
1.2.8	Measuring $a_{\text{sl}}^d$ and $a_{\text{sl}}^s$	25
<b>2</b>	<b>The LHCb experiment</b>	<b>31</b>
2.1	The LHC and conditions at point 8	33
2.2	Tracking of charged particles	35
2.2.1	Magnet	36
2.2.2	Vertex Locator	37
2.2.3	Tracker Turicensis	38
2.2.4	Inner Tracker	39
2.2.5	Outer Tracker	39
2.2.6	Material	40
2.2.7	Track reconstruction	41
2.3	Particle identification	43
2.3.1	Ring-imaging Cherenkov detectors	44
2.3.2	Calorimeters	44
2.3.3	Muon stations	45
2.3.4	Particle ID	47
2.4	Trigger	47
2.5	Simulation	49

<b>3</b>	<b>Detection asymmetries</b>	<b>51</b>
3.1	The asymmetry of $\mu^+\pi^-$ pairs	52
3.1.1	The $J/\psi$ tag-and-probe method	54
3.1.2	The $D^*$ partial-and-full method	58
3.1.3	Comparing the methods	61
3.2	The asymmetry of $K^+\pi^-$ pairs	62
3.2.1	The asymmetry of $K^+K^-$ pairs	66
3.3	Hadron identification asymmetry	66
3.4	Trigger and muon PID asymmetry	70
3.4.1	Asymmetry of two trigger lines	73
<b>4</b>	<b><math>CP</math> violation in mixing of <math>B^0</math> mesons</b>	<b>77</b>
4.1	Method	77
4.2	Selection	78
4.2.1	Removal of identifiable backgrounds	79
4.2.2	Mass fit and signal yields	82
4.3	Simulation and background studies	83
4.3.1	Signal simulation	83
4.3.2	Contributions from peaking backgrounds	84
4.3.3	Determination of the $B^+$ fraction	85
4.4	Decay-time model	86
4.4.1	Determination of the $k$ -factors	87
4.4.2	Decay-time resolution	88
4.4.3	Signal model	91
4.4.4	Simulation studies	92
4.4.5	Background models	93
4.4.6	Full model	95
4.5	Detection asymmetries	96
4.5.1	The $\mu^+\pi^-$ asymmetry	97
4.5.2	The $K^+\pi^-$ asymmetry	97
4.5.3	The muon trigger and PID asymmetry	99
4.5.4	Summary	100
4.6	Results	101
4.7	Systematic uncertainties	102
4.7.1	$B^+$ background	103
4.7.2	Other backgrounds	104
4.7.3	Uncertainties on the $k$ -factor	105
4.7.4	Other fit-related systematic uncertainties	105
4.7.5	Further consistency checks	108

---

<b>5</b>	<b><i>CP</i> violation in mixing of <math>B_s^0</math> mesons</b>	<b>111</b>
5.1	Method	111
5.2	Selection	112
5.2.1	Removal of identifiable backgrounds	113
5.2.2	Peaking backgrounds	117
5.2.3	Fit strategy and measured asymmetry	118
5.3	Simulation and peaking backgrounds	121
5.3.1	Signal simulation	121
5.3.2	Contributions from peaking backgrounds	121
5.3.3	Asymmetries in the background modes	122
5.3.4	Effect on $a_{s1}^s$	123
5.4	Detection asymmetries	124
5.4.1	The $\mu^+\pi^-$ asymmetry	124
5.4.2	The $K^+K^-$ asymmetry	124
5.4.3	PID asymmetry	126
5.4.4	The trigger and muon PID asymmetry	128
5.4.5	Total detection asymmetry	129
5.5	Results	129
<b>6</b>	<b>Discussion</b>	<b>133</b>
6.1	The picture after LHCb run 1	133
6.2	Thoughts about the dimuon anomaly	134
6.3	Future prospects	136
6.3.1	Additional charm decay channels	136
6.3.2	Additional beauty decay channels	137
6.3.3	Reducing errors due to calibration samples	137
6.3.4	Reducing errors due to backgrounds	138
6.3.5	Beyond run 1	138
6.4	Closing remarks	139
<b>A</b>	<b>Time integration of the <math>a_{s1}^s</math> analysis</b>	<b>143</b>
<b>B</b>	<b>Additional material in the <math>a_{s1}^d</math> analysis</b>	<b>145</b>
<b>C</b>	<b>Additional material in the <math>a_{s1}^s</math> analysis</b>	<b>153</b>
<b>D</b>	<b>Using hadronic decays</b>	<b>155</b>
	<b>References</b>	<b>157</b>
	<b>Summary</b>	<b>167</b>
	<b>Samenvatting</b>	<b>169</b>
	<b>Acknowledgements</b>	<b>173</b>