

VU Research Portal

Acoustic Force Spectroscopy (AFS)

Kamsma, D.

2018

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Kamsma, D. (2018). *Acoustic Force Spectroscopy (AFS): From single molecules to single cells*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

CHAPTER 1 INTRODUCTION	2
1.1 Life is a complex system	3
1.1.1 Complex and Complicated.....	3
1.1.2 Life.....	4
1.2 The cell	5
1.3 Methods to study the cell	6
1.3.1 Top-down approach (<i>in vivo</i>).....	6
1.3.2 Bottom-up (<i>in vitro</i>)	7
1.4 The outline of this thesis	8
CHAPTER 2 ACOUSTIC FORCE SPECTROSCOPY	12
2.1 Introduction	13
2.2 Results	13
2.2.1 Experimental setup.....	13
2.2.2 AFS applied to tethered DNA	15
2.2.3 Force-extension, constant-force and dynamic force spectroscopy measurements	17
2.3 Conclusions	20
2.4 Supplementary methods	22
2.4.1 Experimental setup.....	22
2.4.2 One-dimensional acoustical model.....	23
2.4.3 Microsphere tracking.....	23
2.4.4 Force calibration.....	23
2.4.5 Response time	24
2.4.6 Thermal fluctuations and instrumental uncertainty.....	25
2.4.7 Dynamic force spectroscopy measurement	25
2.4.8 DNA tethers	27
2.4.9 Buffers and RecA solutions	28
2.5 Supplementary figures	29
CHAPTER 3 TUNING THE MUSIC <i>ACOUSTIC FORCE SPECTROSCOPY 2.0</i>	36
3.1 Introduction	37
3.2 Material and methods	37
3.2.1 AFS-chip properties	37

3.2.2	Electrical connection of the chip.....	38
3.2.3	Imaging the sample.....	39
3.2.4	Computer	39
3.2.5	Microsphere tracking.....	39
3.2.6	DNA Tethering.....	39
3.3	One-dimensional acoustical model	40
3.3.1	KLM model.....	40
3.3.2	Parameters used in the model.....	42
3.3.3	The quality number (QN)	42
3.4	Results.....	42
3.4.1	Transparent piezo.....	42
3.4.2	Use of liquid-immersion objectives.....	43
3.4.3	Optimizing layer thicknesses.....	44
3.4.4	Direct measurement of the force profile.....	47
3.4.5	Optimizing the acoustic-force profile.....	50
3.5	Discussion and conclusion.....	50
3.6	Supplementary figures	54

CHAPTER 4 | SINGLE-MOLECULE MEASUREMENTS USING ACOUSTIC FORCE SPECTROSCOPY..... 60

4.1	Introduction.....	61
4.2	Material	62
4.2.1	AFS experimental setup.....	62
4.2.2	DNA labeling.....	62
4.2.3	Surface chemistry buffers.....	62
4.3	Methods.....	63
4.3.1	Measuring the impedance of the AFS chip.....	63
4.3.2	DNA labeling protocol for surface tethering	64
4.3.3	Labeling microspheres with digoxigenin.....	65
4.3.4	Preparation of DNA tethered to the surface and microspheres.....	66
4.3.5	Measurements on tethered particles.....	67
4.3.6	Data analysis.....	67
4.4	Notes	69

CHAPTER 5 | REAL-TIME ASSEMBLY OF VIRUS CAPSIDS ONTO DNA

5.1	Introduction.....	73
5.2	Methods and materials.....	75

5.2.1	Protocols to obtain SV40.....	75
5.2.2	Protocols to obtain VLPs.....	76
5.2.3	Preparation of the DNA tethers.....	76
5.2.4	pRSET DNA.....	77
5.2.5	Optical tweezers.....	77
5.3	Results.....	77
5.3.1	VP1 proteins interacting with DNA tethers	77
5.3.2	CS ₁₀ B proteins interacting with DNA tethers.....	83
5.4	Discussion.....	83
5.4.1	VP1 protein form full SV40 capsids.....	84
5.4.2	CS ₁₀ B protein forming VLPs onto DNA tethers.....	86
5.5	Supplementary figures.....	88

CHAPTER 6 | UNRAVELLING THE FOLDING ENERGY LANDSCAPE OF SHORT-HANDLE DNA HAIRPINS USING ACOUSTIC FORCE

SPECTROSCOPY.....	92
6.1 Introduction.....	93
6.2 Methods and materials.....	95
6.2.1 CD4 hairpin with short handles.....	95
6.2.2 Surface tethering protocol	96
6.2.3 Temperature control.....	96
6.3 Theoretical background of a two-state model.....	97
6.3.1 Bell-Evans theory	97
6.3.2 Continuous Effective Barrier Approach (CEBA)	99
6.4 Results.....	101
6.4.1 Constant force spectroscopy.....	101
6.4.2 Dynamic force spectroscopy.....	103
6.5 Discussion.....	107
6.6 Supplementary figures.....	110

CHAPTER 7 | SINGLE-CELL ACOUSTIC FORCE SPECTROSCOPY (SCAFS) RESOLVING KINETICS AND STRENGTH OF T-CELL

ADHESION TO FIBRONECTIN.....	114
7.1 Introduction.....	115
7.2 Results.....	115
7.2.1 Manipulating cells with acoustic forces.....	115
7.2.2 Three binding stages of adhering cells.....	118
7.2.3 IL7 accelerates CD4 adhesion	118

7.2.4	Calibration of the acoustic force acting on the cells	120
7.2.5	Binding strength of unbound, binding and bound CD4	120
7.3	Discussion.....	124
7.4	Supplementary methods.....	126
7.4.1	Blood sampling and cell preparation	126
7.4.2	Experimental setup, cell imaging.....	126
7.4.3	Cell tracking	127
7.4.4	Validation of the integrin-fibronectin bonds.....	127
7.4.5	Acoustic force calibration on cells	127
7.4.6	Investigating the strength of glass-adsorbed fibronectin.....	129
7.4.7	Determination of rupture forces	129
7.5	Supplementary figures	131
 CHAPTER 8 SUMMARY AND CONCLUSIONS.....		142
 CHAPTER 9 OUTLOOK.....		148
9.1	Air-filled microspheres	149
9.2	Mechanical measurement on Red Blood Cells (RBCs).....	153
9.3	Measuring the adhesion strength and migration of cells at 37°C ...	155
 REFERENCES		160
 PUBLICATIONS LIST		170
 ACKNOWLEDGEMENTS		172

List of figures

Figure 1.1 Categorizing systems in four ways.....	3
Figure 1.2 Schematic image of the cell response.....	5
Figure 2.1 Principle of Acoustic Force Spectroscopy.....	14
Figure 2.2 Acoustic Force Spectroscopy in action.....	16
Figure 2.3 Force-extension and constant-force measurements	18
Figure 2.4 Dynamic force spectroscopy measurements.....	19
Figure 3.1 Illustration of the AFS setup.....	38
Figure 3.2 Measuring the acoustic energy loss due to immersion objective using pKYBI DNA.....	44
Figure 3.3 Layer thickness optimization for AFS chip	45
Figure 3.4 Mapping the acoustic force within the fluid layer.....	48
Figure 3.5 Overstretching curve of 45.5 kbp lambda DNA	51
Figure 4.1 Measuring the impedance of the AFS chip	64
Figure 4.2 A schematic drawing of the DNA labeling protocol.....	65
Figure 4.3 AFS data analyses tethered particles.....	68
Figure 5.1 Principles of OT, AFM and AFS	74
Figure 5.2 Measuring the interaction of truncated VP1 on the tethered DNA	78
Figure 5.3 Quantifying the force-extension curves of DNA incubated with 'intact' VP1 proteins	80
Figure 5.4 Measuring the compaction of 1 μ m DNA tethers by VLPs	81
Figure 5.5 Compaction and decompaction events found by our step-finding algorithm	82
Figure 6.1 Sketch of the folding free-energy landscape of the CD4 hairpin and the AFS assay	94
Figure 6.2 Quantification the CD4 DNA hairpin state under constant tension	102
Figure 6.3 Resolving the kinetics of the native and the unfolded state	104
Figure 6.4 Dynamic force spectroscopy experiments of CD4 hairpins.....	106
Figure 7.1 CD4-adhesion mechanism	116
Figure 7.2 scAFS on single CD4 cells: manipulation and high-resolution tracking.....	117
Figure 7.3 Deciphering unbound, binding and bound cells from their xy- trajectories and z-elevation.....	119
Figure 7.4 CD4 cells adhere faster to fibronectin and get immobilized when activated by IL7.....	121
Figure 7.5 CD4 rupture-force calibration and measurement	122

Figure 7.6 CD4 rupture-force distribution, effect of IL7.....	123
Figure 9.1 Calibration of acoustic forces acting on air-filled microspheres	150
Figure 9.2 Measuring mechanical properties of surface-attached RBC using silica microspheres.....	154
Figure 9.3 Cell-adhesion strength and migration measured at 37°C.....	157

List of supplementary figures

Supplementary figure 2.1 Accuracy of tracking 4.5 μm diameter polystyrene microsphere	29
Supplementary figure 2.2 Picture of the AFS device.....	29
Supplementary figure 2.3 Histogram of the measured force distribution....	30
Supplementary figure 2.4 The stability of the AFS setup.....	30
Supplementary figure 2.5 Selection criteria for single tethers.....	30
Supplementary figure 2.6 Typical bond-rupture measurement	31
Supplementary figure 2.7 Sample heating.....	32
Supplementary figure 2.8 Influence of layer thicknesses.....	33
Supplementary figure 2.9 Effect of blurring and aliasing.....	34
Supplementary figure 3.1 Picture of the custom-made transformer	54
Supplementary figure 3.2 Accuracy of tracking at 60 Hz in x, y, and z of a 4.5 μm diameter polystyrene microsphere.....	54
Supplementary figure 3.3 Theoretically predicted resonance frequencies and corresponding force profiles of flow cell 1 with a 200 μm piezo.....	55
Supplementary figure 3.4 2 images showing the transparency of the piezo element.....	55
Supplementary figure 3.5 Combination of matching and fluid layer thickness, the piezo and capping layer thickness are set to 200 μm and 175 μm , respectively.....	56
Supplementary figure 3.6 Time trace showing the z position of the microspheres together with the applied voltage on the piezo	56
Supplementary figure 3.7 Underlying data of Figure 3.4b and c.....	57
Supplementary figure 5.1 DNA binding properties of truncated VP1 pentamers measured with OT.....	88
Supplementary figure 5.2 AFM data of reassembly products of VP1 pentamers incubated with 16 μm lambda DNA.....	89
Supplementary figure 5.3 Artistic impression of the VLP	89
Supplementary figure 5.4 Histogram of the contour length of the DNA incubated with VP1	90
Supplementary figure 5.5 Fluorescence data obtained with dual trap optical	

tweezers	90
Supplementary figure 6.1 Synthesis of the DNA hairpin	110
Supplementary figure 6.2 Tilting the free-energy landscape according to Bell-Evans theory	110
Supplementary figure 6.3 Dependence of measured resonance frequency on temperature.....	111
Supplementary figure 6.4 A digital camera image of the field of view	111
Supplementary figure 6.5 Example force-extension curves of a CD4 unfolding and folding event.....	112
Supplementary figure 6.6 Calculating the theoretical response time.....	112
Supplementary figure 7.1 Description of the single-cell AFS system.....	131
Supplementary figure 7.2 x, y and z tracking analysis and resolution.....	132
Supplementary figure 7.3 CD4 adhesion kinetics to fibronectin induced assessed by sCAFS	133
Supplementary figure 7.4 CD4 adhesion to fibronectin is faster after IL7 activation.....	134
Supplementary figure 7.5 The CD4 adhesion inhibited by RGD and GRGDS peptides	134
Supplementary figure 7.6 Force exerted by acoustic waves on the CD4 as a function of z position	135
Supplementary figure 7.7 Effect of acoustic forces on unbound and bound CD4 cells	136
Supplementary figure 7.8 Investigating the strength of glass-adsorbed fibronectin.....	137
Supplementary figure 7.9 CD4 rupture-force measurements shown in Figure 3e, for both donors separately.....	138
Supplementary figure 7.10 Application of acoustic force ramp to assess cell- adhesion strength	139
Supplementary figure 7.11 Extrapolation of the rupture force from the amplitude abscise value U_8 when the cell center is elevated $8 \mu\text{m}$ above the base line.....	140

List of tables

Table 3.1 Modeled and calibrated QN values.....	49
Table 6.1 Fit results of the kinetic rates.....	105
Table 9.1 Acoustic contrast factor (Φ) for different materials.....	152