

VU Research Portal

Clinical Implant Stability and Experimental Osteoinduction

Huang, H.

2018

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Huang, H. (2018). *Clinical Implant Stability and Experimental Osteoinduction*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

CONTENTS

Chapter 1	General introduction	11
Chapter 2	Mathematical evaluation of the influence of multiple factors on implant stability quotient values in clinic practice: a retrospective study	27
Chapter 3	Multivariate linear regression analysis to identify general factors for quantitative predictions of implant stability quotient values	47
Chapter 4	The clinical significance of implant stability quotient measurements: a review	63
Chapter 5	The acute inflammatory response to absorbable collagen sponge is not enhanced by BMP-2	99
Chapter 6	Hyaluronic acid promotes the osteogenesis of BMP-2 in absorbable collagen sponge	119
Chapter 7	General discussion	141
Chapter 8	General summary	151
Acknowledgements		156
Curriculum Vitae		159

