

VU Research Portal

Living on the edge

van Egmond, E.M.

2018

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

van Egmond, E. M. (2018). *Living on the edge: Resource availability and macroinvertebrate community dynamics in relation to sand nourishment*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl



References

- Adair, J.A., Higgins, T.R. and Brandon, D.L. 1990. Effects of fruit burial depth and wrack on the germination and emergence of the strandline species *Cakile edentula* (Brassicaceae). *Bulletin of the Torrey Botanical Club*, 117: 138-142.
- Aerts, R. and Chapin III, F.S., 1999. The mineral nutrition of wild plants revisited: A re-evaluation of processes and patterns. *Advances in Ecological Research*, 30: 1-67.
- Airoldi, L., Abbiati, M., Beck, M.W., Hawkins, S.J., Jonsson, P.R., Martin, D., Moschella, P.S., Sundelöf, A., Thompson, R.C. and Åberg, P. 2005. An ecological perspective on the deployment and design of low-crested and other hard coastal defence structures. *Coastal Engineering*, 52: 1073-1087.
- Allgeier, J.E., Rosemond, A.D. and Layman, C.A. 2011. The frequency and magnitude of non-additive responses to multiple nutrient enrichment. *Journal of Applied Ecology*, 48: 96-101.
- Archambault, P. and Bourget, E. 1996. Scales of coastal heterogeneity and benthic intertidal species richness, diversity and abundance. *Marine Ecology Progress Series*, 136: 111-121.
- Bakker, J.P., Veeneklaas, R.M., Jansen, A., and Samwel, A. 2005. Een nieuw Groen Strand op Schiermonnikoog. *De Levende natuur*, 106, nr. 4, 151-155.
- Balzano, S., Sarno, D. and Kooistra, W.H.C. 2011. Effects of salinity on the growth rate and morphology of ten *Skeletonema* strains. *Journal of Plankton Research*, 33: 937-945.
- Baptist, M. and Wiersinga, W. 2012. Zand over, vier scenario's voor zachte kustverdediging. *De Levende Natuur*, 113, nr. 2, 56-61.
- Barreiro, F., Gómez, M., Lastra, M., López, J. and de la Huz, R. 2011. Annual cycle of wrack supply to sandy beaches: Effect of the physical environment. *Marine Ecology Progress Series*, 433: 65-74.
- Barrett, K., Anderson, W.B., Wait, A., Grismer, L.L., Polis, G.A. and Rose, M.D. 2005. Marine subsidies alter the diet and abundance of insular and coastal lizard populations. *Oikos*, 109: 145-153.
- Berg, M.P., Kiers, T.E., Driessen, G., van der Heijden, M., Kooi, B.W., Kuenen, F., Liefing, M., Verhoef, H.A. and Eilers, J. 2010. Adapt or disperse: Understanding species persistence in a changing world. *Global Change Biology*, 16: 587-598.
- Bergamino, L., Lercari, D. and Defeo, O. 2011. Food web structure of sandy beaches: Temporal and spatial variation using stable isotope analysis. *Estuarine, Coastal and Shelf Science*, 91: 536-543.
- Bergamino, L., Gómez, J., Barboza, F.R., and Lercari, D. 2013. Major food web properties of two sandy beaches with contrasting morphodynamics, and effects on the stability. *Aquatic Ecology*, 47: 253-261.
- Bergamino, L., Martínez, A., Han, E., Lercari, D. and Defeo, O. 2016. Trophic niche shifts driven by phytoplankton in sandy beach ecosystems. *Estuarine, Coastal and Shelf Science*, 180: 33-40.
- Bessa, F., Baeta, A. and Marques, J.C. 2014a. Niche segregation amongst sympatric species at exposed sandy shores with contrasting wrack availabilities illustrated by stable isotope analysis. *Ecological Indicators*, 36: 694-702.
- Bessa, F., Gonçalves, S.C., Franco, J.N., André, J.N., Cunha, P.P. and Carlos Marquez, J. 2014b. Temporal changes in macrofauna as response indicator to potential human pressures on sandy beaches. *Ecological Indicators*, 41: 49-57.

- Beukema, J.J., Flach, E.C., Dekker, R. and Starink, M. 1999. A long-term study of the recovery of the macrozoobenthos on large defaunated plots on a tidal flat in the Wadden Sea. *Journal of Sea Research*, 42: 235-254.
- Bolam, S.G. and Whomersley, P. 2005. Development of macrofaunal communities on dredged material used for mudflat enhancement: A comparison of three beneficial use schemes after one year. *Marine Pollution Bulletin*, 50: 40-47.
- Beyst, B., Hostens, K. and Mees, J. 2001. Factors influencing fish and macrocrustacean communities in the surf zone of sandy beaches in Belgium: Temporal variation. *Journal of Sea Research*, 46: 281-294.
- Bolhuis, H. and Stal, J.C. 2011. Analysis of bacterial and archaeal diversity in coastal microbial mats using massive parallel 16S rRNA gene tag sequencing. *The ISME Journal*, 5: 1701-1712.
- Boyer, K.E., Kertesz, J.S. and Bruno, J.F. 2009. Biodiversity effects on productivity and stability of marine macroalgal communities: The role of environmental context. *Oikos*, 118: 1062-1072.
- Brazeiro, A. 2001. Relationship between species richness and morphodynamics in sandy beaches: What are the underlying factors? *Marine Ecology Progress Series*, 224: 35-44.
- Büchi, L. and Vuilleumier, S. 2014. Coexistence of specialist and generalist species is shaped by dispersal and environmental factors. *American Naturalist*, 183: 612-624.
- Buchsbaum, R., Valiela, I., Swain, T., Dzierzeski, M. and Allen, S. 1991. Available and refractory nitrogen in detritus of coastal vascular plants and macroalgae. *Marine Ecology Progress Series*, 72: 131-143.
- Bulleri, F. 2009. Facilitation research in marine systems: State of the art, emerging patterns and insights for future developments. *Journal of Ecology*, 97: 1121-1130.
- Cadée, G.C. 2014. Vloedmerken, bedreigde soortenrijke minimilieus op het strand. *Entomologische Berichten*, 74: 3-12.
- Cardinale, B.J., Palmer, M.A. and Collins, S.L. 2002. Species diversity enhances ecosystem functioning through interspecific facilitation. *Nature*, 415: 426-429.
- Cardinale, B.J., Weis, J.J., Forbes, A.E., Tilmon, K.J. and Ives, A.R. 2006. Biodiversity as both a cause and consequence of resource availability: A study of reciprocal causality in a predator-prey system. *Journal of Animal Ecology*, 75: 497-505.
- Catenazzi, A. and Donnelly, M.A. 2007. Role of supratidal invertebrates in decomposition of beach-cast green algae *Ulva* sp. *Marine Ecology Progress Series*, 349: 33-42.
- Chapin III, F.S., Schulze, E-D. and Mooney, H.A. 1990. The ecology and the economics of storage in plants. *Annual Review of Ecology and Systematics*, 21: 423-447.
- Chapin III, F.S., Zavaleta, E.S., Eviner, V.T., Naylor, R.L., Vitousek, P.M., Reynolds, H.L., Hooper, D.U., Lavorel, S., Sala, O.E., Hobbie, S.E., Mack, M.C. and Díaz, S. 2000. Consequences of changing biodiversity. *Nature*, 405: 234-242.
- Chesson, P. 2000. Mechanisms of maintenance of species diversity. *Annual Review of Ecology and Systematics*, 31: 343-366.
- Clark, K.R. 1993. Non-parametric multivariate analysis of changes in community structure. *Australian Journal of Ecology*, 18: 117-143.

- Cockcroft, A.C. and McLachlan, A. 1993. Nitrogen budget for a high-energy ecosystem. *Marine Ecology Progress Series*, 100: 287-299.
- Colombini, I., Aloia, A., Fallaci, M., Pezzoli, G. and Chelazzi, L. 2000. Temporal and spatial use of stranded wrack by the macrofauna of a tropical sandy beach. *Marine Biology*, 136: 531-541.
- Colombini, I. and Chelazzi, L. 2003. Influence of marine allochthonous input on sandy beach communities. *Oceanography and Marine Biology: An Annual Review*, 41: 115-159.
- Colombini, I., Mateo, M.Á., Serrano, O., Fallaci, M., Gagnarli, E., Serrano, L. and Chelazzi, L. 2009. On the role of *Posedonia oceanica* beach wrack for macroinvertebrates on a Tyrrhenian sandy shore. *Acta Oecologica*, 35: 32-44.
- Conradi, T., Temperton, V.M. and Kollmann, J. 2017. Resource availability determines the importance of niche-based versus stochastic community assembly in grasslands. *Oikos*, 126: 1134-1141.
- Cooke, B.C., Jones, A.R., Goodwin, I.D. and Bishop, M.J. 2012. Nourishment practices on Australian sandy beaches: A review. *Journal of Environmental Management*, 113: 319-327.
- Cornelissen, J.H.C., van Bodegom, P.M., Aerts, R., Callaghan, T.V., van Logtestijn, R.S.P., Alatalo, J., Chapin, F.S., Gerdol, R., Gudmundsson, J., Gwynn-Jones, D., Hartley, A.E., Hik, D.S., Hofgaard, A., Jónsdóttir, I.S., Karlsson, S., Klein, J.A., Laundre, J., Magnusson, B., Michelsen, A., Molau, U., Onipchenko, V.G., Qusteded, H.M., Sandvik, S.M., Schmidt, I.K., Shaver, G.R., Solheim, B., Soudzilovskaia, N.A., Stenström, A., Tolvanen, A., Totland, O., Wada, N., Welker, J.M., Zhao, X. 2007. Global negative vegetation feedback to climate warming responses of leaf litter decomposition rates in cold biomes. *Ecology Letters*, 10: 619-627.
- Costa, L.L., Tavares, D.C., Suciú, M.C., Rangel, D.F. and Zalmon, I.R. 2017. Human-induced changes in the trophic functioning of sandy beaches. *Ecological Indicators*, 82: 304-315.
- Coupland, G.T., Duarte, C.M. and Walker, D.I. 2007. High metabolic rates in beach cast communities. *Ecosystems*, 10: 1341-1350.
- Coûteaux, M.-M., Bottner, P. and Berg, B. 1995. Litter decomposition, climate and litter quality. *Trends in Ecology and Evolution*, 10: 63-66.
- Covich, A.P., Palmer, M.A. and Crowl, T.A. 1999. The role of benthic invertebrate species in freshwater ecosystems: Zoobenthic species influence energy flows and nutrient cycling. *BioScience*, 49:119-127.
- Dauer, D.M. 1983. Functional morphology and feeding behavior of *Scolecopsis squamata* (Polychaeta: Spionidae). *Marine Biology*, 77: 279-285.
- Davy, A.J., Scott, R. and Cordazzo, C.V. 2006. Biological flora of the British Isles: *Cakile maritima* Scop. *Journal of Ecology*, 94: 695-711.
- de Groot, A.V., Oost, A.P., Veeneklaas, R.M., Lammerts, E.J., van Duin, W.E. and van Wesenbeeck, B.K. 2017a. Tales of island tails: Biogeomorphic development and management of barrier islands. *Journal of Coastal Conservation*, 21: 409-419.
- de Groot, A.V., Janssen, G.M., Isermann, M., Stock, M., Glahn, M., Elschot, K., Hellwig, U., Petersen, J., Esselink, P., van Duin, W., Körber, P., Jensen, K. and Hecker, N. 2017b. *Beaches and dunes*. In: *Wadden Sea Quality Status Report 2017*. Eds.: Kloepper S. et al., Common Wadden Sea Secretariat, Wilhelmshaven, Germany. Last updated 21.12.2017. Downloaded 15-05-2018 from qsr.waddensea-worldheritage.org/reports/beaches-and-dunes.

- de Schipper, M.A., de Vries, S., Ruessink, G., de Zeeuw, R.C., Rutten, J., van Gelder-Maas, C. and Stive, M.J.F. 2016. Initial spreading of a mega feeder nourishment: Observations of the Sand Engine pilot project. *Coastal Engineering*, 111: 23-38.
- Debez, A. Ben Hamed, K., Grignon, C. and Abdelly, C. 2004. Salinity effects on germination, growth, and seed production of the halophyte *Cakile maritima*. *Plant and Soil*, 262: 179-189.
- Defeo, O., Brazeiro, A., de Alava, A. and Riestra, G. 1997. Is sandy beach macrofauna only physically controlled? Role of substrate and competition in isopods. *Estuarine, Coastal and Shelf Science*, 45: 453-462.
- Defeo, O., Gómez, J., and Lercari, D., 2001. Testing the swash exclusion hypothesis in sandy beach populations: The mole crab *Emerita brasiliensis* in Uruguay. *Marine Ecology Progress Series*, 212: 159-170.
- Defeo, O. and Gómez, J. 2005. Morphodynamics and habitat safety in sandy beaches: Life-history adaptations in a supralittoral amphipod. *Marine Ecology Progress Series*, 293: 143-153.
- Defeo, O. and McLachlan, A. 2005. Patterns, processes and regulatory mechanisms in sandy beach macrofauna: A multi-scale analysis. *Marine Ecology Progress Series*, 295: 1-20.
- Defeo, O., McLachlan, A., Schoeman, D.S., Schlacher, T.A., Dugan, J., Jones, A., Lastra, M. and Scapini F. 2009. Threats to sandy beach ecosystems: A review. *Estuarine, Coastal and Shelf Science*, 81: 1-12.
- Defeo, O. and McLachlan, A. 2011. Coupling between macrofauna community structure and beach type: A deconstructive meta-analysis. *Marine Ecology Progress Series*, 433: 29-41.
- Defeo, O. and McLachlan, A. 2013. Global patterns in sandy beach macrofaunal: Species richness, abundance, biomass and body size. *Geomorphology*, 199: 106-114.
- Defeo, O., Barboza, C.A.M., Barboza, F.R., Aeberhard, W.H., Cabrini, T.M.B., Cardoso, R.S., Ortega, L., Skinner, V. and Woem, B. 2017. Aggregate patterns of macrofaunal diversity : An interocean comparison. *Global Ecology and Biogeography*, 26 : 823-834.
- Degraer, S., Mouton, I., De Neve, L. and Vincx, M. 1999. Community structure and intertidal zonation of the macrobenthos on a macrotidal, ultra-dissipative sandy beach: Summer-winter comparison. *Estuaries*, 22: 742-752.
- Degraer, S., Volckaert, A. and Vincx, M. 2003. Macrobenthic zonation patterns along a morphodynamical continuum of macrotidal, low tide bar/rip and ultra-dissipative sandy beaches. *Estuarine, Coastal and Shelf Science*, 56: 459-468.
- Del Vecchio, S., Marbà, N., Acosta, A., Vignolo, C. and Traveset, A. 2013. Effects of *Posidonia oceanica* beach-cast on germination, growth and nutrient uptake of coastal dune plants. *PLoS ONE*, 8: e70607.
- Del Vecchio, S. Jucker, T., Carboni, M. and Acosta, A.T.R. 2017. Linking plant communities on land and at seas: The effects of *Posidonia oceanica* wrack on the structure of dune vegetation. *Estuarine, Coastal and Shelf Science*, 184: 30-36.
- Dennell, R. 1933. The habits and feeding mechanism of the amphipod *Haustorius arenarius* Slabber. *Journal of the Linnean Society of London, Zoology*, 38: 363-388.
- Dernie, K.M., Kaiser, M.J., Richardson, E.A. and Warwick, R.M. 2003. Recovery of soft sediment communities and habitats following physical disturbance. *Journal of Experimental Marine Biology and Ecology*, 285-286: 415-434.
- Diamond, J.M. 1975. Assembly of species communities. In: *Ecology and Evolution of Communities*. ed. Cody, M.L. and Diamond, J.M. Harvard University Press, Cambridge, MA, USA.

- Dijkman, N.A., Boschker, H.T.S., Stal, L.J. and Kromkamp, J.C. 2010. Composition and heterogeneity of the microbial community in a coastal microbial mat as revealed by the analysis of pigments and phospholipid-derived fatty acids. *Journal of Sea Research*, 63: 62–70.
- Dorrepaal, E., Cornelissen, J.H.C. and Aerts, R. 2007. Changing leaf litter feedbacks on plant production across contrasting sub-arctic peatland species and growth forms. *Oecologia*, 151: 251-261.
- Dugan, J.E., Hubbard, D.M., Martin, D.L., Engle, J.M., Richards, D.M., Davis, G.E., Lafferty, K.D. and Ambrose, R.F. 2000. Macrofauna communities of exposed sandy beaches on the Southern California mainland and Channel Islands. *Fifth California Islands Symposium, OCS Study, MMS 99-0038*, 339-346.
- Doing, H. 1995. Landscape ecology of the Dutch coast. *Journal of Coastal Conservation*, 1: 145-172.
- Dugan, J.E., Hubbard, D.M., McCrary, M.D. and Pierson, M.O. 2003. The response of macrofauna communities and shorebirds to macrophyte wrack subsidies on exposed sandy beaches of southern California. *Estuarine, Coastal and Shelf Science*, 58: 25-40.
- Dugan, J.E., Jaramillo, E., Hubbard, D.M., Contreras, H. and Duarte, C. 2004. Competitive interactions in macroinfaunal animals of exposed sandy beaches. *Oecologia*, 139: 630-640.
- Dugan, J.E. and Hubbard, D.M. 2010. Loss of coastal strand habitat in southern California: The role of beach grooming. *Estuaries and Coasts*, 33: 67-77.
- Dugan, J.E., Hubbard, D.M., Page, H.M. and Schimel, J.P. 2011. Marine macrophyte wrack inputs and dissolved nutrients in beach sands. *Estuaries and Coasts*, 34: 839-850.
- Dugan, J.E., Hubbard, D.M. and Quigley, B.J. 2013. Beyond beach width: Steps toward identifying and integrating ecological envelopes with geomorphic features and datums for sandy beach ecosystems. *Geomorphology*, 199: 95-105.
- Dyson, K.E., Bulling, M.T., Solan, M., Hernandez-Milian, G., Raffaelli, D.G., White, P.C.L. and Paterson, D.M. 2007. Influences of macrofaunal assemblages and environmental heterogeneity on microphytobenthic production in experimental systems. *Proceedings of the Royal Society: Biological Sciences*, 274: 2547-2554.
- Ehrenhauss, S., Witte, U., Janssen, F. and Huettel, M. 2004. Decomposition of diatoms and nutrient dynamics in permeable North Sea sediments. *Continental Shelf Research*, 24: 721-737.
- Esselink, P., Petersen, J., Arens, S., Bakker, J.P., Bunje, J., Dijkema, K.S., Hecker, N., Hellwig, U., Jensen, A.-V., Kers, A.S., Körber, P., Lammerts, E.J., Stock, M., Veeneklaas, R.M., Vreeken, M. and Wolters, M. 2009. Salt marshes. Thematic report No. 8. In: Marencic, H. and de Vlas, J. (Eds). 2009. *Quality Status Report 2009. Wadden Sea Ecosystem No. 25*. Common Wadden Sea Secretariat, Trilateral Monitoring and Assessment Group, Wilhelmshaven, Germany.
- Esselink P., van Duin, W.E., Bunje, J., Cremer, J., Folmer, E.O., Frikke, J., Glahn, M., de Groot, A.V., Hecker, N., Hellwig, U., Jensen, K., Körber, P., Petersen, J. and Stock, M. 2017. *Salt marshes*. In: *Wadden Sea Quality Status Report 2017*. Eds.: Kloepper S. et al., Common Wadden Sea Secretariat, Wilhelmshaven, Germany. Last updated 21 December 2017. Downloaded 5 June 2018 from qsr.waddensea-worldheritage.org/reports/salt-marshes
- Fallaci, M., Aloia, A., Audoglio, M., Colombini, I., Scapini, F. and Chelazzi, L. 1999. Differences in behavioural strategies between two sympatric talitrids (Amphipoda) inhabiting an exposed sandy beach of the French Atlantic coast. *Estuarine, Coastal and Shelf Science*, 48: 469-482.
- Finke, D.L. and Snyder, W.E. 2008. Niche partitioning increases resource exploitation by diverse communities. *Science*, 321: 1488-1490.

- Fish, J.D. and Preece, G.S. 1970. The ecophysiological complex of *Bathyporeia pilosa* and *B. pelagica* (Crustacea: Amphipoda). I. Respiration rates. *Marine Biology*, 5: 22-28.
- Forehead, H., Thomson, P. and Kendrick, G.A. 2012. Shifts in composition of microbial communities of subtidal sandy sediments maximise retention of nutrients. *FEMS Microbiology Ecology*, 83: 279-298.
- Fridley, J.D. 2002. Resource availability dominates and alters the relationship between species diversity and ecosystem productivity in experimental plant communities. *Oecologia*, 132: 271-277.
- Fry, B. 2006. *Stable Isotope Ecology*. Springer, New York, NY, USA.
- García-Palacios, P., Maestre, F.T., Kattge, J. and Wall, D.H. 2013. Climate and litter quality differently modulate the effects of soil fauna on litter decomposition across biomes. *Ecology Letters*, 16: 1045-1053.
- Gonçalves, S.C. and Marques, J.C. 2011. The effects of season and wrack subsidy on the community functioning of sandy beaches. *Estuarine, Coastal and Shelf Science*, 95: 165-177.
- Götzenberger, L., de Bello, F., Bråthen, K.A., Davison, J., Dubuis, A., Guisan, A., Lepš, J., Lindborg, R., Moora, M., Pärtel, M., Pellissier, L., Pottier, J., Vittoz, P., Zobel, K. and Zobel, M. 2012. Ecological assembly rules in plant communities – approaches, patterns and prospects. *Biological Reviews*, 87: 111-127.
- Gounand, I., Little, C.J., Harvey, E. and Altermatt, F. 2018. Worldwide cross-ecosystem carbon subsidies and their contribution to ecosystem functioning. *BioRxiv*, doi: 10.1101/271809.
- Grantham, B.A., Eckert, G.L. and Shanks, A.L. 2003. Dispersal potential of marine invertebrates in diverse habitats. *Ecological Applications*, 13: S108-S116.
- Griffiths, C.L. and Stenton-Dozey, J. 1981. The fauna and rate of degradation of stranded kelp. *Estuarine, Coastal and Shelf Science*, 12: 645-653.
- Griffiths, C.L., Stenton-Dozey, J.M.E. and Koop, K. 1983. Kelp wrack and the flow of energy through a sandy beach ecosystem. In: McLachlan A., Erasmus T. (eds) *Sandy Beaches as Ecosystems*. Developments in Hydrobiology, vol 19. Springer, Dordrecht.
- Griffiths, J.I., Warren, P.H. and Childs, D.Z. 2015. Multiple environmental changes interact to modify species dynamics and invasion rates. *Oikos*, 124: 458-468.
- Grömping, U. 2006. Relative importance for linear regression in R: The package relaimpo. *Journal of Statistical Software*, 17: 1-27.
- Gross, K.L., Maruca, D. and Pregitzer, K.S. 1992. Seedling growth and root morphology of plants with different life-histories. *New Phytologist*, 120: 535-542.
- Guery, A.D. and Menge, B.A. 2017. Grazer impacts on algal community structure vary with the coastal upwelling regime. *Journal of Experimental Marine Biology and Ecology*, 488: 10-23.
- Günther, C.-P. 1992. Dispersal of intertidal invertebrates: A strategy to react to disturbance of different scales? *Netherlands Journal of Sea Research*, 30: 45-56.
- Hammann, S. and Zimmer, M. 2014. Wind-driven dynamics of beach-cast wrack in a tide-free system. *Open Journal of Marine Science*, 4: 68-79.

- Handa, I.T., Aerts, R., Berendse, F., Berg, M.P., Bruder, A., Butenschoen, O., Chauvet, E., Gessner, M.O., Jabiol, J., Makkonen, M., McKie, B.G., Malmqvist, B., Peeters, E.T.H.M., Scheu, S., Schmid, B., van Ruijven, J., Vos, V.C.A. and Hättenschwiler, S., 2014. Consequences for biodiversity loss for litter decomposition across biomes. *Nature*, 509: 218-221.
- Hanley, M.E., Hoggart, S.P.G., Simmonds, D.J., Bichot, A., Colangelo, M.A., Bozzeda, F., Heurtefeux, H., Ondiviela, B., Ostrowski, R., Recio, M., Trude, R., Zawadzka-Kahlau, E. and Thompson, R.C. 2014. Shifting sands? Coastal protection by sand banks, beaches and dunes. *Coastal Engineering*, 87: 136-146.
- Hanlon, L.M. and Mesgaran, M.B. 2014. The biology of Australian weeds 63. *Thinopyrum junceiforme* (Á. Löve & D. Löve) Á. Löve. *Plant Protection Quarterly*, 29: 120-126.
- Hanson, H., Brampton, A., Capobianco, M., Dette, H.H., Hamm, L., Laustrup, C., Lechuga, A. and Spanhoff, R., 2002. Beach nourishment projects, practices and objectives – a European view. *Coastal Engineering*, 47: 81-111.
- Hartwig, E.O. 1978. Factors affecting respiration and photosynthesis by the benthic community in a subtropical silicic environment. *Marine Biology*, 46: 282-293.
- Hättenschwiler, S., and Vitousek, P.M. 2000. The role of polyphenols in terrestrial ecosystem nutrient cycling. *Trends in Ecology and Evolution*, 15: 238-243.
- Heard, S. B. 1994. Processing chain ecology: Resource condition and interspecific interactions. *Journal of Animal Ecology*, 63: 451-464.
- Heck, K.L. Jr., Carruthers, T.J.B., Duarte, C.M., Hughes, A.R., Kendrick, G., Orth, R.J. and Williams, S.W. 2008. Trophic transfers from seagrass meadows subsidize diverse marine and terrestrial consumers. *Ecosystems*, 11: 1198-1210.
- Heemsbergen, D.A., Berg, M.P., Loreau, M., van Hal, J.R., Faber, J.H. and Verhoef, H.A. 2004. Biodiversity effects of soil processes explained by interspecific functional dissimilarity. *Science*, 306: 1019-1020.
- Hemminga, M.A. and Nieuwenhuize, J. 1990. Seagrass wrack-induced dune formation on a tropical coast (Banc d'Arguin, Mauritania). *Estuarine, Coastal and Shelf Science*, 31: 499-502.
- Hentschel, B.T. 1998. Intraspecific variations in $\delta^{13}\text{C}$ indicate ontogenetic diet changes in deposit-feeding polychaetes. *Ecology*, 79: 1357-1370.
- Heuck, C., Weig, A. and Spohn, M. 2015. Soil microbial biomass C:N:P stoichiometry and microbial use of organic phosphorus. *Soil Biology and Biochemistry*, 85: 119-129.
- Hillebrand, H., Bennett, D.M. and Cadotte, M.W. 2008. Consequences of dominance: A review of evenness effects on local and regional ecosystem processes. *Ecology*, 89: 1510-1520.
- HilleRisLambers, J., Adler, P.B., Harpole, W.S., Levine, J.M. and Mayfield, M.M. 2012. Rethinking community assembly through the lens of coexistence theory. *Annual Review of Ecology, Evolution and Systematics*, 43: 227-248.
- Hodge, S. and Arthur, W. 1997. Asymmetric interactions between species of seaweed fly. *Journal of Animal Ecology*, 66: 743-754.
- Holdich, D.M. 1981. Opportunistic feeding behaviour in a predatory isopod. *Crustaceana*, 41: 101-103.
- Hooper, D.U., Chapin III, F.S., Ewel, J.J., Hector, A., Inchausti, P., Lavorel, S., Lawton, J.H., Lodge, D.M., Loreau, M., Naeem, S., Schmid, B., Setälä, H., Symstad, A.J., Vandermeer, J. and Wardle, D.A. 2005. Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecological Monographs*, 75: 3-35.

- Horn, S., de la Vega, C., Asmus, R., Schwemmer, P., Enners, L., Garthe, S., Binder, K. and Asmus, H. 2017. Interaction between birds and macrofauna within food webs of six intertidal habitats of the Wadden Sea. *PLoS ONE*, 12: e0176381.
- Hubbell, S.P. 2001. The unified neutral theory of biodiversity and biogeography. Princeton University Press, Princeton, NJ.
- Huisman, B.J.A., Sirks, E.E., van der Valk, L. and Walstra, D.J.R. 2014. Time and spatial variability of sediment gradings in the surf zone of a large scale nourishment. In: Green, A.N. and Cooper, J.A.G. (eds.), Proceedings 13th International Coastal Symposium (Durban, South Africa), *Journal of Coastal Research*, Special Issue 70: 127-132.
- Huston, M.A. 1997. Hidden treatments in ecological experiments: Re-evaluating the ecosystem functioning of biodiversity. *Oecologia*, 110: 449-460.
- Ince, R., Hyndes, G.A., Lavery, P.S. and Vanderklift, M.A. 2007. Marine macrophytes directly enhance abundances of sandy beach fauna through provision of food and habitat. *Estuarine, Coastal and Shelf Science*, 74: 77-86.
- Inglis, G. 1989. The colonisation and degradation of stranded *Macrocystis pyrifera* (L.) C. Ag. by the macrofauna of a New Zealand sandy beach. *Journal of Experimental Marine Biology and Ecology*, 125: 203-217.
- Janssen, G. and Mulder, S. 2005. Zonation of macrofauna across sandy beaches and surf zones along the Dutch coast. *Oceanologia*, 47: 265-282.
- Jaramillo, E., Contreras, H., Duarte, C. and Avellanal, M.H. 2003. Locomotor activity and zonation of upper shore arthropods in a sandy beach of north central Chile. *Estuarine, Coastal and Shelf Science*, 58: 177-197.
- Jędrzejczak, M.F. 2002a. Stranded *Zostera marina* L. vs wrack fauna community interactions on a Baltic sandy beach (Hel, Poland): A short-term pilot study. Part I. Driftline effects of fragmented herbivory, leaching and decay rates. *Oceanologia*, 44: 273-286.
- Jędrzejczak, M.F. 2002b. Stranded *Zostera marina* L. vs wrack fauna community interactions on a Baltic sandy beach (Hel, Poland): A short-term pilot study. Part II. Driftline effects of succession changes and colonisation of beach fauna. *Oceanologia*, 44: 367-387.
- Jones, A.R., Schlacher, T.A., Schoeman, D.S., Weston, M.A. and Withycombe, G.M. 2017. Ecological research questions to inform policy and the management of sandy beaches. *Ocean and Coastal Management*, 148: 1-6.
- Jonker, S.IJ. and Janssen, G.M. 2007. Strandlopers: Inventarisatie van strandgebruik aan de Noordzeekust en de relatie met natuurwetgeving. Rijkswaterstaat. Report nr. RIKZ/2007.001.
- Keddy, P.A. 1992. Assembly and response rules: Two goals for predictive community ecology. *Journal of Vegetation Science*, 3: 157-164.
- Kelly, J.F. 2016. Assessing the spatial compatibility of recreational activities with beach vegetation and wrack in New Jersey: Prospects for compromise management. *Ocean & Coastal Management*, 123: 9-17.
- Lastra, M., de La Huz, R., Sánchez-Mata, A.G., Rodil, I.F., Aerts, K., Beloso, S. and López, J. 2006. Ecology of exposed sandy beaches in Spain: Environmental factors controlling macrofauna communities. *Journal of Sea Research*, 55: 128-140.
- Lastra, M., Page, H.M., Dugan, J.E., Hubbard, D.M. and Rodil, I.F. 2008. Processing of allochthonous macrophyte subsidies by sandy beach consumers: Estimates of feeding rates and impacts on food resources. *Marine Biology*, 154: 163-174.

- Lastra, M., Schlacher, T.A. and Olabarria, C. 2010. Niche segregation in sandy beach animals: an analysis with surface-active peracarid crustaceans on the Atlantic coast of Spain. *Marine Biology*, 157: 613-625.
- Lastra, M., López, J. and Neves, G. 2015. Algal decay, temperature and body size influencing trophic behaviour of wrack consumers in sandy beaches. *Marine Biology*, 162: 221-233.
- Lavelle, P., Decaëns, T., Aubert, M., Barot, S., Blouin, M., Bureau, F., Margerie, P., Mora, P. and Rossi, J.-P. 2006. Soil invertebrates and ecosystem services. *European Journal of Soil Biology*, 42: S3-S15.
- Lavery, P.S., McMahon, K., Weyers, J., Boyce, M.C. and Oldham, C.E. 2013. Release of dissolved organic carbon from seagrass wrack and its implications for trophic connectivity. *Marine Ecology Progress Series*, 494: 121-133.
- Lavoie, D. 1985. Population dynamics and ecology of beach wrack macroinvertebrates of the central California coast. *Bulletin of the Southern California Academy of Science*, 84: 1-22.
- Laws, E.A., Pei, S. and Bienfang, P. 2013. Phosphate-limited growth of the marine diatom *Thalassiosira weissflogii* (Bacillariophyceae): Evidence of non-monod growth kinetics. *Journal of Phycology*, 49: 241-247.
- Lee, J.A. and Ignaciuk, R. 1985. The physiological ecology of strandline plants. *Vegetatio*, 62: 319-326.
- Leewis, L., van Bodegom, P.M., Rozema, J. and Janssen, G.M. 2012. Does beach nourishment have long-term effects on intertidal macroinvertebrate species abundance? *Estuarine, Coastal and Shelf Science*, 113: 172-181.
- Leewis, L. 2017. Changing sand: Sandy beach ecosystem functioning after human activities. PhD Thesis VU University, the Netherlands. Downloaded 3 February 2018 from <http://dare.uvu.vu.nl/handle/1871/55454>.
- Leggett, M.C., Wilcockson, R.W., Day, T.H., Phillips, D.S. and Arthur, W. 1996. The genetic effects of competition in seaweed flies. *Biological Journal of the Linnean Society*, 57: 1-11.
- Lercari, D., Bergamino, L. and Defeo, O. 2010. Trophic models in sandy beaches with contrasting morphodynamics: Comparing ecosystem structure and biomass flow. *Ecological Modelling*, 221: 2751-2759.
- Liebowitz, D.M., Nielsen, K.J., Dugan, J.E., Morgan, S.G., Malone, D.P., Largier, J.L., Hubbard, D.M. and Carr, M.H. 2016. Ecosystem connectivity and trophic subsidies of sandy beaches. *Ecosphere*, 7: e01503.
- Liess, A. and Hillebrand, H. 2004. Invited review: Direct and indirect effects in herbivore-periphyton interactions. *Archiv für Hydrobiologie*, 159: 433-453.
- Linnartz, L. 2012. Eén jaar Zandmotor: Natuurontwikkeling op een dynamisch stukje Nederland. ARK Natuurontwikkeling. Downloaded 10 June 2018 from <http://www.dezandmotor.nl/nl/downloads>.
- Loreau, M. 2000. Biodiversity and ecosystem functioning: Recent theoretical advances. *Oikos*, 91: 3-17.
- Loreau, M. and Hector, A. 2001. Partitioning selection and complementarity in biodiversity experiments. *Nature*, 412: 72-76.
- Loreau, M., Naeem, S., Inchausti, P., Bengtsson, J., Grime, J.P., Hector, A., Hooper, D.U., Huston, M.A., Raffaelli, D., Schmid, B., Tilman, D. and Wardle, D.A. 2001. Biodiversity and ecosystem functioning: Current knowledge and future challenges. *Science*, 294: 804-808.
- MacArthur, R.H. and Wilson, E.O. 1967. The theory of island biogeography. Monographs in Population Biology, Princeton Univ. Press, Princeton.

- Marcarelli, A., Baxter, C.V., Mineau, M. and Hall, R.O. jr. 2011. Quantity and quality: Unifying food web and ecosystem perspectives on the role of resource subsidies in freshwaters. *Ecology*, 92: 1215-1225.
- Maria, T.F., De Troch, M., Vanaverbeke, J., Esteves, A.M. and Vanreusel, A. 2011. Use of benthic vs planktonic organic matter by sandy-beach organisms: A food tracing experiment with ¹³C labelled diatoms. *Journal of Experimental Marine Biology and Ecology*, 407: 309-314.
- Mariani, S., Pinedo, S., Terradas, M., Cefali, M.E., Chappuis, E. and Ballesteros, E. 2017. Habitat structure and zonation patterns of northwestern Mediterranean shoreline strands. *Scientia Marina*, 81: 269-282.
- Márquez, J.C. and Kolasa, J. 2013. Local and regional processes in community assembly. *PLoS ONE*, 8: e54580.
- McArdle, S.B. and McLachlan, A. 1991. Dynamics of the swash zone and effluent line on sandy beaches. *Marine Ecology Progress Series*, 76: 91-99.
- McLachlan, A. 1980. Exposed sandy beaches as semi-closed ecosystems. *Marine Environmental Research*, 4: 59-63.
- McLachlan, A. Erasmus, T., Dye, A.H., Wooldridge, T., Van der Horst, G., Rossouw, G., Lasiak, T.A. and McGwynne, L. 1981. Sand beach energetics: An ecosystem approach towards a high energy interface. *Estuarine, Coastal and Shelf Science*, 13: 11-25.
- McLachlan, A. and McGwynne, L. E. 1989. Do sandy beaches accumulate nitrogen? *Marine Ecology Progress Series*, 34: 191-195.
- McLachlan, A. 1990. Dissipative beaches and macrofauna communities on exposed intertidal sands. *Journal of Coastal Research*, 6: 57-71.
- McLachlan, A., Jaramillo, E., Donn, T.E. and Wessels, F. 1993. Sandy beach macrofauna communities and their control by the physical environment: A geographical comparison. *Journal of Coastal Research*, 15: 27-38.
- McLachlan, A. and Jaramillo, E. 1995. Zonation on sandy beaches. *Oceanography and Marine Biology: An annual review*, 33: 305-335.
- McLachlan, A. 2001. Coastal beach ecosystems. In: *Encyclopedia of Biodiversity, Volume 1*, ed. Levin, S.A., Academic Press, San Diego, CA, USA.
- McLachlan, A. and Brown, A.C. 2006. *The Ecology of Sandy Shores*. Academic Press, Burlington, MA, USA.
- McLachlan, A. and Dorvlo, A. 2007. Global patterns in sandy beach microbenthic communities: Biological factors. *Journal of Coastal Research*, 235: 1081-1087.
- McLachlan, A., Defeo, O., Jaramillo, E. and Short, A.D. 2013. Sandy beach conservation and recreation: Guidelines for optimising management strategies for multi-purpose use. *Ocean & Coastal Management*, 71: 256-268.
- McLeod, R.J., Hyndes, G.A., Hurd, C.L. and Frew, R.D. 2013. Unexpected shifts in fatty acid composition in response to diet in a common littoral amphipod. *Marine Ecology Progress Series*, 479: 1-12.
- Menge, B.A. 2000. Top-down and bottom-up community regulation in marine rocky intertidal habitats. *Journal of Experimental Marine Biology and Ecology*, 250: 257-289.
- Meirelles, S., Henriquez, M., Reiniers, A., Luijendijk, A.P., Pietrzak, J., Horner-Devine, A.R., Souza, A.J. and Stive, M.J.F. 2017. Cross-shore stratified tidal flow seaward of a mega-nourishment. *Estuarine, Coastal and Shelf Science*, 200: 59-70.

- Mews, M., Zimmer, M. and Jelinski, D.E. 2006. Species-specific decomposition rates of beach-cast wrack in Barkley Sound, British Columbia, Canada. *Marine Ecology Progress Series*, 328: 155-160.
- Michelsen, A., Schmidt, I.K., Jonasson, S., Dighton, J., Jones, H.E. and Callaghan, T.V. 1995. Inhibition of growth, and effects on nutrient uptake of arctic graminoids by leaf extracts – allelopathy or resource competition between plants and microbes? *Oecologia*, 103: 407-418.
- Miller, D.C., Geider, R.J. and McIntyre, H.L. 1996. Microphytobenthos: The ecological role of the ‘secret garden’ of unvegetated, shallow-water marine habitats. II. Role in sediment stability and shallow-water food webs. *Estuaries*, 19: 202-212.
- Morgan, S.G., Shanks, A.L., MacMahon, J.H., Reniers, A.J.H.M. and Feddersen, F. 2018. Planktonic subsidies to surf-zone and intertidal communities. *Annual Review of Marine Science*, 10: 5.1-5.25.
- Morton, J.K., Ward, E.J. and de Berg, K.C. 2015. Potential small- and large-scale effects of mechanical beach cleaning on biological assemblages of exposed sandy beaches receiving low inputs of beach-cast macroalgae. *Estuaries and Coasts*, 38: 2083-2100.
- Mulder, C.P.H., Uliassi, D.D. and Doak, D.F. 2001. Physical stress and diversity-productivity relationships: The role of positive interactions. *Proceedings of the National Academy of Sciences USA*, 98: 6704-6708.
- Murphy, J. and Riley, J.P. 1962. A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta*, 27: 31-36.
- Nakano, S., and Murakami, M. 2001. Reciprocal subsidies: Dynamic interdependence between terrestrial and aquatic food webs. *Proceedings of the National Academy of Sciences*, 98: 166-170.
- Nel, R., Campbell, E.E., Harris, L., Hauser, L., Schoeman, D.S., McLachlan, A., du Preez, D.R., Bezuidenhout, K. and Schlacher, T.A. 2014. The status of sandy beach science: Past trends, progress and possible futures. *Estuarine, Coastal and Shelf Science*, 150 (part A): 1-10.
- Neumann, B., Vafeidis, A.T., Zimmermann, J. and Nicholls, R.J. 2015. Future coastal population growth and exposure to sea-level rise and coastal flooding – a global assessment. *PLoS ONE*, 10: 1-34.
- Nicolaisen, W. and Kannevorff, E. 1969. On the burrowing and feeding habits of the amphipods *Bathyporeia pilosa* Lindström and *Bathyporeia sarsi* Watkin. *Ophelia*, 6: 231-250.
- Nienhuis, P.H. 1970. The benthic algal communities of flats and salt marshes in the Grevelingen, a sea-arm in the South-Western Netherlands. *Netherlands Journal of Sea Research*, 5: 20-49.
- Noy-Meir, I. 1979. Structure and function of desert ecosystems. *Israel Journal of Botany*, 28: 1-19.
- O’Conner, N.E. and Donohue, I. 2013. Environmental context determines multi-trophic effects of consumer species loss. *Global Change Biology*, 19: 431-440.
- Odebrecht, C., Du Preez, D.R., Abreu, P.C. and Campbell, E.E. 2014. Surf zone diatoms: A review of the drivers, patterns and role in sandy beaches food chains. *Estuarine, Coastal and Shelf Science*, 150: 24-35.
- Olabarria, C., Lastra, M. and Garrido, J. 2007. Succession of macrofauna on macroalgal wrack of an exposed sandy beach: Effects of patch size and site. *Marine Environmental Research*, 63: 19-40.
- Olabarria, C., Incera, M., Garrido, J. and Rossi, F. 2010. The effect of wrack composition and diversity on macrofaunal assemblages in intertidal marine sediments. *Journal of Experimental Marine Biology and Ecology*, 396: 18-26.

- Oldham, C., McMahon, K., Brown, E., Bosserelle, C. and Lavery, P. 2014. A preliminary exploration of the physical properties of seagrass wrack that affect its offshore transport, deposition and retention on a beach. *Limnology and Oceanography: Fluids and Environments*, 4: 120-135.
- Orr, M., Zimmer, M., Jelinski, D.E. and Mews, M. 2005. Wrack deposition on different beach types: Spatial and temporal variation in the pattern of subsidy. *Ecology*, 86: 1496-1507.
- Ortega Cisneros, K., Smit, A.J., Laudien, J. and Schoeman, D.S. 2011. Complex, dynamic combination of physical, chemical and nutritional variables controls spatio-temporal variation of sandy beach community structure. *PLoS ONE*, 6: e23724.
- Ortega Cisneros, K., de Lecea, A.M., Smit, A.J. and Schoeman, D.S. 2017. Resource utilization and trophic niche width in sandy beach macrobenthos from an oligotrophic coast. *Estuarine, Coastal and Shelf Science*, 184: 115-125.
- Ozinga, W.A., Schaminée, J.H.J., Bekker, R.M., Bonn, S., Poschold, P., Tackenberg, O., Bakker, J. and van Groenendael, J.M. 2005. Predictability from plant species composition from environmental conditions is constrained by dispersal limitation. *Oikos*, 108: 555-561.
- Pakeman, R.J. and Lee, J.A. 1991a. The ecology of the strandlines annuals *Cakile maritima* and *Salsola kali*. I. Environmental factors affecting plant performance. *Journal of Ecology*, 79: 143-153.
- Pakeman, R.J. and Lee, J.A. 1991b. The ecology of the strandlines annuals *Cakile maritima* and *Salsola kali*. II. The role of nitrogen in controlling plant performance. *Journal of Ecology*, 79: 155-165.
- Peterson, C.H., Bishop, M.J., Johnson, G.A., D'Anna, L.M. and Manning, L.M. 2006. Exploiting beach filling as an unaffordable experiment: Benthic intertidal impacts propagating upwards to shorebirds. *Journal of Experimental Marine Biology and Ecology*, 338: 205-221.
- Phillips, D.S., Leggett, M., Wilcockson, R., Day, T.H. and Arthur, W. 1995. Coexistence of competing species of seaweed flies: The role of temperature. *Ecological Entomology*, 20: 65-74.
- Pit, I., van Egmond, E., Dekker, S., Griffioen, J., Wassen, M. and van Wezel, A. 2018. Ecotoxicological risk of trace element mobility in coastal semi-artificial depositional areas near the mouth of the river Rhine, The Netherlands. *Environmental Toxicology and Chemistry*, under revision.
- Plag, H.-P. and Tsimplis, M.N. 1999. Temporal variability of the seasonal sea-level cycle in the North Sea and Baltic Sea in relation to climate variability. *Global and Planetary Change*, 20: 173-203.
- Polis, G.A. and Hurd, S.D. 1996. Linking marine and terrestrial food webs: Allochthonous input from the ocean supports high secondary productivity on small islands and coastal land communities. *American Naturalist*, 147: 396-423.
- Polis, G.A., Anderson, W.B. and Holt, R.D. 1997. Toward an integration of landscape and food web ecology: The dynamics of spatially subsidized food webs. *Annual Review of Ecology and Systematics*, 28: 289-316.
- Polley, H.W., Wilsey, B.J. and Derner, J.D. 2003. Do species evenness and plant density influence the magnitude of selection and complementarity effects in annual plant species mixtures? *Ecology Letters*, 6: 248-256.
- Porri, F., Hill, J.M. and McQuaid, C.D. 2011. Associations in ephemeral systems: The lack of trophic relationships between sandhoppers and beach wrack. *Marine Ecology Progress Series*, 426: 253-262.
- Posey, M.H., Alphin, T.D., Cahoon, L., Lindquist, D. and Becker, M.E. 1999. Interactive effects of nutrient additions and predation on infaunal communities. *Estuaries*, 22: 785-792.

- R Core Team 2015. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL: <https://www.R-project.org/>.
- Reid, D.G. 1988. The diurnal modulation of the circatidal activity rhythm by feeding in the isopod *Eurydice pulchra*. *Marine Behaviour and Physiology*, 6: 273-285.
- Reimer, J.N., Hacker, S.D., Menge, B.A. and Ruggiero, P. 2018. Macrophyte wrack on sandy beaches of the US Pacific Northwest is linked to proximity of source habitat, ocean upwelling and beach morphology. *Marine Ecology Progress Series*, 594: 263-269.
- Reiss, J., Bailey, R.A., Perkins, D.A., Pluchinotta, A. and Woodward, G. 2011. Testing effects of consumer richness, evenness and body size on ecosystem functioning. *Journal of Animal Ecology*, 80: 1145-1154.
- Reyes-Martínez, M.J., Lercari, D., Ruiz-Delgado, M.C., Sánchez-Moyano, J.E., Jiménez-Rodríguez, A., Pérez-Hurtado, A., and García-García, F.J. 2015. Human pressure on sandy beaches: Implications for trophic functioning. *Estuaries and Coasts*, 38: 1782-1796.
- Robertson, A.I. and Mann, K.H. 1980. The role of isopods and amphipods on the initial fragmentation of eelgrass detritus in Nova Scotia, Canada. *Marine Biology*, 59: 63-69.
- Rodil, I.F., Olabarria, C., Lastra, M. and López, J. 2008. Differential effects of native and invasive algal wrack on macrofaunal assemblages inhabiting exposed sandy beaches. *Journal of Experimental Marine Biology and Ecology*, 358: 1-13.
- Rodil, I.F., Compton, T.J. and Lastra, M. 2012. Exploring macroinvertebrate species distributions at regional and local scales across a sandy beach geographic continuum. *PLoS ONE*, 7: e39609.
- Rodil, I.F., Lucena-Moya, P. and Lastra, M. 2017. The importance of environmental and spatial factors in the metacommunity dynamics of exposed sandy beach benthic invertebrates. *Estuaries and Coasts*, 41: 206-217.
- Rosenberg, R. 1995. Benthic marine fauna structured by hydrodynamic processes and food availability. *Netherlands Journal of Sea Research*, 34: 303-317.
- Rosindell, J., Hubbel, S.P. and Etienne, R.P. 2011. The unified neutral theory of biodiversity and biogeography at age ten. *Trends in Ecology and Evolution*, 26: 340-348.
- Rossi, F. and Underwood, A.J. 2002. Small-scale disturbance and increased nutrients as influences on intertidal macrobenthic assemblages: experimental burial of wrack in different intertidal environments. *Marine Ecology Progress Series*, 241: 29-39.
- Rousseau, V., Leynaert, A., Daoud, N. and Lancelot, C. 2002. Diatom succession, silicification and silicic acid availability in Belgian coastal waters (Southern North Sea). *Marine Ecology Progress Series*, 236: 61-73.
- Royal Netherlands Meteorological Institute (KNMI) 2015. Jaaroverzicht van het weer in Nederland, 2015. Downloaded 13 May 2018 from <http://www.knmi.nl/nederland-nu/klimatologie/gegevens/mow>.
- Ruiz-Delgado, M.C., Reyes-Martínez, M.J., Sánchez-Moyano, J.E., López-Pérez, J. and García-García, F.J. 2015. Distribution patterns of supralittoral arthropods: Wrack deposits as a source of food and refuge on exposed sandy beaches (SW Spain). *Hydrobiologia*, 742: 205-219.
- Ruiz-Delgado, M.C., Vierheller Vieira, J., Reyes-Martínez, M.J., Alberto Borzone, C., Sánchez-Moyano, J.E. and García-García, F.J. 2016. Wrack removal as short-term disturbance for *Talitrus saltator* density in the supratidal zone of sandy beaches: An experimental approach. *Estuaries and Coasts*, 39: 1113-1121.

- Salathé, R. and Riera, P. 2012. The role of *Talitrus saltator* in the decomposition of seaweed wrack on sandy beaches of northern Brittany: An experimental mesocosm approach. *Cahiers de Biologie Marine*, 53: 517-524.
- Schlacher, T.A., Dugan, J., Schoeman, D.S., Lastra, M., Jones, A., Scapini, F., McLachlan, A. and Defeo, O. 2007. Sandy beaches at the brink. *Diversity and Distributions*, 13: 556-560.
- Schlacher, T.A., Schoeman, D.S., Dugan, J., Lastra, M., Jones, A., Scapini, F. and McLachlan, A. 2008. Sandy beach ecosystems: Key features, sampling issues, management challenges and climate change impacts. *Marine Ecology*, 29: 70-90.
- Schlacher, T.A., Noriega, R., Jones, A. and Dye, T. 2012. The effects of beach nourishment on benthic invertebrates in eastern Australia: Impacts and variable recovery. *Science of the Total Environment*, 435-436: 411-417.
- Schlacher, T.A. and Thompson, L. 2012. Beach recreation impacts benthic invertebrates on ocean-exposed sandy shores. *Biological Conservation*, 147: 123-132.
- Schlacher, T.A. and Hartwig, J. 2013. Bottom-up control in the benthos of ocean-exposed sandy beaches? *Austral Ecology*, 38: 177-189.
- Schlacher T.A., Meager, J.J. and Nielsen, T. 2014. Habitat selection in birds feeding on ocean shores: Landscape effects are important in the choice of foraging sites by oystercatchers. *Marine Ecology*, 35: 67-76.
- Schlacher, T.A., Weston, M.A., Schoeman, D.S., Olds, A.D., Huijbers, C.M. and Connolly, R.M. 2015. Golden opportunities: A horizon scan to expand sandy beach ecology. *Estuarine, Coastal and Shelf Science*, 157: 1-6.
- Schlacher, T.A., Carracher, L.K., Porch, N., Connolly, R.M., Olds, A.D., Gilby, B.L., Ekanayaka, K.B., Maslo, B. and Weston, M.A. 2016. The early shorebird will catch fewer invertebrates on trampled sandy beaches. *PLoS ONE*, 11: e0161905.
- Schlacher, T.A., Hutton, B.M., Gilby, B.L., Porch, L., Maguire, G.S., Maslo, B., Connolly, R.M., Olds, A.D. and Weston, M.A. 2017. Algal subsidies enhance invertebrate prey for threatened shorebirds: A novel conservation tool on sandy beaches? *Estuarine, Coastal and Shelf Science*, 191: 28-38.
- Scholz, B. and Liebezeit, G. 2012. Growth responses of 25 benthic marine Wadden Sea diatoms isolated from the Solthörn tidal flat (southern North Sea) in relation to varying culture conditions. *Diatom Research*, 27: 65-73.
- Schooler, N.K., Dugan, J.E., Hubbard, D.M. and Straughan, D. 2017. Local scale processes drive long-term change in biodiversity of sandy beach ecosystems. *Ecology and Evolution*, 7: 4822-4834.
- Schrama, M., Berg, M.P. and Olf, H. 2012. Ecosystem assembly rules: The interplay of green and brown webs during salt marsh succession. *Ecology*, 93: 2353-2364.
- Schrama, M., van Boheemen, L.A., Olf, H. and Berg, M.P. 2015. How the litter-feeding bioturbator *Orchestia gammarellus* promotes late-successional salt marsh vegetation. *Journal of Ecology*, 103: 915-924.
- Schrama, M., van der Plas, F., Berg, M.P. and Olf, H. 2016. Decoupled diversity dynamics in green and brown webs during primary succession in a saltmarsh. *Journal of Animal Ecology*, 86: 158-169.
- Severin, I. and Stal, L.J. 2008. Light dependency of nitrogen fixation in a coastal cyanobacterial mat. *The ISME Journal*, 2: 1077-1088.
- Shanks, A.L., Sheesley, P. and Johnson, L. 2017. Phytoplankton subsidies to the inter-tidal zone are strongly affected by surf-zone hydrodynamics. *Marine Ecology*, 38: e12441.

- Short, A.D. and Wright, L.D. 1983. Physical variability of sandy beaches. In: McLachlan A. and Erasmus T. (eds.) *Sandy beaches as ecosystems. Developments in hydrobiology*, vol 19. Springer, Dordrecht.
- Short, A.D. 1996. The role of wave height, period, slope, tide range and embaymentisation in beach classifications: A review. *Revista Chilena de Historia Naturel*, 69: 589-604.
- Small, C. and Nicholls, R.J. 2003. A global analysis of human settlement in coastal zones. *Journal of Coastal Research*, 19: 584-599.
- Spehn, E.M., Hector, A., Joshi, J., Scherer-Lorenzen, M., Schmid, B., Bazeley-White, E., Beierkuhnlein, C., Caldeira, M.C., Diemer, M., Dimitrakopoulos, P.G., Finn, J.A., Freitas, H., Giller, P.S., Good, J., Harris, R., Högberg, P., Huss-Danell, K., Jumpponen, A., Koricheva, J., Leadley, P.W., Loreau, M., Minns, A., Mulder, C.P.H., O'Donovan, G., Otway, S.J., Palmborg, C., Pereira, J.S., Pfisterer, A.B., Prinz, A., Read, D.J., Schulze, E.-D., Siamantziouras, A.-S.D., Terry, A.C., Troumbis, A.Y., Woodward, F.I., Yachi, S. and Lawton, J.H. 2005. Ecosystem effects of biodiversity manipulations in European grasslands. *Ecological Monographs*, 75: 37-63.
- Speybroeck, J., Bonte, D., Courtens, W., Gheskiere, T., Grootaert, P., Maelfait, J.-P., Mathys, M., Provoost, S., Sabbe, K., Stienen, E.W.M., van Lancker, V., Vincx, M. and Degraer, S. 2006. Beach nourishment: An ecologically sound coastal defence alternative? A review. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 16: 419-435.
- Speybroeck, J., Alsteens, L., Vincx, M. and Degraer, S. 2007. Understanding the life of a sandy beach polychaete of functional importance – *Scolelepis squamata* (Polychaeta: Spionidae) on Belgian sandy beaches (northeastern Atlantic, North Sea). *Estuarine, Coastal and Shelf Science*, 74: 109-118.
- Speybroeck, J., Bonte, D., Courtens, W., Gheskiere, W., Grootaert, P., Maelfait, J.-P., Provoost, S., Sabbe, K., Stienen, E.W.M., Van Lancker, V., Van Landuyt, W., Vincx, M. and Degraer, S. 2008a. The Belgian sandy beach ecosystem: A review. *Marine Ecology*, 29: 171-185.
- Speybroeck, J., Van Tomme, J., Vincx, M. and Degraer, S. 2008b. In situ study of the autecology of the closely related, co-occurring sandy beach amphipods *Bathyporeia pilosa* and *Bathyporeia sarsi*. *Helgoland Marine Research*, 62: 257-268.
- Stachowicz, J.J., Best, R.J., Bracken, M.E.S. and Graham, M.H. 2008. Complementarity in marine biodiversity manipulations: Reconciling divergent evidence from field and mesocosm experiments. *Proceedings of the National Academy of Sciences USA*, 105: 18842-18847.
- Stein, A., Gerstner, K. and Kreft, H. 2014. Environmental heterogeneity as a universal driver of species richness across taxa, biomes and spatial scales. *Ecology Letters*, 17: 866-880.
- Stenton-Dozey, J. and Griffiths, C.L. 1980. Growth, consumption and respiration by larvae of the kelp-fly *Fucellia capensis* (Diptera: Anthomyiidae). *South African Journal of Zoology*, 15: 280-283.
- Studel, B., Hector, A., Friedl, T., Löfke, C., Lorenz, M., Wesche, M. and Kessler, M. 2012. Biodiversity effects on ecosystem functioning change along environmental stress gradients. *Ecology Letters*, 15: 1397-1405.
- Stive, M.J.F., De Schipper, M.A., Luijendijk, A.P., Aarninkhof, S.G.J., van Gelder-Maas, C., van Thiel de Vries, J.S.M., de Vries, S., Henriquez, M., Marx, S. and Ranasinghe, R. 2013. A new alternative to saving our beaches from sea-level rise: The sand engine. *Journal of Coastal Research*, 29: 1001-1008.
- Suursaar, Ü., Torn, K., Martin, G., Herkül, K. and Kullas, T. 2014. Formation and species composition of stormcast beach wrack in the Gulf of Riga, Baltic Sea. *Oceanologia*, 56: 673-695.
- Tamme, R., Hiiesalu, I., Laanisto, L., Szava-Kovats, R. and Pärtel, M. 2010. Environmental heterogeneity, species diversity and co-existence at different spatial scales. *Journal of Vegetation Science*, 21: 796-801.

- Targett, N.M., Coen, L.D., Boettcher, A.A. and Tanner, C.E. 1992. Biogeographic comparisons of marine algal polyphenolics: Evidence against a latitudinal trend. *Oecologia*, 89: 464-470.
- Tilman, D., Knops, J., Wedin, D., Reich, P., Ritchie, M. and Siemann, E. 1997. The influence of functional diversity and composition on ecosystem processes. *Science*, 277: 1300-1302.
- Tilman D., Isbell, F. and Cowles, J.M. 2014. Biodiversity and ecosystem functioning. *Annual Review of Ecology, Evolution and Systematics*, 45: 471-493.
- Todd, C.D., 1998. Larval supply and recruitment of benthic invertebrates: do larvae always disperse as much as we believe? In: Baden, S., Phil, L., Rosenberg, R., Strömberg, J.O., Svane, I. and Tiselius, P. (eds) Recruitment, Colonisation and Physical-Chemical Forcing in Marine Biological Systems. Developments in Hydrobiology, vol 132. Springer, Dordrecht.
- Turner, S.J., Thrush, S.F., Pridmore, R.D., Hewitt, J.E., Cummings, V.J. and Maskery, M. 1995. Are soft-sediment communities stable? An example from a windy harbour. *Marine Ecology Progress Series*, 120: 219-230.
- Tylianakis, J.M., Didham, R.K., Bascompte, J. and Wardle, D.A. 2008. Global change and species interactions in terrestrial ecosystems. *Ecology Letters*, 11: 1351-1363.
- Urban-Malinga, B., Gheschiere, T. Degraer, S., Derycke, S., Opalinski, K.W. and Moens, T. 2008. Gradients in biodiversity and macroalgal wrack decomposition rate across a microtidal, ultradissipative sandy beach. *Marine Biology*, 155: 79-90.
- Valladares, F., Bastias, C.C., Godoy, O., Granda, E. and Escudero, A. 2015. Species coexistence in a changing world. *Frontiers in Plant Science*, 6: 866.
- Van Colen, C., Montserrat, F., Vincx, M., Herman, P.M.J., Ysebaert, T. And Degraer, S. 2005. Macrobenthic recovery from hypoxia in an estuarine tidal mudflat. *Marine Ecology Progress Series*, 372: 31-42.
- Van Colen, C., Vincx, M. and Degraer, S. 2006. Does medium-term emersion cause a mass extinction of tidal flat macrobenthos? – The case of the *Tricolor* oil pollution prevention in the Zwin nature reserve (Belgium and The Netherlands). *Estuarine, Coastal and Shelf Science*, 68: 343-347.
- van Dalfsen, J.A. and Aarninkhof, S.G.J. 2009. Building with nature: Mega nourishments and ecological landscaping of extraction areas. *EMSAGG Conference*, 7-8 May 2009, Rome, Italy.
- Van Hoey, G., Degraer, S. and Vincx, M. 2004. Macrobenthic community structure of soft-bottom sediments at the Belgian Continental Shelf. *Estuarine, Coastal and Shelf Science*, 59: 599-613.
- van Puijenbroek, M.E.B., Limpens, J., de Groot, A.V., Riksen, M.J.P.M., Gleichman, M., Slim, P.A., van Dobben, H.F. and Berendse, F. 2017. Embryo dune development drivers: Beach morphology, growing season precipitation, and storms. *Earth Surface Processes and Landforms*, 42: 1733-1744.
- van Puijenbroek, M.E.B. 2018. Dunes above and beyond: The interactions between ecological and geomorphological processes during early dune development. PhD Thesis Wageningen University, the Netherlands. Downloaded 2 March 2018 from <https://library.wur.nl/WebQuery/wda/2227673>.
- van Straalen, N.M. and Rijninks, P.C. 1982. The efficiency of Tullgren apparatus with respect to interpreting seasonal changes in age structure of soil arthropod populations. *Pedobiologia*, 24: 197-209.
- Van Tomme, J., Van Colen, C., Degraer, S. and Vincx, M. 2012. Encounter competition partly explains the segregation of the sandy beach amphipods *Bathyporeia pilosa* and *Bathyporeia sarsi*. A mesocosm experiment. *Journal of Experimental Marine Biology and Ecology*, 438: 118-124.

- Van Tomme, J., Vanden Eede, S., Speybroeck, J., Degraer, S. and Vincx, M. 2013. Macrofauna sediment selectivity considerations for beach nourishment programmes. *Marine Environmental Research*, 84: 10-16.
- Van Tomme, J., Degraer, S. and Vincx, M. 2014. Role of predation on sandy beaches: Predation pressure and prey selectivity estimated by laboratory experiments. *Journal of Experimental Marine Biology and Ecology*, 451: 115-121.
- Vanden Eede, S., Van Tomme, J., De Busschere, C., Vandegehuchte, M.L., Sabbe, K., Stienen, E.W.M., Degraer, S., Vincx, M. and Bonte, D. 2014. Assessing the impact of beach nourishment on the intertidal food web through the development of a mechanistic-envelope model. *Journal of Applied Ecology*, 51: 1304-1313.
- Vander Zanden, M.K. and Rasmussen, J.B. 2001. Variation in $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ trophic fractionation: Implications for aquatic food web studies. *Limnology and Oceanography*, 46: 2061-2066.
- Vanermen, N., Stienen, E.W.M., De Meulenaer, B., Van Ginderdeuren, K. and Degraer, S. 2009. Low dietary importance of polychaetes in opportunistic feeding sanderlings *Calidris alba* on Belgian beaches. *Ardea*, 97: 81-87.
- Vellend, M., Srivastava, D.S., Anderson, K.M., Brown, C.D., Jankowski, J.E., Kleynhans, E.J., Kraft, N.J.B., Letaw, A.D., Macdonald, A.A.M., Maclean, J.E., Myers-Smith, I.H., Norris, A.R. and Xue, X. 2014. Assessing the relative importance of neutral stochasticity in ecological communities. *Oikos*, 123: 1420-1430.
- Villéger, S., Ferraton, F., Mouillot, D. and de Wit, R. 2012. Nutrient cycling by coastal macrofauna: Intra- versus interspecific differences. *Marine Ecology Progress Series*, 452: 297-303.
- Vos, V.C.A., van Ruijven, J., Berg, M.P., Peeters, E.T.H.M. and Berendse, F. 2013. Leaf litter quality drives litter mixing effects through complementary resource use among detritivores. *Oecologia*, 173: 269-280.
- Wallace, J.B. and Webster, J.R. 1996. The role of macroinvertebrates in stream ecosystem functioning. *Annual Review of Entomology*, 41: 115-139.
- Weiher, E., Freund, D., Bunton, T., Stefanski, A., Lee, T. and Bentivenga, S. 2011. Advances, challenges and a developing synthesis of ecological community assembly theory. *Philosophical Transactions of the Royal Society*, 366: 2403-2413.
- Whitman, R., Harwood, V.J., Edge, T.A., Nevers, M., Byappanahalli, M., Vijayavel, K., Brandão, J., Sadowsky, M.J., Alm, E.W., Crowe, A., Ferguson, D., Ge, Z., Halliday, E., Kinzelman, J., Kleinheinz, G., Przybyla-Kelly, K., Staley, C., Staley, Z. and Solo-Gabriele, H.M. 2014. Microbes in beach sands: Integrating environment, ecology and public health. *Reviews in Environmental Science and Bio/Technology*, 13: 329-368.
- Wijsman, J.W.M. 2016. Monitoring en Evaluatie Pilot Zandmotor Fase 2 Datarapport benthos bemonstering vooroever en strand najaar 2015. Wageningen IMARES, the Netherlands, Report nr: C006/16, 1-67.
- Williams, A. and Feagin, R. 2010. *Sargassum* as a natural solution to enhance dune plant growth. *Environmental Management*, 46: 738-747.
- Wong, M.C. and Dowd, M. 2013. Role of invasive green crabs in the food web of an intertidal sand flat determined from field observations and a dynamic simulation model. *Estuaries and Coasts*, 37: 1004-1016.
- Wood D.W. and Bjorndal, K.A. 2000. Relation of temperature, moisture, salinity and slope to nest site selection in loggerhead sea turtles. *Copeia*, 2000: 119-128.
- Wright, L.D. and Short, A.D. 1984. Morphodynamic variability of surf zones and beaches: A synthesis. *Marine Geology*, 56: 93-118.

Ysebaert, T. and Herman, P.M.J. 2002. Spatial and temporal variation in benthic macrofauna and relationships with environmental variables in an estuarine, intertidal soft-sediment environment. *Marine Ecology Progress Series*, 244: 105-124.

Yu, O.H., Soh, H.Y. and Suh, H.-L. 2002. Seasonal zonation patterns of benthic amphipods in a sandy shore surf zone of Korea. *Journal of Crustacean Biology*, 22: 459-466.