

# VU Research Portal

## The role of fluid flow in the thermal history of sedimentary basins

Luijendijk, E.

2012

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Luijendijk, E. (2012). *The role of fluid flow in the thermal history of sedimentary basins: Inferences from thermochronology and numerical modeling in the Roer Valley Graben, southern Netherlands.*

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

---

# Contents

---

<b>Acknowledgements</b>	<b>V</b>
<b>Samenvatting</b>	<b>IX</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Thesis outline . . . . .	3
1.2 Geological evolution of the Roer Valley Graben . . . . .	5
1.2.1 Sedimentary fill . . . . .	8
1.2.2 Thermal evolution, rifting and magmatism . . . . .	9
<b>2 The thermal state of the Roer Valley Graben</b>	<b>13</b>
2.1 Introduction . . . . .	14
2.1.1 Subsurface temperatures and extensional basins . . . . .	14
2.1.2 Thermal structure of the Roer Valley Graben . . . . .	14
2.1.3 Reconstructing subsurface temperatures . . . . .	15
2.2 Geological setting . . . . .	15
2.3 Methods . . . . .	17
2.3.1 Subsurface temperature data . . . . .	17
2.3.2 Bottom hole temperatures . . . . .	20
2.3.3 Estimating heat flow from temperature data . . . . .	24
2.3.4 Sedimentary blanketing . . . . .	25
2.4 Results . . . . .	26
2.4.1 Uncertainty and sensitivity analysis of bottom hole temperature data . . . . .	26
2.4.2 Spatial distribution of subsurface temperatures . . . . .	29
2.4.3 Heat flow and variation of temperatures with depth . . . . .	31
2.5 Discussion . . . . .	37
2.5.1 Uncertainty of reconstructed temperatures and heat flow . . . . .	37
2.5.2 Processes controlling the thermal state of the Roer Valley Graben . . . . .	38
2.6 Conclusions . . . . .	41

<b>3</b>	<b>Reconstructing basin inversion by integrating burial and provenance history with fission-track thermochronology</b>	<b>43</b>
3.1	Introduction . . . . .	44
3.1.1	Geological evolution of the Roer Valley Graben . . . . .	47
3.1.2	Sedimentary fill . . . . .	48
3.1.3	Thermal evolution . . . . .	48
3.2	Basin inversion . . . . .	49
3.2.1	Stratigraphic constraints on Late Cretaceous exhumation . . . . .	51
3.3	Methods . . . . .	54
3.3.1	Burial history model . . . . .	54
3.3.2	Inherited thermal history . . . . .	55
3.3.3	Modeled provenance histories . . . . .	55
3.3.4	Model calibration to vitrinite reflectance and apatite fission-track data . . . . .	55
3.4	Results . . . . .	63
3.4.1	Inherited ages . . . . .	63
3.4.2	Model scenarios of provenance history . . . . .	65
3.4.3	Model results . . . . .	66
3.5	Discussion . . . . .	76
3.5.1	Model uncertainties . . . . .	76
3.5.2	Late Cretaceous basin inversion . . . . .	78
3.5.3	Implications for the geological evolution of sediment source areas . . . . .	81
3.5.4	Anomalously young fission-track ages . . . . .	81
3.6	Conclusions . . . . .	82
<b>4</b>	<b>An evaluation of high-temperature geological benchmarks of fission-track annealing</b>	<b>85</b>
4.1	Introduction . . . . .	86
4.2	Methods . . . . .	87
4.2.1	Annealing kinetics . . . . .	88
4.2.2	Present-day temperatures of apatite samples . . . . .	88
4.2.3	Thermal histories . . . . .	89
4.3	Results . . . . .	95
4.4	Conclusions . . . . .	98
4.5	Implications . . . . .	98
<b>5</b>	<b>Modeling of the thermal effect of topography-driven groundwater flow in sedimentary basins</b>	<b>101</b>
5.1	Introduction . . . . .	102
5.2	Data indicating deep topography-driven groundwater flow in the Roer Valley Graben . . . . .	105
5.2.1	Heterogeneous subsurface temperatures . . . . .	105

5.2.2	Freshening of marine sediments during the Pliocene and Quaternary . . . . .	107
5.3	Model approach . . . . .	109
5.3.1	Modeled subsidence history and lithostratigraphic units . . . . .	110
5.3.2	Lithology . . . . .	111
5.3.3	Porosity . . . . .	113
5.3.4	Permeability of Cenozoic sediments . . . . .	115
5.3.5	Permeability of Mesozoic sediments . . . . .	125
5.3.6	Boundary and initial conditions . . . . .	126
5.3.7	Model discretization . . . . .	128
5.3.8	Model scenarios . . . . .	128
5.4	Model Results . . . . .	131
5.5	Discussion . . . . .	138
5.5.1	Implications for thermal and geological histories derived from thermochronology . . . . .	138
5.6	Conclusions . . . . .	140
<b>6</b>	<b>Reconstructing a fossil hydrothermal system using thermochronology and numerical modeling</b>	<b>143</b>
6.1	Introduction . . . . .	144
6.1.1	Anomalous fission-track ages . . . . .	144
6.2	Methods . . . . .	149
6.2.1	Modeling hydrothermal and magmatic heating . . . . .	149
6.2.2	Model geometry . . . . .	151
6.2.3	Optimization . . . . .	152
6.3	Model results . . . . .	155
6.3.1	Borehole ALM-01 . . . . .	155
6.3.2	Borehole LOZ-01 . . . . .	157
6.3.3	Borehole NDW-01 . . . . .	159
6.3.4	Borehole WWK-01 . . . . .	161
6.3.5	Overview . . . . .	163
6.3.6	Age of hydrothermal event . . . . .	164
6.4	Discussion . . . . .	166
6.4.1	Comparison with regional thermal events . . . . .	166
6.4.2	Driving forces of fluid flow . . . . .	169
6.5	Conclusions . . . . .	170
<b>7</b>	<b>Summary and conclusions</b>	<b>173</b>