

# VU Research Portal

## Physical and chemical properties of lunar magma

van Kan, M.

2011

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

van Kan, M. (2011). *Physical and chemical properties of lunar magma*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)



## References

- Abe, Y., (1997). Thermal and chemical evolution of the terrestrial magma ocean. *Physics of the Earth and Planetary Interiors* **100**, 27-39.
- Adam, J. and Green, T., (2006). Trace element partitioning between mica- and amphibole-bearing garnet lherzolite and hydrous basanitic melt: 1. Experimental results and the investigation of controls on partitioning behaviour. *Contributions to Mineralogy and Petrology* **152**, 1-17.
- Agee, C. B., (1998). Crystal-liquid density inversions in terrestrial and lunar magmas. *Physics of the Earth and Planetary Interiors* **107**, 63-74.
- Agee, C. B., (2008). Static compression of hydrous silicate melt and the effect of water on planetary differentiation. *Earth and Planetary Science Letters* **265**, 641-654.
- Agee, C. B. and Walker, D., (1988). Static compression and olivine flotation in ultrabasic silicate liquid *Journal of Geophysical Research-Solid Earth and Planets* **93**, 3437-3449.
- Agee, C. B. and Walker, D., (1993). Olivine flotation in mantle melt. *Earth and Planetary Science Letters* **114**, 315-324.
- Anderson, A. T., (1971). Exotic armalcolite and the origin of Apollo 11 ilmenite basalts. *Geochimica Et Cosmochimica Acta* **35**, 969-970.
- Angel, R. J., (2000). Equations of state. *High-Temperature and High-Pressure Crystal Chemistry* **41**, 35-59.
- Audetat, A. and Keppler, H., (2004). Viscosity of fluids in subduction zones. *Science* **303**, 513-516.
- Baer, B. J. and Nicol, M., (1989). New phase of an oxygen nitrogen alloy at high-pressure and room-temperature detected by raman-spectroscopy *J. Phys. Chem.* **93**, 1683-1687.
- Barnes, S. J., (1986). The distribution of chromium among orthopyroxene, spinel and silicate liquid at atmospheric pressure. *Geochimica et Cosmochimica Acta* **50**, 1889-1909.
- Bashir, J., Khan, R. T. A., Butt, N. M., and Heger, G., (2002). Thermal atomic displacement parameters of SrO. *Powder Diffr.* **17**, 222-224.
- Beard, B. L., Taylor, L. A., Scherer, E. E., Johnson, C. M., and Snyder, G. A., (1998). The source region and melting mineralogy of high-titanium and low-titanium lunar basalts deduced from Lu-Hf isotope data. *Geochimica Et Cosmochimica Acta* **62**, 525-544.
- Beck, A. R. and Hess, P. C., (2004). Ilmenite solubility in Lunar basalts as a function of temperature and pressure: Implications for petrogenesis *Lunar and Planetary Science Conference*.
- Bédard, J. H., (2007). Trace element partitioning coefficients between silicate melts and orthopyroxene: Parameterizations of D variations. *Chemical Geology* **244**, 263-303.
- Bence, A. E. and Albee, A. L., (1968). Empirical Correction Factors for Electron Microanalysis of Silicates and Oxides. *J. Geol.* **76**, 382-403.
- Benz, W., Slattery, W. L., and Cameron, A. G. W., (1986). The origin of the Moon and the single-impact hypothesis .1. *Icarus* **66**, 515-535.
- Besson, J. M. and Nelmes, R. J., (1995). New developments in neutron-scattering methods under high-pressure with the Paris-Edinburgh cells. *Phys.* **B 213**, 31-36.
- Binder, A. B., (1974). On the Origin of the Moon by Rotational Fission. *Abstracts of the Lunar and Planetary Science Conference* **5**, 63.
- Birch, F., (1947). Finite elastic strain of cubic crystals. *Physical Review* **71**, 809-824.
- Birch, F., (1952). Elasticity and constitution of the Earth's interior. *Journal of Geophysical Research* **57**, 227-286.
- Birch, F., (1964). Density and Composition of Mantle and Core. *J. Geophys. Res.* **69**, 4377-4388.
- Blundy, J. D., Robinson, J. A. C., and Wood, B. J., (1998). Heavy REE are compatible in clinopyroxene on the spinel lherzolite solidus. *Earth and Planetary Science Letters* **160**, 493-504.
- Blundy, J. D. and Wood, B. J., (1991). Crystal-Chemical Controls on the Partitioning of Sr and Ba between Plagioclase Feldspar, Silicate Melts, and Hydrothermal Solutions. *Geochimica Et Cosmochimica Acta* **55**, 193-209.
- Blundy, J. D. and Wood, B., (1994). Prediction of crystal-melt partition-coefficients from elastic-moduli *Nature* **372**, 452-454.

## References

- Blundy, J. D. and Wood, B. J., (2001). The effect of cation charge on crystal-melt partitioning of trace elements. *Earth and Planetary Science Letters* **188**, 59-71.
- Boehler, R., von Bagen, N., and Chopelas, A., (1990). Melting, thermal expansion and phase transitions of iron at high pressures. *Journal of Geophysical Research* **95**, 21731-21736.
- Bohlen, S.R., Essene E.J., and Boettcher, A.L., (1980). Reinvestigation and application of olivine-quartz-orthopyroxene barometry. *Earth and Planetary Science Letters* **47**, 1-10.
- Bond, W. L., (1951). Making small spheres. *Review of Scientific Instruments* **22**, 344-345.
- Boyd, F.R. and England J.L., (1960). Apparatus for phase-equilibrium measurements at pressures up to 50 kilobars and temperatures up to 1750°C. *Journal of Geophysical Research* **65**(2), 741-748.
- Brice, J. C., (1975). Some thermodynamic aspects of growth of strained crystals *J. Cryst. Growth* **28**, 249-253.
- Bouvier, A., Vervoort, J. D., and Patchett, P. J., (2008). The Lu-Hf and Sm-Nd isotopic composition of CHUR: Constraints from unequilibrated chondrites and implications for the bulk composition of terrestrial planets. *Earth and Planetary Science Letters* **273**, 48-57.
- Brooker, R. A., Du, Z., Blundy, J. D., Kelley, S. P., Allan, N. L., Wood, B. J., Chamorro, E. M., Wartho, J. A., and Purton, J. A., (2003). The 'zero charge' partitioning behaviour of noble gases during mantle melting. *Nature* **423**, 738-741.
- Brooker, R. A., Heber, V. S., Kelly, S. P., and Wood, B. J., (2004). Noble gas partitioning during mantle melting: Possible retention of He & Ar relative to U, Th & K. *Lithos* **73**, S15-S15.
- Cameron, A. G. W. and Benz, W., (1991). The origin of the Moon and the single impact hypothesis-IV. *Icarus* **92**, 204-216.
- Cameron, A. G. W. and Ward, W. R., (1976). The Origin of the Moon *Abstracts of the Lunar and Planetary Science Conference* **7**, 120-122.
- Candela, P. A. and Bouton, S. L., (1990). The influence of oxygen fugacity on tungsten and molybdenum partitioning between silicate melts and ilmenite. *Economic Geology and the Bulletin of the Society of Economic Geologists* **85**, 633-640.
- Canil, D., (1999). Vanadium partitioning between orthopyroxene, spinel and silicate melt and the redox states of mantle source regions for primary magmas. *Geochimica Et Cosmochimica Acta* **63**, 557-572.
- Canup, R. M., (2004). Simulations of a late lunar-forming impact. *Icarus* **168**, 433-456.
- Canup, R. M., (2008). Lunar-forming collisions with pre-impact rotation. *Icarus* **196**, 518-538.
- Canup, R. M. and Asphaug, E., (2001). Origin of the Moon in a giant impact near the end of the Earth's formation. *Nature* **412**, 708-712.
- Catlow, C. R. A., James, R., Mackrodt, W. C., and Stewart, R. F., (1982). Defect energetics in alpha-Al<sub>2</sub>O<sub>3</sub> and rutile TiO<sub>2</sub>. *Physical Review B* **25**, 1006-1026.
- Chopelas, A., (2006). Modeling the thermodynamic parameters of six endmember garnets at ambient and high pressures from vibrational data. *Phys. Chem. Miner.* **33**, 363-376.
- Circone, S. and Agee, C. B., (1995). Effect of pressure on cation partitioning between immiscible liquids in the system TiO<sub>2</sub>-SiO<sub>2</sub>. *Geochimica Et Cosmochimica Acta* **59**, 895-907.
- Circone, S. and Agee, C. B., (1996). Compressibility of molten high-Ti mare glass: Evidence for crystal-liquid density inversions in the lunar mantle. *Geochimica Et Cosmochimica Acta* **60**, 2709-2720.
- Cohen, M. L., (1985). Calculation of bulk moduli of diamond and zinc-blende solids. *Physical Review B* **32**, 7988-7991.
- Colson, R. O. and Gust, D., (1989). Effects of Pressure on Partitioning of Trace-Elements between Low-Ca Pyroxene and Melt. *American Mineralogist* **74**, 31-36.
- Colson, R. O., McKay, G. A., and Taylor, L. A., (1988). Temperature and Composition Dependencies of Trace-Element Partitioning - Olivine Melt and Low-Ca Pyroxene Melt. *Geochimica Et Cosmochimica Acta* **52**, 539-553.
- Conrad, P. G., Zha, C. S., Mao, H. K., and Hemley, R. J., (1999). The high-pressure, single-crystal elasticity of pyrope, grossular, and andradite. *American Mineralogist* **84**, 374-383.

- Corgne, A., Allan, N. L., and Wood, B. J., (2003). Atomistic simulations of trace element incorporation into the large site of MgSiO<sub>3</sub> and CaSiO<sub>3</sub> perovskites. *Physics of the Earth and Planetary Interiors* **139**, 113-127.
- Crichton, W. A. and Mezouar, M., (2002). Noninvasive pressure and temperature estimation in large-volume apparatus by equation-of-state cross-calibration. *High Temperatures-High Pressures* **34**, 235-242.
- Crichton, W. A., Mezouar, M., Grande, T., Stolen, S., and Grzechnik, A., (2001). Breakdown of intermediate-range order in liquid GeSe<sub>2</sub> at high pressure. *Nature* **414**, 622-625.
- Cunningham, G. W., (1963). Nuclear poisons. *Reactor Materials* **6**, 63-66.
- Darwin, G. H., (1879). On the precession of a viscous spheroid and on the remote history of the Earth. *Philosophical Transactions of the Royal Society of London* **170**, 447-537.
- Darwin, G. H., (1880). On the Secular Changes in the Elements of the Orbit of a Satellite revolving about a Tidally distorted Planet. *Philosophical Transactions of the Royal Society of London* **171**, 713-891.
- Davies, M. E. and Colvin, T. R., (2000). Lunar coordinates in the regions of the Apollo landers. *Journal of Geophysical Research-Planets* **105**, 20277-20280.
- de Meijer, R. J., van Westrenen, W., (2009) An alternative hypothesis for the formation of the Moon. *Lunar and Planetary Science Conference* **40**, abstract 1847.
- de Vries, J., van den Berg, A., and van Westrenen, W., (2010). Formation and evolution of a lunar core from ilmenite-rich magma ocean cumulates. *Earth and Planetary Science Letters* **292**, 139-147.
- Delano, J. W., (1986). Pristine Lunar Glasses - Criteria, Data, and Implications. *Journal of Geophysical Research-Solid Earth and Planets* **91**, D201-D213.
- Delano, J. W., (1990). Buoyancy-Driven Melt Segregation in the Earth's Moon .1. Numerical Results. *Proceedings of the Lunar and Planetary Science Conference* **20**, 3-12.
- Dewaele, A., Fiquet, G., Andrault, D., and Hausermann, D., (2000). P-V-T equation of state of periclase from synchrotron radiation measurements. *Journal of Geophysical Research-Solid Earth* **105**, 2869-2877.
- Dick, B. G. and Overhauser, A. W., (1958). Theory of the dielectric constants of alkali halide crystals. *Physical Review* **112**, 90-103.
- Dingwell, D. B., Courtial, P., Giordano, D., and Nichols, A. R. L., (2004). Viscosity of peridotite liquid. *Earth and Planetary Science Letters* **226**, 127-138.
- Dobson, D. P., Jones, A. P., Rabe, R., Sekine, T., Kurita, K., Taniguchi, T., Kondo, T., Kato, T., Shimomura, O., and Urakawa, S., (1996). In-situ measurement of viscosity and density of carbonate melts at high pressure. *Earth and Planetary Science Letters* **143**, 207-215.
- Domeneghetti, M. C., Steffen, G., 1992. M1, M2 Site Populations and Distortion Parameters in Synthetic Mg-Fe Orthopyroxenes from Mössbauer Spectra and X-ray Structure Refinements. *Phys Chem Minerals* **19**, 298-306.
- Dorrit, E. J., (2006). High Sensitivity Analysis of Trace Element-Poor Geological Reference Glasses by Laser Ablation-Inductively Coupled Plasma-Mass Spectrometry (LA-ICP-MS). *Geostandards and Geoanalytical Research* **30**, 221-235.
- Draper, D. S., duFrane, S. A., Shearer, C. K., Dwarzski, R. E., and Agee, C. B., (2006). High-pressure phase equilibria and element partitioning experiments on Apollo 15 green C picritic glass: Implications for the role of garnet in the deep lunar interior. *Geochimica Et Cosmochimica Acta* **70**, 2400-2416.
- Draper, D. S. and van Westrenen, W., (2007). Quantifying garnet-melt trace element partitioning using lattice-strain theory: assessment of statistically significant controls and a new predictive model. *Contributions to Mineralogy and Petrology* **154**, 731-746.
- Dunn, T. and Sen, C., (1994). Mineral/Matrix Partition-Coefficients for Ortho-Pyroxene, Plagioclase, and Olivine in Basaltic to Andesitic Systems - a Combined Analytical and Experimental-Study. *Geochimica Et Cosmochimica Acta* **58**, 717-733.

## References

- Dwarzski, R. E., Draper, D. S., Shearer, C. K., and Agee, C. B., (2006). Experimental insights on crystal chemistry of high-Ti garnets from garnet-melt partitioning of rare-earth and high-field-strength elements. *American Mineralogist* **91**, 1536-1546.
- Elardo, S. M., and Draper, D. S., (2009). Crystallisation of a lunar magma ocean: Preliminary experimental results. *Lunar and Planetary Science conference 40*, abstract 1181.
- Elkins-Tanton, L. T., Chatterjee, N., and Grove, T. L., (2003a). Magmatic processes that produced lunar fire fountains. *Geophys. Res. Lett.* **30**.
- Elkins-Tanton, L. T., Chatterjee, N., and Grove, T. L., (2003b). Experimental and petrological constraints on lunar differentiation from the Apollo 15 green picritic glasses. *Meteoritics & Planetary Science* **38**, 515-527.
- Elkins-Tanton, L. T., Hess, P. C., and Parmentier, E. M., (2005). Possible formation of ancient crust on Mars through magma ocean processes. *Journal of Geophysical Research-Planets* **110**.
- Elkins-Tanton, L. T., Van Orman, J. A., Hager, B. H., and Grove, T. L., (2002). Re-examination of the lunar magma ocean cumulate overturn hypothesis: melting or mixing is required. *Earth and Planetary Science Letters* **196**, 239-249.
- Elkins, L. T., Fernandes, V. A., Delano, J. W., and Grove, T. L., (2000). Origin of lunar ultramafic green glasses: Constraints from phase equilibrium studies. *Geochimica Et Cosmochimica Acta* **64**, 2339-2350.
- Farges, F., Brown, G. E., and Rehr, J. J., (1996). Coordination chemistry of Ti(IV) in silicate glasses and melts .1. XAFS study of titanium coordination in oxide model compounds. *Geochimica Et Cosmochimica Acta* **60**, 3023-3038.
- Fei, Y. W., Li, J., Hirose, K., Minarik, W., Van Orman, J., Sanloup, C., van Westrenen, W., Komabayashi, T., and Funakoshi, K., (2004). A critical evaluation of pressure scales at high temperatures by in situ X-ray diffraction measurements. *Physics of the Earth and Planetary Interiors* **143**, 515-526.
- Frei, D., Liebscher, A., Wittenberg, A., and Shaw, C. S. J., (2003). Crystal chemical controls on rare-earth-element partitioning between epidote-group minerals and melts: An experimental and theoretical study. *to Mineralogy and Petrology* **146**,192-204.
- Frei, D., Liebscher, A., Franz, G., Wunder, B., Klemme, S., and Blundy, J., (2009). Trace element partitioning between orthopyroxene and anhydrous silicate melt on the lherzolite solidus from 1.1 to 3.2 GPa and 1,230 to 1,535°C in the model system Na<sub>2</sub>O–CaO–MgO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>. *Contributions to Mineralogy and Petrology* **157**, 473-490.
- Friel, J. J., Harker, R. I., and Ulmer, G. C., (1977). Armalcolite stability as a function of pressure and oxygen fugacity. *Geochimica Et Cosmochimica Acta* **41**, 403-410.
- Fujimaki, H. and Tatsumoto, M., (1984). Lu-Hf constraints on the evolution of lunar basalts. *Journal of Geophysical Research* **89**, B445-B458.
- Gale, J. D., (1997). GULP: A computer program for the symmetry-adapted simulation of solids. *J. Chem. Soc.-Faraday Trans.* **93**, 629-637.
- Geiger, C. A., (1999). Thermodynamics of (Fe<sup>2+</sup>, Mn<sup>2+</sup>, Mg, Ca)<sub>3</sub>-Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub> garnet: a review and analysis. *Mineral. Petrol.* **66**, 271-299.
- Ghiorso, M. S. and Kress, V. C., (2004). An equation of state for silicate melts. II. Calibration of volumetric properties at 10(5) Pa. *American Journal of Science* **304**, 679-751.
- Graham, E. K., Schwab, J. A., Sopkin, S. M., and Takei, H., (1988). The pressure and temperature-dependence of the elastic properties of single-crystal fayalite Fe<sub>2</sub>SiO<sub>4</sub>. *Phys. Chem. Miner.* **16**, 186-198.
- Grant, K. J. and Wood, B. J., (2010) Experimental study of the incorporation of Li, Sc, Al and other trace elements into olivine. *Geochimica Et Cosmochimica Acta* **74**, 2412-2428.
- Green, D. H., (1971). Composition of Basaltic Magmas as Indicators of Conditions of Origin - Application to Oceanic Volcanism. *Philosophical Transactions of the Royal Society of London Series a-Mathematical and Physical Sciences* **268**, 707-725.
- Green, T. H., Blundy, J. D., Adam, J., and Yaxley, G. M., (2000). SIMS determination of trace element partition coefficients between garnet, clinopyroxene and hydrous basaltic liquids at 2-7.5 GPa and 1080-1200 °C. *Lithos* **53**, 165-187.

- Grove, T. L. and Krawczynski, M. J., (2009). Lunar Mare Volcanism: Where Did the Magmas Come From? *Elements* **5**, 29-34.
- Guillot, B. and Sator, N., (2007a). A computer simulation study of natural silicate melts. Part I: Low pressure properties. *Geochimica Et Cosmochimica Acta* **71**, 1249-1265.
- Guillot, B. and Sator, N., (2007b). A computer simulation study of natural silicate melts. Part II: High pressure properties. *Geochimica Et Cosmochimica Acta* **71**, 4538-4556.
- Günther, D., Frischknecht, R., Heinrich, C. A., and Kahlert, H.-J., (1997). Capabilities of an argon fluoride 193nm excimer laser for laser ablation inductively coupled plasma mass spectrometry microanalysis of geological materials. *Journal of Analytical Atomic Spectrometry* **12**, 939-944.
- Hack, P. J., Nielsen, R. L., and Johnston, A. D., (1994). Experimentally determined rare-earth element and Y-partitioning behavior between clinopyroxene and basaltic liquids at pressures up to 20 kbar *Chemical Geology* **117**, 89-105.
- Hammersley, A. P., Svensson, S. O., Hanfland, M., Fitch, A. N., and Hausermann, D., (1996). Two-dimensional detector software: From real detector to idealised image or two-theta scan. *High Pressure Research* **14**, 235-248.
- Hanchar, J. M. and van Westrenen, W., (2007). Rare earth element behavior in zircon-melt systems. *Elements* **3**, 37-42.
- Harris, A. W. and Kaula, W. M., (1975). Co-Accretional Model of Satellite Formation. *Icarus* **24**, 516-524.
- Hart, S. R. and Dunn, T., (1993). Experimental CPX melt partitioning of 24 trace elements *Contributions to Mineralogy and Petrology* **113**, 1-8.
- Hartmann, W. K. and Davis, D. R., (1975). Satellite-Sized Planetesimals and Lunar Origin. *Icarus* **24**, 504-515.
- Hazen, R. M., (1977). Effects of temperature and pressure on crystal-structure of ferromagnesian olivine *American Mineralogist* **62**, 286-295.
- Head, J. W., (1999). Surfaces and Interiors of the Terrestrial Planets. In: Beatty, J. K., Collins Petersen, C., and Chaikin, A. Eds., 4<sup>th</sup> edition. *The New Solar System*, 157-174.
- Hess, P. C., (2000). On the source regions for mare picrite glasses. *Journal of Geophysical Research-Planets* **105**, 4347-4360.
- Hess, P. C. and Parmentier, E. M., (1995). A Model for the Thermal and Chemical Evolution of the Moons Interior - Implications for the Onset of Mare Volcanism. *Earth and Planetary Science Letters* **134**, 501-514.
- Hiesinger, H. and Head, J. W., (2006). New views of lunar geoscience: An introduction and overview. *Reviews in Mineralogy and Geochemistry* **60**, 1-81.
- Hill, E., Wood, B. J., and Blundy, J. D., (2000). The effect of Ca-Tschermaks component on trace element partitioning between clinopyroxene and silicate melt. *Lithos* **53**, 203-215.
- Hinton, R. W., (1990). Ion microprobe trace-element analysis of silicates - measurement of multielement glasses. *Chemical Geology* **83**, 11-25.
- Holland, T.J.B., (1980). The reaction albite = jadeite + quartz determined experimentally in the range 600-1200 °C. *American Mineralogist* **65**, 129-134.
- Hostetler, C. J. and Drake, M. J., (1980). On the early global melting of the terrestrial planets. *Proceedings of the Lunar and Planetary Science Conference* **11**, 1915-1929.
- Hubbard, N. J. and Minear, J. W., (1975). A chemical and physical model for the genesis of lunar rocks: Part II. Mare basalts. *Proceedings of the Lunar Science Conference* **6**, 405-407.
- Hugh-Jones, D., (1997). Thermal expansion of MgSiO<sub>3</sub> and FeSiO<sub>3</sub> ortho- and clinopyroxenes. *American Mineralogist* **82**, 689-696.
- Hugh-Jones, D. A. and Angel, R. J., (1994). A compressional study of MgSiO<sub>3</sub> orthoenstatite up to 8.5-GPa. *American Mineralogist* **79**, 405-410.
- Hugh-Jones, D. A. and Angel, R. J., (1997). Effect of Ca<sup>2+</sup> and Fe<sup>2+</sup> on the equation of state of MgSiO<sub>3</sub> orthopyroxene. *Journal of Geophysical Research-Solid Earth* **102**, 12333-12340.
- Hugh-Jones, D. A., Chopelas, A., and Angel, R. J., (1997). Tetrahedral compression in (Mg,Fe) SiO<sub>3</sub> orthopyroxenes *Phys. Chem. Miner.* **24**, 301-310.

## References

- Hushur, A., Manghani, M. H., Smyth, J. R., Nestola, F., and Frost, D. J., (2009). Crystal chemistry of hydrous forsterite and its vibrational properties up to 41 GPa. *Am. Miner.* **94**, 751-760.
- Irving, A. J., Merrill, R. B., and Singleton, D. E., (1978). Experimental partitioning of rare earth elements and scandium among armalcolite, ilmenite, olivine, and mare basalt liquid. *Proceedings Lunar Planetary Science Conference* **9**, 601-612.
- Isaak, D. G., Graham, E. K., Bass, J. D., and Wang, H., (1993). The elastic properties of single-crystal fayalite as determined by dynamical measurement techniques *Pure and Applied Geophysics* **141**, 393-414.
- Itie, J. P., Polian, A., Calas, G., Petiau, J., Fontaine, A., and Tolentino, H., (1989). Pressure-Induced Coordination Changes in Crystalline and Vitreous GeO<sub>2</sub>. *Physical Review Letters* **63**, 398-401.
- Jacobs, M. H. G. and de Jong, B., (2007). Placing constraints on phase equilibria and thermophysical properties in the system MgO-SiO<sub>2</sub> by a thermodynamically consistent vibrational method. *Geochimica Et Cosmochimica Acta* **71**, 3630-3655.
- Jamieson, J. C., Fritz, J. N., and Manghani, M. H., (1982). Pressure measurement at high temperature in X-ray diffraction studies: gold as a primary standard. In: Akimoto, S., Manghani, M. J. (Eds.), *High Pressure Research in Geophysics*. Center for Academic Publications, Tokyo, 27-47.
- Jochum, K. P. and Brueckner, S. M., (2008). Reference Materials in Geoanalytical and Environmental Research - Review for 2006 and 2007. *Geostandards and Geoanalytical Research* **32**, 405-452.
- Johannes, W.J., Bell, P.M., Mao, H.K., Boettcher, A.L., Chipman, D.W., Hays, J.F., Newton, R.C., and Seifert, F., (1971). An interlaboratory comparison of piston-cylinder pressure calibration using the albite breakdown reaction. *Contributions to Mineralogy and Petrology* **32**, 24 - 38.
- Jones, J. II., and Delano, J. W., (1989). A three-component model for the bulk composition of the moon. *Geochimica Et Cosmochimica Acta* **53**, 513-527.
- Kanzaki, M., Kurita, T., Fujii, T., Kato, O., Shimomura, O., and Akimoto, S., 1987. A new technique to measure the viscosity and density of silicate melts at high pressure, in *High Pressure Research in Mineral Physics*, M.H. Manghani and Y. Syono, eds., Terra Scientific, Tokyo/AGU, Washington DC, 1987, pp. 195-200.
- Katayama, Y., (1995). Density measurements of non-crystalline materials under high pressure and high temperature. *High Pressure Research* **14**, 381-391.
- Katayama, Y., (1996). Density measurements of non-crystalline materials under high pressure and high temperature. *High Pressure Research* **14**, 383-391.
- Katayama, Y., Tsuji, K., Chen, J. Q., Koyama, N., Kikegawa, T., Yaoita, K., and Shimomura, O., (1993). Density of liquid tellurium under high-pressure. *J. Non-Cryst. Solids* **156**, 687-690.
- Katayama, Y., Tsuji, K., Shimomura, O., Kikegawa, T., Mezouar, M., Martinez-Garcia, D., Besson, J. M., Hausermann, D., and Hanfland, M., (1998). Density measurements of liquid under high pressure and high temperature. *Journal of Synchrotron Radiation* **5**, 1023-1025.
- Kavner, A. and Jeanloz, R., (1998). High-pressure melting curve of platinum. *Journal of Applied Physics* **83**, 7553-7559.
- Kennedy, A. K., Lofgren, G. E., and Wasserburg, G. J., (1993). An Experimental-Study of Trace-Element Partitioning between Olivine, Ortho-Pyroxene and Melt in Chondrules - Equilibrium Values and Kinetic Effects. *Earth and Planetary Science Letters* **115**, 177-195.
- Keszthelyi, L., McEwen, A. S., and Taylor, G. J., (1999). Revisiting the Hypothesis of a Mushy Global Magma Ocean in Io. *Icarus* **141**, 415-419.
- Klemme, S., Gunther, D., Hametner, K., Prowatke, S., and Zack, T., (2006). The partitioning of trace elements between ilmenite, ulvospinel, annalcolite and silicate melts with implications for the early differentiation of the moon. *Chemical Geology* **234**, 251-263.
- Knoche, R. and Luth, R. W., (1996). Density measurements on melts at high pressure using the sink/float method: Limitations and possibilities. *Chemical Geology* **128**, 229-243.
- Konopliv, A. S., Binder, A. B., Hood, L. L., Kucinskis, A. B., Sjogren, W. L., and Williams, J. G., (1998). Improved gravity field of the moon from lunar prospector. *Science* **281**, 1476-1480.
- Krawczynski, M. J. and Grove, T. L., (2008). Experimental Investigations of fO<sub>2</sub> effects on Apollo 17 orange glass phase equilibria. *Lunar and Planetary Science Conference* **39**, 1231.



- Lange, R. A. and Carmichael, I. S. E., (1987). Densities of Na<sub>2</sub>O-K<sub>2</sub>O-CaO-MgO-FeO-Fe<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>-SiO<sub>2</sub> Liquids - New Measurements and Derived Partial Molar Properties. *Geochimica Et Cosmochimica Acta* **51**, 2931-2946.
- Latourrette, T. Z., Burnett, D. S., and Bacon, C. R., (1991). Uranium and minor-element partitioning in Fe-Ti oxides and zircon from partially melted granodiorite, crater lake oregon. *Geochimica Et Cosmochimica Acta* **55**, 457-469.
- Laurentiev, M. Y., van Westrenen, W., Allan, N. L., Freeman, C. L., and Purton, J. A., (2006). Simulation of thermodynamic mixing properties of garnet solid solutions at high temperatures and pressures. *Chemical Geology* **225**, 336-346.
- Le Godec, Y., Martinez-Garcia, D., Mezouar, M., Syfosse, G., Itie, J. P., and Besson, J. M., (2000). Thermoelastic behaviour of hexagonal graphite-like boron nitride. *High Pressure Research* **17**, 35-46.
- Lee, C. T. A., Harbert, A., and Leeman, W. P., (2007). Extension of lattice strain theory to mineral/mineral rare-earth element partitioning: An approach for assessing disequilibrium and developing internally consistent partition coefficients between olivine, orthopyroxene, clinopyroxene and basaltic melt. *Geochimica Et Cosmochimica Acta* **71**, 481-496.
- Lee, D.-C., Halliday, A. N., Leya, I., Wieler, R., and Wiechert, U., (2002). Cosmogenic tungsten and the origin and earliest differentiation of the Moon. *Earth and Planetary Science Letters* **198**, 267-274.
- Lewis, G. V. and Catlow, C. R. A., (1985). Potential models for ionic oxides. *Journal of Physics C-Solid State Physics* **18**, 1149-1161.
- Liebscher, A., Franz, G., Frei, D., and Dulski, P., (2007). High-pressure melting of eclogite and the P-T-X history of tonalitic to trondhjemitic zoisite-pegmatites, Münchberg Massif, Germany. *J Petrol* **48**, 1001-1019.
- Liebske, C., Schmickler, B., Terasaki, H., Poe, B. T., Suzuki, A., Funakoshi, K.-i., Ando, R., and Rubie, D. C., (2005). Viscosity of peridotite liquid up to 13 GPa: Implications for magma ocean viscosities. *Earth and Planetary Science Letters* **240**, 589-604.
- Liu, C. Q., Masuda, A., Shimizu, H., Takahashi, K., and Xie, G. H., (1992). Evidence for pressure-dependence of the peak position in the REE mineral melt partition patterns of clinopyroxene. *Geochimica Et Cosmochimica Acta* **56**, 1523-1530.
- Liu, Q. and Lange, R. A., (2001). The partial molar volume and thermal expansivity of TiO<sub>2</sub> in alkali silicate melts: Systematic variation with Ti coordination. *Geochimica Et Cosmochimica Acta* **65**, 2379-2393.
- Liu, Q., Lange, R. A., and Ai, Y. H., (2007). Acoustic velocity measurements on Na<sub>2</sub>O-TiO<sub>2</sub>-SiO<sub>2</sub> liquids: Evidence for a highly compressible TiO<sub>2</sub> component related to five-coordinated Ti. *Geochimica Et Cosmochimica Acta* **71**, 4314-4326.
- Liu, W. and Li, B. S., (2006). Thermal equation of state of (Mg<sub>0.9</sub>Fe<sub>0.1</sub>)<sub>2</sub>SiO<sub>4</sub> olivine. *Physics of the Earth and Planetary Interiors* **157**, 188-195.
- Lodders, K., (2003). Solar system abundances and condensation temperatures of the elements. *Astrophysical Journal* **591**, 1220-1247.
- Longhi, J., and Boudreau, A. E., (1980). The orthoenstatite liquidus field in the system forsterite-diopside-silica at one atmosphere. *American Mineralogist* **65**, 563-573.
- Longhi, J., (1981). Preliminary modeling of high pressure partial melting: Implications for early lunar differentiation. *Proceedings Lunar Science Conference* **12**, 1001-1018.
- Longhi, J., (1987). Liquidus Equilibria and Solid-Solution in the System CaAl<sub>2</sub>-Si<sub>2</sub>O<sub>8</sub>-Mg<sub>2</sub>SiO<sub>4</sub>-CaSiO<sub>3</sub>-SiO<sub>2</sub> at Low-Pressure. *American Journal of Science* **287**, 265-331.
- Longhi, J., (1992). Experimental Petrology and Petrogenesis of Mare Volcanics. *Geochimica Et Cosmochimica Acta* **56**, 2235-2251.
- Lucey, P., Korotev, R. L., Gillis, J. J., Taylor, L. A., Lawrence, D., Campbell, B. A., Elphic, R., Feldman, B., Hood, L. L., Hunten, D., Mendillo, M., Noble, S., Papike, J. J., Reedy, R. C., Lawson, S., Prettyman, T., Gasnault, O., and Maurice, S., (2006). Understanding the lunar surface and space-moon interactions. *Reviews in Mineralogy and Geochemistry* **60**, 83-219.

## References

- Ma, M.-S., and Schmitt, R.A., (1980). Aluminous mare basalts and basaltic textured KREEPy rocks from Apollo 14 coarse fines. *Lunar and Planetary Science conference* **11**, 652-654.
- Matsui, M., (1994). A transferable interatomic potential model for crystals and melts in the system CaO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>. *Mineralogy Magazine* **58A**, 571-572.
- Matsui, T. and Abe, Y., (1986). Evolution of an impact-induced atmosphere and magma ocean on the accreting Earth. *Nature* **319**, 303-305.
- Matsui, T. and Abe, Y., (1987). Evolutionary tracks of the terrestrial planets. *Earth Moon and Planets* **39**, 207-214.
- McDade, P., Wood, B.J., Van Westrenen, W., Brooker, R., Gudmundsson, G., Soular, H., Najorka, J., and Blundy, J., (2002). Pressure corrections for a selection of piston-cylinder cell assemblies. *Mineralogical Magazine* **66**(6), 1021-1028.
- McDade, P., Blundy, J. D., and Wood, B. J., (2003a). Trace element partitioning between mantle wedge peridotite and hydrous MgO-rich melt. *American Mineralogist* **88**, 1825-1831.
- McDade, P., Blundy, J. D., and Wood, B. J., (2003b). Trace element partitioning on the Tinaquillo Lherzolite solidus at 1.5 GPa. *Physics of the Earth and Planetary Interiors* **139**, 129-147.
- McDonough, W. F., (2002). Compositional model for the Earth's core. In *treatise of geochemistry*. **Chapter 2.15**, 547-566.
- McKay, G., Wagstaff, J., and Yang, S. R., (1986). Zirconium, Hafnium, and Rare-Earth Element Partition-Coefficients for Ilmenite and Other Minerals in High-Ti Lunar Mare Basalts - an Experimental-Study. *Journal of Geophysical Research-Solid Earth and Planets* **91**, D229-D237.
- McKay, G. A. and Weill, D. F., (1976). Application of major and trace element crystal/liquid partitioning to the origin of KREEP. *Lunar and Planetary Science Conference* **7**, 527-529.
- Meade, C., Hemley, R. J., and Mao, H. K., (1992). High-Pressure X-Ray-Diffraction of SiO<sub>2</sub> Glass. *Physical Review Letters* **69**, 1387-1390.
- Mezouar, M., (1997). Etude du diagramme de phase de l'antimoniure d'indium InSb sous hautes pression et temperature, Universite Paris VII.
- Mezouar, M., Faure, P., Crichton, W., Rambert, N., Sitaud, B., Bauchau, S., and Blattmann, G., (2002). Multichannel collimator for structural investigation of liquids and amorphous materials at high pressures and temperatures. *Review of Scientific Instruments* **73**, 3570-3574.
- Mibe, K., Kanzaki, M., Kawamoto, T., Matsukage, K. N., Fei, Y. W., and Ono, S., (2007). Second critical endpoint in the peridotite-H<sub>2</sub>O system. *Journal of Geophysical Research-Solid Earth* **112**, B03201.
- Monaco, G., Falconi, S., Crichton, W. A., and Mezouar, M., (2003). Nature of the first-order phase transition in fluid phosphorus at high temperature and pressure. *Physical Review Letters* **90**.
- Morard, G., Sanloup, C., Fiquet, G., Mezouar, M., Rey, N., Poloni, R., and Beck, P., (2007a). Structure of eutectic Fe-FeS melts to pressures up to 17 GPa: Implications for planetary cores. *Earth and Planetary Science Letters* **263**, 128-139.
- Morard, G., Mezouar, M., Rey, N., Poloni, R., Merlen, A., Le Floch, S., Toulemonde, P., Pascarelli, S., San-Miguel, A., Sanloup, C., and Fiquet, G., (2007b). Optimization of Paris-Edinburgh press cell assemblies for in situ monochromatic X-ray diffraction and X-ray absorption. *High Pressure Research* **27**, 223-233.
- Morard, G., Andrault, D., Guignot, N., Sanloup, C., Mezouar, M., Petitgirard, S., and Fiquet, G., (2008). In situ determination of Fe-Fe<sub>3</sub>S phase diagram and liquid structural properties up to 65 GPa. *Earth and Planetary Science Letters* **272**, 620-626.
- Morgan, Z., Liang, Y., and Hess, P., (2006). An experimental study of anorthosite dissolution in lunar picritic magmas: Implications for crustal assimilation processes. *Geochimica Et Cosmochimica Acta* **70**, 3477-3491.
- Münker, C., Pfänder, J. A., Weyer, S., Büchl, A., Kleine, T., and Mezger, K., (2003). Evolution of planetary cores and the Earth-Moon system from Nb/Ta systematics. *Science* **301**, 84.
- Münker, C., (2010). A high field strength element perspective on early lunar differentiation. *Geochimica Et Cosmochimica Acta* **74** (24)7340-7361.

- Nakamura, Y., Fujimaki, H., Nakamura, N., Tatsumoto, M., McKay, G. A., and Wagstaff, J., (1986). Hf, Zr, and Re Partition-Coefficients between Ilmenite and Liquid - Implications for Lunar Petrogenesis. *Journal of Geophysical Research-Solid Earth and Planets* **91**, D239-D250.
- Neal, C. R. and Taylor, L. A., (1992). Petrogenesis of Mare Basalts - a Record of Lunar Volcanism. *Geochimica Et Cosmochimica Acta* **56**, 2177-2211.
- Neal, C.R., and Kramer, G., (2003). The composition of KREEP: A detailed study of KREEP basalt 15386. *Lunar and Planetary Science conference* **34**, abstract 2023.
- Nicholis, M. G. and Rutherford, M. J., (2009). Graphite oxidation in the Apollo 17 orange glass magma: Implications for the generation of a lunar volcanic phase. *Geochimica Et Cosmochimica Acta* **73**, 5905-5917.
- Nielsen, R. L., Gallahan, W. E., and Newberger, F., (1992). Experimentally Determined Mineral-Melt Partition-Coefficients for Sc, Y and Re for Olivine, Ortho-Pyroxene, Pigeonite, Magnetite and Ilmenite. *Contributions to Mineralogy and Petrology* **110**, 488-499.
- Nyquist, L. E. and Shih, C. Y., (1992). The Isotopic Record of Lunar Volcanism. *Geochimica Et Cosmochimica Acta* **56**, 2213-2234.
- O'Hara, M. J., (1968). Bearing of Phase Equilibria Studies in Synthetic and Natural Systems on Origin and Evolution of Basic and Ultrabasic Rocks. *Earth-Sci. Rev.* **4**, 69-133.
- Ohtani, E., (2009). Melting relations and the equation of state of magmas at high pressure: Application to geodynamics. *Chemical Geology* **265**, 279-288.
- Ohtani, E. and Maeda, M., (2001). Density of basaltic melt at high pressure and stability of the melt at the base of the lower mantle. *Earth and Planetary Science Letters* **193**, 69-75.
- Ohtani, E., Suzuki, A., Ando, R., Urakawa, S., Funakoshi, K., and Katayama, Y., (2005). Viscosity and density measurements of melts and glasses at high pressure and temperature by using the multianvil apparatus and synchrotron X-ray radiation. , in *Advances in High-Pressure Techniques for Geophysical Applications*, J. Chen, Y. Wang, T.S. Duffy, G. Shen and L.P. Dobrzhinetskaya, eds., Elsevier, Amsterdam, 2005, pp. 195–209.
- O'Neill, H. St. C., (1986). Mo-MoO<sub>2</sub> (MOM) oxygen buffer and the free energy of formation of MoO<sub>2</sub>. *Am. Miner.* **71**, 1007-1010.
- Onuma, N., Higuchi, H., Wakita, H., and Nagasawa, H., (1968). Trace element partition between 2 pyroxenes and host lava. *Earth and Planetary Science Letters* **5**, 47-51.
- Pahlevan, K. and Stevenson, D. J., (2007). Equilibration in the aftermath of the lunar-forming giant impact. *Earth and Planetary Science Letters* **262**, 438-449.
- Palme, H. and Wlotzka, F., (1977). Trace Element Fractionation During Crystallization of Lunar Rock 75035. *Lunar and Planetary Science Conference* **8**, 747-749.
- Papike, J. J., Karner, J. M., and Shearer, C. K., (2005). Comparative planetary mineralogy: Valence state partitioning of Cr, Fe, Ti, and V among crystallographic sites in olivine, pyroxene, and spinel from planetary basalts. *American Mineralogist* **90**, 277-290.
- Patchett, P. J., and Tatsumoto, M., (1981). The hafnium isotopic evolution of lunar basalts. *Lunar and planetary science conference* **12**, 819-821.
- Pearce, N. J. G., Perkins, W. T., Westgate, J. A., Gorton, M. P., Jackson, S. E., Neal, C. R., and Chenery, S. P., (1997). A compilation of new and published major and trace element data for NIST SRM 610 and NIST SRM 612 glass reference materials. *Geostandards Newsletter-the Journal of Geostandards and Geoanalysis* **21**, 115-144.
- Pouchou, J. and Pichoir, F., (1985). "PAP" procedure for improved quantitative microanalysis. In: *Armstrong J. T.(ed) Microbeam analysis*, San Fransisco, California, 104-106
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P., (1992). *Numerical Recipes in C*, 2<sup>nd</sup> edn., Cambridge University Press, 965 p.
- Prowatke, S. and Klemme, S., (2005). Effect of melt composition on the partitioning of trace elements between titanite and silicate melt. *Geochimica Et Cosmochimica Acta* **69**, 695-709.
- Prowatke, S. and Klemme, S., (2006). Trace element partitioning between apatite and silicate melts. *Geochimica Et Cosmochimica Acta* **70**, 4513-4527.

## References

- Purton, J. A., Allan, N. L., Blundy, J. D., and Wasserman, E. A., (1996). Isovalent trace element partitioning between minerals and melts: A computer simulation study. *Geochimica Et Cosmochimica Acta* **60**, 4977-4987.
- Purton, J. A., Allan, N. L., and Blundy, J. D., (1997). Impurity cations in the bulk and the {001} surface of muscovite: an atomistic simulation study. *J. Mater. Chem.* **7**, 1947-1951.
- Purton, J. A., Blundy, J. D., and Allan, N. L., (2000). Computer simulation of high-temperature, forsterite-melt partitioning. *American Mineralogist* **85**, 1087-1091.
- Raymond, K. N. and Wenk, H. R., (1971). Lunar Ilmenite (Refinement of Crystal Structure). *Contributions to Mineralogy and Petrology* **30**, 135-140.
- Reed, S. J. B., (2005). *Electron Microprobe Analysis and Scanning Electron Microscopy in Geology*. Cambridge University Press, Cambridge, U.K.
- Roeder, P. L. and Emslie, R. F., (1970). Olivine-liquid equilibrium. *Contributions to Mineralogy and Petrology* **29**, 275-289.
- Rhodes, J. M., Blanchard, D. P., Dungan, M. A., Brannon, J. C., and Rodgers, K. V., (1977). Chemistry of Apollo 12 mare basalts: Magma types and fractionation processes. *Lunar Science Conference* **8**, 1305-1338.
- Richet, P., Whittington, A., Holtz, F., Behrens, H., Ohlhorst, S., and Wilke, M., (2000). Water and the density of silicate glasses. *Contributions to Mineralogy and Petrology* **138**, 337-347.
- Righter, K. and Shearer, C. K., (2003). Magmatic fractionation of Hf and W: Constraints on the timing of core formation and differentiation in the Moon and Mars. *Geochimica Et Cosmochimica Acta* **67**, 2497-2507.
- Ringwood, A. E. and Kesson, S. E., (1976). A dynamic model for mare basalt petrogenesis. *Lunar Science Conference* **7**, 1697-1722.
- Robinson, M. S. and Lucey, P. G., (1997). Recalibrated Mariner 10 Color Mosaics: Implications for Mercurian Volcanism. *Science* **275**, 197-200.
- Roeder, P. L. and Emslie, R. F., (1970). Olivine-liquid equilibrium. *Contributions to Mineralogy and Petrology* **29**, 275-.
- Romano, C., Paris, E., Poe, B. T., Giuli, G., Dingwell, D. B., and Mottana, A., (2000). Effect of aluminum on Ti-coordination in silicate glasses: A XANES study. *American Mineralogist* **85**, 108-117.
- Runcorn, S. K., (1977). Early melting of the Moon. *Proceedings of the Lunar and Planetary Science Conference* **8**, 463-469.
- Ruskol, E. L., (1960). The origin of the Moon I. Formation of a swarm of bodies around the Earth. *Astronomicheskii Zhurnal* **37**, 690.
- Ryder, G., and Schuraytz, B. C., (2001). Chemical variation of the large Apollo 15 olivine-normative mare basalt rock samples. *Journal of Geophysical Research* **106** (E1), 1435-1451.
- Rutter, M. D., Secco, R. A., Liu, H. J., Uchida, T., Rivers, M. L., Sutton, S. R., and Wang, Y. B., (2002). Viscosity of liquid Fe at high pressure. *Physical Review B* **66**.
- Sakamaki, T., Ohtani, E., Urakawa, S., Suzuki, A., and Katayama, Y., (2009). Measurement of hydrous peridotite magma density at high pressure using the X-ray absorption method. *Earth and Planetary Science Letters* **287**, 293-297.
- Sakamaki, T., Ohtani, E., Urakawa, S., Suzuki, A., and Katayama, Y., (2010a). Density of dry peridotite magma at high pressure using an X-ray absorption method. *American Mineralogist* **95**, 144-147.
- Sakamaki, T., Ohtani, E., Urakawa, S., Suzuki, A., Katayama, Y., and Zhao, D., (2010b). Density of high-Ti basalt magma at high pressure and origin of heterogeneities in the lunar mantle. *Earth and Planetary Science Letters*, **299** (3-4), 293-297.
- Salters, V. J. M., Longhi, J. E., and Bizimis, M., (2002). Near mantle solidus trace element partitioning at pressures up to 3.4 GPa. *Geochemistry Geophysics Geosystems* **3**(7).
- Sanders, M. J., Leslie, M., and Catlow, C. R. A., (1984). Interatomic potentials for SiO<sub>2</sub>. *J. Chem. Soc.-Chem. Commun.*, 1271-1273.
- Sanloup, C., Fiquet, G., Gregoryanz, E., Morard, G., and Mezouar, M., (2004). Effect of Si on liquid Fe compressibility: Implications for sound velocity in core materials. *Geophys. Res. Lett.* **31**.

- Sanloup, C., Guyot, F., Gillet, P., and Fei, Y., (2002). Physical properties of liquid Fe alloys at high pressure and their bearings on the nature of metallic planetary cores. *Journal of Geophysical Research-Solid Earth* **107** (B11) 2272.
- Sanloup, C., Guyot, F., Gillet, P., Fiquet, G., Hemley, R. J., Mezouar, M., and Martinez, I., (2000a). Structural changes in liquid Fe at high pressures and high temperatures from synchrotron X-ray diffraction. *Europhysics Letters* **52**, 151-157.
- Sanloup, C., Guyot, F., Gillet, P., Fiquet, G., Mezouar, M., and Martinez, I., (2000b). Density measurements of liquid Fe-S alloys at high-pressure. *Geophys. Res. Lett.* **27**, 811-814.
- Sato, M., (1979). The driving mechanism of lunar pyroclastic eruptions inferred from the oxygen fugacity behavior of Apollo 17 orange glass, in: N. W. Hinners (Ed.), *Lunar and Planetary Science Conference Proceedings*, pp. 311-325.
- Schönbächler M., Lee D. C., Rehkämper M., Halliday A. N., Hattendorf B., and Günther D. (2005) Nb/Zr fractionation on the Moon and the search for extinct  $^{92}\text{Nb}$ . *Geochimica Et Cosmochimica Acta* **69**(3), 775–785.
- Schwandt, C. S. and McKay, G. A., (1998). Rare earth element partition coefficients from enstatite/melt synthesis experiments. *Geochimica Et Cosmochimica Acta* **62**, 2845-2848.
- Shannon, R. D., (1976). Revised effective ionic-radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Crystallogr. Sect. A* **32**, 751-767.
- Shearer, C. K., Hess, P. C., Wieczorek, M. A., Pritchard, M. E., Parmentier, E. M., Borg, L. E., Longhi, J., Elkins-Tanton, L. T., Neal, C. R., Antonenko, I., Canup, R. M., Halliday, A. N., Grove, T. L., Hager, B. H., Lee, D. C., and Wiechert, U., (2006). Thermal and magmatic evolution of the moon. *Reviews in Mineralogy and Geochemistry* **60**, 365-518.
- Shearer, C. K. and Papike, J. J., (1999). Magmatic evolution of the Moon. *American Mineralogist* **84**, 1469-1494.
- Shen, A. H. and Keppler, H., (1997). Direct observation of complete miscibility in the albite- $\text{H}_2\text{O}$  system. *Nature* **385**, 710-712.
- Singletary, S. and Grove, T. L., (2008). Origin of lunar high-titanium ultramafic glasses: A hybridized source. *Earth and Planetary Science Letters* **268**, 182-189.
- Skinner, B. J., (1966). Thermal expansion. In: Clark, S. P. (Ed.), *Handbook of Physical Constants*.
- Sleep, N. H., (2000). Evolution of the mode of convection within terrestrial planets. *Journal of Geophysical Research-Planets* **105**, 17563-17578.
- Smith J. V., Anderson A. T., Newton R. C., Olsen E. J., Wyllie P. J., Crewe A. V., Isaacson M. S., and Johnson D. (1970). Petrologic history of the moon inferred from petrography, mineralogy, and petrogenesis of Apollo 11 rocks. *Proceedings Apollo 11 Lunar Science Conference* **1**, 897-925.
- Smith, J. R. and Agee, C. B., (1997). Compressibility of molten "green glass" and crystal-liquid density crossovers in low-Ti lunar magma. *Geochimica Et Cosmochimica Acta* **61**, 2139-2145.
- Smyth, J. R., (1974). The crystal chemistry of armalcolites from Apollo 17. *Earth and Planetary Science Letters* **24**, 262-270.
- Smyth, J. R., (1975). High temperature crystal-chemistry of fayalite. *American Mineralogist* **60**, 1092-1097.
- Snyder, G. A., Borg, L. E., Nyquist, L.E., and Taylor, L. A., (2000). Chronology and isotopic constraints on lunar origin and evolution. In: *Origin of the Earth and Moon*. Canup, R. M., and Righter, K., (eds), University of Arizona Press, 361-396.
- Snyder, G. A., Taylor, L. A., and Neal, C. R., (1992). A Chemical-Model for Generating the Sources of Mare Basalts - Combined Equilibrium and Fractional Crystallization of the Lunar Magmasphere. *Geochimica Et Cosmochimica Acta* **56**, 3809-3823.
- Söderlund, U., Patchett, P.J., Vervoort, J.D., and Isachsen, C.E., (2004). The  $^{176}\text{Lu}$  decay constant determined by Lu-Hf and U-Pb isotope systematics of Precambrian mafic intrusions. *Earth and Planetary Science Letters* **219**, 311–324.
- Spicuzza, M. J., Day, J. M. D., Taylor, L. A., and Valley, J. W., (2007). Oxygen isotope constraints on the origin and differentiation of the Moon. *Earth and Planetary Science Letters* **253**, 254-265.

## References

- Stevenson, D. J., (1987). Origin of the Moon - the Collision Hypothesis. *Annual Review of Earth and Planetary Sciences* **15**, 271-315.
- Stimac, J. and Hickmott, D., (1994). Trace-Element Partition-Coefficients for Ilmenite, Orthopyroxene and Pyrrhotite in Rhyolite Determined by Micro-Pixe Analysis. *Chemical Geology* **117**, 313-330.
- Sumino, Y. and Anderson, O. L., (1984). Elastic constants of minerals. In: Carmichael, S. (Ed.), *CRC handbook of the physical properties of rocks*. CRC Press, Boca, Raton, Florida.
- Suzuki, A. and Ohtani, E., (2003). Density of peridotite melts at high pressure. *Phys. Chem. Miner.* **30**, 449-456.
- Suzuki, A., Ohtani, E., and Kato, T., (1995). Flotation of Diamond in Mantle Melt at High-Pressure. *Science* **269**, 216-218.
- Suzuki, I., (1975). Thermal expansion of periclase and olivine, and their anharmonic properties. *Journal of Physics Earth* **23**, 145-159.
- Suzuki, I., Seya, K., Takei, H., and Sumino, Y., (1981). Thermal-expansion of fayalite, Fe<sub>2</sub>SiO<sub>4</sub>. *Phys. Chem. Miner.* **7**, 60-63.
- Taylor, S. R., (1982). A Lunar perspective. *Planetary Science*.
- Taylor, S. R. and Jakes, P., (1974). The geochemical evolution of the moon. *Proceedings of the Fifth Lunar Conference* **2**, 1287-1305.
- Taylor, S. R., Pieters, C. M., and MacPherson, G. J., (2006a). Earth-moon system, planetary science, and lessons learned, *New Views of the Moon*.
- Taylor, S. R., Taylor, G. J., and Taylor, L. A., (2006b). The Moon: A Taylor perspective. *Geochimica Et Cosmochimica Acta* **70**, 5904-5918.
- Tepley, F. J., Lundstrom, C. C., McDonough, W. F., and Thompson, A., (2010). Trace element partitioning between high-An plagioclase and basaltic to basaltic andesite melt at 1 atmosphere pressure. *Lithos* **118**, 82-94.
- Terasaki, H., Kato, T., Urakawa, S., Funakoshi, K., Sato, K., Suzuki, A., and Okada, T., (2002). Viscosity change and structural transition of Molten Fe at 5 GPa. *Geophys. Res. Lett.* **29**.
- Thacker, C., Liang, Y., Peng, Q., and Hess, P., (2009). The stability and major element partitioning of ilmenite and armalcolite during lunar cumulate mantle overturn. *Geochimica Et Cosmochimica Acta* **73**, 820-836.
- Tiepolo, M., Vannucci, R., Oberti, R., Foley, S., Bottazzi, P., and Zanetti, A., (2000). Nb and Ta incorporation and fractionation in titanian pargasite and kaersutite: crystal-chemical constraints and implications for natural systems. *Earth and Planetary Science Letters* **176**, 185-201.
- Toby, B. H., (2001). EXPGUI, a graphical user interface for GSAS. *Journal of Applied Crystallography* **34**, 210-213.
- Touboul, M., Kleine, T., Bourdon, B., Palme, H., and Wieler, R., (2007). Late formation and prolonged differentiation of the Moon inferred from W isotopes in lunar metals. *Nature* **450**, 1206-1209.
- Tronche E. J., and van Westrenen W., (2009). Experimental petrology of a lunar bulk composition constrained by physical data. *Lunar and Planetary Science conference* **40**, abstract 1782.
- Tronche E. J., van Kan Parker M., de Vries, J., Wang Y., Sanehira T., Li J., Chen B., Gao L., Klemme, S., McCammon, C.A., van Westrenen W., (2010) The thermal equation of state of FeTiO<sub>3</sub> ilmenite based on *in situ* X-ray diffraction at high pressures and temperatures. *American Mineralogist* **95**, 1708-1716.
- Tsuji, K., Yaoita, K., Imai, M., Shimomura, O., and Kikegawa, T., (1989). Measurements of X-Ray-Diffraction for Liquid-Metals under High-Pressure. *Review of Scientific Instruments* **60**, 2425-2428.
- Unruh, D.M., Stille, P., Patchett, P. J., and Tatsumoto, M., (1984). Lu-Hf and Sm-Nd evolution in lunar mare basalts. *Journal of Geophysical Research* **89**, B459-B477.
- Unruh, D. M., and Tatsumoto, M., (1984) Lu-Hf evolution of KREEP. *Lunar Planet. Sci.* **15**, 876-877.

- Urakawa, S., Ando, R., Ohtani, E., and Katayama, Y., (2004). Application of x-ray absorption method to density measurement of iron-bearing sodium disilicate glass under pressure. in *EMPG-X Symposium Abstracts/Lithos* 73, Elsevier Science, Amsterdam, 2004, p. S113.
- Urey, H. C., (1951). The Origin and Development of the Earth and Other Terrestrial Planets. *Geochimica Et Cosmochimica Acta* **1**, 209-277.
- van Kan Parker, M., Sanloup, C., Tronche, E. J., Perrillat, J.-P., Mezouar, M., Rai, N., and van Westrenen, W., (2010a). Calibration of a diamond capsule cell assembly for *in situ* determination of liquid properties in the Paris-Edinburgh press. *High Pressure Research: An International Journal* **30**, 332-341.
- van Kan Parker, M., Liebscher, A., Frei, D., van Sijl, J., van Westrenen, W., Blundy, J., and Franz, G., (2010b). Experimental and computational study of trace element distribution between orthopyroxene and anhydrous silicate melt: substitution mechanisms and the effect of iron. *Contributions to Mineralogy and Petrology* **159**, 459-473.
- van Kan Parker M., Agee, C. B., Duncan, M. S., and van Westrenen, W., (2011a). Compressibility of molten intermediate-high Ti lunar glass and implications for density cross-overs in the lunar mantle. *Geochimica et Cosmochimica Acta* **75** (4) 1161-1172.
- van Kan Parker, M. (2011b). Chemical and physical properties of lunar magma. *PhD thesis*. Chapter 3.
- van Kan Parker, M., Mason, P., and van Westrenen, W., (submitted MS). Trace element partitioning between ilmenite, armalcolite and anhydrous silicate melt: implications for the formation of lunar high-Ti mare basalt. *Submitted to Geochemica Et Cosmochimica Acta*.
- van Kan Parker, Mason, P., and van Westrenen (accepted MS). Experimental study of trace element partitioning between lunar orthopyroxene and anhydrous silicate melt: effects of lithium and iron. *Chemical Geology*.
- Van Orman, J. A. and Grove, T. L., (2000). Origin of lunar high-titanium ultramafic glasses: Constraints from phase relations and dissolution kinetics of clinopyroxene-ilmenite cumulates. *Meteoritics & Planetary Science* **35**, 783-794.
- van Sijl, S., Allan, N. L., Davies, G. R., and van Westrenen, W., (2010). Titanium in subduction zone fluids: First insights from ab initio metadynamics simulations. *Geochimica Et Cosmochimica Acta* **74**, 2797-2810.
- van Westrenen, W., Blundy, J., and Wood, B., (1999). Crystal-chemical controls on trace element partitioning between garnet and anhydrous silicate melt. *American Mineralogist* **84**, 838-847.
- van Westrenen, W., Allan, N. L., Blundy, J. D., Purton, J. A., and Wood, B. J., (2000a). Atomistic simulation of trace element incorporation into garnets - comparison with experimental garnet-melt partitioning data. *Geochimica Et Cosmochimica Acta* **64**, 1629-1639.
- van Westrenen, W., Blundy, J. D., and Wood, B. J., (2000b). Effect of Fe<sup>2+</sup> on garnet-melt trace element partitioning: experiments in FCMAS and quantification of crystal-chemical controls in natural systems. *Lithos* **53**, 189-201.
- van Westrenen, W., Wood, B. J., and Blundy, J. D., (2001). A predictive thermodynamic model of garnet-melt trace element partitioning. *Contributions to Mineralogy and Petrology* **142**, 219-234.
- van Westrenen W., Van Orman J. A., Watson H., Fei Y., and Watson E. B., (2003) Assessment of temperature gradients in multianvil assemblies using spinel layer growth kinetics. *Geochemistry, Geophysics, geosystems* 4(1), doi:10.1029/2002GC000474.
- van Westrenen, W. and Draper, D. S., (2007). Quantifying garnet-melt trace element partitioning using lattice-strain theory: new crystal-chemical and thermodynamic constraints. *Contributions to Mineralogy and Petrology* **154**, 717-730.
- Wagner, T. P. and Grove, T. L., (1997). Experimental constraints on the origin of lunar high-Ti ultramafic glasses. *Geochimica Et Cosmochimica Acta* **61**, 1315-1327.
- Warner, R. D., Taylor, G. J., Conrad, G. H., Northrop, H. R., Barker, S., Keil, K., Ma, M.-S., and Schmitt, R., (1979). Apollo 17 high-Ti mare basalts: New bulk compositional data, magma types, and petrogenesis. *Proceedings of the Lunar and Planetary Science Conference* **10**, 225-247.

## References

- Warren, P. H., (1985). The Magma Ocean Concept and Lunar Evolution. *Annual Review of Earth and Planetary Sciences* **13**, 201-240.
- Warren, P. H., (2005). "New" lunar meteorites: Implications for composition of the global lunar surface, lunar crust, and the bulk Moon. *Meteoritics & Planetary Science* **40**, 477-506.
- Watson, E. B., Wark, D. A., Price, J. D., and Van Orman, J. A., (2002). Mapping the thermal structure of solid-media pressure assemblies. *Contributions to Mineralogy and Petrology* **142**, 640-652.
- Webb, S. L. and Dingwell, D. B., (1994). Compressibility of Titanosilicate Melts. *Contributions to Mineralogy and Petrology* **118**, 157-168.
- Wechsler, B. A. and Prewitt, C. T., (1984). Crystal-Structure of Ilmenite (Fetio<sub>3</sub>) at High-Temperature and at High-Pressure. *American Mineralogist* **69**, 176-185.
- Wechsler, B. A., Prewitt, C. T., and Papike, J. J., (1976). Chemistry and structure of lunar and synthetic armalcolite. *Earth and Planetary Science Letters* **29**, 91-103.
- Weitz, C.M., Rutherford, M.J., and Head, III, J.W., (1997). Oxidation states and ascent history of the Apollo 17 volcanic beads as inferred from metal-glass equilibria. *Geochimica et Cosmochimica Acta* **61**, 2765-2775.
- Wieczorek, M. A., Jolliff, B. L., Khan, A., Pritchard, M. E., Weiss, B. P., Williams, J. G., Hood, L. L., Righter, K., Neal, C. R., Shearer, C. K., McCallum, I. S., Tompkins, S., Hawke, B. R., Peterson, C., Gillis, J. J., and Bussey, B., (2006). The constitution and structure of the lunar interior. *Reviews in Mineralogy and Geochemistry* **60**, 221-364.
- Wiechert, U., Halliday, A.N., Lee, D.C., Snyder, G.A., Taylor, L.A., and Rumble, D., (2001). Oxygen isotopes and the Moon-forming giant impact. *Science*, 294, 345-348. Wise, D.U., 1963. An origin of the Moon by Fission during Formation of the Earth's Core. *Journal of Geophysical Research* **68**, 1547-1554.
- Wise, D. U., (1969). Origin of the Moon from the Earth: some new mechanisms and comparisons. *Journal of Geophysical Research* **74**, 6034-6045.
- Wood, B. J. and Blundy, J. D., (1997). A predictive model for rare earth element partitioning between clinopyroxene and anhydrous silicate melt. *Contributions to Mineralogy and Petrology* **129**, 166-181.
- Wood, B. J. and Blundy, J. D., (2002). The effect of H<sub>2</sub>O on crystal-melt partitioning of trace elements. *Geochimica Et Cosmochimica Acta* **66**, 3647-3656.
- Wood, B. J., Blundy, J. D., and Robinson, J. A. C., (1999). The role of clinopyroxene in generating U-series disequilibrium during mantle melting. *Geochimica Et Cosmochimica Acta* **63**, 1613-1620.
- Wood J. A., Dickey J. S., Marvin U. B., and Powell B. N., (1970) Lunar anorthosites and a geophysical model of the moon. *Proceedings Apollo 11 Lunar Science Conference*. **1**, 965-988.
- Zack, T. and Brumm, R., (1998). Ilmenite/liquid partition coefficients of 26 trace elements determined through ilmenite/clinopyroxene partitioning in garnet pyroxenites. *International Kimberlite conference*, 986-988.
- Zhang, L., Ahsbahs, H., Kutoglu, A., and Geiger, C. A., (1999). Single-crystal hydrostatic compression of synthetic pyrope, almandine, spessartine, grossular and andradite garnets at high pressures. *Phys. Chem. Miner.* **27**, 52-58.
- Zhao, Y. S., Von Dreele, R. B., Weidner, D. J., and Schiferl, D., (1997). P-V-T data of hexagonal boron nitride hBN and determination of pressure and temperature using thermoelastic equations of state of multiple phases. *High Pressure Research* **15**, 369-386.
- Ziemann, M. A., Förster, H. J., Harlov, D. E., and Frei, D., (2005) Origin of fluorapatite-monazite assemblages in a metamorphosed, sillimanite-bearing pegmatoid, Reinbolt Hills, East Antarctica. *Eur J Mineral* **17**, 567-579
- Zindler, A. and Jacobsen, S. B., (2009). Isotopic Equilibration of Earth's Mantle and the Moon Subsequent to the Giant Impact? *Lunar and Planetary Science Conference* **40**, 2542.



