

# VU Research Portal

## **Restless REM sleep in insomnia disorder and its detrimental effects on regulation of emotional distress**

Wassing, P.F.

2019

### ***document version***

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### ***citation for published version (APA)***

Wassing, P. F. (2019). *Restless REM sleep in insomnia disorder and its detrimental effects on regulation of emotional distress*.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

---

# Acknowledgements

The presence of this thesis, most of all, shows my fortune in love and support. It gives me great pride and happiness to find myself amongst so many great people that have meant the world to me; throughout my upbringing, my golden student years, and my privileged early-career experiences, that ultimately led me to be able to perform the scientific studies and production of this thesis.

First and foremost, my gratitude to my mother Elly, father Heimen, and my parents Rob, Sylvia, and Mirjam, who have been integral to the personality traits that I developed in their example. Also to my highly appreciated brothers, Martijn, Mark, Kevin, and best mate Vincent, who have been exemplary and continue to be a metaphorical soundboard from which I could tune some of my dissonant tones, and remind me to ground myself.

To Adrienne, thank you. Thank you for your kind patience and loving dedication.

To my highly esteemed mentor, Eus, thank you for your confidence in me, your insights, plain hard work, and memorable dinners. Frans and Lucia, thank you for providing your valuable complementary views on the findings from which I have learned a great deal. The combined amount of knowledge that I have gained from my fellow peers is immense, thanks to all the Sleep and Cognition team members over the years. But before listing these members, a special praise to Oti: thank you for being such an integral part of my projects, you moved mountains. Then, thanks to Diederick for your assistance with all the neuroimaging studies, to

Jennifer for all the EEG studies, to Jeroen for all NSR-related studies, and thanks to my highly appreciated colleagues Michele, Yi-Shu, Wisse, Kim, Bart, Tessa, German, Yvonne, Michelle, Jessica B, Jessica F-D, Jeanne, Marije, Jeffrey, Simon, Teodora, Jacob, Marco, Casey, Rebecca, Floor, Joy, Enzo, Frank, Nico, Yoshi, Ilse, Giovanni, and all supporting colleagues at the Netherlands Institute for Neuroscience, especially those in the mechatronics department for their assistance in the development of the olfactometers. Further thanks to the students that helped enormously with the logistics and data-acquisition, and from whom I also learned a great deal; Chris, Vanessa, Melanie, Katharina, Lars, Caroline, Sanne, Merel, Geertje, and Nouschka.

A special thanks to all the participants involved in the studies. This thesis is built on their voluntary participation in filling out questionnaires, overnight sleep-EEG recordings, and lengthy MRI acquisitions. In the many conversations with the participants, I have learned the personal stories behind insomnia disorder, and those have been key in my understanding of the scientific material presented in this thesis.

A big thanks to my amazing friends. We enjoyed many evenings of food, drinks and had long discussions and debates on the details of my research, the future of science and philosophy. I remember specifically when we learned all about gravitational waves during brunch and mimosa's. I could not have done it without you all, so thank you for the support and laughter your friendship provides.

This thesis was written on an old desk in a beautiful room on the South Coast of Australia, the home of my in-laws, thank you for supporting Adrienne and I as we finalised one stage of our life, and began the next as a married couple, and PhD.

Much obliged,

Rick

---

# List of Tables and Figures

	<b>Table 2.1.</b>	31
Factor analysis distinguishes long-lasting and short-lasting emotional distress		
	<b>Figure 2.1.</b>	32
Disturbed emotion regulation in insomnia specifically concerns overnight dissolving of distress		
	<b>Figure 2.2.</b>	33
	Structural Equation Model	
	<b>Supplementary table S2.1.</b>	46
Mediation effects and variance explained by three-variable structural equation models interchanging the roles of nocturnal mentation, long-lasting distress and hyperarousal as dependent, independent and mediator variables		
	<b>Supplementary Figure S2.1.</b>	47
Structural equation model restricted to 686 participants		
	<b>Table 3.1.</b>	53
Mean sleep quantity and quality estimated from five nights of sleep diary data		
	<b>Figure 3.1.</b>	54
Examples of two individual schedules out of twelve possible counterbalanced schedules		
	<b>Figure 3.2.</b>	57
Changes in the perceived physical distress of shame		
	<b>Figure 3.3.</b>	58
Visualization of physical distress changes from one to the next exposure		
	<b>Supplementary Table S3.1.</b>	68
No associations between sleep diary parameters and overnight changes in perceived physical shame		
	<b>Table 4.1.</b>	75
Demographic and sleep characteristics of normal sleepers and subjects with ID.		
	<b>Figure 4.1.</b>	76
Induction of novel and relived self-conscious emotions		

	<b>Figure 4.2.</b>	84
Emotion-specific BOLD responses to novel and relived stimuli		
	<b>Table 4.2.</b>	86
Emotion-specific BOLD activations to novel and relived experiences		
	<b>Figure 4.3.</b>	87
The dorsal ACC responds to novel and to relived self-conscious emotions in ID but not in NS		
	<b>Supplementary figure S4.1.</b>	99
Time course of skin-conductance recording and illustration of signal processing		
	<b>Supplementary figure S4.2.</b>	102
Emotional responses to novel and relived experiences in terms of perceived emotional intensity ratings and galvanic skin responses		
	<b>Supplementary table S4.1.</b>	103
Rank-sorted emotional intensity ratings to 17 emotions indicate successful induction of self-conscious emotional experiences		
	<b>Supplementary table S4.2.</b>	106
Correlations between PSG variables and responses to relived experience		
	<b>Supplementary table S4.3.</b>	107
Correlations between PSG variables and dorsal ACC response to relived experiences		
	<b>Supplementary table S4.4.</b>	109
Mean emotion-specific BOLD responses irrespective of stimulus-type or group		
	<b>Supplementary table S4.5.</b>	111
Mean differences in brain responses to novel and relived experiences, and mean differences between participants with ID and normal sleepers		
	<b>Supplementary table S4.6.</b>	112
Brain responses to novel emotional stimuli as compared to neutral counterparts in normal sleepers		
	<b>Supplementary table S4.7.</b>	113
Brain responses to novel emotional stimuli as compared to neutral counterparts in insomnia disorder		
	<b>Supplementary table S4.8.</b>	115
Brain responses to relived emotional experiences as compared to neutral counterparts in normal sleepers		
	<b>Supplementary table S4.9.</b>	115
Brain responses to relived emotional experiences as compared to neutral counterparts in insomnia disorder		
	<b>Figure 5.1.</b>	122
Procedure		
	<b>Figure 5.2.</b>	124
Amygdala response with exposure to self-conscious emotional stimulus		
	<b>Table 5.1.</b>	125
Total duration and interruption density of REM and transition to REM episodes		
	<b>Table 5.2.</b>	126
Main and interaction effects of sleep variables on overnight change in amygdala reactivity		
	<b>Table 5.3.</b>	127
Specifically CS+ TMR during REM episodes facilitates overnight amygdala reactivity adaptation		

	<b>Table 5.4.</b>	127
CS+ TMR during REM episodes enhances the adverse effect of REM interruption density on overnight amygdala reactivity adaptation		
	<b>Supplementary figure S5.1.</b>	138
	Custom build olfactometer	
	<b>Supplementary table S5.1.</b>	141
Demographics and associations between sleep parameters and subjective insomnia complaints		
	<b>Supplementary table S5.2.</b>	142
Allocation of the four odor compounds for the CS+ and CS-		
	<b>Supplementary table S5.3.</b>	142
	CS+ and CS- re-exposure proportions	
	<b>Supplementary table S5.4.</b>	143
Coordinates and statistics of brain regions showing a significant BOLD response to one's own singing relative to baseline		
	<b>Table 6.1.</b>	151
Demographics and sleep characteristics (subjective, AASM-based and LDA model-based) in ID and controls		
	<b>Figure 6.1.</b>	154
Symbolization of raw EEG for the purpose of Latent Dirichlet Allocation (LDA) topic modelling		
	<b>Figure 6.2.</b>	155
Estimation of concurrent vigilance states in each 30-second epoch		
	<b>Figure 6.3.</b>	157
	Examples of topic diagrams	
	<b>Table 6.2.</b>	159
	Increased light sleep dominance in ID	
	<b>Figure 6.4.</b>	160
Light sleep-related EEG signatures are more abundant during light and deep sleep in ID than in controls		
	<b>Table 6.3.</b>	161
Increased N1 sleep-related EEG signatures during deep sleep related periods in ID		
	<b>Figure 6.5.</b>	162
Increased probability for transitions from deep sleep to light sleep in ID as compared to controls		
	<b>Supplementary table S6.1.</b>	168
Normalized co-occurrence of topics for stable epochs dominated by each topic		

# List of Publications

- Wassing R**, Benjamins JS, Dekker K, Moens S, Spiegelhalter K, Feige B, Riemann D, Van Der Sluis S, Van Der Werf YD, Talamini LM, Walker MP, Schalkwijk F and Van Someren EJW (2016). Slow dissolving of emotional distress contributes to hyperarousal. *PNAS* 113(9): 2538-2543.
- Wassing R**, Schalkwijk F, Lakbila-Kamal O, Ramautar J, Stoffers D, Mutsaerts H-J, Talamini LM and Van Someren EJW (in press). Haunted by the past: Old emotions remain salient in insomnia disorder. *Brain*.
- Wassing R**, Benjamins JS, Talamini LM, Schalkwijk F and Van Someren EJW (2019). Overnight worsening of emotional distress indicates maladaptive sleep in insomnia. *Sleep*.
- Blanken TF, Benjamins JS, Borsboom D, Vermunt JK, Paquola C, Ramautar JR, Dekker K, Stoffers D, **Wassing R**, Wei Y and Van Someren EJW (2019). Robust insomnia disorder subtypes revealed by non-sleep-related traits and life history. *The Lancet Psychiatry*.
- Leerssen J, **Wassing R**, Ramautar JR, Stoffers D, Lakbila-Kamal O, Perrier J, Bruijell J, Foster-Dingley JC, Aghajani M and Van Someren EJW (2018). Increased hippocampal-prefrontal functional connectivity in insomnia. *Neurobiol Learn Mem*.
- Schalkwijk F, Van Someren EJW and **Wassing R** (2019). A clinical interpretation of shame regulation in maladaptive perfectionism. *Personality and Individual Differences* 138: 19-23.
- Benjamins JS, Migliorati F, Dekker K, **Wassing R**, Moens S, Blanken TF, Te Lindert BHW, Sjauw Mook J and Van Someren EJW (2017). Insomnia heterogeneity: Characteristics to consider for data-driven multivariate subtyping. *Sleep Med Rev* 36: 71-81.
- Hammerschlag AR, Stringer S, De Leeuw CA, Sniekers S, Taskesen E, Watanabe K, Blanken TF, Dekker K, Te Lindert BHW, **Wassing R**, Jonsdottir I, Thorleifsson G, Stefansson H, Gislason T, Berger K, Schormair B, Wellmann J, Winkelmann J, Stefansson K, Oexle K, Van Someren EJW and Posthuma D (2017). Genome-wide association analysis of insomnia complaints identifies risk genes and genetic overlap with psychiatric and metabolic traits. *Nat Genet* 49(11): 1584-1592.
- Colombo MA, Ramautar JR, Wei Y, Gomez-Herrero G, Stoffers D, **Wassing R**, Benjamins JS, Tagliazucchi E, Van Der Werf YD, Cajochen C and Van Someren EJW (2016). Wake high-density electroencephalographic spatio-spectral signatures of insomnia. *Sleep* 39(5): 1015-1027.
- Benjamins J, Migliorati F, Dekker K, **Wassing R**, Moens S, Van Someren E, Hartescu L, Itzhacki J, Pinto T and Tesler N (2013). The sleep registry. An international online survey and cognitive test assessment tool and database for multivariate sleep and insomnia phenotyping. *Sleep Medicine* 14: e293-e294.