

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Mathematical Modeling in Biology . . . . .	1
1.2	Metabolism in Microbes . . . . .	2
1.3	Optimal Fitness for Yeast Glycolysis . . . . .	6
1.3.1	A Minimal Model for Sustained Oscillations . . . . .	6
1.3.2	Minimal Model for an Imbalanced State in Yeast . . . . .	9
1.4	Optimal Specific Flux through Enzyme Distribution . . . . .	13
1.4.1	Elementary Flux Modes . . . . .	15
1.4.2	Maximal specific flux and Elementary Flux Modes . . . . .	18
<b>2</b>	<b>Yeast Start-up Problems</b>	<b>21</b>
2.1	Introduction . . . . .	22
2.2	The mathematical model . . . . .	29
2.3	Steady state analysis . . . . .	30
2.3.1	Suitable representations of the null space of $N$ . . . . .	30
2.3.2	The equilibrium states . . . . .	31
2.3.3	Parametrising steady states by metabolite concentrations . . . . .	33
2.3.4	The imbalanced state . . . . .	38
2.3.5	Numerical illustrations . . . . .	43
2.4	Discussion . . . . .	45

---

2.4.1	Without overexpression of its upper part, glycolysis will not activate in starved yeast presented with glucose . . .	45
2.4.2	Under mild conditions, FBP will function as a flux sensor on the metabolic scale . . . . .	46
2.4.3	Confirmation of bistable imbalanced state . . . . .	46
2.4.4	To both activate glycolysis and avoid the imbalanced state, heterogeneity is key . . . . .	46
2.4.5	A simple condition for the transcritical bifurcation . . . .	47
2.4.6	Scope of the techniques and general outlook . . . . .	47
2.5	Supplementary Information . . . . .	48
2.5.1	The equilibrium states . . . . .	52
2.5.2	Parametrising steady states by flux values . . . . .	57
2.5.3	The equation for the steady state NADH concentration has a unique solution . . . . .	66
2.5.4	Numerical simulations . . . . .	69
<b>3</b>	<b>Stability of qORAC in the Linear Chain</b>	<b>71</b>
3.1	Introduction . . . . .	71
3.1.1	Specific Flux Maximisation . . . . .	72
3.1.2	Linear Chain . . . . .	74
3.1.3	Mathematical Model . . . . .	78
3.1.4	Results . . . . .	79
3.2	Analysis . . . . .	79
3.2.1	Timescale Separation . . . . .	79
3.2.2	The Quasi Steady State Defines a Smooth Bijection . . .	91
3.2.3	Inverse Quasi Steady State; Enzyme levels follow the Metabolic Concentrations . . . . .	92
3.2.4	Stability . . . . .	96
3.3	Toy Model . . . . .	100
3.4	Results and Outlook . . . . .	105
3.4.1	Results Summary . . . . .	105
3.4.2	Numerical Illustration . . . . .	107
3.4.3	Outlook . . . . .	108
<b>4</b>	<b>Input Output Relations</b>	<b>113</b>
4.1	Introduction . . . . .	113
4.1.1	Supply and Demand Driven Optimisation . . . . .	115
4.1.2	Questions . . . . .	115
4.2	Model formulation . . . . .	117

---

4.2.1	Dynamical System . . . . .	117
4.2.2	Convenience Kinetics . . . . .	119
4.2.3	Linear Chain . . . . .	120
4.3	Limits . . . . .	120
4.3.1	Equilibrium Limit . . . . .	121
4.3.2	Infinite Limit . . . . .	125
4.3.3	Limits in Original Parameters . . . . .	127
4.4	Numerical Experiments . . . . .	128
4.4.1	Methods . . . . .	128
4.4.2	Linear Chain of 3 Enzymes . . . . .	130
4.4.3	Smallest Model with Two Nutrients . . . . .	134
4.4.4	Choosing a different sensor in a Linear Chain . . . . .	135
4.4.5	Lengthening the Linear Chain . . . . .	139
4.5	Discussion . . . . .	143
4.5.1	Interpretation of the Limiting Values . . . . .	143
4.5.2	Answers to the leading Questions . . . . .	145
4.6	Outlook . . . . .	148
4.6.1	Speculating How the Results will Scale to Larger EFMs . . . . .	148