

## VU Research Portal

### **Fluvial responses to orbital-forced climate changes in the North American Western Interior early Paleocene**

Noorbergen, L.J.

2019

#### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

#### **citation for published version (APA)**

Noorbergen, L. J. (2019). *Fluvial responses to orbital-forced climate changes in the North American Western Interior early Paleocene*.

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

#### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

#### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

# References

---

- Abels, H.A., Kraus, M.J., & Gingerich, P.D. (2013). Precession-scale cyclicity in the fluvial lower Eocene Willwood Formation of the Bighorn Basin, Wyoming (USA). *Sedimentology*, 60(6), 1467-1483.
- Aitken, J.F. & Flint, S.S. (1995). The application of high-resolution sequence stratigraphy to fluvial systems: a case study from the Upper Carboniferous Breathitt Group, eastern Kentucky, USA. *Sedimentology*, 42, 3-30.
- Alegret, L., Thomas, E., & Lohmann, K.C. (2012). End-Cretaceous marine mass extinction not caused by productivity collapse. *Proceedings of the National Academy of Sciences of the United States of America*, 109(3), 728-732.
- Alvarez, L.W. (1983). Experimental evidence that an asteroid impact led to the extinction of many species 65 million years ago. *Proceedings of the National Academy of Sciences of the United States of America*, 80(2), 627-642.
- Alvarez, L.W., Alvarez, W., Asaro, F., & Michel, H.V. (1980). Extraterrestrial cause for the Cretaceous-Tertiary extinction. *Science*, 208(4448), 1095-1108.
- Arens, N.C., & Jahren, A.H. (2000). Carbon isotope excursion in atmospheric CO<sub>2</sub> at the Cretaceous-Tertiary boundary: evidence from terrestrial sediments. *Palaios*, 15(4), 314-322.
- Arens, N.C., Jahren, A.H., & Amundson, R. (2000). Can C<sub>3</sub> plants faithfully record the carbon isotopic composition of atmospheric carbon dioxide? *Paleobiology*, 26(1), 137-164.
- Archibald, J.D. (1982). A study of Mammalia and geology across the Cretaceous-Tertiary boundary in Garfield County, Montana. Berkeley: University of California Press.
- Aziz, H.A., Hilgen, F.J., Van Luijk, G.M., Sluijs, A., Kraus, M.J., Pares, J.M., & Gingerich, P.D. (2008). Astronomical climate control on paleosol stacking patterns in the upper Paleocene-lower Eocene Willwood Formation, Bighorn Basin, Wyoming. *Geology*, 36(7), 531-534.
- Baadsgaard, H., Lerbekmo, J. & McDougall, I. (1988). A radiometric age for the Cretaceous-Tertiary boundary based upon K-Ar, Rb-Sr, and U-Pb ages of bentonites from Alberta, Saskatchewan, and Montana. *Canadian Journal of Earth Sciences*, 25, 1088-1097.
- Baker, V.R. (1977). Adjustment of fluvial systems to climate and source terrain in tropical and subtropical environments.
- Baker, V.R. & Pentead-Orellana, M.M. (1977). Adjustment to Quaternary climatic change by the Colorado River in central Texas. *The Journal of geology*, 85, 395-422.
- Baldwin, B. & Butler, C.O. (1985). Compaction curves. *AAPG Bulletin*, 69, 622-626.
- Bally, A.W., (1989). Phanerozoic basins of North America. *The Geology of North America, A*, 397-446.
- Batenburg, S.J., Sprovieri, M., Gale, A.S., Hilgen, F.J., Hüsing, S., Laskar, J., (...), Smit, J. (2012). Cyclostratigraphy and astronomical tuning of the Late Maastrichtian at Zumaia (Basque country, Northern Spain). *Earth and Planetary Science Letters*, 359, 264-278.
- Beaumont, C. (1981). Foreland basins. *Geophysical Journal International*, 65, 291-329.
- Bechtel, A., Gratzner, R., Sachsenhofer, R.F., Gusterhuber, J., Lücke, A., & Püttmann, W. (2008). Biomarker and carbon isotope variation in coal and fossil wood of Central Europe through the Cenozoic. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 262(3-4), 166-175.
- Beerbower, J.R. (1964). Cyclothem and cyclic depositional mechanisms in alluvial plain sedimentation. *Kansas Geological Survey Bulletin*, 169(1), 31-32.
- Berling, D.J., Lomax, B.H., Royer, D.L., Upchurch, G.R., & Kump, L.R. (2002). An atmospheric pCO<sub>2</sub> reconstruction across the Cretaceous-Tertiary boundary from leaf megafossils. *Proceedings of the National Academy of Sciences of the United States of America*, 99, no. 12, p. 7836-7840.

- Belcher, C.M., Finch, P., Collinson, M.E., Scott, A.C. & Grassineau, N.V. (2009). Geochemical evidence for combustion of hydrocarbons during the KT impact event. *Proceedings of the National Academy of Sciences*, 106,4112-4117.
- Belt, E. (1993). Tectonically induced clastic sediment diversion and the origin of thick, widespread coal beds (Appalachian and Williston basins, USA). In Frostick, L.E., & Steel, R.J. (Red.), *Tectonic Controls and Signatures in Sedimentary Successions* (pp. 377-397). The International Association of Sedimentologists.
- Belt, E.S., Flores, R.M., Warwick, P.D., Conway, K.M., Johnson, K.R., & Waskowitz, R.S. (1984). Relationship of Fluviodeltaic Facies to Coal Deposition in the Lower Fort Union Formation (Paleocene), South-Western North Dakota. *Sedimentology of coal and coal-bearing sequences*, 177-195.
- Belt, E.S., Hartman, J.H., Diemer, J.A., Kroeger, T.J., Tibert, N.E., & Curran, H.A. (2004). Unconformities and age relationships, Tongue River and older members of the Fort Union Formation (Paleocene), western Williston Basin, USA. *Rocky Mountain Geology*, 39, 113-140.
- Berendsen, H.J.A., & Stouthamer, E. (2001). *Palaeogeographic development of the Rhine-Meuse delta, the Netherlands*. Assen: Koninklijke Van Gorcum.
- Berger, A., Loutre, M., & Dehant, V. (1989). Pre-quaternary Milankovitch frequencies. *Nature*, 342(6246), 133-133.
- Blum, M., Martin, J., Milliken, K., & Garvin, M. (2013). Paleovalley systems: insights from Quaternary analogs and experiments. *Earth-Science Reviews*, 116, 128-169.
- Blum, M.D., & Törnqvist, T.E., (2000). Fluvial responses to climate and sea-level change: a review and look forward. *Sedimentology*, 47(1), 2-48.
- Bogaart, P.W., & Van Balen, R.T. (2000). Numerical modeling of the response of alluvial rivers to Quaternary climate change. *Global and Planetary Change*, 27(1-4), 147-163.
- Bohacs, K., & Suter, J. (1997). Sequence stratigraphic distribution of coaly rocks: fundamental controls and paralic examples. *AAPG bulletin*, 81, 1612-1639.
- Bohor, B.F., Foord, E.E., Modreski, P.J., & Triplehorn, D.M. (1984). Mineralogic evidence for an impact event at the Cretaceous-Tertiary boundary. *Science*, 224, 867-869.
- Bohor, B.F. & Triplehorn, D.M. (1993). Tonsteins: altered volcanic ash layers in coal-bearing sequences. *Geological Society of America*.
- Bosmans, J.H.C., Hilgen, F.J., Tuenter, E. & Lourens, L.J. (2015). Obliquity forcing of low-latitude climate. *Climate of the Past*, 11, 221-241.
- Brown, R.W. (1952). Tertiary strata in eastern Montana and western North and South Dakota. In *Billings Geological Society: Guidebook: Third Annual Field Conference*, 89-92.
- Bridgland, D. (2000). River terrace systems in north-west Europe: an archive of environmental change, uplift and early human occupation. *Quaternary Science Reviews*, 19, 1293-1303.
- Brown, R.W. (1962). *Paleocene flora of the Rocky Mountains and great Plains*. Washington: US Government Printing Office. Accessed: <https://pubs.usgs.gov/pp/0375/report.pdf>
- Burgess, P.M. (2008). Phanerozoic evolution of the sedimentary cover of the North American craton. *Sedimentary Basins of the World*, 5, 31-63.
- Burns, C., Mountney, N., Hodgson, D., & Colombera, L. (2017). Anatomy and dimensions of fluvial crevasse-splay deposits: Examples from the Cretaceous Castlegate Sandstone and Neslen Formation, Utah, USA. *Sedimentary Geology*, 351, 21-35.
- Catuneanu, O. (2006). *Principles of sequence stratigraphy*. Elsevier.
- Catuneanu, O., Beaumont, C., & Waschbusch, P. (1997). Interplay of static loads and subduction dynamics in foreland basins: Reciprocal stratigraphies and the "missing" peripheral bulge. *Geology*, 25, 1087-1090.
- Catuneanu, O., Sweet, A., & Miall, A. (2000). Reciprocal stratigraphy of the Campanian-Paleocene western interior of North America. *Sedimentary Geology*, 134, 235-255.

- Cecil, C.B. (1990). Paleoclimate controls on stratigraphic repetition of chemical and siliciclastic rocks. *Geology*, 18, 533-536.
- Cecil, C.B., DiMichele, W.A., & Elrick, S.D. (2014). Middle and Late Pennsylvanian cyclothems, American Midcontinent: Ice-age environmental changes and terrestrial biotic dynamics. *Comptes Rendus Geoscience*, 346(7), 159-168.
- Chadima, M., & Hrouda, F. (2006). Remasoft 3.0 a user-friendly paleomagnetic data browser and analyzer. *Travaux Géophysiques*, 27, 20-21.
- Cherven, V.B., & Jacob, A.F. (1985). Evolution of Paleogene depositional systems, Williston Basin, in response to global sea level changes. In *Cenozoic Paleogeography of the West-Central United States, Rocky Mountain Section (SEPM)*, p.127-170.
- Clyde, W.C., Ramezani, J., Johnson, K.R., Bowring, S.A., & Jones, M.M. (2016). Direct high-precision U–Pb geochronology of the end-Cretaceous extinction and calibration of Paleocene astronomical timescales. *Earth and Planetary Science Letters*, 452, 272-280.
- Collier, A.J., & Knechtel, M.M. (1939). The coal resources of McCone county, Montana. Washington: US Government Printing Office.
- Collinson, M.E., Steart, D., Scott, A., Glasspool, I., & Hooker, J. (2007). Episodic fire, runoff and deposition at the Palaeocene–Eocene boundary. *Journal of the Geological Society*, 164, 87-97.
- Cross, T.A. (1988). Controls on coal distribution in transgressive-regressive cycles, Upper Cretaceous, Western Interior, USA. In *Sea-Level Changes—An Integrated Approach*, SEPM Special Publication, 42, 371-380.
- Cvancara, A.M. (1972). Summary of the Cannonball Formation (Paleocene) in North Dakota. *North Dakota Geological Survey Miscellaneous Series*, 50, 69-75.
- Cvancara, A.M. (1976). Geology of the Cannonball Formation (Paleocene) in the Williston Basin, with reference to uranium potential. University of North Dakota, Department of Geology.
- Cvancara, A.M. (1986). The Cannonball Formation (Paleocene) of central-most North America. *North Dakota Geological Society 2008 - Tertiary and Upper Cretaceous of South-Central and Western North Dakota: 1986 Field Trip*, 23-24.
- Dam, G. (1998). Sedimentological evolution of a fault-controlled Early Paleocene incised-valley system, Nuussuaq Basin, West Greenland.
- Dam, G., Pedersen, G.K., Sønderholm, M., Midtgaard, H.H., Larsen, L.M., Nøhr-Hansen, H., & Pedersen, A.K. (2009). Lithostratigraphy of the Cretaceous–Paleocene Nuussuaq Group, Nuussuaq Basin, West Greenland. *Geological Survey of Denmark and Greenland Bulletin*, 19, 171.
- Davies-Vollum, K.S., & Smith, N.D. (2008). Factors affecting the accumulation of organic-rich deposits in a modern avulsive floodplain: examples from the Cumberland Marshes, Saskatchewan, Canada. *Journal of Sedimentary Research*, 78, 683-692.
- Davydov, V.I., Crowley, J.L., Schmitz, M.D., & Poletaev, V.I. (2010). High-precision U–Pb zircon age calibration of the global Carboniferous time scale and Milankovitch band cyclicity in the Donets basin, eastern Ukraine. *Geochemistry, Geophysics, Geosystems*, 11(2).
- DeCelles, P.G. (2004). Late Jurassic to Eocene evolution of the Cordilleran thrust belt and foreland basin system, western USA. *American Journal of Science*, 304(2), 105-168.
- D'Hondt, S., King, J., & Gibson, C. (1996). Oscillatory marine response to the Cretaceous-Tertiary impact. *Geology*, 24(7), 611-614.
- Dickinson, W.R., Klute, M.A., Hayes, M.J., Janecke, S.U., Lundin, E.R., McKittrick, M.A., & Olivares, M.D. (1988). Paleogeographic and paleotectonic setting of Laramide sedimentary basins in the central Rocky Mountain region. *Geological Society of America Bulletin*, 100(7), 1023-1039.
- Diefendorf, A.F., Freeman, K.H., Wing, S.L., Currano, E.D., & Mueller, K.E. (2015). Paleogene plants fractionated carbon isotopes similar to modern plants. *Earth and Planetary Science Letters*, 429, 33-44.

- Diessel, C.F. (1992). Coal Formation and Sequence Stratigraphy. In *Coal-Bearing Depositional Systems* (pp. 461-514). Springer.
- Dinarès-Turell, J., Westerhold, T., Pujalte, V., Röhl, U., & Kroon, D. (2014). Astronomical calibration of the Danian stage (Early Paleocene) revisited: Settling chronologies of sedimentary records across the Atlantic and Pacific Oceans. *Earth and Planetary Science Letters*, 405, 119-131.
- Durkin, P.R., Hubbard, S.M., Boyd, R.L., & Leckie, D.A. (2015). Stratigraphic expression of intra-point-bar erosion and rotation. *Journal of Sedimentary Research*, 85, 1238-1257.
- Eberth, D.A. (1996). Origin and significance of mud-filled incised valleys (Upper Cretaceous) in southern Alberta, Canada. *Sedimentology*, 43, 459-477.
- Eglinton, G., & Hamilton, R.J. (1967). Leaf epicuticular waxes. *Science*, 156(3780), 1322-1335.
- Eglinton, G., & Logan, G.A. (1991). Molecular preservation: *Philosophical transactions of the Royal Society of London. Biological sciences*, 333(1268), 315-328.
- Erickson, J.M. (1999). The Dakota Isthmus – Closing the Late Cretaceous Western Interior Seaway. *Proceedings of the North Dakota Academy of Science*, 53, 124-129.
- Esmeijer-Liu, A.J., Kürschner, W.M., Lotter, A.F., Verhoeven, J.T., & Goslar, T. (2012). Stable carbon and nitrogen isotopes in a peat profile are influenced by early stage diagenesis and changes in atmospheric CO<sub>2</sub> and N deposition. *Water, Air, & Soil Pollution*, 223(5), 2007-2022.
- Ethridge, F.G., Wood, L.J., & Schumm, S. (1998). Cyclic variables controlling fluvial sequence development: problems and perspectives.
- Fastovsky, D.E. (1987). Paleoenvironments of vertebrate-bearing strata during the Cretaceous-Paleogene transition, eastern Montana and western North Dakota (USA). *Palaeos*, 2(3), 282-295.
- Fastovsky, D.E., & Bercovici, A. (2016). The Hell Creek Formation and its contribution to the Cretaceous-Paleogene extinction: A short primer. *Cretaceous Research*, 57, 368-390.
- Fastovsky, D.E. & Dott, R.H. (1986). Sedimentology, stratigraphy, and extinctions during the Cretaceous-Paleogene transition at Bug Creek, Montana ( USA). *Geology*, 14, 279-282.
- Fenner, W.E. (1974). The foraminiferids of the Cannonball Formation (Paleocene, Danian) and their paleoenvironmental significance: Grant, Morton and Oliver Counties, North Dakota. Doctoral dissertation, University of North Dakota.
- Ferm, J.C. (1970). Allegheny deltaic deposits.
- Ficken, K.J., Li, B., Swain, D., & Eglinton, G. (2000). An n-alkane proxy for the sedimentary input of submerged/floating freshwater aquatic macrophytes. *Organic Geochemistry*, 31(7-8), 745-749.
- Fielding, C.R., & Webb, J.A. (1996). Facies and cyclicity of the Late Permian Bainmedart Coal Measures in the Northern Prince Charles Mountains, MacRobertson Land, Antarctica. *Sedimentology*, 43(2), 295-322.
- Fielding, C.R. (1984). A coal depositional model for the Durham Coal Measures of NE England. *Journal of the Geological Society*, 141(5), 919-931.
- Fisher, R. (1953). Dispersion on a sphere. *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 217, 295-305.
- Fleming, K., Johnston, P., Zwart, D., Yokoyama, Y., Lambeck, K., & Chappell, J. (1998). Refining the eustatic sea-level curve since the Last Glacial Maximum using far- and intermediate-field sites. *Earth and Planetary Science Letters*, 163, 327-342.
- Flores, R.M. (2003). Paleocene paleogeographic, paleotectonic, and paleoclimatic patterns of the northern Rocky Mountains and Great Plains region.
- Foreman, B. (2014). Climate-driven generation of a fluvial sheet sand body at the Paleocene-Eocene boundary in northwest Wyoming (USA). *Basin Research*, 26, 225-241.
- Flores, R., & Keighin, C. (1999). Fort Union coal in the Williston Basin, North Dakota: a synthesis. US Geological Survey Professional Paper A, 1625.

- Flores, R., Keighin, C., Ochs, A., Warwick, P., Bader, L., & Murphy, E. (1999). Framework geology of Fort Union coal in the Williston Basin. Fort Union Assessment Team, US Geological Survey Professional Paper, 1625-A, 1–64.
- Glasspool, I.J., & Scott, A.C. (2010). Phanerozoic concentrations of atmospheric oxygen reconstructed from sedimentary charcoal. *Nature Geoscience*, 3, 627–630.
- Gibling, M.R. (2006). Width and thickness of fluvial channel bodies and valley fills in the geological record: a literature compilation and classification. *Journal of Sedimentary Research*, 76, 731–770.
- Gibling, M.R., Nanson, G.C., & Maroulis, J.C. (1998). Anastomosing river sedimentation in the Channel Country of central Australia. *Sedimentology*, 45, 595–619.
- Goodbred, S.L. (2003). Response of the Ganges dispersal system to climate change: a source-to-sink view since the last interstade. *Sedimentary Geology*, 162, 83–104.
- Guccione, M., Burford, M., & Kendall, D. (1999). Pemiscot Bayou, a large distributary of the Mississippi River and a possible failed avulsion. *Fluvial Sedimentology VI. Special Publication of the International Association of Sedimentologists*, 28, 211–220.
- Hajek, E.A., & Straub, K.M. (2017). Autogenic sedimentation in clastic stratigraphy. *Annual Review of Earth and Planetary Sciences*, 45(1).
- Hartman, J.H. (1993). Road log to the type areas of the Paleocene Slope Formation and intercalated tongues of the Cannonball Formation, Slope County, North Dakota.
- Hartman, J.H., Butler, R.D., Weiler, M.W., & Schumaker, K.K. (2014). Context, naming, and formal designation of the Cretaceous Hell Creek Formation lectostratotype, Garfield County, Montana. *Geological Society of America Special Papers*, 503, 89–121.
- Heckel, P.H. (2008). Pennsylvanian cyclothems in Midcontinent North America as far-field effects of waxing and waning of Gondwana ice sheets. *Geological Society of America Special Papers*, 441, 275–289.
- Hildebrand, A.R., Penfield, G.T., Kring, D.A., Pilkington, M., Camargo Z, A., Jacobsen, S.B., & Boynton, W.V. (1991). Chicxulub crater: a possible Cretaceous/Tertiary boundary impact crater on the Yucatan Peninsula, Mexico. *Geology*, 19(9), 867–871.
- Hilgen, F.J., Hinnov, L.A., Aziz, H.A., Abels, H.A., Batenburg, S., Bosmans, J.H., (...), & Lourens, L.J. (2015). Stratigraphic continuity and fragmentary sedimentation: the success of cyclostratigraphy as part of integrated stratigraphy. *Geological Society, London, Special Publications*, 404, 157–197.
- Hilgen, F.J., Kuiper, K.F., & Lourens, L.J. (2010). Evaluation of the astronomical time scale for the Paleocene and earliest Eocene. *Earth and Planetary Science Letters*, 300(1), 139–151.
- Hilgen, F., Laskar, J., & Zeeden, C. (2017). Reconstructing orbital eccentricity between 61 and 66 Ma and the influence of Neptune on Earth's climate. In *EGU General Assembly Conference Abstracts*, pp. 11071.
- Holbrook, J., & Schumm, S.A. (1999). Geomorphic and sedimentary response of rivers to tectonic deformation: a brief review and critique of a tool for recognizing subtle epeirogenic deformation in modern and ancient settings. *Tectonophysics*, 305, 287–306.
- Holbrook, J., Scott, R.W., & Oboh-Ikuenobe, F.E. (2006). Base-level buffers and buttresses: a model for upstream versus downstream control on fluvial geometry and architecture within sequences. *Journal of Sedimentary Research*, 76, 162–174.
- Holdgate, G.R., McGowran, B., Fromhold, T., Wagstaff, B.E., Gallagher, S.J., Wallace, M.W., (...), & Whitelaw, M. (2009). Eocene–Miocene carbon-isotope and floral record from brown coal seams in the Gippsland Basin of southeast Australia. *Global and Planetary Change*, 65(1–2), 89–103.
- Holdgate, G., Wallace, M., O'Connor, M., Korasidis, V., & Lieven, U. (2016). The origin of lithotype cycles in Oligo–Miocene brown coals from Australia and Germany. *International Journal of Coal Geology*, 166, 47–61.

- Huang, C., Retallack, G.J., Wang, C., & Huang, Q. (2013). Paleatmospheric pCO<sub>2</sub> fluctuations across the Cretaceous–Tertiary boundary recorded from paleosol carbonates in NE China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 385, 95–105.
- Husson, D., Galbrun, B., Laskar, J., Hinnov, L.A., Thibault, N., Gardin, S., & Locklair, R.E. (2011). Astronomical calibration of the Maastrichtian (late Cretaceous). *Earth and Planetary Science Letters*, 305(3–4), 328–340.
- ICCP. (1963). International Committee for Coal Petrology. *International Handbook for Coal Petrography*. Centre National De La Recherche Scientifique, France.
- ICCP. (2001). International Committee for Coal Petrology. The new inertinite classification (ICCP System 1994). *Fuel*, 80, 459–471.
- Ickert, R.B., Mulcahy, S.R., Sprain, C.J., Banaszak, J.F., & Renne, P.R. (2015). Chemical and Pb isotope composition of phenocrysts from bentonites constrains the chronostratigraphy around the Cretaceous–Paleogene boundary in the Hell Creek region, Montana. *Geochemistry, Geophysics, Geosystems*, 16, 2743–2761.
- Jerrett, R., Davies, R., Hodgson, D., Flint, S., & Chiverrell, R. (2011). The significance of hiatal surfaces in coal seams. *Journal of the Geological Society*, 168(3), 629–632.
- Jerrett, R.M., Price, G.D., Grimes, S.T., & Dawson, A.T. (2015). A paleoclimatic and paleatmospheric record from peatlands accumulating during the Cretaceous–Paleogene boundary event, Western Interior Basin, Canada. *Geological Society of America Bulletin*, 127, 1564–1582.
- Jirásek, J., Opluštil, S., Sivek, M., Schmitz, M.D., & Abels, H.A. (2017). Astronomical forcing of Carboniferous paralic sedimentary cycles in the Upper Silesian Basin, Czech Republic (Serpukhovian, latest Mississippian): New radiometric ages afford an astronomical age model for European biozonations and substages. *Earth-Science Reviews*.
- Johnson, K.R., Nichols, D.J., & Hartman, J.H. (2002). Hell Creek Formation: A 2001 synthesis. *Geological Society of America Special Papers*, 361, 503–510.
- Jones, T.P., Fortier, S.M., Mosbrugger, V., Roessler, J., Utescher, T., & Ashraf, A.R. (1997). 13C/12C ratio double cyclicity in a Miocene browncoal: Isotopic signals and orbital forcing. *Terra Nova*, 9(1), 19–23.
- Kent, D., & Christopher, J. (1994). Geological history of the Williston Basin and Sweetgrass arch. *Geological Atlas of the Western Canada Sedimentary Basin*, 421–430.
- Kirschvink, J. (1980). The least-squares line and plane and the analysis of palaeomagnetic data. *Geophysical Journal International*, 62, 699–718.
- Knittel, U., Suzuki, S., Akhmetiev, M., Sun, G., Walia, M., & Hung, C. (2013). 66±1 Ma single zircon U–Pb date confirms the location of the non-marine K–Pg boundary in the Amur/Heilongjiang River area, (Russia, China). *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, 270(1), 1–11.
- Knox, J.C. (1972). Valley alluviation in southwestern Wisconsin. *Annals of the Association of American Geographers*, 62, 401–410.
- Korasisid, V.A., Wallace, M.W., Wagstaff, B.E., Holdgate, G.R., Tosolini, A.P., & Jansen, B. (2016). Cyclic floral succession and fire in a Cenozoic wetland/peatland system. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 461, 237–252.
- Koymans, M.R., Langereis, C.G., Pastor-Galán, D., & Van Hinsbergen, D.J. (2016). Paleomagnetism.org: An online multi-platform open source environment for paleomagnetic data analysis. *Computers & Geosciences*, 93, 127–137.
- Kraus, M.J. (1999). Paleosols in clastic sedimentary rocks: their geologic applications. *Earth-Science Reviews*, 47, 41–70.
- Kroon, D., Zachos, J., & Richter, C. (2007). Leg 208 synthesis: Cenozoic climate cycles and excursions. *Proceedings of the Ocean Drilling Program, Scientific Results* 1–55.
- Kuiper, K.F., Deino, A., Hilgen, F.J., Krijgsman, W., Renne, P.R., & Wijbrans, J.R. (2008). Synchronizing rock clocks of Earth history. *Science*, 320(5875), 500–504.

- Kurtz, A., Kump, L., Arthur, M., Zachos, J., & Paytan, A. (2003). Early Cenozoic decoupling of the global carbon and sulfur cycles. *Paleoceanography*, 18(4).
- Kuypers, M.M., Pancost, R.D., & Damste, J.S.S., (1999). A large and abrupt fall in atmospheric CO<sub>2</sub> concentration during Cretaceous times. *Nature*, 399(6734), 342.
- Lane, E.W. (1955). Importance of fluvial morphology in hydraulic engineering. *Proceedings (American Society of Civil Engineers)*; 81(745).
- Langenheim, R.L., Nelson, W.J., & Dott, R. (1992). The cyclothemic concept in the Illinois Basin: a review: Eustasy: The Historical Ups and Downs of a Major Geological Concept. *Geological Society of America Memoir*, 180(55-72).
- Large, D.J., Jones, T.F., Somerfield, C., Goringe, M.C., Spiro, B., Macquaker, J.H.S., & Atkin, B.P. (2003). High-resolution terrestrial record of orbital climate forcing in coal. *Geology*, 31(4), 303-306.
- Large, D.J., Jones, T.F., Briggs, J., Macquaker, J.H., & Spiro, B.F. (2004). Orbital tuning and correlation of 1.7 my of continuous carbon storage in an early Miocene peatland. *Geology*, 32(10), 873-876.
- Laskar, J., Fienga, A., Gastineau, M., & Manche, H. (2011). La2010: a new orbital solution for the long-term motion of the Earth. *Astronomy & Astrophysics*, 532, A89.
- Laskar, J., Robutel, P., Joutel, F., Gastineau, M., Correia, A., & Levrard, B. (2004). A long-term numerical solution for the insolation quantities of the Earth. *Astronomy & Astrophysics*, 428, 261-285.
- LeCain, R., Clyde, W.C., Wilson, G.P., & Riedel, J. (2014). Magnetostratigraphy of the Hell Creek and lower fort union formations in northeastern Montana. *Geological Society of America Special Papers*, 503, 137-147.
- Leopold, L.B. & Bull, W.B. (1979). Base level, aggradation, and grade. *Proceedings of the American Philosophical Society*, 123, 168-202.
- Lerbekmo, J., Sweet, A., Duke, M., Ryder, G., Fastovsky, D., & Gartner, S. (1996). A normal polarity subchron that embraces the K/T boundary: a measure of sedimentary continuity across the boundary and synchronicity of boundary events. *Geological Society of America, Special Paper*, v. 307, 465-476.
- Lofgren, D.L., Hotton, C.L., & Runkel, A.C. (1990). Reworking of Cretaceous dinosaurs into Paleocene channel, deposits, upper Hell Creek Formation, Montana. *Geology*, 18, 874-877.
- Lofgren, D.L. (1995). The Bug Creek problem and the Cretaceous-Tertiary transition at McGuire Creek, Montana. *University of California Publications in Geological Sciences*, 140, 185.
- Lücke, A., Helle, G., Schleser, G.H., Figueiral, I., Mosbrugger, V., Jones, T.P., & Rowe, N.P. (1999). Environmental history of the German Lower Rhine Embayment during the Middle Miocene as reflected by carbon isotopes in brown coal. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 154(4), 339-352.
- Mackin, J.H. (1948). Concept of the graded river. *Geological Society of America Bulletin*, 59, 463-512.
- Markevich, V., Bugdaeva, E., Nichols, D., & Sun, G. (2010). Paleogene coal-forming plants of the Zeya-Bureya Basin (Amur River Region). *Paleontological Journal*, 44(10), 1321-1331.
- McCabe, P.J. (1984). Depositional environments of coal and coal-bearing strata. Wiley Online Library.
- Miall, A.D. (1985). Architectural-element analysis: a new method of facies analysis applied to fluvial deposits.
- Miall, A.D. (1991). Stratigraphic sequences and their chronostratigraphic correlation. *Journal of Sedimentary Research*, 61(4).
- Miall, A.D. (2014). *Fluvial depositional systems*. Springer.
- Michaelsen, P., & Henderson, R.A. (2000). Facies relationships and cyclicity of high-latitude, Late Permian coal measures, Bowen Basin, Australia. *International Journal of Coal Geology*, 44, 19-48.
- Moore, D. (1959). Role of deltas in the formation of some British Lower Carboniferous cyclothems. *The Journal of geology*, 67(5), 522-539.
- Moore, W.L. (1976). Stratigraphy and environments of deposition of the Cretaceous Hell Creek Formation (reconnaissance) and the Paleocene Ludlow Formation (detailed), southwestern North Dakota. Report of investigations No.56.



- Moore, J.R., Wilson, G.P., Sharma, M., Hallock, H.R., Braman, D.R., & Renne, P.R. (2014). Assessing the relationships of the Hell Creek–Fort Union contact, Cretaceous–Paleogene boundary, and Chicxulub impact ejecta horizon at the Hell Creek Formation lectostratotype, Montana, USA. *Geological Society of America Special Papers*, 503, 123–135.
- Mullender, T.A.T., Frederichs, T., Hilgenfeldt, C., de Groot, L.V., Fabian, K., & Dekkers, M.J. (2016). Automated paleomagnetic and rock magnetic data acquisition with an in-line horizontal “2G” system. *Geochemistry, Geophysics, Geosystems*, 17, 1–14.
- Nadon, G., & Issler, D. (1997). The compaction of floodplain sediments: timing, magnitude and implications. *Geoscience Canada*, 24, 37–43.
- Nagata, T., Akimoto, S., & Uyeda, S. (1951). Reverse thermo-remanent magnetism. *Proceedings of the Japan Academy*, 27, 643–645.
- Noorbergen, L.J., Abels, H.A., Hilgen, F.J., Robson, B.E., De Jong, E., Dekkers, M.J., (...), & Kuiper, K.F. (2018). Conceptual models for short-eccentricity-scale climate control on peat formation in a lower Paleocene fluvial system, north-eastern Montana (USA). *Sedimentology*, 65, 775–808.
- Ogg, J. (2012). Geomagnetic polarity time scale. In *The geologic time scale*, pp. 85–113. Elsevier.
- Olsen, H. (1990). Astronomical forcing of meandering river behaviour: Milankovitch cycles in Devonian of East Greenland. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 79(1–2), 99–115.
- Olsen, H., de Boer, P., & Smith, D. (1994). Orbital forcing on continental depositional systems—lacustrine and fluvial cyclicity in the Devonian of East Greenland. In *Orbital forcing and cyclic sequences*, International Association of Sedimentologists, Special Publication 19, 429–438.
- Paillard, D., Labeyrie, L., & Yiou, P. (1996). Macintosh program performs time-series analysis. *Eos, Transactions American Geophysical Union*, 77, 379–379.
- Pancost, R.D., & Boot, C.S. (2004). The palaeoclimatic utility of terrestrial biomarkers in marine sediments. *Marine Chemistry*, 92(1–4), 239–261.
- Paproth, E., Dusar, M., Verkaeren, P., & Bless, M.J. (1996). Stratigraphy and cyclic nature of lower Westphalian deposits in the boreholes KB174 and KB206 in the Belgian Campine. *Annales de la Société géologique de Belgique*.
- Peppe, D.J. (2010). Megafloal change in the early and middle Paleocene in the Williston Basin, North Dakota, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 298, 224–234.
- Peppe, D., Evans, D., & Smirnov, A. (2009). Magnetostratigraphy of the Ludlow Member of the Fort Union Formation (Lower Paleocene) in the Williston Basin, North Dakota. *Geological Society of America Bulletin*, 121, 65–79.
- Pons, L.J. (1957). *De geologie, de bodemvorming en de waterstaatkundige ontwikkeling van het Land van Maas en Waal en een gedeelte van het Rijk van Nijmegen*. Wageningen: Wageningen University and Research Centre.
- Posamentier, H., & Vail, P. (1988). Eustatic controls on clastic deposition II—sequence and systems tract models.
- Potter, J., PetroGraphics, J., McIlreath, I., & Natras, T. (2008). *Lithotypes, Macerals and Coal Facies Studies of Lower Cretaceous Medicine River Coals in South Central Alberta: Applications in CBM Exploration, Depositional Environments and Tectonic History Studies*. Back to Exploration, 777–780.
- Quan, C., Liu, Y.C., & Utescher, T. (2012). Paleogene temperature gradient, seasonal variation and climate evolution of northeast China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 313, 150–161.
- Quirk, D.G. (1996). ‘Base profile’: a unifying concept in alluvial sequence stratigraphy. *Geological Society, London, Special Publications*, 104(1), 37–49.
- Rahmani, R., & Flores, R. (1984). *Sedimentology of Coal and Coal-Bearing Sequences of North America: A Historical Review*. Special Publication of the International Association of Sedimentologists, 7.
- Rajchl, M., & Uličný, D. (2005). Depositional record of an avulsive fluvial system controlled by peat compaction (Neogene, Most Basin, Czech Republic). *Sedimentology*, 52(3), 601–625.

- Renne, P.R., Deino, A.L., Hilgen, F.J., Kuiper, K.F., Mark, D.F., Mitchell, W.S., (...), and Smit, J. (2013). Time scales of critical events around the Cretaceous–Paleogene boundary. *Science*, 339, 684–687.
- Renne, P.R., Sprain, C.J., Richards, M.A., Self, S., Vanderkluyzen, L., & Pande, K. (2015). State shift in Deccan volcanism at the Cretaceous–Paleogene boundary, possibly induced by impact. *Science*, 350(6256), 76–78.
- Retallack, G.J. (1994). A pedotype approach to latest Cretaceous and earliest Tertiary paleosols in eastern Montana. *Geological Society of America Bulletin*, 106(11), 1377–1397.
- Richards, M.A., Alvarez, W., Self, S., Karlstrom, L., Renne, P.R., Manga, M., (...), & Gibson, S.A. (2015). Triggering of the largest Deccan eruptions by the Chicxulub impact. *GSA Bulletin*, 127(11–12), 1507–1520.
- Rigby Jr, J.K., Newman, K.R., Van Der Kaars, Smit, J., Sloan, R.E., & Rigby, J.K. (1987). Dinosaurs from the Paleocene part of the Hell Creek Formation, McCone County, Montana. *Palaios*, 296–302.
- Rigby, J., & Rigby Jr., J. (1990). *Geology of the Sand Arroyo and Bug Creek Quadrangles: McCone County, Montana*. Brigham Young University Geology Studies, 36, 69–134.
- Robson, B.E., Collinson, M.E., Riegel, W., Wilde, V., Scott, A.C., & Pancost, R.D. (2015). Early Paleogene wildfires in peat-forming environments at Schöningen, Germany. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 437, 53–62.
- Roy, N., Sinha, R., & Gibling, M. (2012). Aggradation, incision and interfluvial flooding in the Ganga Valley over the past 100,000 years: testing the influence of monsoonal precipitation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 356, 38–53.
- Sames, B., Wagerich, M., Wendler, J., Haq, B., Conrad, C., Melinte-Dobrinescu, M., (...), & Yilmaz, I. (2016). Short-term sea-level changes in a greenhouse world—A view from the Cretaceous. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 441, 393–411.
- Schimper, W.P. (1874). *Traité de Paléontologie végétale ou la flore du monde primitif dans ses rapports avec les formations géologiques*, JB Baillièrre et Fils.
- Schulz, M., & Mudelsee, M. (2002). REDFIT: estimating red-noise spectra directly from unevenly spaced paleoclimatic time series. *Computers & Geosciences*, 28, 421–426.
- Schumm, S.A. (1968a). *River adjustment to altered hydrologic regimen, Murrumbidgee River and paleochannels, Australia*. Washington: US Government Printing Office.
- Schumm, S. (1968b). Speculations concerning paleohydrologic controls of terrestrial sedimentation. *Geological Society of America Bulletin*, 79, 1573–1588.
- Schumm, S. (1993). River response to baselevel change: implications for sequence stratigraphy. *The Journal of geology*, 101(2), 279–294.
- Slater, J.G., & Christie, P. (1980). Continental stretching; an explanation of the post-Mid-Cretaceous subsidence of the central North Sea basin. *Journal of Geophysical Research*, 85, 3711–3739.
- Scott, A.C. (2010). Charcoal recognition, taphonomy and uses in palaeoenvironmental analysis. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 291, 11–39.
- Scott, A.C., & Glasspool, I.J. (2007). Observations and experiments on the origin and formation of inertinite group macerals. *International Journal of Coal Geology*, 70, 53–66.
- Shanley, K.W., & McCabe, P.J. (1994). Perspectives on the sequence stratigraphy of continental strata. *AAPG Bulletin*, 78(4), 544–568.
- Sloan, R.E., & Rigby Jr, J.K. (1986). Response: Cretaceous–Tertiary dinosaur extinction. *Science*, 234, 1173–1175.
- Sloan, R.E., Rigby Jr., J.K., Van Valen, L.M., & Gabriel, D. (1986). Gradual dinosaur extinction and simultaneous ungulate radiation in the Hell Creek Formation. *Science*, 232, 629–633.
- Sloan, R.E., & Van Valen, L. (1965). Cretaceous Mammals from Montana. *Science*, 148, 220–227.
- Sloss, L. (1963). Sequences in the cratonic interior of North America. *Geological Society of America Bulletin*, 74(2), 93–114.

- Smit, J., & Hertogen, J. (1980). An extraterrestrial event at the Cretaceous-Tertiary boundary. *Nature*, 285(5762), 198-200.
- Smit, J., & Klaver, G. (1981). Sanidine spherules at the Cretaceous-Tertiary boundary indicate a large impact event. *Nature*, 292, 47-49.
- Smit, J., & Van der Kaars, S. (1984). Terminal Cretaceous extinctions in the Hell Creek area, Montana: compatible with catastrophic extinction. *Science (New York, N.Y.)*, 223, 1177-1179.
- Smit, J., Van der Kaars, S., & Rigby Jr., J.K. (1987). Stratigraphic aspects of the Cretaceous-Tertiary boundary in the Bug Creek area of eastern Montana, USA. *Mémoires de la Société Géologique de France, Nouvelle Série*, 150, 53-73.
- Smith, N.D., & Pérez-Arlucea, M. (2004). Effects of peat on the shapes of alluvial channels: examples from the Cumberland Marshes, Saskatchewan, Canada. *Geomorphology*, 61, 323-335.
- Sprain, C.J., Feinberg, J.M., Renne, P.R., & Jackson, M. (2016). Importance of titanohematite in detrital remanent magnetizations of strata spanning the Cretaceous-Paleogene boundary, Hell Creek region, Montana. *Geochemistry, Geophysics, Geosystems*, 17, 660-678.
- Sprain, C.J., Renne, P.R., Clemens, W.A., & Wilson, G.P. (2018). Calibration of chron C29r: New high-precision geochronologic and paleomagnetic constraints from the Hell Creek region, Montana. *Geological Society of America Bulletin*.
- Sprain, C.J., Renne, P.R., Wilson, G.P., & Clemens, W.A. (2015). High-resolution chronostratigraphy of the terrestrial Cretaceous-Paleogene transition and recovery interval in the Hell Creek region, Montana. *Geological Society of America Bulletin*, 127(3-4), 393-409.
- Stanley, S. (2009). *Earth system history*.
- Staub, J.R., & Cohen, A.D. (1979). The Snuggedy Swamp of South Carolina: a back-barrier estuarine coal-forming environment. *Journal of Sedimentary Research*, 49.
- Straub, K.M., Paola, C., Mohrig, D., Wolinsky, M.A., & George, T. (2009). Compensational stacking of channelized sedimentary deposits. *Journal of Sedimentary Research*, 79, 673-688.
- Storme, J., Dupuis, C., Schnyder, J., Quesnel, F., Garel, S., Iakovleva, A.I., (...), & Yans, J. (2012). Cycles of humid-dry climate conditions around the P/E boundary: new stable isotope data from terrestrial organic matter in Vasterival section (NW France). *Terra Nova*, 24(2), 114-122.
- Summerfield, A. (1991). *Global Geomorphology* Longman. New York.
- Swann, D.H. (1964). Late Mississippian rhythmic sediments of Mississippi valley. *AAPG Bulletin*, 48(5), 637-658.
- Swisher III, C.C., Dingus, L., & Butler, R.F. (1993). <sup>40</sup>Ar/<sup>39</sup>Ar dating and magnetostratigraphic correlation of the terrestrial Cretaceous-Paleogene boundary and Puercan Mammal Age, Hell Creek-Tullock formations, eastern Montana. *Canadian Journal of Earth Sciences*, 30, 1981-1996.
- Sýkorová, I., Pickel, W., Christanis, K., Wolf, M., Taylor, G., & Flores, D. (2005). Classification of huminite—ICCP System 1994. *International Journal of Coal Geology*, 62, 85-106.
- Tandon, S., Gibling, M., Sinha, R., Singh, V., Ghazanfari, P., Dasgupta, A., Jain, M., & Jain, V. (2006). Alluvial valleys of the Ganga Plains, India: timing and causes of incision.
- Teichmüller, M. (1989). The genesis of coal from the viewpoint of coal petrology. *International Journal of Coal Geology*, 12, 1-87.
- Thom, W., & Dobbin, C. (1924). Stratigraphy of Cretaceous-Eocene transition beds in eastern Montana and the Dakotas. *Geological Society of America Bulletin*, 35, 481-506.
- Ting, F.T. (1972). Petrified peat from a Paleocene lignite in North Dakota. *Science*, 177, 165-166.
- Ting, F. (1977). Microscopical investigation of the transformation (diagenesis) from peat to lignite. *Journal of microscopy*, 109, 75-83.

- Törnqvist, T.E. (1993). Holocene alternation of meandering and anastomosing fluvial systems in the Rhine-Meuse delta (central Netherlands) controlled by sea-level rise and subsoil erodibility. *Journal of Sedimentary Research*, 63, 683-693.
- Triplehorn, D.M., Stanton, R.W., Ruppert, L.F. and Crowley, S.S. (1991). Volcanic ash dispersed in the Wyodak-Anderson coal bed, Powder River basin, Wyoming. *Organic Geochemistry*, 17, 567-575.
- Vajda, V., Raine, J.I., & Hollis, C.J. (2001). Indication of global deforestation at the Cretaceous-Tertiary boundary by New Zealand fern spike. *Science*, 294(5547), 1700-1702.
- Van Alstine, J.B. (1974). Paleontology of brackish-water faunas in two tongues of the Cannonball Formation (Paleocene, Danian), Slope and Golden Valley Counties, southwestern North Dakota. Doctoral dissertation, University of North Dakota.
- Van Asselen, S., Stouthamer, E., & Van Asch, T.W. (2009). Effects of peat compaction on delta evolution: a review on processes, responses, measuring and modeling. *Earth-Science Reviews*, 92, 35-51.
- Vandenbergh, J. (2003). Climate forcing of fluvial system development: an evolution of ideas. *Quaternary Science Reviews*, 22, 2053-2060.
- Vandenbergh, J. (2015). River terraces as a response to climatic forcing: formation processes, sedimentary characteristics and sites for human occupation. *Quaternary International*, 370, 3-11.
- Vandenbergh, N., Hilgen, F.J., & Speijer, R. (2012). The paleogene period. In Gradstein, F.M., Ogg, J.G., Schmitz, M. and Ogg, G., *The geologic time scale*, pp. 855-921. Elsevier.
- Van den Belt, Frank J.G., van Hoof, T.B., & Pagnier, H.J. (2015). Revealing the hidden Milankovitch record from Pennsylvanian cyclothem successions and implications regarding late Paleozoic chronology and terrestrial-carbon (coal) storage. *Geosphere*, 11(4), 1062-1076.
- Van Dijk, G. (1991). Holocene water level development in The Netherlands' river area; implications for sea-level reconstruction. *Geologie en Mijnbouw*, 70, 311-326.
- Vassilev, S.V., Baxter, D., Andersen, L.K., & Vassileva, C.G. (2010). An overview of the chemical composition of biomass. *Fuel*, 89(5), 913-933.
- Villamil, T. (1999). Campanian-Miocene tectonostratigraphy, depocenter evolution and basin development of Colombia and western Venezuela. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 153(1), 239-275.
- Wang, H., Shao, L., Large, D.J., & Wignall, P.B. (2011). Constraints on carbon accumulation rate and net primary production in the Lopingian (Late Permian) tropical peatland in SW China. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 300(1-4), 152-157.
- Wanless, H.R., & Shepard, F.P. (1936). Sea level and climatic changes related to late Paleozoic cycles. *Bulletin of the Geological Society of America*, 47(8), 1177-1206.
- Wanless, H.R., & Weller, J.M. (1932). Correlation and extent of Pennsylvanian cyclothems. *Bulletin of the Geological Society of America*, 43(4), 1003-1016.
- Warwick, P.D., Flores, R.M., Nichols, D.J., & Murphy, E.C. (2004). Chronostratigraphic and depositional sequences of the Fort Union Formation (Paleocene), Williston Basin, North Dakota, South Dakota, and Montana. In Pashin, J.C., & Gastaldo, R.A. (Red.), *Sequence stratigraphy, paleoclimate, and tectonics of coal-bearing strata: AAPG Studies in Geology*, pp. 121-25. American Association of Petroleum Geologists (AAPG).
- Weller, J.M. (1930). Cyclical sedimentation of the Pennsylvanian period and its significance. *The Journal of geology*, 38(2), 97-135.
- Wendler, J.E., Meyers, S.R., Wendler, I., & Kuss, J. (2014). A million-year-scale astronomical control on Late Cretaceous sea-level. *Newsletters on Stratigraphy*, 47, 1-19.
- Wendler, J.E., & Wendler, I. (2016). What drove sea-level fluctuations during the mid-Cretaceous greenhouse climate? *Palaeogeography, Palaeoclimatology, Palaeoecology*, 441, 412-419.

- Wendler, J.E., Wendler, I., Vogt, C. & Kuss, J. (2016). Link between cyclic eustatic sea-level change and continental weathering: Evidence for aquifer-eustasy in the Cretaceous. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 441, 430-437.
- Westerhoff, W., Geluk, M., & De Mulder, E. (2003). *Geschiedenis van de ondergrond. De ondergrond van Nederland*. Nederlands Instituut voor Toegepaste Geowetenschappen TNO, 119-246.
- Whitfield, P.H., St-Hilaire, A., & Van der Kamp, G. (2009). Improving hydrological predictions in peatlands. *Canadian Water Resources Journal*, 34, 467-478.
- Woolsey, L.H., Richards, R.W., & Lupton, C.T. (1917). The Bull Mountain Coal Field. *US Geological Survey Bulletin*, 647.
- Wright, V.P., & Marriott, S.B. (1993). The sequence stratigraphy of fluvial depositional systems: the role of floodplain sediment storage. *Sedimentary Geology*, 86(3-4), 203-210.
- Xie, K. (2015). Physical Characteristics of Coal. In Springer, *Structure and Reactivity of Coal*, pp.29-65.
- Zachos, J.C., McCarren, H., Murphy, B., Röhl, U., & Westerhold, T. (2010). Tempo and scale of late Paleocene and early Eocene carbon isotope cycles: Implications for the origin of hyperthermals. *Earth and Planetary Science Letters*, 299(1), 242-249.
- Zijderveld, J. (1967). AC demagnetization of rocks: analysis of results. *Methods in paleomagnetism*, 3, 254-286.