

VU Research Portal

Dissecting the role of Gpr158 in the brain

Çetereisi, D.

2020

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

Çetereisi, D. (2020). *Dissecting the role of Gpr158 in the brain*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

References

1. Jong, Y.-J. I., Harmon, S. K. & O'Malley, K. L. GPCR signalling from within the cell. *Br. J. Pharmacol.* **175**, 4026–4035 (2018).
2. Jong, Y.-J. I., Harmon, S. K. & O'Malley, K. L. Intracellular GPCRs play key roles in synaptic plasticity. *ACS Chem Neurosci* **9**, 2162–2172 (2018).
3. Fredriksson, R., Lagerström, M. C., Lundin, L.-G. & Schiöth, H. B. The G-protein-coupled receptors in the human genome form five main families. Phylogenetic analysis, paralogon groups, and fingerprints. *Mol. Pharmacol.* **63**, 1256–1272 (2003).
4. Bjarnadóttir, T. K. *et al.* Comprehensive repertoire and phylogenetic analysis of the G protein-coupled receptors in human and mouse. *Genomics* **88**, 263–273 (2006).
5. Pierce, K. L., Premont, R. T. & Lefkowitz, R. J. Seven-transmembrane receptors. *Nat. Rev. Mol. Cell Biol.* **3**, 639–650 (2002).
6. Ahmad, R., Wojciech, S. & Jockers, R. Hunting for the function of orphan GPCRs - beyond the search for the endogenous ligand. *Br. J. Pharmacol.* **172**, 3212–3228 (2015).
7. Regard, J. B., Sato, I. T. & Coughlin, S. R. Anatomical profiling of G protein-coupled receptor expression. *Cell* **135**, 561–571 (2008).
8. Hauser, A. S., Attwood, M. M., Rask-Andersen, M., Schiöth, H. B. & Gloriam, D. E. Trends in GPCR drug discovery: new agents, targets and indications. *Nat Rev Drug Discov* **16**, 829–842 (2017).
9. Wettschureck, N. & Offermanns, S. Mammalian G proteins and their cell type specific functions. *Physiol. Rev.* **85**, 1159–1204 (2005).
10. Oldham, W. M. & Hamm, H. E. Heterotrimeric G protein activation by G-protein-coupled receptors. *Nat. Rev. Mol. Cell Biol.* **9**, 60–71 (2008).
11. Neves, S. R., Ram, P. T. & Iyengar, R. G Protein Pathways. *Science* **296**, 1636–1639 (2002).
12. Ngo, T. *et al.* Identifying ligands at orphan GPCRs: current status using structure-based approaches. *Br J Pharmacol* **173**, 2934–2951 (2016).
13. Civelli, O. *et al.* G protein-coupled receptor deorphanizations. *Annu. Rev. Pharmacol. Toxicol.* **53**, 127–146 (2013).
14. Bjarnadóttir, T. K., Fredriksson, R. & Schiöth, H. B. The gene repertoire and the common evolutionary history of glutamate, pheromone (V2R), taste(1) and other related G protein-coupled receptors. *Gene* **362**, 70–84 (2005).
15. Orlandi, C. *et al.* GPR158/179 regulate G protein signaling by controlling localization and activity of the RGS7 complexes. *J. Cell Biol.* **197**, 711–719 (2012).
16. Yona, S., Lin, H.-H., Siu, W. O., Gordon, S. & Stacey, M. Adhesion-GPCRs: emerging roles for novel receptors. *Trends Biochem. Sci.* **33**, 491–500 (2008).

17. Patel, N., Itakura, T., Gonzalez, J. M., Schwartz, S. G. & Fini, M. E. GPR158, an orphan member of G protein-coupled receptor Family C: glucocorticoid-stimulated expression and novel nuclear role. *PLoS ONE* **8**, e57843 (2013).
18. Khirman, L. *et al.* Gpr158 mediates osteocalcin's regulation of cognition. *J. Exp. Med.* **214**, 2859–2873 (2017).
19. Hajj, M. *et al.* Nonclassical Ligand-Independent Regulation of Go Protein by an Orphan Class C G-Protein-Coupled Receptor. *Mol. Pharmacol.* **96**, 233–246 (2019).
20. Sutton, L. P. *et al.* Orphan receptor GPR158 controls stress-induced depression. *Elife* **7**, (2018).
21. Çetereisi, D. *et al.* Gpr158 Deficiency Impacts Hippocampal CA1 Neuronal Excitability, Dendritic Architecture, and Affects Spatial Learning. *Front. Cell. Neurosci.* **13**, (2019).
22. Orlandi, C., Sutton, L. P., Muntean, B. S., Song, C. & Martemyanov, K. A. Homeostatic cAMP regulation by the RGS7 complex controls depression-related behaviors. *Neuropsychopharmacology* **44**, 642–653 (2019).
23. Condomitti, G. *et al.* An input-specific orphan receptor GPR158-HSPG interaction organizes hippocampal mossy fiber-CA3 synapses. *Neuron* **100**, 201-215.e9 (2018).
24. Alberts, B. *et al.* Neural Development. *Molecular Biology of the Cell. 4th edition* (2002).
25. Stiles, J. & Jernigan, T. L. The Basics of Brain Development. *Neuropsychol Rev* **20**, 327–348 (2010).
26. Lefebvre, J. L., Sanes, J. R. & Kay, J. N. Development of Dendritic Form and Function. *Annual Review of Cell and Developmental Biology* **31**, 741–777 (2015).
27. Arikath, J. Molecular mechanisms of dendrite morphogenesis. *Front Cell Neurosci* **6**, 61 (2012).
28. Biederer, T. & Scheiffele, P. Mixed-culture assays for analyzing neuronal synapse formation. *Nat Protoc* **2**, 670–676 (2007).
29. Häusser, M., Spruston, N. & Stuart, G. J. Diversity and dynamics of dendritic signaling. *Science* **290**, 739–744 (2000).
30. Elston, G. N., Benavides-Piccione, R. & DeFelipe, J. The pyramidal cell in cognition: a comparative study in human and monkey. *J. Neurosci.* **21**, RC163 (2001).
31. Kulkarni, V. A. & Firestein, B. L. The dendritic tree and brain disorders. *Mol. Cell. Neurosci.* **50**, 10–20 (2012).
32. Duman, J. G., Tu, Y.-K. & Tolia, K. F. Emerging Roles of BAI Adhesion-GPCRs in Synapse Development and Plasticity. *Neural Plast* **2016**, (2016).
33. Langenhan, T., Piao, X. & Monk, K. R. Adhesion G protein-coupled receptors in nervous system development and disease. *Nat. Rev. Neurosci.* **17**, 550–561 (2016).
34. Lanoue, V. *et al.* The adhesion-GPCR BAI3 , a gene linked to psychiatric disorders, regulates dendrite morphogenesis in neurons. *Molecular Psychiatry* **18**, 943–950 (2013).

35. Qu, Y. *et al.* Atypical cadherins Celsr1-3 differentially regulate migration of facial branchiomotor neurons in mice. *J. Neurosci.* **30**, 9392–9401 (2010).
36. Shima, Y. *et al.* Opposing roles in neurite growth control by two seven-pass transmembrane cadherins. *Nat. Neurosci.* **10**, 963–969 (2007).
37. Luo, R. *et al.* G protein-coupled receptor 56 and collagen III, a receptor-ligand pair, regulates cortical development and lamination. *Proc. Natl. Acad. Sci. U.S.A.* **108**, 12925–12930 (2011).
38. Bernardinelli, Y., Nikonenko, I. & Muller, D. Structural plasticity: mechanisms and contribution to developmental psychiatric disorders. *Front Neuroanat* **8**, (2014).
39. Leung, C. C. Y. & Wong, Y. H. Role of G Protein-Coupled Receptors in the Regulation of Structural Plasticity and Cognitive Function. in *Molecules* (2017). doi:10.3390/molecules22071239.
40. Vanderklish, P. W. & Edelman, G. M. Dendritic spines elongate after stimulation of group 1 metabotropic glutamate receptors in cultured hippocampal neurons. *Proc. Natl. Acad. Sci. U.S.A.* **99**, 1639–1644 (2002).
41. Suszkiw, J. B. Chapter 32 - Synaptic Transmission. in *Cell Physiology Source Book (Fourth Edition)* (ed. Sperelakis, N.) 563–578 (Academic Press, 2012). doi:10.1016/B978-0-12-387738-3.00032-9.
42. Citri, A. & Malenka, R. C. Synaptic Plasticity: Multiple Forms, Functions, and Mechanisms. *Neuropsychopharmacol* **33**, 18–41 (2008).
43. Bliss, T. V. & Lomo, T. Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J. Physiol. (Lond.)* **232**, 331–356 (1973).
44. Dudek, S. M. & Bear, M. F. Homosynaptic long-term depression in area CA1 of hippocampus and effects of N-methyl-D-aspartate receptor blockade. *Proc. Natl. Acad. Sci. U.S.A.* **89**, 4363–4367 (1992).
45. Glasgow, S. D., McPhedrain, R., Mdranges, J. F., Kennedy, T. E. & Ruthazer, E. S. Approaches and Limitations in the Investigation of Synaptic Transmission and Plasticity. *Front Synaptic Neurosci* **11**, (2019).
46. Kim, J. & Li, Y. Chronic activation of CB2 cannabinoid receptors in the hippocampus increases excitatory synaptic transmission. *J Physiol* **593**, 871–886 (2015).
47. Li, Y. & Kim, J. Deletion of CB2 cannabinoid receptors reduces synaptic transmission and long-term potentiation in the mouse hippocampus. *Hippocampus* **26**, 275–281 (2016).
48. Lu, Y. M. *et al.* Mice lacking metabotropic glutamate receptor 5 show impaired learning and reduced CA1 long-term potentiation (LTP) but normal CA3 LTP. *J. Neurosci.* **17**, 5196–5205 (1997).

49. Rosenbaum, R. S., Gilboa, A. & Moscovitch, M. Case studies continue to illuminate the cognitive neuroscience of memory. *Ann. N. Y. Acad. Sci.* **1316**, 105–133 (2014).
50. Bisaz, R., Travaglia, A. & Alberini, C. M. The neurobiological bases of memory formation: from physiological conditions to psychopathology. *Psychopathology* **47**, 347–356 (2014).
51. Kandel, E. R. The molecular biology of memory storage: a dialog between genes and synapses. *Biosci. Rep.* **24**, 475–522 (2004).
52. Vorhees, C. V. & Williams, M. T. Morris water maze: procedures for assessing spatial and related forms of learning and memory. *Nat Protoc* **1**, 848–858 (2006).
53. Nolan, S. O. & Lugo, J. N. Reversal learning paradigm reveals deficits in cognitive flexibility in the Fmr1 knockout male mouse. *F1000Res* **7**, 711 (2018).
54. Curzon, P., Rustay, N. R. & Browman, K. E. Cued and Contextual Fear Conditioning for Rodents. in *Methods of Behavior Analysis in Neuroscience* (ed. Buccafusco, J. J.) (CRC Press/Taylor & Francis, 2009).
55. Sweatt, J. D. Chapter 4 - Rodent Behavioral Learning and Memory Models. in *Mechanisms of Memory (Second Edition)* (ed. Sweatt, J. D.) 76–103 (Academic Press, 2010). doi:10.1016/B978-0-12-374951-2.00004-4.
56. Kruk-Slomka, M., Boguszewska-Czubara, A., Slomka, T., Budzynska, B. & Biala, G. Correlations between the Memory-Related Behavior and the Level of Oxidative Stress Biomarkers in the Mice Brain, Provoked by an Acute Administration of CB Receptor Ligands. *Neural Plasticity* <https://www.hindawi.com/journals/np/2016/9815092/abs/> (2016) doi:10.1155/2016/9815092.
57. Laschet, C., Dupuis, N. & Hanson, J. The G protein-coupled receptors deorphanization landscape. *Biochemical Pharmacology* **153**, 62–74 (2018).
58. Bunzow, J. R. *et al.* Cloning and expression of a rat D 2 dopamine receptor cDNA. *Nature* **336**, 783–787 (1988).
59. Fargin, A. *et al.* The genomic clone G-21 which resembles a beta-adrenergic receptor sequence encodes the 5-HT1A receptor. *Nature* **335**, 358–360 (1988).
60. Kotarsky, K. & Nilsson, N. E. Reverse pharmacology and the de-orphanization of 7TM receptors. *Drug Discov Today Technol* **1**, 99–104 (2004).
61. Tunaru, S. Strategies for G-protein coupled receptor deorphanization. *Endogenous locus-driven H-Ras G12V expression induces senescence-like phenotype in primary fibroblasts of the Costello syndrome mouse model* 71–79 (2017) doi:10.26600/MoLIFE.1.1.8.2017.
62. Chung, S., Funakoshi, T. & Civelli, O. Orphan GPCR research. *Br. J. Pharmacol.* **153 Suppl 1**, S339-346 (2008).
63. Thomsen, W., Frazer, J. & Unett, D. Functional assays for screening GPCR targets. *Curr. Opin. Biotechnol.* **16**, 655–665 (2005).

64. Williams, E. G. *et al.* Systems proteomics of liver mitochondria function. *Science* **352**, aad0189 (2016).
65. Zierer, J. *et al.* Exploring the molecular basis of age-related disease comorbidities using a multi-omics graphical model. *Sci Rep* **6**, 37646 (2016).
66. Gomez-Cabrero, D. *et al.* Data integration in the era of omics: current and future challenges. *BMC Syst Biol* **8**, I1 (2014).
67. Entzeroth, M., Flotow, H. & Condron, P. Overview of high-throughput screening. *Curr Protoc Pharmacol* **Chapter 9**, Unit 9.4 (2009).
68. Zock, J. M. Applications of High Content Screening in Life Science Research. *Comb Chem High Throughput Screen* **12**, 870–876 (2009).
69. Aoki, R., Tsubota, T., Goya, Y. & Benucci, A. An automated platform for high-throughput mouse behavior and physiology with voluntary head-fixation. *Nat Commun* **8**, 1–9 (2017).
70. Koopmans, F. *et al.* Comparative Hippocampal Synaptic Proteomes of Rodents and Primates: Differences in Neuroplasticity-Related Proteins. *Front Mol Neurosci* **11**, (2018).
71. Gonzalez-Lozano, M. A. *et al.* Dynamics of the mouse brain cortical synaptic proteome during postnatal brain development. *Sci Rep* **6**, 35456 (2016).
72. Bruderer, R. *et al.* Optimization of Experimental Parameters in Data-Independent Mass Spectrometry Significantly Increases Depth and Reproducibility of Results. *Mol. Cell Proteomics* **16**, 2296–2309 (2017).
73. He, B., Shi, J., Wang, X., Jiang, H. & Zhu, H.-J. Label-free absolute protein quantification with data-independent acquisition. *Journal of Proteomics* **200**, 51–59 (2019).
74. Huang, Q. *et al.* SWATH enables precise label-free quantification on proteome scale. *Proteomics* **15**, 1215–1223 (2015).
75. Selevsek, N. *et al.* Reproducible and Consistent Quantification of the *Saccharomyces cerevisiae* Proteome by SWATH-mass spectrometry. *Molecular & Cellular Proteomics* **14**, 739–749 (2015).
76. Bowen, B. P. & Northen, T. R. Dealing with the unknown: metabolomics and metabolite atlases. *J. Am. Soc. Mass Spectrom.* **21**, 1471–1476 (2010).
77. Beisken, S., Eiden, M. & Salek, R. M. Getting the right answers: understanding metabolomics challenges. *Expert Review of Molecular Diagnostics* **15**, 97–109 (2015).
78. Johnson, C. H., Ivanisevic, J. & Siuzdak, G. Metabolomics: beyond biomarkers and towards mechanisms. *Nature Reviews Molecular Cell Biology* **17**, 451–459 (2016).
79. Frédérich, M., Pirotte, B., Fillet, M. & de Tullio, P. Metabolomics as a Challenging Approach for Medicinal Chemistry and Personalized Medicine. *J. Med. Chem.* **59**, 8649–8666 (2016).
80. Chen, S. *et al.* Lipidomic characterization of extracellular vesicles in human serum. *J Circ Biomark* **8**, 1849454419879848 (2019).

81. Boutros, M., Heigwer, F. & Laufer, C. Microscopy-Based High-Content Screening. *Cell* **163**, 1314–1325 (2015).
82. Jain, S., van Kesteren, R. E. & Heutink, P. High Content Screening in Neurodegenerative Diseases. *J Vis Exp* (2012) doi:10.3791/3452.
83. Rosato, M. *et al.* Combined cellomics and proteomics analysis reveals shared neuronal morphology and molecular pathway phenotypes for multiple schizophrenia risk genes. *Mol Psychiatry* 1–16 (2019) doi:10.1038/s41380-019-0436-y.
84. van Deijk, A.-L. F., Broersen, L. M., Verkuyl, J. M., Smit, A. B. & Verheijen, M. H. G. High Content Analysis of Hippocampal Neuron-Astrocyte Co-cultures Shows a Positive Effect of Fortasyn Connect on Neuronal Survival and Postsynaptic Maturation. *Front. Neurosci.* **11**, (2017).
85. Mayr, L. M. & Fuerst, P. The future of high-throughput screening. *J Biomol Screen* **13**, 443–448 (2008).
86. Vorhees, C. V. & Williams, M. T. Assessing Spatial Learning and Memory in Rodents. *ILAR J* **55**, 310–332 (2014).
87. Gold, P. E. The use of avoidance training in studies of modulation of memory storage. *Behavioral and Neural Biology* **46**, 87–98 (1986).
88. Johansen, J. P., Cain, C. K., Ostroff, L. E. & LeDoux, J. E. Molecular Mechanisms of Fear Learning and Memory. *Cell* **147**, 509–524 (2011).
89. Hånell, A. & Marklund, N. Structured evaluation of rodent behavioral tests used in drug discovery research. *Front Behav Neurosci* **8**, (2014).
90. Jhuang, H. *et al.* Automated home-cage behavioural phenotyping of mice. *Nature Communications* **1**, 1–10 (2010).
91. Aarts, E. *et al.* The light spot test: Measuring anxiety in mice in an automated home-cage environment. *Behavioural Brain Research* **294**, 123–130 (2015).
92. Rimmelink, E., Smit, A. B., Verhage, M. & Loos, M. Measuring discrimination- and reversal learning in mouse models within 4 days and without prior food deprivation. *Learn. Mem.* **23**, 660–667 (2016).
93. Rimmelink, E., Chau, U., Smit, A. B., Verhage, M. & Loos, M. A one-week 5-choice serial reaction time task to measure impulsivity and attention in adult and adolescent mice. *Sci Rep* **7**, (2017).
94. Huang, Y. & Thathiah, A. Regulation of neuronal communication by G protein-coupled receptors. *FEBS Letters* **589**, 1607–1619 (2015).
95. Catapano, L. A. & Manji, H. K. G Protein-Coupled Receptors in Major Psychiatric Disorders. *Biochim Biophys Acta* **1768**, 976–993 (2007).
96. Thompson, M. D., Percy, M. E., McIntyre Burnham, W. & Cole, D. E. C. G protein-coupled receptors disrupted in human genetic disease. *Methods Mol. Biol.* **448**, 109–137 (2008).

97. Chan, W. K. B. *et al.* GLASS: a comprehensive database for experimentally validated GPCR-ligand associations. *Bioinformatics* **31**, 3035–3042 (2015).
98. Rao-Ruiz, P. *et al.* Time-dependent changes in the mouse hippocampal synaptic membrane proteome after contextual fear conditioning. *Hippocampus* **25**, 1250–1261 (2015).
99. Ostrovskaya, O. I. *et al.* Inhibitory Signaling to Ion Channels in Hippocampal Neurons Is Differentially Regulated by Alternative Macromolecular Complexes of RGS7. *J. Neurosci.* **38**, 10002–10015 (2018).
100. Orlandi, C. *et al.* Orphan Receptor GPR158 Is an Allosteric Modulator of RGS7 Catalytic Activity with an Essential Role in Dictating Its Expression and Localization in the Brain. *J. Biol. Chem.* **290**, 13622–13639 (2015).
101. Baarendse, P. J. J. *et al.* Differential involvement of the dorsal hippocampus in passive avoidance in C57bl/6J and DBA/2J mice. *Hippocampus* **18**, 11–19 (2008).
102. Schmitz, L. J. M. *et al.* The AMPA receptor-associated protein Shisa7 regulates hippocampal synaptic function and contextual memory. *eLife* **6**, e24192 (2017).
103. Spijker, S. *et al.* Morphine exposure and abstinence define specific stages of gene expression in the rat nucleus accumbens. *The FASEB Journal* **18**, 848–850 (2004).
104. Myatt, D., Hadlington, T., Ascoli, G. & Nasuto, S. Neuromantic – from Semi-Manual to Semi-Automatic Reconstruction of Neuron Morphology. *Front. Neuroinform.* **6**, (2012).
105. Scorcioni, R., Polavaram, S. & Ascoli, G. A. L-Measure: a web-accessible tool for the analysis, comparison and search of digital reconstructions of neuronal morphologies. *Nat Protoc* **3**, 866–876 (2008).
106. Micale, V. *et al.* Extinction of avoidance behavior by safety learning depends on endocannabinoid signaling in the hippocampus. *J Psychiatr Res* **90**, 46–59 (2017).
107. Mayford, M., Siegelbaum, S. A. & Kandel, E. R. Synapses and memory storage. *Cold Spring Harb Perspect Biol* **4**, (2012).
108. Mitsushima, D., Sano, A. & Takahashi, T. A cholinergic trigger drives learning-induced plasticity at hippocampal synapses. *Nature Communications* **4**, 1–10 (2013).
109. Zucker, R. S. & Regehr, W. G. Short-Term Synaptic Plasticity. *Annu. Rev. Physiol.* **64**, 355–405 (2002).
110. Abbott, L. F., Varela, J. A., Sen, K. & Nelson, S. B. Synaptic depression and cortical gain control. *Science* **275**, 220–224 (1997).
111. Fortune, E. S. & Rose, G. J. Short-term synaptic plasticity as a temporal filter. *Trends Neurosci.* **24**, 381–385 (2001).
112. Bekkers, J. M. & Häusser, M. Targeted dendrotomy reveals active and passive contributions of the dendritic tree to synaptic integration and neuronal output. *Proc. Natl. Acad. Sci. U.S.A.* **104**, 11447–11452 (2007).

113. Kowalski, J., Gan, J., Jonas, P. & Pernía-Andrade, A. J. Intrinsic membrane properties determine hippocampal differential firing pattern in vivo in anesthetized rats. *Hippocampus* **26**, 668–682 (2016).
114. Magee, J. C. Dendritic integration of excitatory synaptic input. *Nature Reviews Neuroscience* **1**, 181–190 (2000).
115. van Elburg, R. A. J. & van Ooyen, A. Impact of dendritic size and dendritic topology on burst firing in pyramidal cells. *PLoS Comput. Biol.* **6**, e1000781 (2010).
116. Mohan, H. *et al.* Dendritic and Axonal Architecture of Individual Pyramidal Neurons across Layers of Adult Human Neocortex. *Cereb. Cortex* **25**, 4839–4853 (2015).
117. Goriounova, N. A. *et al.* Large and fast human pyramidal neurons associate with intelligence. *eLife* **7**, e41714 (2018).
118. Tarantino, L. M., Gould, T. J., Druhan, J. P. & Bucan, M. Behavior and mutagenesis screens: the importance of baseline analysis of inbred strains. *Mammalian Genome* **11**, 555–564 (2000).
119. Rodgers, R. J., Boullier, E., Chatzimichalaki, P., Cooper, G. D. & Shorten, A. Contrasting phenotypes of C57BL/6JOLA^{Hsd}, 129S2/SvHsd and 129/SvEv mice in two exploration-based tests of anxiety-related behaviour. *Physiol. Behav.* **77**, 301–310 (2002).
120. Vöikar, V., Kõks, S., Vasar, E. & Rauvala, H. Strain and gender differences in the behavior of mouse lines commonly used in transgenic studies. *Physiol. Behav.* **72**, 271–281 (2001).
121. Brooks, S. P., Pask, T., Jones, L. & Dunnett, S. B. Behavioural profiles of inbred mouse strains used as transgenic backgrounds. II: cognitive tests. *Genes Brain Behav.* **4**, 307–317 (2005).
122. Abush, H. & Akirav, I. Cannabinoids modulate hippocampal memory and plasticity. *Hippocampus* **20**, 1126–1138 (2010).
123. Florian, C. & Roulet, P. Hippocampal CA3-region is crucial for acquisition and memory consolidation in Morris water maze task in mice. *Behavioural Brain Research* **154**, 365–374 (2004).
124. Hernández-Pérez, J. J., Gutiérrez-Guzmán, B. E. & Olvera-Cortés, M. E. Hippocampal strata theta oscillations change their frequency and coupling during spatial learning. *Neuroscience* **337**, 224–241 (2016).
125. Okada, T. *et al.* Long-term potentiation in the hippocampal CA1 area and dentate gyrus plays different roles in spatial learning. *Eur. J. Neurosci.* **17**, 341–349 (2003).
126. Tronel, S. *et al.* Spatial learning sculpts the dendritic arbor of adult-born hippocampal neurons. *Proc. Natl. Acad. Sci. U.S.A.* **107**, 7963–7968 (2010).
127. Spruston, N. Pyramidal neurons: dendritic structure and synaptic integration. *Nat. Rev. Neurosci.* **9**, 206–221 (2008).

128. Grant, S. G. *et al.* Impaired long-term potentiation, spatial learning, and hippocampal development in fyn mutant mice. *Science* **258**, 1903–1910 (1992).
129. Amini, M. *et al.* Conditional disruption of calpain in the CNS alters dendrite morphology, impairs LTP, and promotes neuronal survival following injury. *J. Neurosci.* **33**, 5773–5784 (2013).
130. Navakkode, S., Sajikumar, S., Korte, M. & Soong, T. W. Dopamine induces LTP differentially in apical and basal dendrites through BDNF and voltage-dependent calcium channels. *Learn. Mem.* **19**, 294–299 (2012).
131. Dinocourt, C., Aungst, S., Yang, K. & Thompson, S. M. Homeostatic increase in excitability in area CA1 after Schaffer collateral transection in vivo. *Epilepsia* **52**, 1656–1665 (2011).
132. Vetter, P., Roth, A. & Häusser, M. Propagation of Action Potentials in Dendrites Depends on Dendritic Morphology. *Journal of Neurophysiology* **85**, 926–937 (2001).
133. Song, C., Orlandi, C., Sutton, L. P. & Martemyanov, K. A. The signaling proteins GPR158 and RGS7 modulate excitability of L2/3 pyramidal neurons and control A-type potassium channel in the prelimbic cortex. *J. Biol. Chem.* jbc.RA119.007533 (2019) doi:10.1074/jbc.RA119.007533.
134. Vuksic, M. *et al.* Unilateral entorhinal denervation leads to long-lasting dendritic alterations of mouse hippocampal granule cells. *Exp. Neurol.* **230**, 176–185 (2011).
135. Bose, M. *et al.* Effect of the environment on the dendritic morphology of the rat auditory cortex. *Synapse* **64**, 97–110 (2010).
136. Urrego, D., Troncoso, J. & Múnera, A. Layer 5 Pyramidal Neurons' Dendritic Remodeling and Increased Microglial Density in Primary Motor Cortex in a Murine Model of Facial Paralysis. *BioMed Research International* <https://www.hindawi.com/journals/bmri/2015/482023/> (2015) doi:https://doi.org/10.1155/2015/482023.
137. Thakar, S. *et al.* Evidence for opposing roles of Celsr3 and Vangl2 in glutamatergic synapse formation. *PNAS* **114**, E610–E618 (2017).
138. Schroeder, A. *et al.* A Modular Organization of LRR Protein-Mediated Synaptic Adhesion Defines Synapse Identity. *Neuron* **99**, 329–344.e7 (2018).
139. Orlandi, C. *et al.* Transsynaptic Binding of Orphan Receptor GPR179 to Dystroglycan-Pikachurin Complex Is Essential for the Synaptic Organization of Photoreceptors. *Cell Rep* **25**, 130–145.e5 (2018).
140. Civelli, O. *et al.* Novel neurotransmitters as natural ligands of orphan G-protein-coupled receptors. *Trends Neurosci.* **24**, 230–237 (2001).

141. Watson, A. J., Katz, A. & Simon, M. I. A fifth member of the mammalian G-protein beta-subunit family. Expression in brain and activation of the beta 2 isotype of phospholipase C. *J. Biol. Chem.* **269**, 22150–22156 (1994).
142. Gerber, K. J., Squires, K. E. & Hepler, J. R. Roles for Regulator of G Protein Signaling Proteins in Synaptic Signaling and Plasticity. *Mol. Pharmacol.* **89**, 273–286 (2016).
143. Ragozzino, M. E. The contribution of the medial prefrontal cortex, orbitofrontal cortex, and dorsomedial striatum to behavioral flexibility. *Ann. N. Y. Acad. Sci.* **1121**, 355–375 (2007).
144. Izquierdo, A., Brigman, J. L., Radke, A. K., Rudebeck, P. H. & Holmes, A. The neural basis of reversal learning: An updated perspective. *Neuroscience* **345**, 12–26 (2017).
145. Li, K. W., Klemmer, P. & Smit, A. B. Interaction proteomics of synapse protein complexes. *Anal Bioanal Chem* **397**, 3195–3202 (2010).
146. Moser, E., Moser, M. B. & Andersen, P. Spatial learning impairment parallels the magnitude of dorsal hippocampal lesions, but is hardly present following ventral lesions. *J. Neurosci.* **13**, 3916–3925 (1993).
147. Anjo, S. I., Santa, C. & Manadas, B. SWATH-MS as a tool for biomarker discovery: From basic research to clinical applications. *Proteomics* **17**, (2017).
148. Hamilton, D. A. & Brigman, J. L. Behavioral flexibility in rats and mice: contributions of distinct frontocortical regions. *Genes Brain Behav.* **14**, 4–21 (2015).
149. McCool, M. F., Patel, S., Talati, R. & Ragozzino, M. E. Differential involvement of M1-type and M4-type muscarinic cholinergic receptors in the dorsomedial striatum in task switching. *Neurobiol Learn Mem* **89**, 114–124 (2008).
150. Tzavos, A., Jih, J. & Ragozzino, M. E. Differential effects of M1 muscarinic receptor blockade and nicotinic receptor blockade in the dorsomedial striatum on response reversal learning. *Behav. Brain Res.* **154**, 245–253 (2004).
151. Palencia, C. A. & Ragozzino, M. E. The influence of NMDA receptors in the dorsomedial striatum on response reversal learning. *Neurobiol Learn Mem* **82**, 81–89 (2004).
152. Wei, C. J. *et al.* Selective inactivation of adenosine A2A receptors in striatal neurons enhances working memory and reversal learning. *Learn Mem* **18**, 459–474 (2011).
153. Wang, X. *et al.* Medium spiny neurons of the anterior dorsomedial striatum mediate reversal learning in a cell-type-dependent manner. *Brain Struct Funct* **224**, 419–434 (2019).
154. Willars, G. B. Mammalian RGS proteins: multifunctional regulators of cellular signalling. *Semin. Cell Dev. Biol.* **17**, 363–376 (2006).
155. Ostrovskaya, O. *et al.* RGS7/Gβ5/R7BP complex regulates synaptic plasticity and memory by modulating hippocampal GABABR-GIRK signaling. *Elife* **3**, e02053 (2014).

156. Zhang, J.-H., Lai, Z. & Simonds, W. F. Differential Expression of the G Protein $\beta 5$ Gene. *Journal of Neurochemistry* **75**, 393–403 (2000).
157. Anderson, G. R., Posokhova, E. & Martemyanov, K. A. THE R7 RGS PROTEIN FAMILY: MULTI-SUBUNIT REGULATORS OF NEURONAL G PROTEIN SIGNALING. *Cell Biochem Biophys* **54**, 33–46 (2009).
158. Slepak, V. Z. Structure, Function, and Localization of G $\beta 5$ –RGS Complexes. *Prog Mol Biol Transl Sci* **86**, 157–203 (2009).
159. Zhang, J.-H. *et al.* Knockout of G protein $\beta 5$ impairs brain development and causes multiple neurologic abnormalities in mice. *J Neurochem* **119**, 544–554 (2011).
160. Hinton, D. R. *et al.* Novel localization of a G protein, Gz-alpha, in neurons of brain and retina. *J. Neurosci.* **10**, 2763–2770 (1990).
161. Serres, F. *et al.* Evidence That Gz-Proteins Couple to Hypothalamic 5-HT1A Receptors In Vivo. *J Neurosci* **20**, 3095–3103 (2000).
162. Leck, K. J. *et al.* Gz proteins are functionally coupled to dopamine D2-like receptors in vivo. *Neuropharmacology* **51**, 597–605 (2006).
163. Oleskevich, S., Leck, K.-J., Matthaei, K. & Hendry, I. Enhanced serotonin response in the hippocampus of Gz protein knock-out mice. *Neuroreport* **16**, 921–925 (2005).
164. van den Buuse, M., Martin, S., Holgate, J., Matthaei, K. & Hendry, I. Mice deficient in the alpha subunit of Gz show changes in pre-pulse inhibition, anxiety and responses to 5-HT1A receptor stimulation, which are strongly dependent on the genetic background. *Psychopharmacology* **195**, 273–283 (2007).
165. Hultman, R., Kumari, U., Michel, N. & Casey, P. J. Gz regulates BDNF-induction of axon growth in cortical neurons. *Mol Cell Neurosci* **58**, 53–61 (2014).
166. Wang, J. *et al.* Interaction of DCF1 with ATP1B1 induces impairment in astrocyte structural plasticity via the P38 signaling pathway. *Exp. Neurol.* **302**, 214–229 (2018).
167. Moseley, A. E. *et al.* Deficiency in Na,K-ATPase α Isoform Genes Alters Spatial Learning, Motor Activity, and Anxiety in Mice. *J. Neurosci.* **27**, 616–626 (2007).
168. Beck, S. J. *et al.* Deregulation of mitochondrial F1FO-ATP synthase via OSCP in Alzheimer's disease. *Nat Commun* **7**, 11483 (2016).
169. Mendel, I. *et al.* Identification of Motile Sperm Domain-Containing Protein 2 as Regulator of Human Monocyte Migration. *J. Immunol.* **198**, 2125–2132 (2017).
170. Salem, Y., Yacov, N., Propheta-Meirán, O., Breitbart, E. & Mendel, I. Newly characterized motile sperm domain-containing protein 2 promotes human breast cancer metastasis. *Int. J. Cancer* **144**, 125–135 (2019).
171. Weeber, E. J. *et al.* The Role of Mitochondrial Porins and the Permeability Transition Pore in Learning and Synaptic Plasticity. *J. Biol. Chem.* **277**, 18891–18897 (2002).

172. Baghel, M. S. & Thakur, M. K. Differential proteome profiling in the hippocampus of amnesic mice. *Hippocampus* **27**, 845–859 (2017).
173. Baghel, M. S. & Thakur, M. K. Vdac1 Downregulation Causes Mitochondrial Disintegration Leading to Hippocampal Neurodegeneration in Scopolamine-Induced Amnesic Mice. *Mol. Neurobiol.* **56**, 1707–1718 (2019).
174. Chen, N., vd Schors, R. C. & Smit, A. B. A 1D-PAGE/LC-ESI Linear Ion Trap Orbitrap MS Approach for the Analysis of Synapse Proteomes and Synaptic Protein Complexes. in *Neuroproteomics* (ed. Li, K. W.) 159–167 (Humana Press, 2011). doi:10.1007/978-1-61779-111-6_12.
175. Bruderer, R. *et al.* Extending the limits of quantitative proteome profiling with data-independent acquisition and application to acetaminophen-treated three-dimensional liver microtissues. *Mol. Cell Proteomics* **14**, 1400–1410 (2015).
176. Huber, W., von Heydebreck, A., Sülthmann, H., Poustka, A. & Vingron, M. Variance stabilization applied to microarray data calibration and to the quantification of differential expression. *Bioinformatics* **18 Suppl 1**, S96-104 (2002).
177. Ritchie, M. E. *et al.* limma powers differential expression analyses for RNA-sequencing and microarray studies. *Nucleic Acids Res.* **43**, e47 (2015).
178. Südhof, T. C. Towards an Understanding of Synapse Formation. *Neuron* **100**, 276–293 (2018).
179. Duman, J. G. *et al.* The Adhesion-GPCR BAI1 Regulates Synaptogenesis by Controlling the Recruitment of the Par3/Tiam1 Polarity Complex to Synaptic Sites. *J. Neurosci.* **33**, 6964–6978 (2013).
180. Boucard, A. A., Maxeiner, S. & Südhof, T. C. Latrophilins Function as Heterophilic Cell-adhesion Molecules by Binding to Teneurins. *J Biol Chem* **289**, 387–402 (2014).
181. Moreno-Salinas, A. L. *et al.* Latrophilins: A Neuro-Centric View of an Evolutionary Conserved Adhesion G Protein-Coupled Receptor Subfamily. *Front. Neurosci.* **13**, (2019).
182. Bjarnadóttir, T. K. *et al.* The human and mouse repertoire of the adhesion family of G-protein-coupled receptors. *Genomics* **84**, 23–33 (2004).
183. Langenhan, T., Aust, G. & Hamann, J. Sticky Signaling--Adhesion Class G Protein-Coupled Receptors Take the Stage. *Science Signaling* **6**, re3–re3 (2013).
184. Araç, D. *et al.* A novel evolutionarily conserved domain of cell-adhesion GPCRs mediates autoproteolysis. *EMBO J.* **31**, 1364–1378 (2012).
185. Sando, R., Jiang, X. & Südhof, T. C. Latrophilin GPCRs direct synapse specificity by coincident binding of FLRTs and teneurins. *Science* **363**, (2019).
186. Biederer, T. *et al.* SynCAM, a synaptic adhesion molecule that drives synapse assembly. *Science* **297**, 1525–1531 (2002).

187. Burry, R. W. Development of apparent presynaptic elements formed in response to polylysine coated surfaces. *Brain Res.* **247**, 1–16 (1982).
188. Kim, S. *et al.* NGL family PSD-95–interacting adhesion molecules regulate excitatory synapse formation. *Nature Neuroscience* **9**, 1294–1301 (2006).
189. Kim, J.-E. *et al.* Investigating synapse formation and function using human pluripotent stem cell-derived neurons. *Proc Natl Acad Sci U S A* **108**, 3005–3010 (2011).
190. Sara, Y. *et al.* Selective Capability of SynCAM and Neuroligin for Functional Synapse Assembly. *J. Neurosci.* **25**, 260–270 (2005).
191. Scheiffele, P., Fan, J., Choih, J., Fetter, R. & Serafini, T. Neuroligin expressed in nonneuronal cells triggers presynaptic development in contacting axons. *Cell* **101**, 657–669 (2000).
192. Song, J.-Y., Ichtchenko, K., Südhof, T. C. & Brose, N. Neuroligin 1 is a postsynaptic cell-adhesion molecule of excitatory synapses. *PNAS* **96**, 1100–1105 (1999).
193. Moretto, E. *et al.* TSPAN5 Enriched Microdomains Provide a Platform for Dendritic Spine Maturation through Neuroligin-1 Clustering. *Cell Rep* **29**, 1130–1146.e8 (2019).
194. Fenner, A. Prostate cancer: Orphan receptor GPR158 finds a home in prostate cancer growth and progression. *Nat Rev Urol* **12**, 182 (2015).
195. Karsenty, G. & Olson, E. N. Bone and Muscle Endocrine Functions: Unexpected Paradigms of Inter-organ Communication. *Cell* **164**, 1248–1256 (2016).
196. Oury, F. *et al.* Maternal and offspring pools of osteocalcin influence brain development and functions. *Cell* **155**, 228–241 (2013).
197. Cheng, Z. *et al.* Luciferase Reporter Assay System for Deciphering GPCR Pathways. *Curr Chem Genomics* **4**, 84–91 (2010).
198. Smit, M. J. *et al.* Pharmacogenomic and structural analysis of constitutive g protein-coupled receptor activity. *Annu. Rev. Pharmacol. Toxicol.* **47**, 53–87 (2007).
199. Pandya, N. J. *et al.* Correlation profiling of brain sub-cellular proteomes reveals co-assembly of synaptic proteins and subcellular distribution. *Sci Rep* **7**, 1–11 (2017).
200. Zhang, R. & Xie, X. Tools for GPCR drug discovery. *Acta Pharmacol Sin* **33**, 372–384 (2012).
201. Luo, J. *et al.* A calcineurin- and NFAT-dependent pathway is involved in α -synuclein-induced degeneration of midbrain dopaminergic neurons. *Hum. Mol. Genet.* **23**, 6567–6574 (2014).
202. Rao, A., Luo, C. & Hogan, P. G. Transcription factors of the NFAT family: regulation and function. *Annu. Rev. Immunol.* **15**, 707–747 (1997).
203. Horsley, V. & Pavlath, G. K. NFAT: ubiquitous regulator of cell differentiation and adaptation. *J. Cell Biol.* **156**, 771–774 (2002).

204. Benedito, A. B. *et al.* The Transcription Factor NFAT3 Mediates Neuronal Survival. *J. Biol. Chem.* **280**, 2818–2825 (2005).
205. Nguyen, T. & Di Giovanni, S. NFAT signaling in neural development and axon growth. *International Journal of Developmental Neuroscience* **26**, 141–145 (2008).
206. Rhee, S. G. Regulation of Phosphoinositide-Specific Phospholipase C. *Annu. Rev. Biochem.* **70**, 281–312 (2001).
207. Abdul, H. M. *et al.* Cognitive Decline in Alzheimer's Disease Is Associated with Selective Changes in Calcineurin/NFAT Signaling. *J. Neurosci.* **29**, 12957–12969 (2009).
208. Groth, R. D. & Mermelstein, P. G. Brain-Derived Neurotrophic Factor Activation of NFAT (Nuclear Factor of Activated T-Cells)-Dependent Transcription: A Role for the Transcription Factor NFATc4 in Neurotrophin-Mediated Gene Expression. *J. Neurosci.* **23**, 8125–8134 (2003).
209. Sakurai, T. *et al.* Orexins and orexin receptors: a family of hypothalamic neuropeptides and G protein-coupled receptors that regulate feeding behavior. *Cell* **92**, 573–585 (1998).
210. Hinuma, S. *et al.* A prolactin-releasing peptide in the brain. *Nature* **393**, 272–276 (1998).
211. Tatemoto, K. *et al.* Isolation and characterization of a novel endogenous peptide ligand for the human APJ receptor. *Biochem. Biophys. Res. Commun.* **251**, 471–476 (1998).
212. Kojima, M. *et al.* Ghrelin is a growth-hormone-releasing acylated peptide from stomach. *Nature* **402**, 656–660 (1999).
213. Ohtaki, T. *et al.* Metastasis suppressor gene KiSS-1 encodes peptide ligand of a G-protein-coupled receptor. *Nature* **411**, 613–617 (2001).
214. Audet, M. & Stevens, R. C. Emerging structural biology of lipid G protein-coupled receptors. *Protein Sci.* **28**, 292–304 (2019).
215. Yin, H. *et al.* Lipid G Protein-coupled Receptor Ligand Identification Using β -Arrestin PathHunter™ Assay. *J Biol Chem* **284**, 12328–12338 (2009).
216. Lewis, K. T., Maddipati, K. R., Naik, A. R. & Jena, B. P. Unique Lipid Chemistry of Synaptic Vesicle and Synaptosome Membrane Revealed Using Mass Spectrometry. *ACS Chem Neurosci* **8**, 1163–1169 (2017).
217. Hamann, J., Vogel, B., van Schijndel, G. M. & van Lier, R. A. The seven-span transmembrane receptor CD97 has a cellular ligand (CD55, DAF). *J. Exp. Med.* **184**, 1185–1189 (1996).
218. Stacey, M. *et al.* The epidermal growth factor-like domains of the human EMR2 receptor mediate cell attachment through chondroitin sulfate glycosaminoglycans. *Blood* **102**, 2916–2924 (2003).
219. Wang, T. *et al.* CD97, an adhesion receptor on inflammatory cells, stimulates angiogenesis through binding integrin counterreceptors on endothelial cells. *Blood* **105**, 2836–2844 (2005).

220. Wandel, E., Saalbach, A., Sittig, D., Gebhardt, C. & Aust, G. Thy-1 (CD90) is an interacting partner for CD97 on activated endothelial cells. *J. Immunol.* **188**, 1442–1450 (2012).
221. Ward, Y. *et al.* LPA receptor heterodimerizes with CD97 to amplify LPA-initiated RHO-dependent signaling and invasion in prostate cancer cells. *Cancer Res.* **71**, 7301–7311 (2011).
222. Hilbig, D. *et al.* Mechano-Dependent Phosphorylation of the PDZ-Binding Motif of CD97/ADGRE5 Modulates Cellular Detachment. *Cell Reports* **24**, 1986–1995 (2018).
223. Wisniewski, J. R., Zougman, A., Krüger, S. & Mann, M. Mass spectrometric mapping of linker histone H1 variants reveals multiple acetylations, methylations, and phosphorylation as well as differences between cell culture and tissue. *Mol. Cell Proteomics* **6**, 72–87 (2007).
224. Wiśniewski, J. R., Zougman, A. & Mann, M. N ϵ -Formylation of lysine is a widespread post-translational modification of nuclear proteins occurring at residues involved in regulation of chromatin function. *Nucleic Acids Res* **36**, 570–577 (2008).
225. Burg, J. S. *et al.* Structural biology. Structural basis for chemokine recognition and activation of a viral G protein-coupled receptor. *Science* **347**, 1113–1117 (2015).
226. Flühmann, B. *et al.* Parathyroid hormone responses of cyclic AMP-, serum- and phorbol ester-responsive reporter genes in osteoblast-like UMR-106 cells. *Mol. Cell. Endocrinol.* **139**, 89–98 (1998).
227. Goldman, L. A., Cutrone, E. C., Kotenko, S. V., Krause, C. D. & Langer, J. A. Modifications of vectors pEF-BOS, pcDNA1 and pcDNA3 result in improved convenience and expression. *BioTechniques* **21**, 1013–1015 (1996).
228. Arimont, M. *et al.* Identification of Key Structural Motifs Involved in 7 Transmembrane Signaling of Adhesion GPCRs. *ACS Pharmacol. Transl. Sci.* **2**, 101–113 (2019).
229. Fahy, E., Sud, M., Cotter, D. & Subramaniam, S. LIPID MAPS online tools for lipid research. *Nucleic Acids Res* **35**, W606–W612 (2007).
230. Itakura, T. *et al.* GPR158 in the Visual System: Homeostatic Role in Regulation of Intraocular Pressure. *Journal of Ocular Pharmacology and Therapeutics* (2019) doi:10.1089/jop.2018.0135.
231. Horch, H. W. & Katz, L. C. BDNF release from single cells elicits local dendritic growth in nearby neurons. *Nat. Neurosci.* **5**, 1177–1184 (2002).
232. Baj, G., Leone, E., Chao, M. V. & Tongiorgi, E. Spatial segregation of BDNF transcripts enables BDNF to differentially shape distinct dendritic compartments. *Proc. Natl. Acad. Sci. U.S.A.* **108**, 16813–16818 (2011).
233. Graef, I. A. *et al.* Neurotrophins and Netrins Require Calcineurin/NFAT Signaling to Stimulate Outgrowth of Embryonic Axons. *Cell* **113**, 657–670 (2003).

234. Washbourne, P. *et al.* Cell Adhesion Molecules in Synapse Formation. *J. Neurosci.* **24**, 9244–9249 (2004).
235. Missler, M., Südhof, T. C. & Biederer, T. Synaptic Cell Adhesion. *Cold Spring Harb Perspect Biol* **4**, a005694 (2012).

Acknowledgements

I would like to express my gratitude to the people who have made my PhD journey possible and unforgettable.

First of all, I would like to thank to my supervisors Sabine, Guus and Ka Wan for giving me the opportunity to do my PhD at MCN. Dear Sabine, thank you for all your guidance and support during my PhD. I greatly appreciated your trust and encouragement during these years. I have learnt a lot from you and I am really thankful for your contribution on my professional development. Dear Guus, it has been a privilege for me to have your supervision as well during my PhD. I truly appreciate your positive and constructive feedbacks, and inspiring attitude during these years. Dear Ka Wan, thanks for your contribution, advices and availability whenever I needed it.

During my PhD, I had the opportunity to collaborate with many great scientists from several research groups. I would like to thank Rob Leurs for giving me the opportunity to perform part of the deorphanization project in the Medicinal Chemistry Department at the VU. I thank Saskia E. Nijmeijer, Sabrina M. de Munnik and Henry F. Visscher for their help and guidance during that period. Thanks to Martin Giera and Rico E.J Derks for their collaboration and effort on the lipidomics experiments. Thanks also to Maarten Loos, Ronald E. van Kesteren and Huibert D. Mansvelter for their advices and contributions to my experimental chapters. I am also thankful to the team leaders from MCN; Michel and Mark for their comments and suggestions regarding my projects in every "Thursday morning presentation", as well as for their positive and friendly attitude during these years.

Dear Yvonne, Roel, Titia, Iryna, Marion, Nina and Rolinka, it would have been extremely difficult to learn and perform all the different techniques that I applied in my thesis without your help, advice and positiveness. I am really grateful for having met and working with all of you, many thanks. Dear Brigitte, PhD life gets much easier with your help. It is always a great pleasure to meet you; many thanks for your support!

Thanks to all my wonderful colleagues; Aina, Elena, Esther, Christina, Maija, Mariana, Martina, Miguel, Leonidas, Sarah, Sonya and Sophie for all dinners, birthday parties, trips, coffee breaks, conversations and much more. Each of you has a particular place in my life and I had great memories with you during these years. Dear Andrea, Azra, Fran, Mandy, Miao and Suzanne thank you for being such nice colleagues.

I would like to give my special thanks to my paranymphs Esther and Sophie. Dear Esther, many thanks for all your support and help during this period. I cannot thank you enough for being always there and for your invaluable friendship. Dear Sophie, I am grateful for your friendship and your support as well. I feel extremely lucky to have both of you as my friends and paranymphs.

Many thanks to the former and current MCN members: Anna, Anne-Lieke, Céline, Danai, Esther, Frank, Leanne, Mariette, Mylene, Nikhil, Pim, Priyanka, Remco and Sigrid for the warm welcome when I started my PhD, creating a friendly and inspiring work environment and for being always available when I had any question during my PhD. Dear Ioannis, it was a pleasure to work with you, thanks a lot for your collaboration and effort.

Last but not least, I want to thank Alfonso for his endless support, patience and understanding throughout this time.

Doktora sürecinde bana verdikleri destek ve gösterdikleri anlayıştan dolayı başta annem ve babam olmak üzere, tüm aileme teşekkür ederim. Sevgili annem ve babam, sadece bu süreçte değil, hayatımın her aşamasında yanımda olmanız ve verdiğiniz destek paha biçilemez. Sizin varlığınızı, sevginizi ve bana olan güveninizi hissetmek sahip olunabilecek en kıymetli şey. Sevgili abim Mehmet, teyzem Gülden ve eniştem Ali'ye bana olan desteklerini hiçbir zaman esirgemedikleri için teşekkürü bir borç bilirim.

Son olarak, bu yolda, öncesinde ve sonrasında, elimi hiç bırakmayan dostlarım Çimen Elias ve Nazlı Elias'a ve tüm arkadaşlarıma her daim yanımda oldukları için teşekkür ederim.

